





### CORTINA SAFETY PRODUCTS

Solutions for every workzone...

Whether your workzone is along a stretch of highway, airport, parade route, distribution center, hotel lobby, parking facility, amusement park or any other workzone where vehicular or pedestrian traffic is present, Cortina has the People, Products and Processes that set us apart from the competition!

**People** - A privately held American company since 1969. Our people make the difference. For generations Cortina has grown from a small manufacturer of plastic products into a leading manufacturer of products for consumer, industrial, commercial, heavy duty truck and lawn and garden markets.

**Products** - With North America's broadest offering of safety product solutions, we are your one source for workzone products designed to meet a wide variety of application requirements. We set the standard for "Best-in-Class" with products like; TrailBoss<sup>TM</sup>, Plastx<sup>TM</sup>, Quadra Flex<sup>TM</sup>, Lamba<sup>TM</sup>, Pack N Pop<sup>TM</sup>, Bargard<sup>TM</sup>, TrailBlazer<sup>TM</sup>, Grip N Go<sup>TM</sup>, EZ-Grab<sup>TM</sup>, and Strato-Lite<sup>TM</sup>.

**Processes** – Investments in technology, equipment, and software allow us to control all aspects of the product cycle. Our ISO Certified, vertically integrated manufacturing facilities and state-of-the-art distribution center ensure products are made to exacting standards and delivered on time.

This catalog represents our current product offering and is intended as a resource guide in helping you identify and select the right solutions for your specific workzone. Put our nearly 50 years of experience to work for you.







## **DW SERIES TRAFFIC CONES**















### **DW SERIES TRAFFIC CONES**

















## W SERIES TRAFFIC CONES

















# SPORT CONES























## PACK N POP™ COLLAPSIBLE CONES

### PACK N POP HEAVY DUTY COLLAPSIBLE CONE SINGLE PACK



- Meets MUTCD Standards30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with Orange Waterproof Nylon
- Operates on 2 AAA Batteries (included)

**DESCRIPTION** ITEM#

03-501-04 Black Rubber Base 6U 4L

### PACK N POP HEAVY DUTY COLLAPSIBLE CONE MULTI PACK



- Meets MUTCD Standards
- 30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with Orange Waterproof Nylon
- Operates on 2 AAA Batteries (included)

**DESCRIPTION** ITEM#

03-501-05 Black Rubber Base 6U 4L (5/CS)





### PACK N POP™ COLLAPSIBLE CONE

### PACK N POP PORTABLE COLLAPSIBLE CONE SINGLE PACK



- Meets MUTCD Standards
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Operates on 2 AAA Batteries (included)

  Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with Orange Waterproof Nylon
- 28" Portable, Collapsible Reflective Cone
  Collapses to 2" Height for easy storage
- Quick and easy set up and take down
- Durable heavy duty ABS base with Rubber Feet
- Highly reflective permanent collars
- 850' Visibility at night

#### ITEM# DESCRIPTION

03-501-01 28" Orange with Light & Rubber Feet Plastic Base 6U 4L

### PACK N POP PORTABLE COLLAPSIBLE CONE MULTI PACKS



- Meets MUTCD Standards
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Operates on 2 AAA Batteries (included)
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with Orange Waterproof Nylon
- 28" Portable, Collapsible Reflective Cone
- Collapses to 2" Height for easy storage
- Quick and easy set up and take down
- Durable heavy duty ABS base with Rubber Feet
- Highly reflective permanent collars
- 850' Visibility at night

ITEM#	DESCRIPTION
03-501-06	18" Orange without Feet - Plastic Base (4/CS)
03-501-02	28" Orange with Light & Rubber Feet Plastic Base 6U 4L- (4/CS
03_501_03	28" Orange with Light & Rubber Feet Plastic Rase 6LL/L - (5/CS)

### PACK N POP ECONOMY COLLAPSIBLE CONE SINGLE PACK



- Quick and easy set up and take down
- Heavy duty polyester construction resistant to most chemicals
- Durable heavy duty plastic base
- Highly reflective permanent collars
- Removable LED Safety Light
- 850' Visibility at night

#### **DESCRIPTION** ITEM#

03-500-80 28" Reflective with LED Light 03-500-80NL 28" Reflective with No Light

03-500-80Ll Replacement Light

### PACK N POP FCONOMY COLLAPSIBLE CONF MULTI PACKS



- Collapses to 2" Height for easy storage
- Quick and easy set up and take down
- Heavy duty polyester construction resistant to most chemicals
- Durable heavy duty plastic base
- Highly reflective permanent collars
- Removable LED Safety Light
- 850' Visibility at night

ITEM# **DESCRIPTION** 

03-500-80-5 28" Reflective with LED Light (5/cs) 03-500-80KT 28" Reflective without LED Light (5/cs)



# **CONE SIGNS**















- Endless Messaging Options
- Injection molded one piece design
- Clean crisp edges
- No flaking or splintering
- Will not warp or bend
- Excellent surface for adhesive application or screening
- Longer life than aluminum
- UV color protection package
- High impact ABS resin .125 thick
- Excellent in extreme weather conditions















### **CONE ACCESSORIES**

### **BARRICONE**



- Barricone Rail available in 4' and 6' lengths
- Plain or Caution with reflective

ITEM#DESCRIPTION03-550-BRCH44' Yellow Caution Reflective03-550-BRP44' Yellow Plain03-550-BRCR6' Yellow Caution Reflective03-550-BRP6' Yellow Plain

### **CONE LIGHTS**



- 360° LED Light Circuit
- Run on 6V Battery
- Steady flashing light
- Easy application simply slide ring over top of cone
- Copolymer resin housing
- High impact resistant

ITEM# DESCRIPTION
03-10-CLG Amber Cone Light
03-10-CLGR Red Cone Light

### RETRACTABLE CONE BAR



- Use with any and all PVC Traffic Cones
- Extremely versatile for road and utility work sites
- Perfect for parking lots and pedestrian crossways
- Convenient and fast unique barrier system

The state of the s		
ITEM#	DESCRIPTION	RING DIAMETER
03-824CB	Orange - Extends 5'-9'	5"
03-824CB-B	Blue	3"
03-824CB-G	Green	3"
03-824CB-R	Red	3"
03-824CB-Y	Yellow	3"
03-824CB-BLK	Black	3"
03-824CB3	Orange	3"

### CONE CART




- Heavy duty construction holds up to 500 lbs.
- Easy roll design makes working around tight spaces simple and saves time.
- Easy roll reduces the potential for injury
- Cones can be mixed or matched for easy transport
- Heavy Duty long wearing maintenance free wheels

ITEM# DESCRIPTION
03-500-CC Cone Cart





## **RÓLL-UP SIGNS**







### **ROLL-UP SIGNS**

### **ROLL-UP SIGNS**



Mesh Non-reflective



Superbright Reflective



(i)

Non-reflective Vinyl



Marathon Reflective

Standard Overlays attach to signs with Velcro.



#### Meets MUTCD Standards

- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 9 36" x 36" or 48" x 48" sizes

### **DESCRIPTION**

Be Prepared To Stop Construction Ahead Detour Ahead Flagger Ahead Flagger Symbol Fresh Oil Men Working Men Working Symbol Merge Left Symbol Merge Right Merge Right Symbol Mowing Ahead One Lane Road Ahead Right Lane Closed Ahead Right Shoulder Closed Road Closed Ahead Road Construction Ahead Road Work Ahead Shoulder Work Ahead Signal Work Ahead Slow Survey Crew Survey Crew Ahead Trucks Entering Highway Utility Work Ahead Work Area Ahead

Workers Ahead

## CUSTOM LEGENDS AVAILABLE SEE PRICE LIST FOR ADDITIONAL LEGENDS



## **ROLL-UP SIGNS**

### **ROLL-UP SIGNS**



- 75 CM X 75 CM / 29.5" X 29.5" or 90 CM X 90 CM / 36" X 36"
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs

ITEM#	DESCRIPTION
75 CM X 75 CI	M / 29.5" X 29.5"
07-800-0123	Men at Work Symbol
07-800-0124	Arrow 45° Symbol
07-800-0135	Merge Left Symbol
07-800-0136	Yield Ahead Symbol
07-800-35103	Stop Light Symbol
07-800-35104	Man in Bucket Symbol
07-800-35106	Traffic Control Person Symbol
07-800-0137	Lentement Symbol
07-800-35101	Do Not Pass Symbol

#### 90 CM X 90 CM / 36" X 36"

07-800-3026-L	Men at Work Symbol
07-800-3028-L	Construction Ahead
07-800-3044-L	Merge Right Symbol
07-800-3045-L	Merge Left Symbol
07-800-3051-L	Traffic Control Person Symbol
07-800-3060-L	Arrow 45° Symbol
07-800-3058-L	Yield Ahead Symbol
07-800-30104	Emergency Scene Ahead
07-800-3000-C-L	Do Not Pass Symbol

### **ROLL-UP SIGNS**

 ITEM#
 DESCRIPTION

 07-800-3057L
 90 Cm x 120 CM / 36" x 48" Road Closed

 07-800-3056-L
 36" x 48" Yield Pictogram on Oncoming Traffic

 07-800-35102
 60 CM x 75 CM / 24" x 30 "Ligne D'Arrêt









### **ROLL-UP SIGNS**

### **EMERGENCY ROLL-UP SIGNS**







- Meets MUTCD Standards
- Superbright fluorescent pink provides maximum visibility
- Ribsets are included and are ready for use
- 9 36" x 36" or 48" x 48"


TEM# 07-800-30104 07-800-30106 07-800-30107

DESCRIPTION

Francisco About

Emergency Scene Ahead Sobriety Checkpoint Incident Ahead

### QUADRA FLEX<sup>™</sup> EMERGENCY RESPONSE SYSTEM



07-810 36" Sign Stand System - Specify Legend 07-811 48" Sign Stand System - Specify Legend



### SIGN STANDS & SIGN HOLDERS

### OUADRA FLEX™ VI DUAL SPRING SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set-up
- One person deployment without tools
- Allows deployment of Roll-up and Rigid signs from 14" to 6' from ground surface
- Dual-spring base with strong initial tension resists twisting and turning of sign in high wind gusts

ITEM#	DESCRIPTION
07-801-1	Holds 36" or 48" Sign 14" off the ground
07-805-1	Holds 36" or 48" sign 5' off the ground
07-809	Rigid brackets convert QF VI to hold rigid signs
07-824-2	QF VR holds rigid signs 3' off the ground

### OUADRA FLEX™ VI SINGLE SPRING STAND



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set-up
- One person deployment without tools
- Allows deployment of Roll-up and Rigid signs from 14" to 6' from ground surface
- Single Spring product line combines all products of the Quadra Flex line with added light weight features in a Single Spring Stand

ITEM#	DESCRIPTION
07-802-1	Base only
07-804-1	Base & Mast for 36" sign
07-804-2	Base & Mast for 48" sign
07-804-3	Base & Telescopic Mast for 36" or 48" sign

### SCREW LOCK SIGN STANDS




- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set-up
- One person deployment without tools
- Allows deployment of Roll-up and Rigid signs from 14" to 6' from ground surface
- For use with roll up signs
- Includes bracket
- Features telescoping legs

ITEM#	DESCRIPTION
07-819-1	No spring - holds 36" or 48" Roll Up Signs
07-816-1	Single Spring - holds 36" or 48" Roll Up Signs



### **SIGN STANDS & SIGN HOLDERS**

### QUADRA FLEXTM ACCESSORIES



IIEM#	DESCRIPTION
07-806	Mast for 36" Roll Up Sign
07-807	Mast for 48" Roll Up Sign
07-808	Telescoping Mast for 36" and 48" Roll Up Signs
07-809	Adapter for rigid and semi rigid sign

03-229-3417 18" x 18" vinyl flag with 24" dowel - standard pack of 50

### VEHICLE MOUNT HITCH ADAPTER FOR ROLL UP SIGNS





- Fits any 2" square hitch receiver
- Sign deploys quickly and safely
- Can be rotated 45° in either direction, telescoping upright, release button for easy dismantling
- Provides effective communication to upstream vehicles
- Communicates direction of the transition

ITEM# DESCRIPTION

07-826 Vehicle Mount Bracket Hitch

### VEHICLE MOUNT SIGN HOLDER





- Another level of protection to your advance warning signage and traffic incident management
- Mounts easily to grab bar, enhances safe positioning, increases conspicuity and visibility
- Sign deploys quickly and safely
- Stores in place, ready for immediate release

TEM# DESCRIPTION
07-827 Vehicle Sign Holder

### ECONO TRIPOD & T-STAND



Tripod stand for use with Roll-up and Rigid Signs

ITEM#	DESCRIPTION
07-822	Tripod
07-823	T-Stand





## STOP SLOW SIGNS

### STOP/SLOW PADDLES



- Extremely durable recycled rubber will not warp, crack, or rot
- Resistant to oil, UV and moisture
- Stands up in wide temperature extremes
- Painted yellow reflective stripes

ITEM#	DESCRIPTION
03-822	24" EGR Sheeting
03-822P	24" EGR Sheeting w 81" Plastic Handle
03-823	24" HI Sheeting
03-823P	24" HI Sheeting w 81" Plastic Handle
03-826	24" Diamond Grade
03-826P	24" Diamond Grade w 81" Plastic Handle
03-827	24" Silk Screened
03-827P	24" Silk Screened w 81" Plastic Handle
03-835	18" EGR Sheeting
03-836	18" HI Sheeting
03-837	18" Diamond Grade Sheeting
03-838	18" Silk Screened
03-851	18" Silk Screened w 9" Polygrip Handle
03-852	18" EGR Sheeting w 9" Polygrip Handle
03-853	18" HI Sheeting w 9" Polygrip Handle
03-854	18" Silk Screened w 9" Polygrip Handle
03-855	18" EGR w 9" Polygrip Handle
03-856	18" HI Sheeting w 9" Polygrip Handle
03-858ON	18" Paddle Stop/Slow Plastic DG Sheeting - Ontario

### HANDLES AND COMPONENTS

03-850	9" Polygrip Handle Only
03-842-HD	Heavy Duty Plastic Handle - 81"
03-650	18" Stop/ Slow Paddle Blank
03-601	24" Stop/Slow Paddle Blank
03-601B	24" Stop/Slow Paddle Blank - Black
13-01-01	Bolt Kit for Paddle

### QUICK DEPLOY STOP SIGN

- Quick set up and easy to use
- Effective traffic control system designed for use in industrial plants, 4-way intersections,
- parking lots, schools, airports, hospitals, and places where stop light is inoperable due to natural disasters, etc
- Highly visible
- Kit includes 1 white delineator post, 1 15 lb recycled rubber base, and 2 18" ABS STOP signs

ITEM# DESCRIPTION 03-747QD Non-reflective

03-747QDHI15 18" High Intensity Reflective 03-747QDDG15 18" Fluorescent Orange Prismatic

Bases Also Sold Separately

03-730 Rubber Base 10 lb 03-731 Rubber Base 15 lb





### STOP /SLOW SIGNS

### LED STOP/SLOW PADDLES



#### Meets/exceeds all DOT FMVSS125 Requirements

ITEM#	DESCRIPTION
03-816	12" Stop/Stop w 6" paddle handle
03-817	12" Stop/Stop w 6" paddle handle (Canada)
03-818	18" Stop/Stop w 6" paddle handle
03-819	18" Stop/Slow w 6" paddle handle

### NON REFLECTIVE HAND HELD ABS PADDLE WITH HANDLE



- Meets MUTCD Requirements
- Available non reflective silk screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- rity guards

GO STOP CLOW	<ul> <li>Ideal for school crossing guards, flaggers, and plant security guards</li> <li>Heavy duty ABS</li> </ul>	
4	03-851 03-835 03-836 03-837SW	DESCRIPTION  18" Stop/Slow Silk Screened with Polygrip Handle 18" Stop/Slow EGR Sheeting with Polygrip Handle 8" Stop/Slow HI Sheeting with Polygrip Handle 18" Stop/Slow Diamond Grade Sheeting with Polygrip Handle
	03-838SW	18" Stop/Slow Silk-Screened with Polygrip Handle

### ALUMINUM PADDLES WITH HANDLE



- Meets MUTCD Requirements
- Available non reflective silk screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards

#### ITEM# **DESCRIPTION** 03-850 9" Polygrip Handle only for Stop/Slow Paddle

03-830 18" Stop/Slow with 9" Polygrip Handle 18" Stop/Stop with 9" Polygrip Handle 03-831 03-851-1 15" Stop/Stop, Silk Screened, with 9" Polygrip Handle 18" Stop/Slow with Aluminum Handle 03-863 03-864 18" Stop/Slow with Wood Handle

### **ELECTRONIC SAFETY BATONS**



- Pulsating high intensity LED lights
- Water and impact resistant construction
- Battery Operated

1		
	ITEM#	DESCRIPTION
	03-300	12" C-Cell Steady On / Slow Flash / Fast Flash
	03-301	9" C-Cell Steady On / Fast Flash
	03-303	12" D-Cell Steady On / Fast Flash16



### FLAGS - BANNERS - WINDSOCKS













SEE PRICE LIST FOR ADDITIONAL OPTIONS






### PLASTX™ BARRICADES











# M-CADE BARRICADES

### M-CADE TYPE I



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 12" x 24" top sheeted panel 8" x 24" panel / 6" sand bar
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

#### ITEM# **DESCRIPTION**

97-11-001-11 12T/8B Prismatic Fluorescent Orange w Directional Arrow 97-11-001-44 44" EGR

97-11-001-45 44" HIP

### M-CADE TYPE II



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 8" x 24" top sheeted panels / 6" sand bar
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITEM#	DESCRIPTION
97-11-002-11	8/8 Prismatic Fluorescent Orange w Directional Arrow
97-11-003	12T/8B Plain
97-11-003-11	12T/8B Prismatic Fluorescent Orange w Directional Arrow
97-11-003-44	12T/8B EGR
97-11-003-45	12T/8B HIP

### M-CADE TYPE I BALLAST



- Meets MUTCD Standards / NCHRP-350 Certified
- Folds flat for easy nesting and stacking
- 12" X 24" top sheeted panel
- 8" x 24" ballast panel for added weight
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

### **DESCRIPTION**

97-12-001-44 12"x24" EG Type I Sheeted Top, Plain Bottom 97-12-001-45 12"x24" HIP Type I Sheeted Top, Plain Bottom

### M-CADE TYPE II BALLAST



- Meets MUTCD Standards / NCHRP-350 Certified
- 8" X 24" top sheeted panel
- 8" x 24" ballast panel for added weight
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITEM# **DESCRIPTION** 97-12-002-44 8"x24" EGR Type II Sheeted Top & Bottom 97-12-002-45 8"x24" HIP Type II Sheeted Top & Bottom

# STEELCADES





- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't rot and splinter
- Aluminum rivet construction

ITEM#	DESCRIPTION
97-03-001	12T/8B EGR top only
97-03-001-01	12T/8B HIP top only
07 02 001 11	10T/0D Driamatic Fluo

97-03-001-11 12T/8B Prismatic Fluorescent Orange

with Directional Arrow

### TYPE II STEELCADE



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't rot and splinter
- Aluminum rivet construction

ITEM#	<u>DESCRIPTION</u>
97-03-002	8T/8B EGR
97-03-002-01	8T/8B HIP
97-03-003-01	Eliminator 12T/8B EGR
97-03-003-01-11	12T/8B Prismatic Fluorescent Orange
	with Directional Arrow
97-03-003-02	12T/8B HIP
97-03-002-06	8T/8B HIP

### TYPE I STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 36" W x 8" Panels
- 14 gauge powder coated legs
- Extruded PVC panels won't rot and splinter
- Aluminum rivet construction

ITEM# DESCRIPTION

97-03-001-36G 36"x 8" EGR Top Panel w 36" x 8" Unsheeted

**Bottom Panel** 

### TYPE II STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 36" W x 8" Panels
- 14 gauge galvanized legs
- Extruded PVC panels won't rot and splinter
- Aluminum rivet construction

ITEM# DESCRIPTION

97-03-002-36G 36"x 8" EGR Top Panel w 36" x 8" EGR

Bottom Panel

# N-CADES





- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM#	DESCRIPTION
97-01-006	EGR Sheeting
97-01-006-01	Plain- No Sheeting
97-01-006-02	HIP Sheeting

### 44" N-CADE



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM#	DESCRIPTION
97-01-007-03	Plain - No Sheeting
97-01-007	EGR Sheeting
97-01-007-01	HIP Sheeting

### N-CADE 36 LEGEND

- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12"x 24" panels

ITEM# DESCRIPTION 97-01-006-05 School X-ing Lime



### N-CADE 44 LEGEND

- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12" x 24" panels

ITEM# DESCRIPTION 97-01-007-03SX School X-ing Lime



# ROLLED GOODS

### **TEMPORARY** PAVEMENT TAPE



 Available Engineer Grade or Construction Grade

ITEM#	DESCRIPTION
03-10-103	4" X 50 Yards EGR - White
03-10-104	4" x 50 Yards EGR - Yellow
03-10-105	4" x 50 Yards CG - White
03-10-106	4" X 50 Yards CG - Yellow
03-10-107	4" x 100 Yards - Yellow
03-10-108	4" x 100 Yards CG - White

### BARRICADE TAPE



Available Engineer Grade or HI Intensity Prismatic

ITEM#	DESCRIPTION
03-10-008-04-1	8" x 50 Yards Left Stripe HI
03-10-008-05-1	8" x 50 Yards Right Stripe HI
03-10-008-06-1	12" x 50 Yards Left Stripe HI
03-10-008-07-1	12" x 50 Yards Right Stripe HI
03-10-008-19-1	8" x 50 Yards Left Stripe EGR
03-10-008-20-1	8" x 50 Yards Right Stripe EGR
03-10-008-21-1	12" x 50 Yards Left Stripe EGR
03-10-008-22-1	12" x 50 Yards Right Stripes
03-10-008-38-1	6" x 50 Yards Left Stripe EGR
03-10-008-39-1	6" x 50 Yards Right Stripe EGR
l	

### **BARREL &** CHANNELIZER TAPE



 Available HI Intensity Prismatic or Engineer Grade

ITEM#	DESCRIPTION
03-500-100	4" x 150 Yards HI - White
03-500-101	4" x 150 Yards HI - Orange
03-500-103	6" x 150 Yards HI - Orange
03-500-104	6" x 150 Yards HI - White
03-500-107	4" x 150 Yards EGR - Orange
03-500-108	4" x 150 Yards EGR - White
03-500-109	6" x 150 Yards EGR - Orange
03-500-110	6" x 150 Yards EGR - White

### **CONE COLLARS**



 
 ITEM #
 DESCRIPTION

 03-512
 6" Upper for 18" Cone

 03-502
 6" Upper for 28" Cone
 03-512 03-502 03-503 4" Lower for 28" Cone

03-509 4" Upper for 28" Cone w self adhesive (Canada only) 6" Upper for 28" Cone w self adhesive

03-526 4" Lower for 28" Cone w self adhesive 6" Upper for 36" Cone 03-510 03-508 4" Lower for 36" Cone

03-524

### CONSPICUITY TAPE



ITEM# **DESCRIPTION** 7 Year - 150' 03-500-82 03-500-92 3 Year - 150' School Bus - 1" x 150' 03-501-80 03-501-83 School Bus 2" x 150'

### SHEETING



Available HI Intensity or Engineer Grade

<u>                                   </u>	t .	DESCRIPTION
03-10-0	08-11	8" HI Yellow/Lime
03-10-0	08-30	18" HI White
03-10-0	08-31	18" HI Orange
03-10-0	08-51	18" HI Lime/Yellow
03-10-0	08-45	18" EGR Orange
03-10-0	08-46	18" EGR White
1		





### PLASTX™ BARRIERS

### P-CADE PEDESTRIAN BARRICADE KIT



- ADA Compliant to MUTCD
- Quick, easy set-up for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes two legs and boards

,
DESCRIPTION
(2) P-Cade Legs (1) 2"x8"x6' EG 1 sided T-Board
(2) P-Cade Legs (2) 2"x8"x6' EG 1 sided T-Boards
(2) P-Cade Legs (1) 2"x8"x8' EG 1 sided T-Board
(2) P-Cade Legs (2) 2"x8"x8' EG 1 sided T-Boards

### A FRAME BARRICADE KITS



- Robust heavy duty design
- Quick, easy set-up and deployment
- Complete kit ready for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes two legs and boards

ITEM#	DESCRIPTION
97-01-004-011	(2) A-Frame Legs (1) 2"x8"x6' EG 1 sided T-Board
97-01-004-012	(2) A-Frame Legs (2) 2"x8"x6' EG 1 sided T-Boards
97-01-004-013	(2) A-Frame Legs (1) 2"x8"x8' EG 1 sided T-Board
97-01-004-014	(2) A-Frame Legs (2) 2"x8"x8' EG 1 sided T-Boards

#### P-CADE BARRIER SYSTEM STARTER KIT



- ADA Compliant to MUTCD
- Quick, easy set-up and deployment
- Complete kit ready for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes 3 legs and 4 6' boards

ITEM# DESCRIPTION

97-1700-6G (3) P-Cade Legs (4) 2" x 8" x 6' Plank Boards Striped 2 Sides EGR

- P-Cade™ meets ADA Guidelines to MUTCD Standards
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around man holes and work zones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- Quick set-up and tear down
- Accepts all barricade lights





## A-FRAMES AND BEAMS

### A-FRAMES



- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing for added strength and stability
- Molded light mount and stacking features

**DESCRIPTION** ITEM# 97-01-004 2 Board, White 97-01-0040 2 Board, Orange 97-01-004-02 1 Board, White

### P-CADE LEG



- ADA Compliant
- Injection molded with high impact resin
- Universal slots accept a wide variety of boards Reinforced ribbing for added strength and stability
- Molded light mount and stacking features

**DESCRIPTION** ITEM# 97-01-1600 Leg Only

### 2 X 8 PLASTX T-BOARD



- Extruded exterior grade PVC in white or black
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade systems
- Available in 4', 6', 8', 10' and 12' lengths
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	<u>DESCRIPTION</u>
97-01-0213	2x8x4 ft. Plain
97-01-029B	2x8x4 ft. Plain Black
97-01-029B-02	2x8x4 ft. Black -2 Sides HIP
97-01-0213-01	2x8x4 ft. 1 Side EGR
97-01-0213-02	2x8x4 ft. 2 Sides EGR
97-01-0213-03	2x8x4 ft. 1 Side HI
97-01-0213-04	2x8x4 ft. 2 Sides HI

### 1 X 8 PLASTX T-BOARD



- Extruded exterior grade PVC in white or black
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade systems Available in 4', 6', 8', 10' and 12' lengths
- SEE PRICE LIST FOR COMPLETE OFFERING

DESCRIPTION
1x8x4 ft. Plain
1x8x4 ft. 1 Side EGR
1x8x4 ft. 2 Sides EGR
1x8x4 ft. 1 Side HIP
1x8x4 ft. 2 Sides HIP



### **TELESPAR TYPE III BARRICADES**

### TELESPAR TYPE III BARRICADES



- NCHRP-350 Certified
- Meets MUTCD Standards
- Galvanized steel tubing for superior corrosion protection
- Uprights and feet are 14 gauge, hot rolled carbon steel
- Angle iron feet, mill finish
- Universal mounting holes pre-punched 7/16"
- Square shape provides superior wind load capabilities and inhibits warping
   Reflective Engineer or HI-Intensity Prismatic Sheeting on one or both sides
- Quick removal of uprights from feet
- Short term or permanent placement
- Easy to assemble
- Accepts 2 flashing lights
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-1700-6EG	6' Boards, 1 Side EGR
97-1700-6HIP	6' Boards, 1 Side HIP
97-1700-8EG	8' Board, 1 Side EGR
97-1700-8HIP	8' Board, 1 Side HIP

### M-CADE TYPE III KITS



- Meets MUTCD Standards
- All plastic construction
- Uses standard Cortina I-Beams, A-Frames, and M-Cade legs
- 3 Boards overall Height 60" High
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-1300-61-E	6' Boards, 1Side EGR
97-1300-61-H	6' Boards, 1 Side HIP
97-1300-62-E	6' Boards, 2 Sides EGR
97-1300-81-E	8' Boards, 1 Side EGR
97-1300-82-H	8' Boards, 1 Side HIP





### **BARRICADE LIGHTS**

### STRATO-LITETM 6V



- Meets MUTCD Standards
- ITE Certified
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens -extremely durable
- Attach to all barricades, drums, panels, etc.
- State of the art optics
- UV Stabilized
- D-cell with Photocell
- Available with battery 6V DC

ITEM # DESCRIPTION
03-10-3WAY6V Yellow with Amber Lens
03-10-3WRY6V Yellow with Red Lens

### STRATO-LITETM LED



- Meets MUTCD Standards
- ITE Certified
- 12 Volt configuration
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens -extremely durable
- Attach to all barricades
- State-of-the-art optics
- UV Stabilized
- D-cell with Photocell

| TEM# DESCRIPTION | 03-10-3WAYDC | Yellow with Amber Lens | Yellow with Red Lens | Yellow

### **B LIGHT**



- Meets MUTCD Standards
- ITE Certified
- •12 Volt configuration
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens -extremely durable
- Attach to all barricades
- State-of-the-art optics
- UV Stabilized
- D-cell with Photocell

### **SOLAR LIGHT**



- Solar Module 0.3 w / Mono Crystalline Panel
- Battery 1.2 V / 1800 mAh Ni-MH Battery
- Non-replaceable S.T.
- Battery life 500 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D
- Built in Circuit Board
- Battery included

### **BOCA LIGHT**



- Solar Module 0.3 w / Mono Crystalline Panel
- Battery 1.2 V / 1800 mAh Ni-MH Battery
- Non-replaceable S.T.
- Battery life 1000 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D
- Built in Circuit Board
- Battery included

ITEM# DESCRIPTION
AVAILABLE SUMMER 2017

### LED SUNDOWNER



- Meets MUTCD Standards
- ITE Certified
- Operates with 4 D-cell Batteries
- 3-way (flashing, steady burn, off)
- LED lights located in strongest area of the case
- Simple one piece battery compartment
- Durable protected LED lighting assembly

TEM# DESCRIPTION
03-10-WAYDC Yellow with Amber Lens





# **TrailBOSS™ / TrailGUIDE BASES**

### TrailBOSS CHANNELIZER DRUM HDPE



- HDPF
- Three base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity, and Prismatic sheeting
- Meets US Standards

ITEM#	DESCRIPTION
03-780	Plain
03-780-4EGG	Engineer Grade 4" Stripes, OWOW
03-780-6EGG	Engineer Grade 6" Stripes, OWOW
03-780-4HIG	HI-Intensity Prismatic 4" Stripes
03-780-6HIG	HI-Intensity Prismatic 6" Stripes
03-780-4FP3M 03-780-6FP3M	Diamond Grade 4" Stripes Diamond Grade 6" Stripes

### TrailBOSS CHANNELIZER DRUM LDPE



- Three base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity, and Prismatic sheeting
- Meets US Standards

ITEM#	DESCRIPTION
03-782	Plain
03-782-4EG	4" Engineer Grade 4" Stripes, OWOW
03-782-6EG	6" Diamond Grade 6" Stripes, OWOW
03-782-4HI	4" HI-Intensity Prismatic Stripes
03-782-6HI	6" HI-Intensity Prismatic Stripes
03-782-4FP3M	4" Diamond Grade Stripes
03-782-6FP3M	6" Diamond Grade Stripes

### TrailGUIDE CHANNELIZER DRUM



- •Meets NCHRP-350 crash test requirements
- HDPE with UV inhibitors
- Withstands repeated impacts and temperature extremes
- •EZ-Grab handle design makes moving and stacking a breeze
- Available with HI-Intensity or Fluorescent Prismatic Sheeting in 4" and 6" configurations
- •BLACK approved for use in Ontario and Newfoundland
- ORANGE approved for use in Nova Scotia and Manitoba

ITEM #	DESCRIPTION
03-756-P	Black Plain
03-756-4HIO	Black 4 - 4" HI Fluorescent Orange Stripe (T54,MTO)
03-755-P	Orange Plain / No Sheeting
03-755-6FP	Orange 4-6" Fluorescent Stripes
03-755-QCFP	Orange F1 Prismatic Sheeting (TRVMTQ)



# TrailBOSS™ / TrailGUIDE BASES

### MOLDED RUBBER BASE



 Snaps on to Barrel bottom Recycled rubber

ITEM#	DESCRIPTION	<u>FITS</u>
03-732-25	25 lb Base, Round	TrailBOSS
03-732-30	30 lb Base, Round	TrailBOSS
03-732-40	40 lb Base, Round	TrailGUIDE

### TIRE RING BASE



Tire ring slides over top of Barrel

Recycled Rubber

ITEM# **DESCRIPTION** 

03-750-TRG 22.5 lb Tire Ring Base 22" ID 03-732-WR 18 lb Tire Ring Base 16" ID

(For use with TrailGUIDE Channelizer Only)





### GRIP N GO™ CHANNELIZERS

### GRIP N GO ORANGE



- Meets MUTCD Standards & NCHRP-350 Certified
- High Visibility Orange
- Molded Hi-Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base

ITEM#	DESCRIPTION
03-750	Plain
03-750-4EGG	4 Ea EGR Stripes OWOW
03-750-4FP	4 Ea 4" DG Stripes OWOW
03-750-4HI	4 Ea 4" HI Stripes
03-750-6EG	4 Ea 6"EGR Stripes OWOW
03-750-6FP	4 Ea 6" DG Stripes WOWO
03-750-6HI	4 Ea 6" HI Stripes
03-750-6HIFP	4 Ea 6" HI Stripes
03-750-64HI	1 Ea 6" & 1 Ea 4" HI Stripes

### EZ GRAB GRIP N GO CHANNELIZER CONES



- NCHRP-350 Certified
- High Visibility
- Molded Hi-Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base
- SEE PRICE LIST FOR ADDITIONAL OPTIONS


 ITEM#
 DESCRIPTION

 03-750W
 White -Plain

 03-750Y
 Safety Yellow - Plain

 03-750B
 Blue - Plain

### GRIP N GO BASES



Recycled Rubber Bases fit Grip N Go and EZ Grab Grip N Go Channelizers

ITEM#	DESCRIPTION
03-752-10	10 lb recycled rubber base for Grip N Go only
03-752-16	16 lb recycled rubber base for Grip N Go only
03-752-30	30 lb recycled rubber base for Grip N Go only





### TRAILBLAZER™ VERTICAL PANELS













# STACKER ROUND-TOP CHANNELIZER CONES 40



# STACKER ROUND-TOP CHANNELIZER CONES

















### **EZ GRAB™ DELINEATOR**

### EZ GRAB DELINEATOR POST KIT



NCHRP-350 Certified

- Complete kit includes one post and base
- Rubber base is 100% recycled crumb rubber
- Square design adds high friction for improved wind stability
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-734RBC	Orange Posts w 2-3" Collars & 1-10 lb base
03-747YRBC	Yellow Posts w 2-3" Collars & 1-10 lb base
03-747WRBC	White Posts w 2-3" Collars & 1-10 lb base
03-747BRBC	Blue Posts w 2-3" Collars & 1- 0 lb base
03-747LIRBC	Lime Posts w 2-3" Collars & 1-10 lb base
03-747GRBC	Forest Green Posts w 2-3" Collars & 1-10 lb base
03-747BLKRBC	Black Posts w 2-3" Collars & 1-10 lb base

### EZ GRAB STROBE DELINEATOR POST KIT



### EZ GRAB PERMANENT MOUNT BASE KIT



ITEM# DESCRIPTION

03-746ABC 41" Orange Post (2) 4" Collars & Base w Clamp 03-733-1 Fiberglass Reinforced Plastic Base w Channel Clamp

### EZ GRAB 5 POST CURB BASE SYSTEM KIT

03-739-1 Blue Flared Post w 2-4" HIP Collars & 2 sided blue strobe light



- 100% Recycled 7 ft. rubber base
- Creates a strong visual barrier around hazardous work areas
- Easy to relocate
- Quick and easy set up

ITEM# DESCRIPTION

03-729-5 5 Orange Posts with Base



# EZ GRAB™ DELINEATOR

### EZ GRAB ORANGE



- 100% Impact resistant Polyethylene
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

### ITEM# DESCRIPTION

PORTABLE 03-740 Plain - no sheeting Orange w 2-3"HIP Collars 03-734 Orange w 2-3" HIP Collars & 2 Amber Reflectors Orange w 2-4" HIP Collars

03-747 PERMANENT MOUNT

03-735 Orange w 2-4" HIP Collars 03-745AB Orange w 2-3" HIP Collars &

Base w clamp 03-746ABC Orange w 2-4" HIP Collars &

Base w clamp

### **EZ GRAB WHITE**



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

### ITEM# DESCRIPTION

03-740W Plain - no sheeting 03-747W White w 2-3" HIP Collars PERMANENT

03-735W White w 2-4" HIP Collars 03-746WABC White w 2-4" HIP Collars & Base w clamp

### **EZ GRAB YELLOW**



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

#### ITEM# **DESCRIPTION** PORTABLE

03-740Y Plain - no sheeting 03-747Y Yellow w 2-3" HIP Collars PERMANENT MOUNT

03-735Y

Yellow w 2-4" HIP Collars 03-746YABC Yellow w 2-4" HIP Collars & Base w clamp

### **EZ GRAB BLUE**



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands

#### ITEM# DESCRIPTION

**PORTABLE** 

03-740B Plain - no sheeting 03-747B Blue w 2-3" HIP Collars

Blue w 2-4" HIP Collars 03-735B 03-746BABC Blue w 2-4" HIP Collars &

Base w clamp

### **EZ GRAB FOREST GREEN**



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

### ITEM# DESCRIPTION

03-740FG Plain - no sheeting 03-747FG Forest Green w 2-3"HIP Collars PERMANENT MOUNT

03-735FG Forest Green w 2-4"HIP Collars 03-746FGABC

Forest Green w 2-4" HIP Collars & Base w clamp

### EZ GRAB LIME



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

### ITEM# DESCRIPTION

PORTABLE

03-740LI Plain - no sheeting 03-747LI Lime w 2-3"HIP Collars

PERMANENT MOUNT

Lime w 2-4" HIP Collars 03-735LI 03-746LIABC Lime w 2-4" HIP Collars & Base w clamp

### EZ GRAB BLACK



- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- Two 3" or 4" HI reflective recessed bands
- Base sold separately

### ITEM#

03-747BLK

03-747BLKABC

Black w 2-3"HIP Collars Black w 2-4" HIP Collars & Base w clamp

**DESCRIPTION** 

### **EZ GRAB BASES**




Fits perfectly in center of EZ Grab handle

**DESCRIPTION** ITEM#

03-730 10 lb Square Base 03-731 15 lb Hex Base 03-733-1 Permanent Mount Base




### **TUBULAR MARKERS**






















### LAMBA CONES - 25" WITH LEGENDS



- Available 25" imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-07	Yellow Wet Floor (Span/Eng)
03-600-12CAU	Yellow Caution
03-600-12WF	Yellow Wet Floor

### LAMBA CONES - 36" WITH LEGENDS



- Available 36" heights imprinted with stock legends
- International languages
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2 top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-09	Yellow Wet Floor (Span/Eng)
03-600-09L	Lime Wet Floor (Span/Eng)
03-600-11A	Yellow Caution Slippery

### LAMBA CONES - PLAIN



- Available 25" or 36" heights plain or imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2 top
- Custom imprinting available

ITEM#	DESCRIPTION
03-600-12	25" Plain
03-600-00	36" Plain
03-600-360	36" Orange Plain
13-600-36L	36" Lime Plain

### LAMBA SAFETY FLOOR SIGN



- LAMBA 2 x 4 Safety Floor Sign 6/packs
- Lock-in' Arm technology for easy set up and extra stability 4 sided caution messages display clear warnings from
- every angle

  24" high sign folds quickly & easily for storage in spaces as
- Custom printing available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-33	Plain
03-600-34	Caution Wet Floor
03-600-36	Wet Floor / Cuidada Piso Mojado

### LAMBA LOCK IN SIGNS



- LAMBA 8" x 8" plastic sign that can be placed in top of Lamba cones
- to display message labels. Message labels are 8" x 8" adhesive backed Vinyl
- Messages are limitless

Customization avaiable

4.0		
		3
100	110	ŀ
		1
	ľ	1

ITEM# **DESCRIPTION** Red Sign - Blank 03-600-31

03-600-21 Watch Your Step 03-600-22 Restroom Closed No Entry

03-600-23 Wet Floor Please Walk to the Right Wet Floor Please Walk to the Left 03-600-24

03-600-25 Caution Wet Floor 03-600-26 Wet Floor



### **BARRIER SYSTEMS**

### POST SYSTEMS



- Unique way to cordon off any area
- Indoor and outdoor applications
- Portable and versatile
- Great alternative to a cone system
- Components also sold separately

#### ITEM# **DESCRIPTION**

03-602-002-01-05 2 Posts Orange, 2 Bases, 2 Units Red / White Striped Tape

03-603-002-01-00 39.4" Tall Orange Post - twist locks into base

Base - Pour sand or water into base for extra strength and stability 03-603-003-00-00

03-603-001-01-01 Unit Orange with Red / White Striped Tape

### **CONF SYSTEMS**



- Unique way to cordon off any area
- Indoor and outdoor applications
- Portable and versatile
- Components also sold separately

IIEM#	<u>DESCRIPTION</u>
03-602-004-01-05	2 Cones, 2 Units Orange Red / White Tape
03-602-004-01-06	2 Cones, 2 Units Orange Yellow / Black Tape
03-602-004-01-07	2 Cones, 2 Units Orange Yellow Caution Tape
03-602-004-01-08	2 Cones. 2 Units Orange Red Danger Tape

### POST SYSTEMS



- Indoor and outdoor applications
- Portable and versatile post is a great alternative to a cone

**DESCRIPTION** 

03-602-002-01-20 1 Post, 1 Base, 2 Bins, 1 Safety Dispenser

### **POST SYSTEMS**



- Indoor and outdoor applications
- Portable and versatile post is a great alternative to a cone

**DESCRIPTION** ITEM#

03-602-002-01-01 1 Post Orange, 1 Base, and 1 Unit Red / White Tape 03-602-002-01-02 1 Post Orange, 1 Base, and 1 Unit Black/Yellow Tape 03-602-002-01-03 1 Post Orange, 1 Base, and 1 Unit Black/Yellow Caution Tape



# BARRIER SYSTEMS

### UNIT



Unique way to cordon off any area

30 ft Tape

| TEM# | DESCRIPTION |
03-603-001-01-01 | Orange w Red/White |
03-603-001-01-02 | Orange w Yellow/Black |
03-603-001-01-03 | Orange w Yellow

Caution

03-603-001-01-04 Orange w Red Caution

### RECYCLE BIN



- Attachment for multi-purpose waste / recycling use
- Attaches to Post and Base System via Collar, Cord Strap Clip, Suction Pad, and Wall Clip

ITEM#

**DESCRIPTION** 

03-603-014-01-00 Orange Bin

### SAFETY DISPENSER



- Provides easy access to safety items such as ear plugs and safety glasses
- Attaches to Post and Base System via Collar

ITEM#

**DESCRIPTION** 

03-603-015-01-00 Orange Dispenser

### A-4 SIGN HOLDER



- Accommodates safety and instructional signage
- Easily displays warnings, promotional messages, and directions

ITEM# DESCRIPTION 03-603-015-00-00 A4 Sign Holder

# POST & BASE COLLAR



- Attaches firmly to post by sliding over top and seating into position
- Provides strong platform for attaching recycle bins, dispenser, and hand sanitizer brackets

ITEM # DESCRIPTION 03-603-016-00-00 Post Adapter Collar

### RECHARGEABLE SAFETY LIGHT



- Environmentally friendly road light
- Multi-functional LED warning light
- Fully rechargeable
- Includes LED sensor for automatic activation

ITEM # DESCRIPTION 03-603-006-00-00 Rechargeable Light





## **PARKING AIDS**

### PARKING BLOCKS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or rot
- Resistant to oil, UV rays and moisture
- Stands up in wide temperature extremes
- Painted yellow reflective stripes

#### **DESCRIPTION** ITEM#

4' Striped Yellow Rubber 2049PB 6' Striped Yellow Rubber 2050PB 2057PB 3' Striped Yellow Rubber 14" Painted Steel Spike 2053S

### SPEED BUMPS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or rot
- Withstands wide temperature extremes
- Painted yellow reflective stripes
- Built with cats eye reflectors for added visibility

#### ITEM# **DESCRIPTION**

2054SB 4' Striped Yellow Rubber 6' Striped Yellow Rubber 2055SB 2056SB 3' Striped Yellow Rubber 14" Painted Steel Spike 2053S

### TRAILBLAZER VERTICAL PANELS



- Meets MUTCD Standards
- HI Reflective Sheeting
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

### ITEM# **DESCRIPTION**

03-760-WNP No Parking Legend 03-760-WR Reserved Handicap 03-760-BLKVP Valet Parking

03-760LIPX Pedestrian Crossing - Lime

Orange/White Reflective 03-760-HIG

RUBBER BASE

03-760-15 Rubber Base 15 lb Rubber Base 20 lb 03-760-20G

### **PENNANTS**



| TEM # DESCRIPTION | 03-407 | 60' Red DANGER | 03-401-60 | 60' Red DANGER | 03-401-60 | 60' Red/White | 03-402-60 | 60' Orange | 03-404-60 | 60' Orange | White | 03-405-60 | 60' Yellow | 03-406 | 60' Yellow | 03-406 | 60' Yellow | 03-406 | 60' Red/Yellow alternating legends - Danger Keep Out/Safety First/Danger Ahead/ | Be Careful/Safety Always | 03-403-60 | 60' Multi | 03-401 | 100' Red | 03-401 | 100' Red/White | 03-402 | 100' Orange | 03-403 | 100' Multi | 03-404 | 100' Orange/White | 03-405 | 100' Yellow |

100' Orange/White 100' Yellow 105' Red- OSHA 105' Yellow - OSHA 03-405 03-400-105 03-405-105 105' Red/Yellow - OSHA



DRIVEWAY MARKERS

- Available in 4 colors
- 48" stake lengths
- Reflector housing is unbreakable ABS
- Lens is sonic welded and locks out moisture
- Sold 72 per case

**DESCRIPTION** ITEM# 05-099-02-A Amber 05-099-02-B Blue 05-099-02-C Clear 05-099-02-R Red


### WHEEL CHOCKS



- Maximum durability and skid protection
- Withstands adverse weather conditions
- Zinc plated eye bolt
- Weighs 9 lbs

**DESCRIPTION** ITEM#

2048C 12" 10 lb. Jack Chain Heavy Duty Wheel Chock 2048WC 2048WCC Wheel Chock w 12" Chain



### TEAR DROP LIGHTS



- Meets / exceeds SAE RequirementsIndustries highest quality and dependable Rotating Halogen Light
- Low Profile Tear Drop Light

ITEM# **DESCRIPTION** 22-56525 Amber

22-56526 Red 22-56527 Blue

### **PULSATOR LED**



- Fourteen selectable flash patterns
  LED technology for 0 maintenance
  No bulbs or strobe tubes to replace

- Multi-voltage12-24 VDC, Class 2, Five-year LED warranty

**DESCRIPTION** ITEM# 22-56530 Amber Perm Mount 22-56531 Amber Magnet Mount

### FIREBOLT LED



- Fourteen selectable flash patternsPolycarbonate dome & base

- Multi-voltage12-24 VDC, Class 2, Five-year LED warranty

ITEM# **DESCRIPTION** 22-56532 Amber Magnet Mount

# WARNING LIGHTS

### PULSATOR 451 LED



- Fourteen selectable flash patterns
- LED technology for 0 maintenance
- No bulbs or strobe tubes to replace
- Multi-voltage
- 12-24 VDC, Class 2, Five-year LED warranty

| TEM # DESCRIPTION | 22-56533 | Amber Short Perm Mount

### **SENTRY**



- 95 FPM
- Large parabolic reflector & 55-att
- Halogen bulb
- 80,000 candelas per flash
- Rugged Polycarbonate housing
- Twist off dome for easy maintenance
- Class 1 Five-year LED warranty

ITEM# DESCRIPTION
22-56535 12 VDC Magnet Mount

### VISIBEAM II



- High power spotlight
- Graduated start for pinpoint light beam placement
- Continuous 360° horizontal and 140° vertical adjustment
- FCC approved
- Three-year warranty

ITEM# DESCRIPTION 22-56537 12 VDC surface mount

### HIGHLIGHTER LED ECONOMY



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) reduces potential failure points
- Low profile
- 2.6" tall, Class 1, Five-year warranty

ITEM# DESCRIPTION

22-56540 Amber Suction Cup Magnet Mount 22-56541 Amber Permanent Mount

### LATITUDE



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) reduces potential failure points
- Ten flash patterns and one test pattern
- Polycarbonate, moisture resistant housing
- Class 1, Five-year LED warranty

ITEM# DESCRIPTION

22-56543 Latitude LED Flashing, Amber 12-14 VDC, Surface Mount Latitude SignalMaster LED, Amber, 12-14 VDC, Surface Mount





### 219 EMERGENCY WARNING TRIANGLE KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique living hinge box, wire support and tabs are available ONLY by Cortina
- Living hinge box ensures the lid will not separate from the box
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

II EIVI #	DESCRIPTION
95-03-009	Three (3) triangles in Living Hinge Box - 1/pack
95-03-010	Three (3) triangles in Living Hinge Box - 4/pack

### 319 EMERGENCY WARNING TRIANGLE KIT WITH HANDLE



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique living hinge box, wire support and tabs are available ONLY by Cortina
- Living hinge box ensures the lid will not separate from the box
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

## DESCRIPTION
95-02-002-03 Three (3) triangles in Plastic Box with Handle

### **FLEET EMERGENCY KIT**



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

# DESCRIPTION

95-04-001-02 Fleet safety kit w light sticks

95-04-002 Fleet safety kit w/o fire extinguisher

95-04-004 Fleet safety kit 2.5 lb. fire extinguisher w bracket

### INDIVIDUAL REFLECTIVE TRIANGLE KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique living hinge box, wire support and tabs are available ONLY by Cortina
- Living hinge box ensures the lid will not separate from the box
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM#	DESCRIPTION
95-02-001	Single (1) triangle flare
95-02-002-01	Single (1) triangle in plastic box
95-02-002-02	Two (2) triangles in plastic box





### **FLARE HOLDERS**

- Designed to hold 20 or 30 minute fusees
- Constructed from Heavy Duty Polypropylene
- Easy Grab handle and no roll design

05 07 002	Holder cocc 12/
ITEM#	DESCRIPTION

95-07-003 Holder case 12/20 Minute 95-07-004 Holder case 12/30 Minute

95-07-005 Holder case w bracket 3/20 Minute & wire stand 95-07-006 Holder case w bracket 3/30 Minute 95-07-007 Holder case bracket w 3/30 Minute



### **FLARES**

- Available in 20 and 30 minute types
- Moisture resistant
- Spike or non-spike, or wire stand

ITEM#	DESCRIPTION
95-07-20	20 Min Spike Type 72/case
95-07-21	20 Min Flare w/o Spike 72/case
95-07-22	20 Min Flare w Wire Stand - 72/case
95-07-30	30 Min Flare Spike Type 36/case
95-07-31	30 Min Flare w/o Spike 36/case
95-07-32	30 Min Flare w Wire Stand - 36/case

### **FLARE KITS**



- Heavy Duty injection molded plastic boxes hold 4 or 12 minute fusees
- Moisture resistant
- Compact design for tight storage space fits conveniently under most seats

ITEM# DESCRIPTION

95-07-001 4 Flares

95-07-002 12 Flares and Safety Vest

### **MOTORIST FLARE KITS**



- For automotive after market and heavy duty markets
- 6-Pack flare configuration
- Bright Orange safety vest for flare deployment
- Storage case with flare pockets and vest holder
- Double zipped 600 Denier Polyester bag keeps flares together
- Velcro on back of bag secures placement in trunk or under seat

ITEM#DESCRIPTION95-07-25G20 Minute Flare95-07-35G30 Minute Flare

### MOTORIST SAFETY KIT




- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM# DESCRIPTION 95-02-001 Single (1) Triangle Flare



# **WORKSITE PRODUCTS**














BARGARD<sup>™</sup> protective covers are approved for use as impalement protection (for rebar or similar protruding objects) at grade or above grade when used in accordance with the Installation Instructions. Please contact the manufacturer or distributor if the Installation Instructions are missing or illegible. Failure to properly install protective covers will significantly decrease any impalement protection that may otherwise be provided and may result in serious injury or death. Inspect for damage prior to use; do not use damaged or defective protective covers. Discard protective cover if positioning fins are missing or damaged. Protective coves are not approved for use for fall distances greater than 7 feet 6 inches, or as protection for weights above 250 pounds.



# FENCING






- Orange Polyethylene
- Highly visibleUV Stabilized
- Rugged and reusable

**DESCRIPTION** ITEM# 03-900 Orange 4' x 50' 03-901 Orange 4' x 100'

03-902 Orange Lightweight barrier fence- 4' x 100'

### KRYPTONITE FENCING



- Lime Polyethylene
- Highly visible
- UV Stabilized
- Rugged and reusable

**DESCRIPTION** ITEM#

03-902-1 Lime Lightweight barrier fence - 4' x 100'

### MODULAR BARRICADE SYSTEM



- Polyethylene
- Highly visible
- UV Stabilized
- Rugged and reusable

	ITEM#	DESCRIPTION
--	-------	-------------

40" x 40" Orange Barrier System 40" x 40" Yellow Barrier System 48" x 48" Green Barrier System 03-905G 03-906G 03-907G 03-908G 48" x 48" Orange Barrier System

### MEDIUM AND HEAVY GRADE FENCING



- Smooth top and bottom
- Heavier and more visible than light duty diamond fencing
- Medium Tensile strength MD: 160 lbs / ft TD: 100 lbs / ft
- Heavy Duty Tensile strength MD: 180 lbs / ft TD: 176 lbs / ft
   Rugged and reusable

ITEM# **DESCRIPTION** 

03-906-MGO 14 lb Diamond 4' x 50' Orange -30 Rolls/Pallet 03-907-5MGO 23 lb Diamond 5' x 50' Orange - 30 Rolls/Pallet



WWW.CORTINACO.COM