

Most Popular Products



Office Phone: 705-713-0404

Email: info@helyx.ca

Toll Free: 1-844-306-0404 Website: www.helyx.ca

Table of Contents

Industrial Section 3M	2	Safety Section	40
	2	Ergodyne	
Automatic CH Hanson		Fendall	
	4	Howard Leight	
	4	Jackson Safety	
CRC	7	Kidde	
Crescent	-	Kimberly Clark	
Devcon	/	Mechanix Wear	
Dewalt	8	Miller	
Duracell	9	Moldex	
Empire	40	MSA	
Evolution	4.0	North Safety	
Garant	4.4	Pyramex	
Genpack		River City Garments	
Gojo		Ronco	
Justrite		Uvex	
Kennedy		Vizcon	<u>58</u>
Kimberly Clark		Welding Section	
Klein Tools		3M	59
Knipex		Anthony Carts	61
Loctite		Arc One	61
LPS		Atlas	0.4
Lubriplate	19	Bernard	62
Lufkin	<u>20</u>	Best Welds	62
Lumax		Caiman	65
Master Lock	22	Cantesco	66
Markal	23	Century Wire	67
Metabo	24	Comfort Eye Protection	67
Milwaukee	<u>25</u>	Comeaux Caps	00
Motor Guard	<u>25</u>	Contour	68
Nissen	<u> 26</u>	Eagle	69
Norton	<u> 26</u>	Fibre-Metal	69
OLFA	27	Flange Wizard	72
Onguard	28	Fuller(Shurlite)	73
Pelican	28	Goss	
Proto	<u>29</u>	Harris	
Reelcraft		H&M Pipe	
Ridgid	30	Hose	
Rustoleum		Jackson Safety	74
Simple Green		Magswitch	
Stanley		Magnaflux	
Streamlight		Oetiker	
Sumner		Optrel	
Ullman		Pearson	
Weiler		Phoenix	
Wilton		Rod Guard	
Safety Section		Sellstrom	
3M	38	Tempil	
Ansell		Tweco	
Comfort		Victor	
Crews		Weld Aid	<u>81</u>
Degil	<u></u>	Western	
Dupont		Wilson	
PAPOIIL	<u>71</u> .	Wypo	
		\kx	<u>92</u>



CUBITR

3M™ Cubitron™ II Fibre Disc



Part	Description
3MA051141-27400	Cubitron™ II Fibre Disc 982C, 4-1/2 in X 7/8 in 36+, 25 Per Inner 100 Per Case
3MA051141-27401	Cubitron™ II Fibre Disc, 982C, 5 in x 7/8 in, 36+ 25 Per Inner 100 Per Case
3MA051141-27402	Cubitron™ II Fibre Disc 982C 7in X 7/8 in 36+ 25 Per Inner 100 Per Case
3MA051141-27404	Cubitron™ II Fibre Disc 982C TN Quick Change 5 in 36+ 25 Per Inner 100 Per Case
3MA051141-27405	Cubitron™ II Fibre Disc 982C TN Quick Change, 7 in 36+, 25 Per Inner 100 Per Case
3MA051141-27632	Cubitron™ II Fibre Disc 982C, 5 In X 7/8 in 60+, 25 Per Inner 100 Per Case
3MA051141-27637	Cubitron™ II Fibre Disc 982C, 7 X 7/8 in 80, 25 Per Inner 100 Per Case
3MA051141-27448	Cubitron™ II Fibre Disc 987C, 5 In X 7/8 in 36+ 25 Per Inner 100 Per Case

3M™ Cubitron II Depressed Center Grinding Wheels



Part	Description
3MA70-0011-8417	Cubitron™ II Depressed Center Grinding Wheel T27 66587, 4.5 in x 1/4 in x 7/8 in, 10 per inner, 20 per case
3MA70-0011-8418	Cubitron™ II Depressed Center Grinding Wheel T27 66588, 5 in x 1/4 in x 7/8 in, 10 per inner, 20 per case
3MA70-0011-8419	Cubitron™ II Depressed Center Grinding Wheel T27 66589, 6 in x 1/4 in x 7/8 in, 10 per inner, 20 per case
3MA70-0011-8420	Cubitron™ II Depressed Center Grinding Wheel T27 66590, 7 in x 1/4 in x 7/8 in, 10 per inner, 20 per case

3M™ Cubitron II Flap Discs



Part	Description
3MA70-0014-8181	Cubitron™ II Flap Disc 967A, T27 4-1/2 in x 7/8 in 40+ Y-weight, 10 per case
3MA70-0014-8182	Cubitron™ II Flap Disc 967A, T27 4-1/2 in x 7/8 in 60+ Y-weight, 10 per case
3MA70-0014-8183	Cubitron™ II Flap Disc 967A, T27 4-1/2 in x 7/8 in 80+ Y-weight, 10 per case

3M™ Cubitron II Cut & Grind



Part	Description	
3MA71-0001-9067	Cubitron™ II Cut And Grind T27 28758 6in 1/8in X 7/8 in 10 Per Inner 20/Cs	
3MA71-0001-9244	Cubitron™ II Cut And Grind T27 82278 5In 1/8in X 7/8in 10 Per Inner 20/Cs	

3M™ Cubitron II Cut-Off Wheel



Part	Description
3MA71-0002-3745	Cubitron™ II Cut-Off Wheel T27 66537 5 in X .045 in X 7/8 in 25 Per Inner 50/Cs
3MA71-0002-4773	Cubitron™ II Cut-Off Wheel T1 66525 4.5 in X .045 in X 7/8In 25 Per Inner 50/Cs

3M™ Scotch Brite Hand Pads



Part	Description
3MASB7440B	Scotch-Brite Heavy Duty Hand Pad 40 Pads/Case
3MASB7447B	Scotch-Brite General Purpose Hand Pad 60Pads/Case



Part	Description
3MT203-24X55	3M™ General Purpose Masking Tape, beige, 24 mm x 55 m, 36 per case
3MT203-48X55	3M™ General Purpose Masking Tape, beige, 48 mm x 55 m, 24 per case



Part	Description
3MT26336	Scotch® Performance Masking Tape 233+, 24 mm x 55 m, 24 per case
3MT26340	Scotch® Performance Masking Tape 233+ , 48 mm x 55 m, 12 per case



Part	Description
3MTCOLOURFLEX-BLU	3M™ Colourflex™ Tape, blue, 7 mil, 3/4 in x 60 ft
3MTCOLOURFLEX-GR	3M™ Colourflex™ Tape, green, 7 mil, 3/4 in x 60 ft

3MT2929-48X50

General Use Duct Tape 48mm X 50 Yards 24/Case. Ideal product for conformable bundling, moisture resistance, and general repairs



3 IVI I 3333-2A0U
Duct Tape 3939 Silver,
2 in X 60 yard, 24 Per Case
Dependable and exceptional
performance for repair and specialized
applications.



3MT231-48X55

Scotch Masking Tape is a premium high-performance crepe paper masking tape designed to meet masking needs in most industrial painting situations, including the use of bake cycles



3MT369-48X100-CLEAR

3M™ Tartan™ Box Sealing Tape,

369, clear, 48 mm x 100 m, 36 per

case. Adheres instantly to a variety of

adhesive offers a good, tight, general

surfaces. Pressure-sensitive rubber

SMITSOSO SVCO

3MTEMFLEX-3/4X60

3M™ Temflex™ General Use Vinyl Electrical Tape, 7 mil, 3/4 in x 60 ft is a good quality, economical generalpurpose vinyl insulating tape. It has excellent resistance to abrasion, moisture, alkalies, acid, copper, corrosion and varying weather conditions



3MTDP600SL-8.

3M™ Self-Levelling Concrete Repair, gray, 8.4 Oz. cartridge, 2 mix nozzles, 6 per case. 3M™ Scotch-Weld™ Concrete Repair 600 is a quick-curing, twocomponent polyurethane adhesive designed to repair cracks, spalls and breaks in concrete, masonry and

3MTSUPER88-3/4X66 Scotch® Premium



3M[™] Construction Sheathing Tape, 8088, 60 mm x 66 m, 20 per case, individually wrapped. Installs and performs well over a broad temperature range. Excellent vapour



3MT8088-60X66

Vinvl Electrical Tape Super 88. 3/4 in x 66 ft is a premium grade, 8.5-mil thick, all-weather vinyl insulating tape. It is designed to perform continuously between a temperature range of 0-220°F (-18-105°C). It has an excellent resistance to UV rays, abrasion, moisture, alkalies, acids, corrosion and varying weather barrier tape on polyethylene film. conditions.

3MT77-24OZ-IND

purpose seal

Super 77™ Multipurpose Adhesive, 24 oz, 6 per case, Aerosol. High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and, cloth to painted or unpainted metals, wood and hardboard.

DUSTRIA





Automatically locks on without adjusting Ergonomically shaped handle Set & Forget™, Set desired pressure, from slight to extreme and jaws automatically adjust to any size with equal grip pressure















Part	Description	Part	Description
AUT06100	6 in Curved Jaw	AUT10100	6 in Curved Jaw
AUT06200	7 in C Clamp	AUT10200	7 in C Clamp
AUT06201	7 in C Clamp Swivel Pads	AUT10201	7 in C Clamp Swivel Pads
AUT09300	7 in Needle Nose	AUT09300	7 in Needle Nose



Bestwelds Brushes





Part	Description
OKIBW103	Long Handle Brush 3 X 19
OKIBW104	Long Handle Brush 4 X 18
OKIBW112	Shoe Handle Brush 4 X 16
OKIBW190	Inspect Brush 3 X 7 Stainless Steel
OKIBW9103	Long Handle Brush 3 X 19 Stainless Steel
OKIBW9104	Long Handle Brush 4 X 18 Stainless Steel
OKIBW9112	Shoe Handle Brush 4 X 16 Stainless Steel



Part	Description
BWSWGF.FES.080	FES 080GF With Grease Fitting 3 3/16 (80 mm) 25/box
BWSWGF.FES.100	FES100GF With Grease Fitting 4 (100 mm) 25/box
BWSWGF.FES.150	FES150GF With Grease Fitting 6 (150 mm) 25/box
BWSWGF.FES.200	FES 200GF With Grease Fitting 8 (200 mm) 25/box
BWSWSP.FES.060	FES 060 Fixed Steel Pin 2 3/8 (60 mm) 25/box
BWSWSP.FES.080	FES 080 Fixed Steel Pin 3 3/16 (80 mm) 25/box
BWSWSP.FES.100	FES100 Fixed Steel Pin 4 (100 mm) 25/box
BWSWSP.FES.150	FES150 Fixed Steel Pin 6 (150 mm) 25/box
BWSWSP.FES.200	FES 200 Fixed Steel Pin 8 (200 mm) 25/box

CARBORUNDUM

PREMIER RED DEPRESSED CENTER WHEELS Better Tier / Zirconia Alumina

Outstanding results grinding stainless steel, high alloy steel, and all ferrous metals



Part	Description	Spec and Size	Pack Size
481-05539502870	PREMIER RED STAINLESS	ZA30T-4-1/2"X.125"X7/8"-T27	20
481-05539502872	PREMIER RED	ZA24Q-4-1/2"X1/4"X7/8"-T27	20
481-05539502874	PREMIER RED STAINLESS	ZA30T-5"X.125"X7/8"-T27	20
481-05539502876	PREMIER RED	ZA24Q-5"X1/4"X7/8"-T27	20
481-05539502881	PREMIER RED	ZA20Q-7"X1/4"X7/8"-T27	20

CARBO GOLD DEPRESSED CENTER WHEELS Good Tier / Aluminum Oxide For Grinding Stainless Steel



Part	Description	Spec and Size	Pack Size
481-05539570191	GOLD MAXX	ZA30-4-1/2 x 1/4 x 7/8 T27	20
481-05539570193	GOLD MAXX	ZA30-5"X1/4"X7/8"-T27 INOX	20
481-05539570194	GOLD MAXX	ZA30-7 x 1/4 x 7/8 T27	20

CARBO GOLD Small Diameter Reinforced Cut-off Wheels Good Tier / Aluminum Oxide For cutting off ferrous metals, alloy steels and cast iron.

CARBORUNDUM



Part	Description	Spec and Size	Pack Size
481-05539509268	GOLD	A60O-3"X.035"X3/8"-T01	25
481-05539509263	GOLD	A36T-3"X1/16"X3/8"-T01	25
481-05539561551	GOLD TYPE 27	A30T-4-1/2"x 045"x7/8"-T27	20
481-05539561553	GOLD TYPE 27	A30T-5"X.045"X7/8"-T27	20

CARBO GOLD Cut Right Angle Grinder Reinforced Cut-off Good Tier / Aluminum Oxide

For general purpose cutting of stainless steel, steel and metal material with a right angle grinder



Part	Description	Spec and Size	Pack Size
481-05539563952	GOLDCUT	A60Q-4-1/2"X.045"X7/8"-T01	25
481-05539563953	GOLDCUT	A60Q-5"X.045"X7/8"-T01	25
481-05539563954	GOLDCUT	A60Q-6"X.045"X7/8"-T01	25

Premier Red Paper Sheets Best Tier / Aluminum Oxide Dri-Lube Resin Paper Open

Ultimate choice for machine and hand sanding of paints, primers, light metals and basecoat/clearcoat paints.



Part	Description	Spec and Size	Pack Size
481-05539520538	PREMIER RED	SHS SST 9"x11" B0912DO P80	50
481-05539520530	PREMIER RED	SHS SST 9"x11" B0912DO P320	100
481-05539520531	PREMIER RED	SHS SST 9"x11" B0912DO P280	100
481-05539520532	PREMIER RED	SHS SST 9"x11" B0912DO P240	100
481-05539520533	PREMIER RED	SHS SST 9"x11" B0912DO P220	100
481-05539520534	PREMIER RED	SHS SST 9"x11" B0912DO P180	100
481-05539520535	PREMIER RED	SHS SST 9"x11" B0912DO P150	100
481-05539520536	PREMIER RED	SHS SST 9"x11" B0912DO P120	100
481-05539520537	PREMIER RED	SHS SST 9"x11" B0912DO P100	100

Aluminum Oxide Cloth Rolls Good Tier / Aluminum Oxide Resin Cloth

Ideal for cleaning and deburring metal surfaces. May be used dry or with oil.



Part	Description	Spec and Size	Pack Size
481-05539529350	Carbo	RTH RHR 2"x50YD JCF0852 P80	1
481-05539529344	Carbo	RTH RHR 2"x50YD JCF0852 P240	1
481-05539529346	Carbo	RTH RHR 2"x50YD JCF0852 P180	1
481-05539529348	Carbo	RTH RHR 2"x50YD JCF0852 P120	1
481-05539529349	Carbo	RTH RHR 2"x50YD JCF0852 P100	1
481-05539529328	Carbo	RTH RHR 1"x50YD JCF0852 P80	1
481-05539529322	Carbo	RTH RHR 1"x50YD JCF0852 P240	1
481-05539529323	Carbo	RTH RHR 1"x50YD JCF0852 P220	1
481-05539529324	Carbo	RTH RHR 1"x50YD JCF0852 P180	1
481-05539529326	Carbo	RTH RHR 1"x50YD JCF0852 P120	1
481-05539529327	Carbo	RTH RHR 1"x50YD JCF0852 P100	1

POWERLOCK CLOTH DISCS – ZIRC PLUS R801 Ideal product for demanding grinding applications. Grinding aid results in cooler cut on stainless steel, titanium and other exotic alloy



Part	Description	SOA	Spec and Size
481-08834167069	Merit	Coated	SPE ZMD 2" R801 C80 Y
481-08834167109	Merit	Coated	SPE ZMD 2" R801 C50 Y
481-08834167107	Merit	Coated	SPE ZMD 2" R801 C36 Y

ZIRCONIA ALUMINA RESIN FIBRE DISCS Durable zirconia alumina abrasive with a heavy fiber backing, this disc is a great performer on stainless steel





Part	Description	Spec and Size	Pack Size
NTN66623353319	Merit	DFI DI 4-1/2"x7/8" FX672 MER C60	25
NTN66623353316	Merit	DFI DI 4-1/2"x7/8" FX672 MER C36	25
NTN66623357293	Merit	DFI DI 5"x7/8" FX672 MER C60	25
NTN66623357291	Merit	DFI DI 5"x7/8" FX672 MER C36	25
NTN66623357290	Merit	DFI DI 5"x7/8" FX672 MER C24	25

Premier red Paper Sheets Best Tier / Aluminum Oxide Dri-Lube Resin Paper Open

Best choice for sanding all paints, primers, plastics and fiberglass. Also suited for sealer and wash coats in wood furniture



Part	Description	Spec and Size	Pack Size
481-05539518173	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P80 PSAU	4
481-05539518165	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P320 PSAU+	4
481-05539518166	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P280 PSAU+	4
481-05539518167	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P240 PSAU+	4
481-05539518168	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P220 PSAU+	4
481-05539518169	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P180 PSAU+	4
481-05539518170	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P150 PSAU+	4
481-05539518171	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P120 PSAU+	4
481-05539518172	PREMIER RED	DRO DIR 6"x0"x100 B0912DO P100 PSAU+	4
481-05539518114	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P80 PSAU	4
481-05539518106	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P320 PSAU+	4
481-05539518107	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P280 PSAU+	4
481-05539518108	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P240 PSAU+	4
481-05539518109	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P220 PSAU+	4
481-05539518110	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P180 PSAU+	4
481-05539518111	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P150 PSAU+	4
481-05539518112	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P120 PSAU+	4
481-05539518113	PREMIER RED	DRO DIR 5"x0"x100 B0912DO P100 PSAU+	4



125-72018

Lectra Clean® Heavy Duty Electrical Parts Degreaser, 539 G. This chlorinated based material quickly removes grease, oil & dirt from motor parts and other such equipment



125-72130

QD™ Contact Cleaner, 312 Grams Suitable for cleaning sensitive electronics and elec ical equipment



125-73005

3-36® Multi-Purpose Precision Lubricant, 325 Grams. A plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion



125-73020

Knock'er Loose™ Penetrating Solvent, 369 G. An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners.



125-73282

SP-400™ Corrosion Inhibitor, 284 Grams. Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity



125-74085

Duster Aerosol Dust Removal System, 227 Grams. A powerful blast of product removes dirt, dust and embedded debris.



125-74446

HydroForce® Zero VOC General Purpose Cleaner 946 mL. Provides maximum regulatory compliance without performance compromises



125-75089

Brakleen® Brake Parts Cleaner, 539G Formulated to quickly & effective remove grease, brake dust, brake fluids, oils, & other contaminants from brake parts, lining, pads



125-75097

Battery Cleaner with Acid Indicator, 312G. Instantly detects leaks and neutralizes acid. Removes corrosion by-products.



192-CCW4 7/16" Combination Wrench 192-CCW5 1/2" Combination Wrench 192-CCW6 9/16" Combination Wrench 192-CCW7 5/8" Combination Wrench 192-CCW8 11/16" Combination Wrench 192-CCW9 3/4 " Combination Wrench

192-CCW10	13/16"Combination Wrench
192-CCW11	7/8" Combination Wrench
192-CCW12	15/16" Combination Wrench
192-CCW13	1" Combination Wrench
192-CCW14	1-1/16" Combination Wrench
192-CCW15	1-1/8" Combination Wrench
	192-CCW11 192-CCW12 192-CCW13 192-CCW14





192-CCWS4 14 Piece SAE Combination Wrench Set

Part



CRW0 1/4" Drive, Quick Release Ratchet CRW6 3/8" Drive, Quick Release Ratchet CRW12 1/2" Drive, Quick Release Ratchet

	192-CCWS5	
ì	15 Piece Metric	
١	Combination	
١	Wrench Set	

CSWS0	1/4" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS2	1/4" Dr., 21 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS3	1/4" Dr., 22Pc. Socket Wrench Set, STD/Deep, MM
CSWS5	1/4" Dr., 43 Pc. Socket Wrench Set, STD/Deep, SAE,MM
CSWS6	3/8" Dr., 11 Pc. Socket Wrench Set, SAE
	3/8" Dr., 25 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS9	3/8" Dr., 25 Pc. Socket Wrench Set, STD/Deep, MM
CSWS10	3/8" Dr., 52 Pc. Socket Set, SAE/MM, Deep
CSWS11	1/2" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS12	1/4" & 3/8" Dr., 45 Pc. Socket Set



192-CTK84CMP

84 Piece, 1/4" and 3/8" Drive 6 and 12 point SAE/Metric Mechanic's Tool Set

181-CTK148MP

148-Piece Professional Tool Set includes 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes



Devcon® Plastic Steel® Putty. The original metal-filled epoxy putty, it is ideal for repairing areas where welding or brazing would be impractical. Can be drilled, tapped and machined. Conforms to the requirements of MIL-PRF-24176C, Type I.





230-10610 DEVCON® Aluminum Putty (F)

230-10110 **DEVCON® Plastic Steel® Putty** (A) - 1 lbs







- 1 lbs



DEVCON® Zip Patch™

230-11500

- 4"x9" patch

230-11760

DEVCON® Brushable Ceramic Red provides a smooth protective barrier against wear, abrasion, corrosion, erosion, and chemical attack.



230-11800

Underwater Repair Putty Penetrates wetness to bond securely to steel, iron, aluminum, brass, bronze, concrete, wood, and some plastics



DEVCON® 5 Minute® Epoxy Gel opaque [1-1] -25ml Dev-Tube™

230-14240



230-14280

Devcon Mark V Gun (1-1 And 10-1 Ratio) - Use With 50 MI Cartridge - Applicator Gun Min 1



230-14300

Plastic Welder, 25 mL, Dual Syringe Tube Toughened adhesive for high strength loadbearing bonds.



230-14310

2 Ton Clear Epoxy, 25 mL, Extremely strong, water-resistant epoxy adhesive that forms a powerful bond with ferrous and non-ferrous metals, ceramics wood, concrete, or glass in any combination.

230-14250

DEVCON® 5 Minute® Epoxy clear [1-1] - 25ml Dev-Tube™



230-14320

Plastic Welder, 47 mL, Dev-Pak, Straw Toughened adhesive for high strength load-bearing bonds to engineered plastics, metals, composites, ceramics, and dissimilar substrates



230-14340 **DEVCON® Plastic**

Welder™ II straw [1-1] -47 ml cartridge



230-14366

35 ML DEVPAK Metal Welder Adhesive High-performance structural adhesive formulated to bond a wide range of metals including: aluminum, stainless steel, cold-rolled steel and dissimilar substrates without primers



230-19510 1PT.

Cleaner Blend 300 Safe, multi-purpose degreaser for use on heavy grease and oil deposits on metal. Needs no rinsing; leaves no residue



230-15250

DEVCON® Flexane® 94 Liquid, 1 lb, Black For applications requiring a shorter demolding time (5 hours) Harder material than Flexane™® 80 Liquid. Low-viscosity urethane cures to rigid rubber



230-15800

DEVCON® Flexane® 80 Liquid, 1 lb, Black Faithfully reproduces mold detail, and cures to semi-rigid rubber. Medium-viscosity urethane fills voids completely. Mixes and pours easily. Ten-hour demolding time



115-D28065

DEWALT Grinder 5" / 6" Rat Tail 10,000rpm 13AC/DC



115-DWE305

DEWALT Reciprocating Saw 12.0A, 0-2,900 SPM, w/ 4 Directional Keyless Blade Clamp





DEWALT Grinder 4-1/2" 11,000530 11 Amp



115-DCR018

DEWALT 18V/20V/12V MAX Job Site Radio



115-D28710

Saw 15 Amp

DEWALT 14" Chop

115-DW292

DEWALT 1/2" Impact Detent Pin 7.5 Amp



115-DWD112

DEWALT 3/8" VSR 0-2,500 RPM Drill 7.0A, Keyless Chuck



115-DWE7480

DEWALT 10" Job Site Table Saw (24-1/2" Rip Capacity)



115-DCS391B

DEWALT 20V MAX 6-1/2" Circular Saw - TOOL ONLY



115-DCG412B

DEWALT 20V MAX Cut-Off Tool - TOOL ONLY



115-DCS380B

DEWALT 20V MAX Reciprocating Saw **TOOL ONLY**













Part #	Description
115-DW8062	DEWALT 4-1/2" x .045" x 7/8" A60T Metal Thin Cut-off Wheel -Type 1
115-DW8063	DEWALT 5" x .045" x 7/8" A60T Metal Thin Cut-off Wheel -Type 1
115-DW8808	DEWALT 4-1/2" x 1/4" x 7/8" Premium Metal Wheel (Zirconia)
115-DW8814	DEWALT 5" x 1/4" x 7/8" Premium Metal Wheel (Zirconia)
115-DWA4166	DEWALT 6 IN 6TPI 2X Reciprocating Saw 5 Pack
115-DWA4169	DEWALT 9 IN 6TPI 2X Reciprocating Saw 5 Pack
115-DWA4186	DEWALT 6IN 14/18TPI Max Metal Reciprocating Saw Blade 5 Pack
115-DWA4188	DEWALT 8IN 14/18TPI Max Metal Reciprocating Saw Blade 5 Pack
115-DWA4176	DEWALT 6 IN 10TPI 2X Reciprocating Saw Blade 5 Pack
115-DWA4179	DEWALT 9 IN 10TPI 2X Reciprocating Saw Blade 5 Pack



115-DCB203-2 **DEWALT 20V MAX** Li-Ion Compact Battery 2-Pack (2.0 Ah)

115-DCB204-2 **DEWALT 20V MAX** Li-Ion Battery 2-Pack (4.0 Ah)

DURACELL

Alkaline Batteries. Economically packaged for professional applications. Engineered for intermittent use. Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications





Part #	Description
243-PC1300	Duracell Procell D Cell
243-PC1400	Duracell Procell C Cell
243-PC1500BKD	Duracell Procell AA Cell
243-PC1604BKD	Duracell Procell 9 Volt
243-PC2400BKD	Duracell Procell AAA Cell



EM100

8"X12" Carpenters Framing Square Steel Easy-to-read numbers. High-quality, standard blade-and-tongue design. Strong, epoxy-finished steel



16"X24" Steel Tradesman Square Easy-to-read numbers. Highquality, standard blade-andtongue design. Punched hang hole. Stamped graduations Strong, epoxy-finished steel





EM36

Magnetic Polycast™® Protractor Durable Polycast™® construction. Magnetic base and edge



EM230

Combo Square 12 Tradesman. Professional Square E-Z slide pad lining for smooth blade sliding action. Metal square head. Self-aligning drawbolt



EM581-48 48" Magnetic Unitek Level Beveled end plates protect from shock. Solid I-beam frame with magnetic edge. Top read window EM581-24

24" Magnetic Unitek Level Beveled end plates protect from shock. Solid I-beam frame with magnetic edge. Top read window



EM2990

Heavy Duty Rafter Square 1-piece aluminum extrusion outperforms brittle die casts. Stamped conversion tables. Thick edge makes for a safer saw guide.

EM3990 12 inch heavy duty magnum rafter square



EM81-9

9 inch Heavy Duty Magnetic Torpedo Level





510-STEELSAW1

7-1/4 inch. Steel Cutting Circular Saw With 185 blade St Cuts mild steel without excessive heat. burrs or the necessity of coolants



510-STEELSAW2

14 inch Steel Cutting Chop Saw W/14bladest



510-STEELSAW5

9 inch Steel Cutting Circular Saw W/230bladest



510-EVO42

1-5/8 inch DIA. X 2 inch Depth Magnetic Drilling System



510-BORA

1-1/8 in. DIA. X 2 in. Depth Magnetic **Drilling System**

















Part	Description
510-185BLADEST	7-1/4 inch Steel X 40t X 20mm Arbor W/5/8 In. Arbor
510-180BLADEAL	7 inch Aluminum X 54t X 20mm Arbor
510-180BLADESSN	7 inch Stainless X 48t X 20mm Arbor
510-14BLADEST	14 inch Steel X 66t X 1 inch Arbor
510-14BLADEAL	14 inch Aluminum X 80t X 1 inch Arbor
510-14BLADESSN	14 inch Stainless X 90t X 1 inch Arbor
510-230BLADEST	9 inch Steel X 48t X 1 inch Arbor
510-230BLADEAL	9 inch Aluminum X 80t X 1 inch Arbor
510-230BLADESSN	9 inch Stainless X 60t X 1 inch Arbor

GAR02141

Contractor Round point shovel, hollow back tempered steel blade, forward turned steps. hardwood handle. roots, Ih



GAR02142

Contractor Shovel Round point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle. dh



GAR02144

Square point shovel, hollow back tempered steel blade, forward turned steps, hardwood handle, dh



GARGIPP21KD

Pro Series All-purpose Snow pusher, 21 in. polypropylene blade. Premium stained ash handle with a poly D-grip. kd Perfect for intensive uses



Snow pusher, 24 in. blue poly blade. Strong ergonomic lightweight aluminum handle designed to minimize back strain. Extra-wide ergonomic poly grip. Extra support ribs on back of blade for added strength and stiffness. 24 in. poly blade for a more effective scraping.



GARGIP139KD

Pro Series Allpurpose polypro shovel 13.88" kd. ash handle with a poly D-grip, dh



GARNP139KD

NORDIC Snow shovel, 13.9 in. poly blade, stained ash handle



GARYFSW4

YUKON Ice scraper, industrial grade 3.75", forged and tempered steel blade, profiled premium ash handle, lh





Part #	Description
GEN04010012	The Pumper Marker White 12
GEN04010013	The Pumper Marker Yellow 12
GEN04010014	The Pumper Marker Black 12
GEN04010015	The Pumper Marker Red 12
GEN04010016	The Pumper Marker Blue 1
GEN04010017	The Pumper Marker Green





315-0955-04

Natural Orange 1 gallon. Quick-acting lotion formula with pumice scrubbing particles for cleaning a broad range of industrial soils, medium dirts and grease. Orange citrus scent.



315-1903-02-CAN00

PURELL® Advanced Green Certified Instant Hand Sanitizer. Kills more than 99.99% of most common germs.



315-1911-02

GOJO Clear & Mild Foam Handwash. Spa-inspired, green certified foam hand soap offers luxurious foam lather in a fragrance- and dyefree formulation.



315-1913-02-CAN00

PURELL Advanced Moisturizing Foam Hand Rub. This green certified moisturizing foam hand rub has six different moisturizers for optimal skin conditioning



315-1918-02-CAN00

GOJO Antibacterial Plum Scent Foam Handwash Triclosan Liquid



315-2117-08

GOJO® Deluxe Lotion Soap with Moisturizers 1000mL Refill. Luxurious lotion soap to clean hands gently, even with frequent use.



315-2156-08-CAN00

PURELL® Instant Hand Sanitizer 1000mL Refill. Kills 99.99% of most common germs that may cause illness.



315-2354-08

GOJO® Cherry Gel Pumice Hand Cleaner 10 fl oz Bottle. Gelstyle heavy duty hand cleaner with cherry fragrance and pumice scrubbers quickly cleans heavy dirt. grease and oil. pH balanced to promote skin comfort



315-2358-02

Cherry Gel Hand Cleaner 1 gallon Contains skin conditioners and is pH balanced to promote skin comfort



315-6298-04

GOJO Fast Wipes130 Count **Bucket High** strength, disposable hand cleaning towels removes grease. grime and other



315-6299-02

GOJO® Fast Wipes® Hand Cleaning Towels 225 Count Bucket



315-6396-06 Scrubbing Wipes 72 count



315-7200-01

GOJO® PRO™ TDX™ 2000 Dispenser. 2000 mL dispenser is engineered to withstand the toughest environments. Features new modern design with diamondplate etching



315-7265-04

soils

Multi Green™® Hand Cleaner for removing light to medium industrial soils and dirt. Contains a natural citrus solvent cleaner with non-abrading scrubbing particles



315-7290-04

Cherry Gel Hand Cleaner 2000ml refill



315-8809-03-CAN00

PURELL Advanced Moisturizing Foam Hand Rub 1200mL Refill



315-8811-03

GOJO® Clear & Mild Foam Handwash 1250mL Refill. This green certified moisturizing foam hand rub has six different moisturizers for optimal skin conditioning



315-8817-03-CAN

GOJO® Antibacte Plum Scent Foam Handwash Triclo S Liquid 1250mL Ref High-performance. antibacterial hand soap offers luxurio lather and an appealing plum fragrance



315-9652-12-CAN00

PURELL® Advanced Hand Rub is approved for commercial use, provides persistence against bacteria and kills 99.9% of germs on hands



Convenient carrying handle. Raised flow-through base dissipates heat. Rugged, lead-free galvanized steel body with durable powder coat paint finish. Self-closing cover isolates contents from fire sources



Part	Description
400-09100	Oily Waste Can, 6 gallon, foot-operated self-closing cover, red
400-09300	Oily Waste Can, 10 gallon , foot-operated self-closing cover, red
400-09500	Oily Waste Can, 14 gallon , foot-operated self-closing cover, red
400-09700	Oily Waste Can, 21 gallon , foot-operated self-closing cover, red



400-26800

Smoker Ceasefire Assembly Pewter Gray. Innovative selfextinguishing design safely collects unsightly cigarette butts and reduces the risk of fire. Made of flame-retardant, sturdy polyethylene. Won't rust, dent, or crack.



400-26800B

Original Smoker's Cease-Fire® Cigarette Butt Receptacle, Cap. 4 gal, bucket included, poly beige



Part	Description
400-28715	EcoPolyBlend™ Spill Tray, 46"x 16" x 5-1/2", rigid poly, Black
400-28716	EcoPolyBlend™ Spill Tray, 38"x 26" x 5-1/2", rigid poly, Black
400-28717	EcoPolyBlend™ Spill Tray, 48"x 23" x 5-1/2", rigid poly, Black
400-28718	EcoPolyBlend™ Spill Tray, 38"x 34" x 5-1/2", rigid poly, Black
400-28719	EcoPolyBlend™ Spill Tray, 47"x 33" x 5-1/2", rigid poly, Black



400-7150100

Type I Steel Safety Can For Flammables, 5 Gallon (19L), S/S Flame Arrester, Self-Close Lid, Red



400-7250120

Type II AccuFlow™ Steel Safety Can for flammables, 5 gal., S/S flame arrester, 5/8" metal hose, Red



400-7250130

Type II AccuFlow™ Steel Safety Can for flammables, 5 gal., S/S flame arrester, 1" metal hose, Red



400-7150200

Type I Steel Safety Can For Flammables, 5 Gallon (19L), S/S Flame Arrester, Self-Close Lid, Yellow



400-7250220

Type II AccuFlow™ Steel Safety Can for flammables, 5 gal., S/S flame arrester, 5/8" metal hose. Yellow



400-7250230

Type II AccuFlow™ Steel Safety Can for flammables, 5 gal., S/S flame arrester, 1" metal hose Yellow



400-894500

Sure-Grip® EX Flammable Safety Cabinet, Cap. 45 gallons, 2 shelves, 2 manual-close doors



400-893000

Sure-Grip® EX Flammable Safety Cabinet, Dims. 44"H, Cap. 30 gal., 1 shelf, 2 manual-close doors

KENNEDY.



444-305XB 5 Drawer Maintenance Chest Brown Wrinkle Steel Ball Bearing Slides 39 3/8 x 18x 16 1/2



444-310XB 10 Drawer Tool Roller Cabinet Brown Wrinkle Steel **Ball Bearing Slides** 39 3/8 x 18x 35



444-360B 10 Drawer Mechanic's Chest Brown Wrinkle 26 1/8 x 12x 18 7/8



444-520B **Machinist Chest** 7-drawer Brown 20-1/8"x 8-9/16"x 13-5/8"



444-52611B **Machinist Chest** 11-drawer Brown Wrinkle Steel



27 x 18 x 35 444-277XB 7 Drawer Rolling

Cabinet Brown Wrinkle Steel with Ball Bearing Slides 27 x 18 x 35

444-277B 7 Drawer Rolling Cabinet Brown



444-175CRW 27" Commercial RC, Red Wrinkle



444-173CBKW 27" Commercial Chest, Black Wrinkle



444-1022B 22" Cantilever Tool Box Brown Wrinkle



444-K20B 20" Professional Tool Box



444-K24B 24" Professional Tool Box



444-266R 6-drawer Mechanic's Chest with friction Slides Red 26 1/8 x 12x 14 3/4

Kimberly-Clark



KCP05511

KIMTECH SCIENCE* Precision Wipes Tissue Wipers, 1-ply, are an economical choice for general low-lint cleaning tasks. Soft and absorbent. Anti-static dispensing reduces lint. Coated packaging helps protect wipes from spills.



KCP05843

10.4 X11 WYPALL* L30 Wipers in a Small Roll. Ideal for general purpose, light duty clean-ups. Removes soils and liquids from faces and hands. Perforated roll suitable for all kinds of jobs



KCP34790

Wypall X60 Reinforced Wipers Pop-Up 126 Sheets/Box Brings the absorbing power of Hydrokint™ technology to a lighter weight wiper. No adhesives or binders. Reinforced for extra scrubbing and cleaning power. Tough enough for big jobs, soft enough for face and hands



KCP34955

Wypall Reinforced Wipers Jumbo Roll 12.5X13.4 31.75X34.04 1/1100 Brings the absorbing power of Hydrokint™ technology to a lighter weight wiper, combining versatile performance and economy for light-duty tasks. Jumbo rolls provide the larger sheet size and high count required by industrial professionals.



KCP41041

Wypall X80 Towels Brag Box 12.5X16.8 31.75X42.67 1/160. X80 wipers are the wiper of choice for your toughest jobs. Heavy industrial tasks, cleaning grease, grime and oil, solvent wiping, cleaning rough surfaces, or any other challenging task are where our X80 wipers play best. Reusable, durable, and extremely absorbent



KCP91371

Wypall Waterless Hand Wipes 75 Wipes/Box, 6/Case 10.5X12.25 6/75 Individual packets. Premoistened hand cleaning wipes are waterless and ideal for hand cleaning anywhere





409-44200

Cable Splicer's Knife. Specialpurpose short blade with comfortable, full-sized, heavy-duty handle. Coping-type blade made of the finest cutlery steel, tough and carefully tempered to hold its edge. Handle is textured for comfort and firm grip. Hang hole for easy storage and portability



409-D201-7CST

9" Ironworker's Work Pliers
Twists and cuts soft annealed
rebar tie wire. Hook bend
handle Spring-loaded action for
self-opening Induction hardened
cutting knives for long life Hotriveted joint ensures smooth
action and no handle wobble.



409-D209-5C

Electronics Midget Diagonal-Cutting Pliers Sharp pointed nose for precise tip cutting and trimming printed circuit boards. Spring-loaded for self-opening action



409-D213-9ST

9" High-Leverage Ironworker's Work Pliers. Twists and cuts soft annealed rebar tie wire High-leverage design.



409-D248-9ST

9" High-Leverage Diagonal-Cutting Pliers - Ironworker's. The 13° degree angled head makes it easier to work in confined spaces while the hooked handle improves the grip and reduces slippage



409-27400

Tie-Wire Reel. Save time and keep your tie wire organized. This reel is made of lightweight aluminum and can be used either left- or right-handed.



409-5104

Leather-Bottom Bucket is made of heavy-duty canvas to withstand harsh job sites. A strong reinforced web strap extends down the side for extra weight capacity. Load rated for 100 lbs (45.4 kg).



409-5142P

Canvas Utility Bag – Pocket. Heavy No. 8 canvas. Top edge reinforced with 1/4" (6 mm) rope. Ventilating eyelet in bottom.

PIPE WRENCHES AND WATER PUMP PLIERS



KNIPEX Alligator® Water Pump Pliers

pliers black atramentized, head polished, handles with non-slip plastic coating, self-locking on pipes and nuts: no slipping on the work piece and low hand force required



Part	Description
414-8801180SBA	7.25" ALLIGATOR® Plier
414-8801250SBA	10" ALLIGATOR® Pliers
414-8801300SBA	12" ALLIGATOR® Pliers
414-8808250SBA	10 ALLIGATOR® PLIERS-1,000V INSULATED

KNIPEX Cobra® - the Hightech Water Pump Pliers. No more time-consuming presetting of the required opening size. Just position the upper jaw to the workpiece, push button and move close the lower jaw, ingeniously simple




Part	Description
414-8701125SBA	5 " COBRA® Plier
414-8701180SBA	7.25 " COBRA® Pliers
414-8701250SBA	10 " COBRA® Pliers
414-8701200SBA	12" COBRA® Pliers
414-8701400SBA	16 " COBRA® Pliers
01560	22" COBRA® Pliers



414-9562190SBA

7.5 " Wire Rope Cutters-comfort





414-9561190SBA

7.5" Wire Rope Cutters



414-9511165SBA

6.5 " Cable Shears





442-1055839 Speedbonder H8610 400 mL

Dual Cartridge



442-1174633

Non-Flammable **Electrical Contact** Cleaner 12 oz. Non-Flammable



442-1324007

Fixmaster Fast Cure Poxy Pak Epoxy (Clear) 1 Fl. oz. Syringe



442-1329467

Threadlocker 243 Primerless Oil Tolerant/Medium Strength 50 mL Bottle A general purpose, medium strength threadlocker with improved oil tolerance for fasteners between 1/4" and 3/4" diameters



442-1329837 243 Primerless, Oil Tolerant. Removable Medium Strength Blue Threadlocker 10 ml



442-1330583

Threadlocker 263 High Strength/Rapid Cure 10 ml Bottle



442-1330585

Loctite 263 Primerless, Red Threadlocker 50 ml bottle



442-37087

Loctite® QuickStix™ 248™ Blue Threadlocker Medium Strength 19g Stick



442-1616692

Loctite SF7900 Ceramic Shield For Welding is a ceramic dry film protective coating for MIG/MAG welding processes 9.5 oz. Aerosol



LOCTITE.



442-1690727

Loctite® 330™ Depend® Adhesive Kit No-Mix is a multi-surface, general purpose, high viscosity, two step acrylic, no mixing required, pail yellow, structural adhesive



442-18396

SF 770[™] Primer Adhesion Promoter for Loctite instant adhesives on hard-to-bond plastics and elastomers 1.75 Fl. oz. Glass Bottle



442-18398

PRISM® 426 Black Toughened Gel 20g Tube



442-20166

5900 Heavy Body RTV Silicone Flange Sealant 300 mL Cartridge. Noncorrosive, low odor, and low volatility. Provides instant seal. Superior flexibility and adhesion



442-21348

SF 7649™ MIL-SPEC Primer decreases the set-up time of Loctite brand threadlockers and increases breakaway torque on most fastener surfaces.
4.5 oz aerosol can



442-24221

Threadlocker 242 Medium Strength 10 mL Bottle. A general purpose, removable threadlocker for fasteners between 1/4" and 3/4" diameters. Controlled lubricity for accurate clamp loads. Parts can be separated using hand tools



442-24231

242 Mil Spec Medium Strength Blue Threadlocker 50 ml bottle



442-24241

Threadlocker 242 Medium Strength 250 mL Bottle. A general purpose, removable threadlocker for fasteners between 1/4" and 3/4" diameters. Controlled lubricity for accurate clamp loads. Parts can be separated using hand



442-26221

Threadlocker 262 High Strength 10 mL Bottle. A permanent threadlocker for fasteners up to 3/4" in diameter. Excellent for preventing rust and corrosion in extreme chemical/ environmental conditions. High lubrication for easy assembly



442-26231

Threadlocker 262 High Strength 50 mL Bottle. A permanent threadlocker for fasteners up to 3/4" in diameter. Excellent for preventing rust and corrosior in extreme chemical/environmental conditions. High lubrication for easy assembly



442-27131

Threadlocker 271 High Strength 50 mL Bottle. Easy to apply and use. Low viscosity threadlocker for fasteners up to 1 in diameter. Permanently seals threaded fasteners



442-27731

277 Large Bolt High Strength Red Threadlocker. Protects threads from rust and corrosion. Removable with heat and hard tools



442-30540

Black Contact Adhesive 5 FL. OZ. Tube. LOCTITE® Black Contact Adhesive is a professional, solvent-based adhesive with neoprene that blends in with black-colored fabrics, rubbers, weather stripping, and other porous materials



442-39202

Quicktite Instant
Adhesive Gel, 0.14 oz,
Bottle, Clear A general
purpose instant adhesive
featuring an innovative,
precision flow control
applicator. It is also
designed to be clog-free,
so the adhesive is
always ready-to-use.



442-41450

414 Super Bonder Instant Adhesive 1 OZ. bottle is a general purpose cyanoacrylate plastic bonder. Mil Spec: Mil-A-46050C Type II Class II.

LOGTITE.



442-45440

454 Prism Instant Adhesive Gel 20 g, Tube Clear Bonds dissimilar parts. Can be applied to vertical surfaces. Excellent for almost all surfaces. Ideal for porous substrates and rough and acidic surfaces



442-46551

404 Quick Set Instant Adhesive, 0.333 oz, Bottle, General Purpose is designed for general maintenance and repair, one part, room temperature cure, instant adhesive.



442-49550

Loctite® 495™ Super Bonder® Instant Adhesive. Cyanoacrylate Adhesives Designed to bond rubber, metal, and plastic parts with gaps to .004" 1.0 oz bottle



442-51531

515 Gasket Eliminator Flange Sealant 50 ml tube. Flexes with flanges that move in service. Makes flexible gaskets for rigid machined flanges with less than 0.015" gap



442-56747

567 PST Thread Sealant with PTFE High Temperature Disassembles with hand tools. Locks and seals tapered pipe threads and fittings, including high pressure applications.



442-59630

Superflex Red High Temp RTV Silicone Adhesive Sealant makes gaskets that resist temperatures to 600°F (315°C) intermittent. Resists aging, weather and thermal cycling without shrinking, cracking or hardening. Fills gaps to 0.25".



442-76732

Silver Grade Anti-Seize 8 oz brushtop. Heavy duty, temperature resistant, petroleum-based lubricant compound fortified with graphite and metallic flake. Inert, will not evaporate or harden in extreme cold or heat



442-98853

LOCTITE® Fixmaster® Metal Magic Steel™ 4 oz is a versatile, single component, easy to use, steel filled epoxy repair putty. It is applied like a putty and when cured it has a high compressive strength and good adhesion to most surfaces



442-99545

Fixmaster Deep Pour Grout, 5 gal, Kit is an aggregate-filled, epoxy system that pours up to 6" deep, including self-leveling applications under rails and sole plates. High strength material bonds to steel, concrete, and itself. Withstands high torque loading.





428-C00516

Cold Galvanize Corrosion Inhibitor, 14 oz Aerosol Can 95% zinc-rich galvanized coating. Dries in 3 - 5 minutes Electrochemically protects bare metal.



428-C01020

19-OZ. HDX Cleaner/Degreaser Heavy-duty action removes oil, grease, wax, dirt, moisture, tar, brake fluid and other contaminants. Low odor. No residue. No rinsing. Nonconductive. Nonflammable. Quick penetration



428-C01216

16 oz. Dual Action Aquacut Cutting Fluid Corrosion inhibitors prevent flash rusting. Does not contain sulfur, chlorine, or oils. Excellent in appilcations where cooling of the tool is desired. Nonflammable. Nonhazardous. Provides fine finishes. Safe on all metals, except magnesium. Water-based formula.



428-C01420

Presolve® Orange Degreaser High performance industrial cleaner which cleans on contact Ideal for removing grease, tars, and oils Fast acting, deep penetration. Low residue



428-C01916

LST Penetrant Specially formulated with low surface tension for fast penetrating action Loosens rust and corrosion to free frozen parts Powerful foaming action provides complete surface coverage



428-C02016

TKX All-Purpose Lubricant Excellent all purpose lubricant Loosens rusted or frozen parts Protects against corrosion High flash point of 175°F (79°C)



428-C02316

KB-88 The Ultimate penetring Formulated to attack and quickly release rusted and scorroded nuts, bolts, hinge and other frozen components.



428-C02416

Chain Mate Chain & Wire Rope Lubricant Fortified with molybdenum disulfide Increases the life of chains and wire ropes Effective under extreme temperature and pressure ranges Deep penetration to the core of wire ropes Reduces wear caused by friction and corrosion Lubricant and corrosion protectant



FORCE 842 FINAL LIBERTY THOU LIBERTY THOU STREET THE THOU THE THOU

428-C02516

FORCE 842°® Dry Moly Lubricant Fortified with molybdenum disulfide. Provides a quick drying, thin film. For assembly and break-in lubrication Resists dust and dirt prevents seizure of parts.



428-C02910

COPPER ANTI-SEIZE Prevents seizure up to 1800°F (982°C) Lead free Protects against seizure, heat-freeze, galling, rust and corrosion Brushes easily Highly adhesive on both wet and dry surfaces Will not run, drip, or settle out - Permits reuse of fitting, saves stud, bolt, and nut replacement



428-C03116

CFC FREE - Electro Contact Cleaner Ideal for electronic and fine parts. Cleans and degreases delicate precision mechanisms. Penetrating action removes oil, grease, dirt, flux, and other contaminants



428-C03520

Zerotri 12 Aerosol Can 15 oz. Does not contain chlorinated solvents. Fast evaporating. Heavy-duty solvent. Ideal for cleaning metals. Instant degreasing action. Instant penetrating action. Inverted spray valve. No rinsing and no residue. Safe to use on most surfaces



428-C03620

TRIFREE - BRAKE
CLEANER
Heavy-duty performanc
Instant degreasing action
Improves brake
performance
Helps stop disc brake
squeal
Powerful jet spray



428-C03816

White Lithium Grease With PTFE Rapidly forms into a pure white grease that will not melt or wash away. Provides maximum lubrication Rust and oxidation inhibitors protect metal. Pure white color allows easy visual inspection. Heat and water resistant. Acceptable for use in Canadian Food Processing Establishments



428-C04920

F-104 Fast Dry Solvent/Degreaser. The moderate evaporating, heavy-duty degreaser that removes contaminants in seconds.



428-C06016

Food Grade Chain Lubricant 12 Aerosol Cans 16 oz A water resistant lubricant designed primarily for the effective lubrication of all types of chains and conveyors operating in food environments.



428-C09200

Workplace Hand Cleaner Towels 6 Buckets 72 wipes/pail. Deep cleaning, non-scratching abrasives quickly remove embedded grime. Disposable. Fast acting. Leaves hands clean, conditioned and softened. Premoistened.



428-C30116

LPS 1® Greaseless Lubricant Provides a dry, thin, lubricating film. Resists oil, dust, and dirt build-up. Fast acting penetration Loosens rusted or frozen parts



428-C30216

LPS 2® Heavy-duty Lubricant Strong, multi-purpose lubricant, and penetrant with added corrosion protection Provides a non-drying, light, oily film for use on indoor/outdoor equipment Reduces wear caused by friction and corrosion Loosens rusted or frozen parts



428-C30316

LPS 3® Premier Rust Inhibitor Protects for up to 2 years indoors. Prevents rust and corrosion. Provides non-sling lubrication Self-healing, soft, waxy film Safe to use on most surfaces

DUST



293-L0034-035

White Motor Assembly Grease: A multi-purpose, white A smooth light-bodie grease that contains a zinc oxide anti-wear additive made especially for motor assembly and engine rebuilding 35 lb Pail



293-L0034-063C Spray Lube "A" - White Lithium Grease: A multi-purpose, white lithium-based lubricant of medium

density. Sprays like a fluid, congeals to a grease. 12 Cans/case



293-L0034-094CASE

White Motor Assembly Grease. A smooth light-bodied grease that contains a zinc-oxide anti-wear additive made especially for motor assembly and engine rebuilding 36 - 10 oz tubes/case



293-L0067-001CASE

Multi Purpose Lithium Based Grease, •High film strength, exceptional resistance to water, steam and other adverse conditions 24/14 oz Cans /case



293-L0067-035

Multi-purpose Lithium-Based Greases. Traditionally popular general purpose greases. Available in 4 N.L.G.I. Densities for a wide range of applications. 35 lb Pail



293-L0067-092

Multi-purpose Lithium-Based Greases. Traditionally popular general purpose greases. Available in 4 N.L.G.I. Densities for a wide range of applications. 10 oz tube




293-L0072-098

Multi-Purpose Lithium Grease High film strength, exceptional resistance to water, steam and other adverse conditions Tan Cartridge 14.5 oz. 40/case



293-L0096-098CASE

Formulated for higher temperature applications. They are shear stable, multipurpose greases for both plain and anti-friction bearings 40/case



293-L0102-098

Heavy-Duty, General Purpose, Lithium Type Grease This is an excellent, heavy-duty, general purpose, lithium type grease for both industrial and automotive applications. 14.5 oz cartridge - 40 cart/case



293-L0106-098

Multi-Purpose Grease Highly water resistant and tacky, they are designed for applications where the grease is subjected to heavy pressure and shock loads. 14.5 oz cartridge -40 cart/case



293-L0135-063C Chain & Cable Fluid -**Penetrating Oil**

A superior, cleansing, nongumming penetrating oil for wire rope, chains, cables and general lubrication. 12 oz. 12 cans/case



293-L0145-098

FML-2 Food Machinery Grease Anti-wear, anti-rust, anticorrosion, and anti-oxidation additives Used in the food processing industry for quick, clean applications 14.5 oz cartridge - 40 cart/case



293-L0149-063

X-357 - Extreme Pressure Lubricant An extreme pressure lubricant that penetrates and adheres. Water resistant and unaffected by temperature extremes. This product contains moly-disulfide For use on pintle hooks, slide axles, open gears, fifth wheels 11 oz can 12 cans/case



293-L0166-035

Lithium Complex Grease. Provides high film strength, excellent shear stability, long lubricant life, and exceptional anti-wear properties 35 lb Pail



293-L0166-098

1552 Grease Gun Cartridge Multi-purpose lubricants can withstand higher temperatures than traditional lithium greases They provide high film strength, excellent shear stability, long lubricant life, and exceptional anti-wear properties 14.5 oz cartridge - 40 cart/case



293-L0167-098

LTR-2: Heavy-Duty, Tacky, Red, Lithium Complex Grease. This rugged, tacky, highly water resistant, extreme pressure grease can withstand higher temperatures than traditional lithium greases 14.5 oz cartridge - 40 cart/case



293-L0172-098

Low Temp Multi-Purpose Grease Multi-purpose, anhydrous calcium based grease for cold temperatures. Excellent multi-purpose low temperature grease. Anti-wear, anti-rust, anti-corrosion, and anti-oxidation properties 14.5 oz cartridge - 40 cart/case

PREVENTS WEAR and CORROSION

LUBRIPLATE



293-L0189-098CASE

These multi-purpose greases have a wide operating temperature range for variety of applications. 14.5 oz cartridge -40 cart/case



293-L0231-098

FGL-1 High Performance, Multi-Purpose, Aluminium Complex, Food Grade Grease 14.5 oz cartridge -40 cart/case



293-L0232-098

FGL-2 High Performance, Multi-Purpose, Aluminium Complex, Food Grade Grease 14.5 oz cartridge -40 cart/case



293-L0706-057

Lubriplate® AC Series Air Compressor Oils Formulated to reduce carbon and varnish buildup. This air compressor fluid is ISO-68 1 Gallon Jug 4 Jugs/Case



293-L0707-057

Fluid zinc Formulated to reduce carbon and varnish buildup ISO viscosity grade 100 Reduces heat and foaming. This air compressor fluid is ISO-100 and recommended for piston/reciprocating type air compressors

1 Gallon Jug 4 Jugs/Case



293-L0713-054

Air Tool Lubricant Designed for both rotary and reciprocating types of air tools Removes gumming and sludge Viscosity index 120 ISO viscosity grade 32

- 1 Gallon Jug
- 4 Jugs/Case



293-L0721-063

Penetrant/Lubricant General Purpose Penetrating and moisture displacement fluid designed to provide excellent protection against rust and corrosion. Will protect and preserve both ferrous and non-ferrous alloys, interior surfaces and surfaces open to the atmosphere. Biodegradable 11 oz can 12 cans/case



293-L0723-063

Silicone Multi-Purpose Food Grade Lubricant Film provides rust, corrosion and tarnish resistance * Wide operating temperature range 9.5 oz can 12 cans/Case



293-L0882-063CASE FMO-350-AW Spray: A

multi-purpose. Anti-wear fortified, food machinery oil, in easy to apply spray can. For use where a Class H-1 oil is required.

12 oz Can 12 cans/Case



182-L616

Lufkin™® L616 3/4-Inch by 16-Feet Hi-Viz Orange Power Return Tape 2 rivet end hook with reinforcing strip. Case designed to fit comfortably in hand. Clear coat blade protection for more durable markings.. Slide lock button allows for easy control of tape blade



182-L625

Lufkin Tape, Power, 1 In. X25', Hi-viz Orange 2 rivet end hook with reinforcing strip. Case designed to fit comfortably in hand. Clear coat blade protection for more durable markings. Slide lock button allows for easy control of tape blade, Wide Base Helps Keep Tape Standing Upright

UFKIN



182-L725MAG

Lufkin Tape, 1X25, 700 Series, Magnetic Endhook. Magnetic end hook is a time-saver for framers. HVAC installers, and more. Nonslip co-molded rubber grip. Nonslip rubber blade lock button. Powerful dual magnets can also serve as a pick-up tool



182-PHV1048CME

Lufkin Tape,1 In.X26' (25mmx8M), Hi-Viz Orange P1000 Series Bright vellow blade has clear easy-to-read numerals. Cushioned blade return. Fits easily into most tape holsters. Hi-Viz™ orange case is easy to find on the job. Removable belt clip. Rubber cushion case exterior protects tape from impact and improves grip. Toggle lock is positioned for convenient operation







182-PHV1316

Lufkin Tape,3/4 In.X16',Hi-Viz Orange P1000 Series. Bright yellow blade has clear easy-to-read numerals. Cushioned blade return. Fits easily into most tape holsters. Hi-Viz™® orange case is easy to find on the job. Removable belt clip. Rubber cushion case exterior protects tape from impact and improves grip. Toggle lock is positioned for convenient operation



182-PHV1425

P1000 Series Power Tape Hi-Viz Orange Tape 1" x 25' Bright yellow blade has clear easy-to-read numerals. Cushioned blade return. Fits easily into most tape holsters. Hi-Viz™ orange case is easy to find on the job. Removable belt clip. Rubber cushion case exterior protects tape from impact and improves grip. Toggle lock is positioned for convenient operation



LUMLX-1120

Heavy Duty Deluxe
Grease Gun. Providing
more features for
Professionals who
demand a better Grease
Gun for the punishing
day-in and day-out
service required by
Industrial users.



LUMLX-1142

Heavy Duty Premium Grease Gun. Built to take Extreme Punishment. Ideal for Heavyduty Lubrication, it is the toughest, most rugged and productive Grease Gun, available. Simply and positively the first choice of the Professionals.



LUMLX-1152

Heavy-Duty Deluxe Pistol Grease Gun with 18" Flex Hose extension for Hardto-reach Fittings



LUMLX-1172

Mini-Pistol Grip Grease Gun with 3 Oz Cartridge. Compact and Lightweight



	Part #	Description
•	LUMLX-1201	Grease Hose 12 1/8 NPT 4500 PSI Thermoplastic. Fully Bonded Construction to Maximize Kink Resistance and Minimize Bend Radius
	LUMLX-1203	Grease Hose 18 1/8 NPT 4500 PSI Thermoplastic. Fully Bonded Construction to Maximize Kink Resistance and Minimize Bend Radius
/a	LUMLX-1205	Grease Hose, 12", Spring, 1/8" NPT, 4500 PSI, Thermoplastic. Fully Bonded Construction to Maximize Kink Resistance and Minimize Bend Radius
	LUMLX-1207	Grease Hose, Spring, 18", 1/8" NPT, 4500 PSI, Thermoplastic. One end has High Quality 1/8' NPT Male Thread Fitting and other end has Heavy Duty, High Quality 3/8"-32 UNEF Male Thread Fitting



LUMLX-1316

Heavy Duty Lever Action Barrel Pump. Designed fo fast transfer of Non-Corrosive Fluids, such as, Heating Oil, Motor Oil, Transmission Fluid, Automotive Additives (Oil Based), Oils (Light and Heavy), Soaps, etc



LUMLX-1400

Standard Grease Coupler 1/8 NPT 1/Pk. For use with most Hand-operated Grease Guns and Air-Powered Equipment



LUMLX-3007-10

1/4"-28 Taper Thread (SAE-LT), Straight, 0.54" Fully hardened for extra durability and to protect them from wear due to constant use

DUSTRIAL

Master.





Part	Description
470-1	1-3/4" Laminated Steel Lock Shackle 15/16" tall 5/16" Wide Keyed Different
470-1KA	1-3/4" Laminated Steel Lock Shackle 15/16" tall 5/16" Wide Keyed Alike: Multi locks 1 key
470-3	1-9/16" Laminated Steel Lock Shackle ¾" tall Keyed Different
470-3KA	1-9/16" Laminated Steel Lock Shackle ¾ tall Keyed Alike
470-3D	1-9/16" Laminated Steel Lock Shackle 9/32" tall 3/4" wide Keyed Different
470-5	2" Laminated Steel Lock Shackle 1" Tall, Keyed Different
470-5KA	2" Laminated Steel Lock, Shackle 1", Keyed Alike
470-7	1-1/8" Laminated Steel Lock, Shackle 9/16" Tall Keyed Different
470-7KA	1-1/8" Laminated Steel Lock Shackle 9/16" Tall Keyed Alike



470-6125KA

2-3/8" Pro Series Lock Ideal for harsh outdoor conditions, Shackle 1-3/8" Tall - Keyed Alike Key

470-6125KD

2-3/8" Pro Series Lock, Ideal for harsh outdoor conditions Shackle 1-3/8" Tall - Keyed Different

470-6125KDLJ

2-3/8" Pro Series Lock, Ideal for harsh outdoor conditions Shackle 2-1/2 Key Different



470-1175 Pro Series Set Your Own Combination Brass Lock. 2-1/4" wide solid brass body for superior corrosion resistance



	Part	Description	
		410 Black Thermoplastic Safety Padlock	
	470-410BLK	1-1/2in Wide 1-1/3 Tall Key Different	
		410 Blue Thermoplastic Safety Padlock	
	470-410BLU	1-1/2in Wide 1-1/3 Tall Key Different	
		410 Green Thermoplastic Safety Padlock	
	470-410GRE	1-1/2in Wide 1-1/3 Tall Key Different	



Part	Description
470-420	Safety Hasp, 1" Diameter Steel Jaw, Red
470-421	Safety Hasp, 1-1/2" Diameter Steel Jaw, Red



470-406RED

Xenoy Dielectric Safety Lockout Lock



470-481 Gate Value Lockout fits 2"- 5" Handles



470-482 Gate Value Lockout fits 4"- 6.5" Handles



470-487

Electric Plug Cover Lockout, Small -120/240V Plugs



470-491B

Grip Tight Circuit Breaker Lockout for wide or tall breaker toggles



470-493B

Grip Tight Circuit Breaker Lockout for standard size breaker toggles



470-498A Portable Group Lock Box

NDUSTRI



MKL61051EA White

MKL60153EA Yellow

paint marks dry in 5-7 minutes.

Stick advances by turning twist

up knob



MKL42805EA

Oxytite 4 Oz 6 Per Cs PTFE thread sealant specifically formulated for oxygen services. Each batch of OXY-TITE is tested to the stringent standard of ASTM G-72.



stick form

MKL80220EA White MKL80221EA Yellow B Paintstik Marker Ideal for layout, color coding, fabrication and identification. Lead-free. non-toxic. Marks on any material, surface, or texture. Marks through oil and water. Real paint in



MKL80620EA

BE White 144 Per Case PAINTSTIK For fabricating structural steel, or layout work where the marks are required to bleed through a primer coat covering the marks. For marking under water-based primers use the BL-W Paintstik™®. Marks bleed through solvent or oil-based paints. Real paint in stick form. To prevent bleeding through the finish coat, seal the marked areas with waterbased epoxy paint



MKL80620EA

BL Blue144 Per Case PAINTSTIK For fabricating structural steel, or layout work where the marks are required to bleed through a primer coat covering the marks. For marking under water-based primers use the BL-W Paintstik™®. Marks bleed through solvent or oil-based paints. Real paint in stick form. To prevent bleeding through the finish coat, seal the marked areas with water-based epoxy paint



MKL84621EA

Ball Paint Marker, Yellow, 1/8 in, Metal Ball Point Durable metal ball tip marks on smooth or rough surfaces. Lead-free, non-toxic. Marks are weather- and faderesistant. Marks with real paint, dries in 5 minutes. Plastic cap keeps tip clean between jobs. Stores in pocket for easy access. Unbreakable plastic bottle with 1/8" steel ball tip



MKL96002EA

Silver Streak Flat Refill 24 Per Case (100 Refills In Each) Durable metal and plastic holders prevent breakage

Part #	Temperature
MKL86400EA	100F
MKL86463EA	150F
MKL86481EA	175F
MKL86517EA	200F
MKL86526EA	213F
MKL86544EA	225F
MKL86562EA	250F
MKL86625EA	300F
MKL86697EA	350F



Thermomelt™® Heat Stik™ markers are a quick, low-cost method to accurately measure surface temperatures of various metals and equipment. Available in 88 Fahrenheit and 32 Centigrade temperatures, the stick-in-holder design provides convenience and durability for long-lasting use in the workshop or in the field

Part #	Temperature
MKL86733EA	400F
MKL86769EA	450F
MKL86805EA	500F
MKL86841EA	600F
MKL86859EA	650F
MKL86868EA	700F
MKL86877EA	750F
MKL86886EA	800F
MKL86958EA	1100F



MKL96005EA

Red Riter Metal Marker Flat With Refill Ideal for use on aluminum and stainless steel, Red-Riter metal markers deliver high visibility marks which are resistant to torch flames. The red lead is more visible through a welder's filter plate



MKL96006EA

Silver-Streak Round metal markers are ideal when highly-visible, torch-resistant marks are required during metal layout and fabrication work. The unique reflective lead is more visible through a welder's filter plate and will not rub, burn or blow off like soapstone. Marks on all metal surfaces including oily or wet.



MKL96007EA

Silver Streak Round Refill 6 Pack. Durable metal and plastic holders prevent breakage. Holders include pocket clip. Ideal for doing metal layout and fabrication work. Marks on all types of metal surfaces. Marks won't rub off like soapstone



MKL96022EA

DURA-INK® 15 Red Felt Tipmarker Durable plastic barrel and cap with pocket clip The wear-resistant, fast-drving ink and durable tip and barrel makes this marker ideal for industrial environments



MKL96023EA

Dura-Ink 15 Felt-Tip Marker Black Durable plastic barrel and cap with pocket clip. Fast-drying, xylene-free, industrialstrength ink. Great for part identification, layout work, quality control processes and, marking cartons and crates. Leaves smear-resistant, water-resistant marks



MKL96223EA

Dura-Ink Felt-Tip Markers, Black, 1/4 in, Felt Chisel tip makes fine lines or broad marks. Convenient pocket clip. Extra large MKL96101EA ink supply for greater mileage. Fastdrying, xylene-free, industrial-strength ink. Great for part identification, layout work, quality control processes, sign making and marking cartons and crates. Leaves smear-resistant, water-resistant marks



MKL97031EA

Pro-Wash Yellow · Real paint washes off quickly with mild detergent (pH 10+)

· Will not ghost or leave residue when removed



Valve Action Paint Marker is a fast-drying liquid paint marker that provides long-lasting. wear- and weather-resistant marks that are safe for almost any surface. As the most versatile liquid paint marker in the world, the xylene-free paint reduces user health risks and is available in 18 bold and fluorescent colors for accurate mark identification. Dura-Nib medium bullet tip resists wear to provide long marking life. Durable metal barrel and clip-cap reduce breakage and store easily in pocket. Marking range: -50°F to 150°F (-46°C to 66°C)



Silver-Streak Woodcase Welder's Pencil Available in two highly visible colors: red for aluminum or other bright metals, silver for darker surfaces. Durable marks will not scratch or abrade metal surfaces. Economical, high-strength pencil is ideal for marking all types of metal surfaces even oily, rusty or wet surfaces Hexagonal shape reduces barrel roll. Highly visible marks illuminate when cutting or welding. Marks resistant to torch flames, will not rub off or burn off like soapstone. Pre-sharpened pencils can be easily re-sharpened with any standard pencil sharpener



Part #	Colour
MKL96820EA	White
MKL96821EA	Yellow
MKL96822EA	Red
MKL96823EA	Black
MKL96825EA	Blue





PRO-LINE HP is a liquid paint marker developed for superior marking performance on oily and greasy surfaces. The high performance paint penetrates through oils and greases to dry quickly and leave a bold, permanent mark that is wear, weather, and fade-resistant.

Part #	Description
MKL96960EA	PRO-LINE HP –White
MKL96961EA	PRO-LINE HP - Yellow
MKL96962EA	PRO-LINE HP - Red
MKL96963EA	PRO-LINE HP - Black



469-600376420 W 9-125 Angle Grinder

Low fatigue as never before: compact angle grinder with smallest handle circumference in its class for perfect ergonomics. New, patentpending Metabo Long life motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life



469-613071520 WP 18 LTX 115 (613071520) Cordless **Angle Grinder**

Slim design for prolonged comfort when working overhead or in areas with limited space. Paddle switch with dead man function: Safe to operate due to an ergonomically integrated non-slip switch. Battery pack can be swivelled for better working in hard to reach places.



469-613060420

WEF 9-125 (613060420) Flat-Head Angle Grinder

Most compact flat-head angle grinder for working at acute angles down to 43°. Particularly developed for the removal of weld slag, rust or paint in narrow frame constructions and for working in tight spaces. Metabo Long-life motor with patented dust protection for long service life Metabo Quick for tool-free disc change by means of a quick-locking nut.

metabo



469-600380420 WP 9-115 Quick (600380420) Angle **Grinders**

Low fatigue as never before: compact angle grinder with smallest handle circumference in its class for perfect ergonomics. New, patent-pending Metabo Long life motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life. Now even faster: Metabo Quick System for tool-free disc change at the touch of a button by means of quick flange nut





495-2603-22

M18 FUEL™ 1/2" Drill/Driver Kit. POWERSTATE™ Brushless Motor: Delivers up to 725 in lbs of torque. REDLITHIUM™ battery Technology. Includes: (2) Redlithium XC 4.0 batteries, multivoltage charger and case.



495-2604-22

M18 FUEL™ High Capacity 1/2" Hammer Drill/Driver Kit POWERSTATE™ **Brushless Motor** REDLITHIUM™ battery Technology Includes: (2) Redlithium XC 4.0 batteries, multivoltage charger and case.



495-2682-22

M18™ 5-3/8" Metal Saw (Bare Tool) Exclusive 4-Pole Frameless Motor delivers up to 35% more cutting power. Lightweight 4.3 lbs



M18 FUEL™ SAWZALL® Reciprocating Saw Kit. POWERSTATE™ Brushless Motor. Includes: (2) Redlithium XC 4.0 batteries, multivoltage charger, blade and carrying case.



495-2780-22

M18 FUEL™ 4-1/2" / 5" Grinder, Paddle Switch No-Lock Kit POWERSTATE™ Brushless Motor Includes: (2) 18V XC high capacity Redlithium batteries, multi-voltage charger, carrying case., flange nuts, wheel guard, spanner wrench



495-2763-22

M18 FUEL™ 1/2" High Torque Impact Wrench with Friction Ring Kit. POWERSTATE™ Brushless Motor. Includes: (2) M18 Redlithium XC 4.0 extended capacity, multi-voltage charger and carrying case.



495-49-22-1105

5 Piece Demolition SAWZALL® Blade Set Set Includes:

9" 5 TPI The Ax™ SAWZALL® Blade

(1) 9" 8 TPI The Wrecker™ SAWZALL® Blade

(1) 6" 18 TPI The Torch™ SAWZALL® Blade

(1) 6" 14 TPI The Torch™ SAWZALL® Blade

(1) 9" 14 TPI The Torch™ SAWZALL® Blade



M18 FUEL™ LITHIUM-ION 2-Tool Combo Kit includes the M18 FUEL™ 1/2" Hammer Drill/Driver (2604-20) and M18 FUEL™ 1/4" Hex Impact Driver (2653-20).



Saw Kit. Powerful 11 Amp Motor w/ CPT™: Provides maximum performance and durability



495-6146-33

11 Amp 4-1/2" Small Angle Grinder Slide, Lock-On. Powerful 11 Amp, 11,000 RPM Motor: Provides maximum performance and durability. Electronic Clutch: Extends tool life and prevents bind-up



495-6124-30

5 inch 13 AMP Trigger Grip Angle Grinder 9,000 RPM, 6" wheel diameter 13.0 Amps



495-6370-21

13.0 AMP 8" Metal Cutting Saw Kit Powerful 13.0 Amp 1-3/4 Max HP motor 3,700 RPM



13 Amp 5" Small Angle Grinder Paddle, Lock-On Powerful 13 Amp, 11,000 RPM Motor: Provides maximum performance and durability. Tool-Free Accessory Change: Easily change "All Accessories" without a wrench. Overload Protection: Maximizes motor life



MOTM-26

Sub-Micronic Compressed Air Filter Mount at point of use downstream of Motor Guard M-26/60 Filter.. Removes oil vapor from air using activated carbon. The ultimate final filter for plasma cutters and other critical applications



MOTM-723

Filter Elements, M-723, For Use With M30.M60 Increases the efficiency and tip life of plasma cutter. Removes moisture and oil aerosols from compressed air line. Will isolate particles as small as .01 microns





The Nissen Feltip Paint Marker dispenses a fast-drying, high-gloss enamel paint for permanent marking, lettering, coding and numbering of both interior and exterior surfaces.



NIFPWHM

Feltip Paint Marker White



NIFPYEM

Feltip Paint Marker Yellow

NETAL MARKER

NIMMWHMMetal Marker 1/8 White



GEMINI RIGHTCUT

The re-engineered Norton Gemini RightCut 100% oxide wheels provide thinner, faster cutting with a burr-free, precision cut and improved operator comfort.

Size
4-1/2 x .045 x 7/8
5 x .045 x 7/8
6 x .045 x 7/8

"NEW" Type 27 GEMINI RIGHTCUT	Size
NTN66252842026	4-1/2 x .045 x 7/8
NTN66252842036	5 x .045 x 7/8
NTN66252842202	6 x .045 x 7/8



NISPRES

Solid Paint Markers, Red, 5/16 in, Standard Marks are permanent - will withstand heat and weathering. Marks can be easily removed from non-porous surfaces. Solid stick of paint protected by an unbreakable plastic case. Writes on any surface: rough/smooth/rusty, wet/oily/dry. Writes under water



NISPWHS

Solid Paint Markers, White, 5/16 in, Standard Marks are permanent - will withstand heat and weathering. Marks can be easily removed from non-porous surfaces. Solid stick of paint protected by an unbreakable plastic case. Writes on any surface: rough/smooth/rusty, wet/oily/dry. Writes under water



NISPWHS

Jumbo Solid Paint Marker Yellow





NISPYES

Solid Paint Markers, Yellow, 5/16 in, Standard Marks are permanent - will withstand heat and weathering. Marks can be easily removed from non-porous surfaces. Solid stick of paint protected by an unbreakable plastic case. Writes on any surface: rough/smooth/rusty, wet/oily/dry. Writes under water



NISWPC

Silver Welder's Pencil 3 per Pack





Enhance Peformance and Life Up to 20% With Our Proprietary Zirconia Grain

Highly versatile product that grinds and cuts a variety of materials with efficiency: stainless steel, carbon steel, alloys to gray iron

NTN66252843214	4-1/2 x 1/4 x 7/8
NTN66252843218	5 x 1/4 x 7/8
NTN66252843203	6 x 1/4 x 7/8



GEMINI XXL

The Fastest Grinding 100% Aluminum Oxide Wheels in the Market

- 50% more life and metal removal than standard aluminum oxide wheels
- Best on hard-grade carbon steel applications, weld repairs, flashing and any job that requires

NTN66252843784	4-1/2 x 1/4 x 7/8
NTN66252843786	5 x 1/4 x 7/8
NTN66252843788	6 x 1/4 x 7/8
NTN66253370271	4-1/2 x 1/8 (5/32)x 7/8
NTN66252842038	5 x 1/8 (5/32)x 7/8
NTN66252835580	6 x 1/8 (5/32) x 7/8

Performance and Affordability 30%+ life versus competitive aluminum oxide flap discs.

- Their versatility and economical initial price make Norton Neon flap discs ideal for shops with numerous requirements – from stock removal to blending.
- Good choice for soft metals to hard-to-grind stainless and carbon steel.



NEON Flapdisc T 27 Trimmable	Size	Grit	
NTN66623399004	4-1/2 x 7/8	40	
NTN66623399005	4-1/2 x 7/8	60	
NTN66623399006	4-1/2 x 7/8	80	
NTN66623399008	5 x 7/8	40	
NTN66623399009	5 x 7/8	60	
NTN66623399010	5 x 7/8	80	

Premium Ceramic R980P Abrasive Grain

For the highest productivity on the toughest jobs, and for full use of the flaps, use Norton Blaze R980P premium ceramic abrasive flap discs. Latest-generation ceramic abrasive and durable Y-weight polyester flaps are mounted on our easily-trimmable plastic back plate.



Blaze Flapdisc T 27 Trimmable	Size	Grit	
NTN66254400253	4-1/2 x 7/8	40	
NTN66254400254	4-1/2 x 7/8	60	
NTN66254400255	4-1/2 x 7/8	80	
NTN66254400262	5 x 7/8	40	
NTN66254400264	5 x 7/8	60	
NTN66254400265	5 x 7/8	80	

NORTON



K227 Shop Rolls They tear cleanly and straight without shedding and are packed in a protective dispenser to eliminate waste and damage.


Ciza	
1 x 50 Yards	P80-J
1 x 50 Yards	P120-J
1 x 50 Yards	P150-J
1 x 50 Yards	P180-J
1-1/2 x 50 Yards	P80-J
1-1/2 x 50 Yards	P120-J
1-1/2 x 50 Yards	P150-J
1-1/2 x 50 Yards	P180-J
2 x 50 Yards	P80-J
2 x 50 Yards	P120-J
2 x 50 Yards	P150-J
2 x 50 Yards	P180-J
	1 x 50 Yards 1 x 50 Yards 1 x 50 Yards 1 x 50 Yards 1 x 50 Yards 1-1/2 x 50 Yards 1-1/2 x 50 Yards 1-1/2 x 50 Yards 2 x 50 Yards 2 x 50 Yards 2 x 50 Yards

NorZon Plus

The Fastest Grinding Wheels in the Market

- Provides you with the lowest overall cost with the highest productivity
- Best on the hardest steels and wear resistant coatings and welds
- Made in our Texas, USA plant

Norzon Plus Depressed Center wheels	Size
NTN66252843328	4-1/2 x 1/4 x 7/8
NTN66252843334	5 x 1/4 x 7/8
NTN66252809376	6 x 1/4 x 7/8



Surface finishing hand pads and rolls are made of a non-woven nylon web impregnated with abrasive grain and resin bond.

Non Woven Hand Pad	Colour	Size	Grit
NTN66261074700	Maroon	6 x 9	747 General Purpose Pad
NTN66261069600	Light Green	6 x 9	696 Food Pro Pad



OLFL-1

Ratchet Lock Utility Knife. Contoured handle includes a stainless steel blade channel and ratchet wheel blade locking mechanism.



OLFLB-50B

18mm Snap-Off Blade - Olfa heavy-duty, snap-off replacement blades (LB) 50 blades per pack.





OLF180

9mm Standard Duty Cutters Multi-Purpose Metal Handle Utility Knife



OLFSK-4Self-Retracting Safety Knife





ONG86622 Men's 16" Economy Steel Toe and Midsole Boot ATSM 2413-11 CSA - Green Patch Sizes 6-12



ONG89682 Steel Mid-Sole Men's 16 inch Economy St/Sm Boot ATSM 2413-11 CSA - Green Patch Sizes 6-12



562-019200-0000-110 1920B, LED Flashlight, 2-AAA,Gen 2,Black.



562-094600-0000-2459460, Remote Area Lighting System
Telescoping dual LED light heads,
Intelligent Control system, Gen 2, Yellow



562-026900-0100-110 2690 Headsup Lite LED Headlight Z0,QPS/IEC Mining, Black



562-023600-0001-110 2360B,LED Flashlight,2AA,Gen 4,Black.

PELICANT MITYLITES 1965 LED

562-1960-010-245

1965C, MityLite-Flashlight



562-033150-0150-245 3315C, Flashlight 3AA LED,UI/IECex,Yellow.



562-1900-015-245 1900C,MityLite Flashlight-2AAA,Yellow



562-2340-010-245 2340C,MityLIte Flashlight +2AA,Yellow



562-2610-033-110 2610,HeadsUp Lite LED Headlight 3AAA,LEC/ETL-Black



562-1200-000-110 1200 Case Watertight, Crushproof and Dustproof, Ext (27 x 24.6 x 12.4 cm) WI/WF,Black



562-1400-000-110 1400 Case, Watertight, Crushproof and Dustproof Ext.(33.9 x 29.5 x 15.2 cm) WI/WF,Black



562-1450-000-110 1450 Case , Watertight, Crushproof and Dustproof Ext.(42 x 33.1 x 17.4 cm) WI/WF,Black

PROTO



577-J2336

Gasket And Carbon Scraper 1/2"Angled blade for access into tight areas. Comfortable. four sided handle



577-JSCV-20S

Proto® 20 Piece Black Chrome Reversible Combination Ratcheting Wrench Set – Spline. Black chrome finish is corrosion resistant and visually distinctive.



577-J1200FASD

Proto® 15 Piece Satin Combination ASD Wrench Set - 12 Point. Satin finish provides corrosion resistance and a slipresistant grip



577-J1200F-T500

Proto® 15 Piece Full Polish Combination ASD Wrench Set - 12 Point. Full polish finish provides corrosion resistance and easy-to-clean surfaces.



577-J1200RM-T500

Proto® 17 Piece Full Polish Metric Combination Wrench Set - 12 Point Full polish finish provides corrosion resistance and easy to clean surfaces.



577-J209G

Proto® Heavy-Duty Diagonal Cutting Pliers w/Grip 7-5/16". Induction hardened cutting edge. Powerful leverage cuts heavy wire with ease



577-J712G

Proto® Cushion Grip Adjustable Wrench 12". Soft cushion grip for additional comfort. Extra wide jaw capacity.



577-J52220XL

Proto® 3/8" Drive 29 Piece Metric Socket. Combination Set - 6 Point. Proto® 6 Point Sockets are ideal for use on stubborn or damaged fasteners, and also on fasteners made from soft materials



Part	Description
577-J1282	2-9/16" - 12 Point
577-J1284	2-5/8" - 12 Point
577-J1288	2-3/4" - 12 Point

Proto® Satin XL Combination Wrench

Satin finish provides corrosion resistance and a slip resistant grip.

For use on extra large fasteners.

Used in Mining, Oil & Gas, Industrial Construction Forged heads with machined openings.

12 point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6 and 12 point.

Box end is countersunk for easy application to the fastener





577-J6012C

Proto® 3/8" Drive Ratcheting Head Micrometer Torque Wrench 20-100 ft-lbs

Calibrated to +/- 4% clockwise direction and +/-6% counter clockwise at 20% to 100% of full scale.



577-J9500A

Proto® 5 Piece Screw Extractor Set Drive into end of broken pipe or fitting. Use tap holder or wrench on extractor to turn out broken part



577-J4900A

Proto® 3/8" & 1/2" Drive 10 Piece Hex Bit Set includes blow molded box. Proto® bits are offered in a broad range to accommodate production assembly applications. Made of alloy steel. Polished chrome finish



RLCT24640

300 Amp, Dual Stacked Without Cable Hose Reel, 150-200 ft. A substantial welded aluminum base is used to support the weight of the spool

- · Heavy duty shaft with tapered roller bearings offer high rigidity and spool support
- Side-by-side welding cable reels offer a reliable and safe way to handle welding cable leads



REELCRAF1

1/4 Twin Hose Safe-T-Reel. Reelcraft's Safe-T-Reel Series is ideal for applications where space, weight and flexibility are key. These reels are designed for manual winding of air/water/fuel gas hose, electric cord and welding cable.

Ea tr th

Portable TRISTAND® Vises

Each TRISTAND pipe vise features integral folding legs for easy transport and setup, tool hangers and a base which overhangs the front legs for clear tool swing



Part #	Model #	Description		Pipe Capacity in.
632-40130	40-A	Portable TRISTAND® Yoke Vise		1/8 - 2 1/2
632-16703	425	Portable TRISTAND® Chain Vise		1/8 - 2 1/2
632-36273	460-6	Portable TRISTAND® Chain Vise	*	1/8 - 6
632-36278	460-12	Portable TRISTAND® Chain Vise		1/8 - 12

Straight Pipe Wrench

Straight Pipe Wrenches have a sturdy, cast-iron housing and an I-beam handle with a full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws



Part #	Description
632-31005	Wrench, 8 RIDGID HD
632-31010	Wrench, 10 RIDGID HD
632-31020	Wrench, 14 RIDGID HD
632-31025	Wrench, 18 RIDGID HD
632-31030	Wrench, 24 RIDGID HD

Aluminum Pipe Wrenches

RIDGID® Aluminum Pipe Wrenches provide professional strength in lightweight aluminum. The Aluminum Straight Pipe Wrench offers the same durability and ease-of-use found in all RIDGID heavy-duty wrenches.



Part #	Dimensions
632-31090	10" Long, 1 1/2" Jaw Capacity
632-31095	14" Long, 2" Jaw Capacity
632-31100	18" Long, 2 1/2" Jaw Capacity
632-31105	24" Long, 3" Jaw Capacity
632-31110	36" Long, 5" Jaw Capacity
632-31115	48" Long. 6" Jaw Capacity





Part #	Description
632-14218	Bolt Cutter, S18
632-14223	Bolt Cutter, S24
632-14228	Bolt Cutter, S30

Model 300 Power Drive Complete



- RIDGID® speed chuck.
- Reversible 1/2 HP universal motor.
- Ideal for use with RIDGID roll groovers


Part #		Description	Spindle Speed RPM	Pipe Threading Capacity
632-1568230	0 Complete	115V, 50/60 Hz (NPT)	38	1/8-2
632-1572230	0 Complete	115V, 50/60 Hz (NPT)	57	1⁄8-11
632-9741530	0A Complete	230V, (NPT) Export	38	1⁄8-2
632-9742030	0A Complete	230V, (BSPT) Export	38	1⁄8-2



632-32820 Extra-long shank protects adjustment threads, while an extra-large handle is provided for quick, easy adjustment , 2-A-3 Wheel Heavy Duty

Pipe Dies for Machine Die Heads

		thin-wall condui
Part #	Die Material or Type	NPT Nominal Pipe Size-Threads Per Inch
632-47765	High-Speed RH	1/2"-3/4"-14
632-47770	High-Speed RH	1"-2"-11-1⁄2
632-47785	H.S. For Stainless Steel RH	1/2"-3/4"-14
632-47790	H.S. For Stainless Steel RH	1"-2"-11-1/2





Part	Description
632-70830	Oil, 1 Gal Dark Threading
632-70835	Oil, 1 Gal Nuclear Threading
632-41600	Oil, 5 Gal Dark Threading

RIDGID



V-Head High Pipe stand



Roller Head High Pipe stand

Pipe Stands

A full range of heavy-duty adjustable pipe stands are available in varying configurations with capacity from 1/8"-36" (3 mm-900 mm).

These stands are ideal for use while threading, welding or roll grooving pipe. Locking ring allows for quick vertical height adjustments

Part #	Model #	Description	Height Adjustment Low-High		Max. Capa			Veight acity	V	Veight
			in.	cm	in.	mm	in.	mm	lb.	kg.
632-56662	VJ-99	V-Head High Pipe stand	20-38	51-96	12	300	2500	1134	32	14.5
632-22168	VF-99	V-Head High Folding Pipe stand	28-52	71-132	12	300	2500	1134	24	10.9
632-56672	RJ-99	Roller Head High Pipe stand	32-55	82-140	12	300	1000	454	27	12.3

632-41935

Model 700 Power Drive/Hand Held Threader, 1/8 in to 2 in Pipe Capacity Body: Cast aluminum. Designed for RIDGID No. 12R die heads. Features reversible 115V universal motor. Gear Head: Allspur gear reduction, spring loaded adapter pawl, hardened steel spindle gear. Switch: Double-throw reversible switch



RIDGID

632-97065

NPT Die Head Quick-Open R.H. Machine Universal Die Head Quick-Opening All die heads are through-head oiling..



632-23488


Scissor-Style Plastic Pipe & Tubing Cutter. X-CEL® blade -Quick change, reversible blade provides two times blade life. Spring loaded handles for faster positioning



632-30088


Ratcheting Plastic Pipe and Tubing Cutters, Aluminium Easy turn-thumb latch for reliable storage. Ergonomic grips on bottom handle are spaced at 1/2" increments to act as a quick pipe measuring scale.. X-CEL™, quick change blade







Tool Length Chain. Heavy-Duty Chain Wrench Double jaw gives fast, ratchet-like action in either direction. Heavy-duty model has replaceable alloy steel jaws. Light-duty model has a one piece forged alloy steel handle and jaw





632-30118

Ratchet with Handle For Use With Model 12R, 6 lb Die heads snap in from both sides and lock in place. Durable ratchet-andhandle set. Ratchet knob indicates forward and reverse

DUSTRI

RUST-OLEUM®



V2100 System Rust Preventive Enamel Aerosol 647-V2124838 Safety Blue 20 oz. 647-V2143838 Safety Yellow 20 oz. 647-V2155838 Safety Orange 20 oz. 647-V2163838 Safety Red 20 oz.			
647-V2143838 Safety Yellow 20 oz. 647-V2155838 Safety Orange 20 oz.		V2100 System Rust Preventive Enamel Aerosol	
647-V2143838 Safety Yellow 20 oz. 647-V2155838 Safety Orange 20 oz.			
647-V2155838 Safety Orange 20 oz.	647-V2124838	Safety Blue	20 oz.
	647-V2143838	Safety Yellow	20 oz.
647-V2163838 Safety Red 20 oz.	647-V2155838	Safety Orange	20 oz.
	647-V2163838	Safety Red	20 oz.
647-V2177838 Semi-Gloss Black 20 oz.	647-V2177838	Semi-Gloss Black	20 oz.
647-V2178838 Flat Black 20 oz.	647-V2178838	Flat Black	20 oz.
647-V2179838 Black 20 oz.	647-V2179838	Black	20 oz.
647-V2190838 Flat White 20 oz.	647-V2190838	Flat White	20 oz.
647-V2192838 Gloss White 20 oz.	647-V2192838	Gloss White	20 oz.



647-V2169838 V2100 System Rust Preventive **Enamel Primer** Aerosol Red Primer 20 oz.

647-V2182838 V2100 System Rust Preventive **Enamel Primer** Aerosol Gray Primer 20 oz.



	RUST-OLEUM
STATISTICAL	V7400 SYSTEM 360 VOG OTHA ALKYD EHAMEL
Amesia Americano	SARAGE APPROXIMATE TO SERVICE TO

RUST-OLEUM

V7400 SYSTEM

T RECOAT RUST-ING

V7400 System <340 VOC DTM Alkyd Ena	V7400 System <340 VOC DTM Alkyd Enamel			
647-245387 Flat Black	1 Gallon			
647-245533 Flat White	1 Gallon			
647-245403 High Gloss Black	1 Gallon			
647-245406 High Gloss White	1 Gallon			
647-245479 Safety Yellow	1 Gallon			

M1400 System Water-Based Construction Marking Paint Aerosol



V7400 System <340 VOC DTM Alkyd Enamel Primers Quick Dry Gray Primer 1 Gallon



647-264692

647-264697

V7400 System <340 VOC DTM Alkyd Enamel Primers Quick Dry Red Primer 1 Gallon

White

Clear

Safety Red

Caution Blue

Fluorescent Pink

Hi Visibility Yellow

Fluorescent Green

Fluorescent Orange

Fluorescent Red Orange



647-276119 Pre-Paint & Cleaning Wipes 90 Wipes/Container

20 oz.



2300 System <100 VOC

647-2348402

Yellow 1 Gal.

647-275918 NeverWet™ Base and Topcoat Kit



647-1667830

1600 System General Purpose Enamel Primer Aerosol Red Primer 16 oz.







647-1685830 Compound Aerosol

1600 System Galvanizing Cold Galvanizing Compound 16 oz.

M1800 System Water-**Based Precision-Line Inverted Marking Paint** Aerosol Fluorescent







100			
CHICKES THEOTOMAS	M1600 Syste	em Solvent-Based Precision-Line Inverted Marking Pa	int Aerosol
Precision (inc			
36	647-203024	Caution Yellow	20 oz.
THE REAL PROPERTY AND ADDRESS.	647-203025	High Visibility Yellow	20 oz.
	647-203027	Fluorescent Orange	20 oz.

Simple Green® Industrial Cleaner & Degreaser is one of the most versatile all-purpose cleaners you can buy! It's non-toxic and biodegradable, without the use of harmful chemicals. Because it is a concentrate, you can custom dilute Simple Green to clean just about anything. It replaces most general and specialty cleaners, detergents, degreasers and solvents you're using now!





676-2710001213012
Simple Green® Industrial
Cleaner & Degreaser Formula
Trigger Spray 709 mL/24 oz.
12/case



676-2710200613005Simple Green Concentrate
Formula Gallon Bottle 3.78
L/1 gal 6/case



676-2700000113006 Simple Green Concentrate Formula 5 Gallon Pail 18 L/5 gal. case 1



676-2700000113008Simple Green Concentrate
Formula 55 Gallon Drum
208 L/55 gal. 1/ case

Crystal Simple Green Industrial Cleaner & Degreaser is formulated for critical cleaning applications that demand a fragrance-free solution. It is a highly effective, concentrated, all-purpose degreaser and cleaner. Because Crystal Simple Green Industrial Cleaner & Degreaser is fragrance-free, color-free and has high rinsability, it is an ideal and effective degreaser/cleaner for use in many industries



676-610001219024Simple Green Industrial
Crystal Trigger Spray
709 mL/24 oz. 12/case



676-610000619128Simple Green Industrial Crystal Gallon Bottle 3.78 L/1 gal. 6/case



676-600000119005Simple Green Industrial Crystal
5 Gallon Pail 18 L/5 gal.



676-600000119055Simple Green Industrial
Crystal 55 Gallon Drum
208 L/55 gal. 1/ case

Extreme Simple Green®, Simple Green's aircraft and precision cleaning product, cuts through tough, built up grease, oil, dirt, pollution, insect residue and impact soils. We've found no other cleaning product on the market that matches Extreme Simple Green's cleaning performance. Yet, it causes no harm to structural metals, plastics, paints, or coatings. Extreme's non-corrosive formula makes it ideal for parts washing, too.



676-110001213412Extreme Simple Green Aircraft & Precision Cleaner Trigger Spray 946 mL/32 oz. 12/case



676-110000413406 Extreme Simple Green Aircraft & Precision Cleaner Gallon Bottle 3.78 L/1 gal. 4/case



676-100000113405 Extreme Simple Green Aircraft & Precision Cleaner 5 Gallon Pail 18 L/5 gal. 1/ case



676-100000113455 Extreme Simple Green Aircraft & Precision Cleaner 55 Gallon Drum 208 L/ case 1/ case

DUSTRIAL

576-33-716

Fatmax™ 16' X 1-1/4" Tape Rule 11 ft blade standout BladeArmor™ coating for 10X* blade life. Mylar® polyester film extends life of entire blade Tru-zero end hook for accurate measurements.



576-33-725

Fatmax™ 25' X 1-1/4" Tape Rule is extra tough and durable thanks to industrial-grade BladeArmor™ coating on ergonomic design. It is the first 4 ½ feet and a high-impact ABS case.



576-10-778

Knife Retractable Fatmax features a blade clamp, soft touch panels, and an easy to keep clean, simple to use, and offers tool-free blade changing convenience



99® Retractable Utility Knife has a threeposition retractable blade made of carbon alloy steel. Interlocking nose to hold blade securely



9 in Magnetic Cast Aluminum Torpedo Level. Durable, heavy-duty, cast aluminum frame. Features large, topread vial window. Tinted 360 ° vials make reading easy on the eyes. Pipe groove enables use on rounded surfaces



576-15-334

15 in SharpTooth™ Handsaw. Aggressive three-sided tooth design cuts 50% faster than conventional hand saws. Teeth can be re-sharpened Select hardwood handle provides comfort and control



576-11-983

5 pack 1996™ Large Hook Blade. Edge protection blade for cutting and trimming roofing materials, linoleum, carpet, fabric, cartons and sheet materials



576-11-921A

100 pack 1992® Heavy-**Duty Utility Blades with** Dispenser. These high carbon steel blades are designed for general purpose cutting and a long cutting life.



576-57-533

42 oz Compo-Cast® Standard Head Soft Face Hammer. Uni-Cast™ construction of non-ferrous materials eliminates sparking and won't absorb liquids No exposed metal on face, head or shaft



576-33-158

5m/16 ft PowerLock® Tape Rule. Mylar® polyester film extends life of entire blade. Chrome high-impact ABS case is job site tough





STM66118

STM61050

Stylus Pro® Alkaline Trident headlamp yellow Battery-Powered LED with rubber strap LEDs Pen Light - Black provide low lighting for Corrosion & water battery economy. Small, lightweight design with resistant, machined aircraft-grade aluminum adjustable straps. Water allov. Type II MIL-Spec resistant, with scratchanodize plating. resistant lens. Tough ABS Available in black, red, thermoplastic construction sliver, and blue with elastomer over mold; polycarbonate lens



STM61200

3AA HAZ-LO® Division 1 Headlamp Three "AA" alkaline batteries (included). Rubber & Elastic Straps, Yellow, Parabolic reflector produces long range brilliance and smooth uniform beam pattern



STM75813

Stinger DS LED with 120V AC/12V DC Steady Charge. This all purpose flashlight is designed for the broadest range of lighting needs at the best value. Dual Switch Technology - Access three lighting modes and strobe via the tail cap or the headmounted switch.



STM90540

Survivor LED Alkaline Model - Orange. Housing, base and battery housing made from high impact super tough nylon offering exceptional durability. IPX4 rated design; water resistant

DUSTRIA

SUMNER MANUFACTURING COMPANY INC.



SUM781235

Qwik Pin Flange Pins Quick installing pins work as convenient reference points to level flange for tack and weld-out no tools needed



SUM781300 Vee Head SUM781301 Roller Head

Standard Hi Fold-A-Jack Stand 2500 lbs Capacity. Quick action lock washer for fast height positioning. Set screw can lock jack head to stand for transportation - no loose pieces







ULM1830

5 7/16" Pocket Scriber, Straight Point All-in-one "Push-Click" Safety Cover on Tungsten Carbide with Magnetic Pick-up. Sharp tungsten carbide tip cuts into hard surfaces, leaves clear mark on metal, glass, plastics and tools



ULMHT-3

Hi-Tech Magnetic Pick-Up Tool with Powercap® Magnet 10 lb Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Pocket clip keeps it handy and secure. Stainless steel telescoping handle is strong, long and lightweight



ULMHT-1

Hi-Tech Magnetic Pick-Up Tool with Powercap® 2.5 LB Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Pocket clip keeps it handy and secure. Stainless steel telescoping handle is strong, long and lightweight



ULMHT-2

Hi-Tech Magnetic Pick-Up Tool with Powercap® 5LB Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Pocket clip keeps it handy and secure. Stainless steel telescoping handle is strong, long and lightweight



ULMHTC-2

High Tech Telescoping Inspection Mirror 2 1/4 All-angle ball joint holds mirror firmly for 360° viewing. Clear glass mirror for perfect reflection. Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Mirror encased in rugged corrosion-resistant brushed stainless steel. Stainless steel telescoping handle is strong, long, and lightweight





lightweight

Inspect Mirror 1 1/4" Allangle ball joint holds mirror firmly for 360™° viewing. Clear glass mirror for perfect reflection. Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Mirror encased in rugged corrosion-resistant brushed stainless steel. Stainless steel telescoping handle is strong, long, and



Light Inspection Mirror

ULMHTS-2

Inspect Mirror 3 1/4 Allangle ball joint holds mirror firmly for 360™° viewing. Clear glass mirror for perfect reflection. Comfortable textured cushion grip keeps handle secure even in wet or oily hands. Mirror encased in rugged corrosion-resistant brushed stainless steel. Stainless steel telescoping handle is strong, long, and lightweight





INDUSTRIAL







Part #	Description
WB08756	Roughneck Jr. 5" Root Pass Weld Cleaning Brush, .020" Steel Wire Fill, 5/8"-11 UNC Nut
WB08766	6" Stringer Bead Wheel, .020" Steel Wire Fill, 5/8"-11 UNC Nut
WB08776	6" Filler Pass Weld Cleaning Brush, .023" Steel Wire Fill, 5/8"- 11 UNC Nut
WB08796	6" Filler Pass Weld Cleaning Brush, .023" Stainless Steel Wire Fill, 5/8"-11 UNC Nut
WB08806	4-7/8" Root Pass Weld Cleaning Brush, .020 Stainless Steel Wire, 5/8"-11 UNC Nut
WB08916	6" Filler Pass Weld Cleaning Brush, .023" Steel Wire Fill, 5/8"- 11 UNC Nut 30 Knots
WB09400	6" Root Pass Weld Cleaning Brush, .020" Steel Wire Fill, 5/8"- 11 UNC Nut
WB09500	6 In Roughneck Jr. Wire Wheel Stringer Bead .020 Ss 5/8 In- 11 A.H. Stb-6
WB09856	5" Filler Pass Weld Cleaning Brush, .023" Steel Wire Fill, 5/8"- 11 UNC Nut



WB10026

Knot Wire End Brush, 3/4", 0.02 in Wire, Steel (EBB-40) Hollowend wire brush. Ideal for cleaning in recessed areas. Rugged knot-type construction provides aggressive, high-impact action for severe applications



WB10028

Knot Wire End Brush, 1 1/8", 0.02 in Wire, Steel (EBB-41) Hollow-end wire brush. Ideal for cleaning in recessed areas. Rugged knot-type construction provides aggressive, high-impact action for severe applications





WB13120

4" Standard Twist Wire Wheel, .020, 5/8"-11 A.H. (STA-4) Heavy-duty brushing action with some flexibility. Rugged knottype construction provides aggressive, high-impact action for severe applications



WB13131

4" Roughneck Stringer Bead Wheel, .020, 5/8"-11 Constructed from premium quality wire. Effectively reaches into corners. Eliminates knot movement resulting in the most effective cleaning action, smoothest operation, and longest wheel life. Narrow face brush is suitable for cleaning root and hot passes



WB13156

3-1/2" Single Row Knot Wire Cup Brush, .023" Steel Fill, 5/8"-11 UNC Nut. Provides Heavy-Duty Brushing Action with Some Flexibility. Ideal for Demanding Cleaning Applications on Relatively Flat Surfaces



WB36064

Vortec Pro 5" Crimped Wire Wheel, .006" Steel Fill, Narrow Face, 5/8"-1/2" Arbor Hole. Provides a Flexible Brushing Action and Cost-Effective Performance in General Purpose Cleaning and Deburring Applications



WB44075

Small Hand Wire Scratch Brush, Stainless Fill, Plastic Also used with inert arc aluminum welding. For general cleaning in the plating, metal finishing, aircraft and missile industries



WB79805

Dually Stringer Bead Wheels, 6", .020 Steel Wire Delivers fast and effective cleaning action. Features a one-piece dual hex-nut that eliminates interference issues and simplifies periodic flipping of the wheel for maximum cutting action, longer life and safer use. Up to the task for the most demanding multi-pass welding applications



WB83150

8 in. Nylox Wheel Crimped Filament .040/80 2 In A.H. Nyx-8

INDUSTRIAL

WILTON ATV



5-5-6	
Part	Description
825-10010	ATV All Terrain Vise
825-10015	ATV All Terrain Vise With Carrying Case
825-10300	ATV Mounting Bracket
825-10350	ATV Case Only





The Wilton B.A.S.H® Unbreakable® Handle Sledge Hammer is the toughest sledge ever built. With molten steel bars reinforcing the handle, and a locking steel plate holding the head to that handle, the B.A.S.H® will hold up when you need it most. Tested to 25,000 overstrikes, the B.A.S.H® puts traditional wood and fiberglass hammers to shame!

BASH™ SLEDGE HAMMERS (46 HRC)

Part No.	Head Size	Handle
825-20212	2-1/2 lbs.	12"
825-20416	4 lbs.	16"
825-20624	6 lbs.	24"
825-20630	6 lbs.	30"




BASH™ SLEDGE HAMMERS (46 HRC)

Part No.	Head Size	Handle Si
825-20824	8 lbs.	24"
825-20830	8 lbs.	30"
825-20836	8 lbs.	36"
825-21030	10 lbs.	30"
825-21230	12 lbs.	30"
825-22030	20 lbs.	30"

Wilton® TRADESMAN VISES - SWIVEL BASE





Wilton® UTILITY VISES - SWIVEL BASE



825-11126 674, Utility Vise, 4-1/2" Jaw Width, 4" Jaw Opening, 2-5/8" Throat Depth
825-11127 675, Utility Vise, 5-1/2" Jaw Width, 5" Jaw Opening, 3-3/16" Throat Depth
825-11128 676, Utility Vise, 6-1/2" Jaw Width, 5-1/2" Jaw Opening, 3-13/16" Throat Depth
825-191 656HD, Utility Vise, 6" Jaw Width, 6" Jaw Opening, 4-3/16" Throat Depth
825-11800 648HD, Workshop Vise, 8" Jaw Width, 7-1/2" Jaw Opening, 4-1/2" Throat Depth

CLASSIC 400 SERIES™ C-CLAMPS



825-14214 402, 400	Series C-Clamp, 0" - 2-1/8" Jaw Opening, 2-1/4" Throat Depth
825-14228 403, 400	Series C-Clamp, 0" - 3" Jaw Opening, 2-1/2" Throat Depth
825-14242 404, 400	Series C-Clamp, 0" - 4-1/4" Jaw Opening, 3-1/4" Throat Depth
825-14256 406, 400	Series C-Clamp 0" - 6-1/16" Jaw Opening, 4-1/8" Throat Depth
825-14270 408, 400	Series C-Clamp 0" - 8-1/4" Jaw Opening, 5" Throat Depth
825-14284 410, 400	Series C-Clamp, 2" - 10-1/8" Jaw Opening, 6" Throat Depth
825-14298 412, 400	Series C-Clamp, 2" - 12-1/4" Jaw Opening, 6-5/16" Throat Depth






3MS1100 Foam Ear Plug Uncorded 200Units/Box

3MS1110 Foam Ear Plug Corded 200Units/Box





Part

3MS310-1001

3MS311-1101

3MS311-1250

3MS312-1201

3MS312-1219



3MSH10P3E Optime™,105 Cap-Mount Earmuffs, Hearing Conservation 10 EA/Case Pivoting ear cups for optimum fit. Twin cup design minimizes resonance, thus achieving maximum high and low frequency attenuation



3MSH9A Optime™, 98 Over-the-Head Earmuffs, Hearing Conservation H9A 10 EA/Case H9A Model, high protection design. Pivoting earcups for optimum fit. Soft seal liquid/foam filled cushions for a better seal even with evewear. Works with AO Tuffmaster™® face protection



Description



E-A-R™,Classic™,Uncorded Earplugs, in Pillow Pack PVC

E-A-R™, TaperFit™, 2 Regular Uncorded Earplugs, in Poly Bag

E-A-R™, Classic™, Corded Earplugs,

Yellow Neons Corded Earplugs, In Poly Bag,


3MS312-1250 E-A-Rsoft Yellow Neons Uncorded Earplugs, In Poly Bag,


3MS340-4004 E-A-R™, UltraFit™, Corded Earplugs in Poly Bag

E-A-R™, Classic™, Uncorded Earplugs in Poly Bag










attenuation



3MSH7A Optime™, 101 Over-the-Head Earmuffs, Hearing Conservation H7A 10 EA/Case H7A Model, high protection design. Padded steel headband with four point suspension for extra comfort. Pivoting earcups for optimum fit




3MSH7B Deluxe backhand hearing protector, high protection design. Padded steel headband with four point suspension for extra comfort. Pivoting earcups for optimum fit





Part	Description
3MS11384-00000	3M™ Virtua™ Sport Protective Eyewear, Clear Anti-Fog Lens, Clear Temple
3MS11385-00000	3M™ Virtua™ Sport Protective Eyewear, Clear Hard Coat Lens, Clear Temple
3MS11386-00000	3M™ Virtua™ Sport Protective Eyewear, Grey Anti-Fog Lens






Part	Description
3MS11872-00000	3M™ Virtua™ CCS Protective Eyewear, clear AF lens, foam gasket
3MS11873-00000	3M™ Virtua™ CCS Protective Eyewear grey AF lens, foam gasket,
3MS11874-00000	3M™ Virtua™ CCS Protective Eyewear, I/O Hard-coat Lens, foam gasket

3M™ Virtua Max™ Protective Eyewear. Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratchresistant lens for a comfortable, contoured fit.



Part	Description
3MS11510-00000	3M™ Virtua Max™ Protective Eyewear, Clear Anti-Fog Lens, Clear Frame
3MS11511-00000	3M™ Virtua Max™ gray anti-fog lens
3MS11512-00000	3M™ Virtua Max™ indoor/outdoor gray anti-fog lens





BX safety eyewear adjusts to the workers, instead of workers having to adjust to it. With many adjustable features, BX eyewear provides a better fit, which can help your workers have a better attitude towards wearing their eyewear



Part	Description
3MS11374-00000	3M™ BX™ Reader Protective Eyewear, Clear Lens, Silver Frame, +1.5 Diopter
3MS11375-00000	3M™ BX™ Reader Protective Eyewear, Clear Lens, Silver Frame, +2.0 Diopter
3MS11380-00000	3M™ BX™ Reader Protective Eyewear, Clear Lens, Silver Frame, Anti-Fog
3MS11376-00000	3M™ BX™ Reader Protective Eyewear, Clear Lens, Silver Frame, +2.5 Diopter

3M™ Privo™ Protective Eyewear. Stylish Privo unisex protective eyewear looks as smooth as it functions. Bridges eurostyle and comfort with soft tips and temples, a gentle nose bridge, and a sturdy polycarbonate lens. Anti-fog coating allows for all-day, indoor or outdoor use.



Part	Description
3MS12261-00000	3M™ Privo™ Protective Eyewear, Clear Anti-Fog Lens, Black Frame
3MS12262-00000	3M™ Privo™ Protective Eyewear, Grey Anti-Fog Lens, Black Frame/Orange
3MS12264-00000	3M™ Privo™ Protective Eyewear, I/O Mirror Lens, Black Frame

3M™ SecureFit™ Eye Protection. 3M™ SecureFit™ Protective Eyewear features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear, enhancing frame comfort while at the same time ensuring a secure fit across diverse workforces



Part	Description
3MSSF201AF-CA-EA	Secure Fit Protective Eyewear SF201AF- Clear Anti-Fog Lens
3MSSF201AS-CA-EA	Secure Fit Protective Eyewear SF201AS-Clear Anti-Scratch Lens
3MSSF202AF-CA-EA	Secure Fit Protective Eyewear SF202AF-Gray Anti-Fog Lens
3MSSF203AF-CA-EA	Secure Fit Protective Eyewear SF203AF-Amber Anti-Fog Lens



3M™SecureFit™, 400-Series, Protective Eyewear. The 400 Series features 3M™ Pressure Diffusion Temple Technology, soft adjustable nose pads & dual-injected temples

Part	Description
3MSSF401AF-CA	3M™ SecureFit™ Protective Eyewear, Clear Anti-Fog Lens
3MSSF410AS-CA	3M™ SecureFit™ Protective Evewear, Indoor/Outdoor Mirror lens



Part	Description
3MSV1A	V1A Black Matte Metal Visor
3MSV2A	V2A Clear Acetate Visor Not CSA
3MSV2C	V2C 140Ar Polycarbonate Visor Not CSA
3MSV4A	V4A Metal Visor



Part	Description
3MSH-700-RS4	Hard Hat Suspension Replacement H-700-RS4, 4-Point
3MSH-701R	Hard Hat H-701R, 4-Point Ratchet Suspension, White
3MSH-701V	Hard Hat H-701V, Vented 4-Point Ratchet Suspension,
3MSH-702R	Hard Hat H-702R, 4-Point Ratchet Suspension, Yellow
3MSH-702V	Hard Hat H-702V, Vented 4-Point Ratchet Suspension, Yellow
3MSH-703R	Hard Hat H-703R, 4-Point Ratchet Suspension, Blue
3MSH-703V	Hard Hat H-703V, Vented 4-Point Ratchet Suspension, Blue
3MSH-704R	Hard Hat H-704R, 4-Point Ratchet Suspension, Green
3MSH-708R	Hard Hat H-708R, 4-Point Ratchet Suspension, Gray

3M













3M Facepiece Respirators, Filters and Cartridges

3MS6100	6000 Series Half Facepiece Respirators, Small
3MS6200	6000 Series Half Facepiece Respirators, Medium
3MS6300	6000 Series Half Facepiece Respirators, Large,
3MS6502QL	Rugged Comfort Quick Latch Half Facepiece Reusable Respirator Medium
3MS6700	Full Facepiece Reusable Respirator 6700, Respiratory Protection, Small
3MS6800	Full Facepiece Reusable Respirator 6800, Respiratory Protection, Medium
3MS6885	6000 Series Half and Full Facepiece Accessories, Peel Off Lens Cover Box of 25
3MS6900	Full Facepiece Reusable Respirator 6900, Respiratory Protection, Large
3MS7501	7500 Series Half Facepiece Respirators, Small
3MS7502	7500 Series Half Facepiece Respirators, Medium
3MS7503	7500 Series Half Facepiece Respirators, Large
3MSFF-401	Full Facepiece, Small
3MSFF-402	Full Facepiece, Medium
3MSFF-403	Full Facepiece, Large
3MS2078	2078 P95 OV / AG Filter
3MS7800S(L)	Full Facepiece 7800S-L, Large, Silicone
3MS7800S(M)	Full Facepiece 7800S M, Medium, Silicone
3MS2091	P100 Particulate Filter. Nuisance level organic vapor/acid gas relief
3MS2096	P100 Respiratory Protection, with Nuisance Level Acid Gas Relief
3MS2097	P100 High effeciency filter w/ozone protection Nuisance level organic vapor/acid gas relief
3MS5N11	N95 particulate filter
3MS5P71	5P71/07194 P95 Particulate Filter
3MS7093	P100 Particulate filter
3MS7093-B	Particulate Filter P100 Bulk 144/Case
3MS6001	6000 Series Cartridge, Organic Vapor
3MS6002	6000 Series Cartridge, Acid Gas
3MS6003	6000 Series Cartridge, Organic Vapor/Acid Gas
3MS6006	6000 Series Cartridge, Multi Gas Vapor
3MS60923	Organic vapor/acid GAS CTG/P100 Particulate filter
3MS60926	Multi Gas, P100 Filter
3MS501	6000 Series, Filter Retainer attachment to the 3M half and full facepiece
3MS502	6000 Series, HEPA Filter Adapter attachment to the 3M half and full facepieces

3M Disposable Respirators









3MS8110S	Particulate Respirator 8110S, N95
3MS8200	Particulate Respirator 8200, N95
3MS8210	Particulate Respirator 8210, N95
3MS8210V	Particulate Respirator 8210V featuring 3M™ Cool Flow™ Valve
3MS8212	Particulate Welding Respirator 8212, N95, with Faceseal
3MS8214	Particulate Respirator 8214, N95, Faceseal/Nuisance Level Organic Vapor
3MS8233	Particulate Respirator 8233, N100, with Faceseal
3MS8247	Particulate Respirator 8247, R95, Nuisance Level Organic Vapor Relief
3MS8271	Particulate Respirator 8271, P95
3MS8293	Particulate Respirator 8293, P100, with Faceseal
3MS8511	Particulate Respirator 8511, N95
3MS8514	Particulate Respirator 8514, N95, Nuisance Level Organic Vapor Relief
3MS8515	Particulate Welding Respirator 8515, N95
3MS8576	Particulate Respirator 8576, P95, with Nuisance Level Acid Gas Relief
3MS8577	Particulate Respirator 8577, P95 w/ Nuisance Level Organic Vapor Relief
3MS9105	Particulate Respirator,N95 Flat-Fold V-Shaped
3MS9210+	Aura Particulate Respirator, N95
3MS9211+	Aura Particulate Respirator, N95

3M



3MS504

Alcohol free respirator cleaning wipe- Alcohol-free and will not damage the facepiece materials. Individually wrapped to hold moisture and are stored in a convenient dispenser box



3MS82501-00000

H8A Ratchet Headgear - Easy window replacement. Five position crown strap for additional support and comfort. High strength thermoplastic



3MS82700-00000

W96 Clear Propionate Faceshield face protection to reduce the risk of splash, spray and light impact. Faceshield mounts inside headgear crown for added splash protection



3MS82701-00000

WP96 Clear Polycarbonate Faceshield Good heat resistance. Windows mount inside crown for added impact strength. Heavy duty impact protection



3MSTR-300-HIK

Versaflo™ Heavy Industry PAPR Kit is a complete, ready to use HE PAPR system for industrial applications



3MSV-100

Vortex Cooling Ass V-100 Used to cool air supplied to 3M[™] High Pressure Supplied Air Respirator Systems that use 3M[™] L-Series Headgear by up to 50°F (28°C). The assembly allows user to adjust airflow and temperature for personal comfort



3MSTR-332

High Capacity Battery. Replacement battery for the 3M Versaflow powered respirator system



3MSGVP-441

Organic Vapor/HEPA
Cartridges Also operates as
a high-efficiency particulate
filter. NIOSH-approved
cartridge used for
respiratory protection
against certain organic
vapors



3MSFT-30

Qualitative Fit Test Apparatus The Bitter Fit Test Solution is used with the Qualitative Fit Test Apparatus FT-30 to test the facepiece-to-face seal



3MSFT-32 Fit Test

Solution Bitter



3MSGVP-1

Belt-mounted powered air purifying respirator assembly includes components needed to make a complete, comfortable PAPR system



3MSGVP-440

High Efficiency Filter PAPR System Accessories, HEPA Filter, Magenta Helps provide higher protection with greater comfort. Quick and easy replacement. Replacement part for 3M powered air purifying respirator (PAPR) systems



3MSBE-10-3

3M Hood white- regular- tychem QC Double bib respirator hood is lightweight and comfortable. Helps provide respiratory protection for a wide range of applications



3MSS-607-10

3M™ Versaflo™ Replacement Hood with Inner Shroud for Premium Head Suspension, 10/case



3MS450-01-01R20

3M™ Powerflow™ High Efficiency SP3 Particulate Filter. This filter helps provide high efficiency respiratory protection in environments containing particulates. Filter should be used with 3M™ Powerflow™ Powered Air Purifying Respirator (PAPR) systems








EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum back D-ring, locking quick connect

Part	Description
098-1113001C	Exofit NEX Full Body Harness, 1D LQC (S)
098-1113004C	Exofit NEX Full Body Harness, 1D LQC (M)
098-1113007C	Exofit NEX Full Body Harness, 1D LQC (L)
098-1113010C	Exofit NEX Full Body Harness 1D, LQC (XL)



Back D-ring, tongue buckle leg straps.



098-1102000C Delta Full Body Harness 1D, TB (U) 098-1101252C Delta Full Body Harness 1D, TB (XL)

098-1102008C Delta Full Body Harness 3D, TB (U)

098-1103321C Delta Full Body Harness 3D PT (U)

098-1110600C Delta Full Body Harness 1D QD (U) 098-1101654C Delta Const. Full Body Harness 3D with belt (L)



Back D-ring, tongue buckle legs.

	Part	Description
	098-1191237C	PRO Full Body Harness 1D, TB (M/L)
	098-1191238C	PRO Full Body Harness 1D, TB (XL)
	098-1191201C	PRO Full Body Harness 1D, PT (M/L)
1	098-1191209C	PRO Full Body Harness 1D, TB, Hip Pad (M/L)
9		

PRO™ VEST-STYLE HARNESS WITH **COMFORT PADDING**

Back D-ring, shoulder, back and leg padding, quick connect buckle legs.

098-1191253C PRO Comfort Harness 1D, QD, (M/L) 098-1191254C PRO Comfort Harness 1D, QD, (XL)

PRO WELDERS HARNESS

Protecta Welding Harness with Pass Thru Connections, Back D-ring. Resists char splatter up to 700° F and Lanyard Keeper

1	A
	T
Z	

098-1191369C	PRO Welders Harness 1D, PT (S)
098-1191379C	PRO Welders Harness 1D, PT (M/L)
098-1191380C	PRO Welders Harness 1D, PT, (XL)
098-1191370C	PRO Welders Harness 3D, PT, (S)
098-1191381C	PRO Welders Harness 3D PT, (M/L)
098-1191382C	PRO Welders Harness 3D, PT, (XL)
098-1191371C	PRO Welders Harness 1D, TB, (S)
098-1191383C	PRO Welders Harness 1D, TB (M/L)
098-1191384C	PRO Welders Harness 1D, TB, (XL)
098-1191372C	PRO Welders Harness 3D, TB, (S)
098-1191385C	PRO Welders Harness 3D, TB, (M/L)
098-1191386C	PRO Welders Harness 3D, TB, (XL)

HARNESS ACCESSORIES



098-9501403C Suspension Trauma Straps



098-1231117C D-Ring Extension



EZ-STOP™ LANYARD

098-1246011C	EZ Stop E4 S/A Lanyard 6' w/ Std. Hooks
098-1246017C	EZ Stop E4 S/A Lanyard 4' w/ Std. Hooks
098-1246012C	EZ Stop E4 S/A Lanyard 3' w/ Std. Hooks
098-1246195C	EZ Stop E4 Elastic Web S/A 100% Tie Off Lanyard 6' with Scaffold Hooks
098-1246105C	EZ Stop E6 S/A Lanyard 6' w/ Std. Hooks
098-1246095C	EZ Stop E6 S/A Lanyard 4' w/ Std. Hooks
098-1246115C	EZ Stop E6 100% Tie Off S/A Lanyard 6' w/ Rebar Hooks

SHOCKWAVE™2 LANYARD

Part	Description
098-1244306C	ShockWave E4 S/A Lanyard 6' with Standard Hooks
098-1244321C	ShockWave E4 S/A Lanyard 6' with Rebar Hook
098-1244409C	ShockWave E4 100% Tie Off S/A Lanyard 6' with Aluminum Rebar Hooks



PRO-STOP™ SHOCK ABSORBING I ANYARD

TRO-OTOL OHOOK ADOORDING LANTARD		
Part	Description	
098-1340220C	PRO Stop E4 S/A Lanyard 6' w/ Std. Hooks	
098-1340221C	PRO Stop E4 S/A Lanyard 4' w/ Std. Hooks	
098-1340230C	PRO Stop E4 S/A Lanyard 6' w/ Rebar Hook	
098-1340250C	PRO Stop E4 100% Tie Off S/A Lanyard 6' w/ Rebar Hooks	





PRO ™ PACK SHOCK ABSORBING LANYARD

098-1341001C	PRO E4	S/A Lanyard 6' w/	Std. Hooks	
098-1341004C	PRO E4	S/A Lanyard 4' w/	Std. Hooks	
098-1340125C	PRO E4	S/A Lanyard 6' w/	Rebar Hook	
098-1340180C	PRO E4	100% Tie Off S/A	Lanyard 6' w/ Reba	r Hooks

Part Description 098-1361001C PRO E6 S/A Lanyard 6' w/ Std. Hooks 098-1361004CPRO E6 S/A Lanyard 4' w/ Std. Hooks 098-1360125C PRO E6 S/A Lanyard 6' w/ Rebar Hook 098-1360180C PRO E6 100% Tie Off Lanyard 6' with Rebar Hooks

NANO-LOK™ EDGE SELF RETRACTING LIFELINE

NANO-LOK™ SELF RETRACTING LIFELINE

098-3101221 Nano-Lok 6' w/ Swivel Eye & Swivel Snap Hook 098-3101233 Nano-Lok 6' w/ Harness Connector & Snap Hook 098-3101307 Nano-Lok 6' w/ Harness Connector & Locking Nose Alum. Rebar Hook Nano-Lok 6 Twin Leg w/ Harness Connector & Locking 098-3101313 Nose Alum. Rebar Hook Nano-Lok 6' Hot Work w/ Harness Connection & Rebar


Nano-Lok Edge Sgl. Leg 098-3500217

Part#

8' w/ Steel Snap Hook Nano-Lok Edge Dbl. Leg 098-35002348' w/ Steel Locking Nose rebar Hooks

Description

REBEL ™ PROTECTA SELF RETRACTING LIFELINE



REBEL™ LEADING EDGE

Part #	Description
098-3590518	Rebel 20' Steel Cable with Swivel Snap Hook
098-3590502	Rebel 33' Steel Cable with Swivel Snap Hook
098-3590552	Rebel 50' Steel Cable with Swivel Snap Hook
098-3590541	Rebel 20' Leading Edge with Swivel Snap Hook

098-3101508

098-3101516 Rebar Hooks

VERTICAL ROPE LIFELINES & ROPE GRABS Part Description 098-SSR100-50 5/8" x 50' Vertical Rope Lifeline 098-SSR100-100 5/8" x 100' Vertical Rope Lifeline

Nano-Lok 6' Hot Work Twin Leg w/ Harness Connector &



	Part #	Description	
		Cobra Rope Grab w/ Attached S/A Lanyard 2'	
ĺ.	098-AC202C	Cobra Rope Grab	





TIE OFF ADAPTERS & ANCHORS 098-2101639

D-Ring Anchorage Plate



098-2100159 Fixed Beam Anchor



098-2100085C Concrete Wedge Anchor



098-2104701 Glyder 2 Sliding Beam Anchor



098-AJ450C-3 Web Tie Off Adapter 3' \$42.12 098-AJ450C-6 Web Tie Off Adapter 6'



098-2104568 Concrete **D-Ring Anchor**



098-AJ730A Reusable Hinged Roof Anchor



CARABINERS 098-2000112 Carabiner 11/16" Opening



098-2000114 Carabiner 2 3/16" Opening





HYFLEX® 11-600

White polyurethane palm coated, white nylon liner, Light Duty 012-11-600-8 012-11-600-9 012-11-600-10



HYFLEX® 11-624

Dyneema®, Spandex® and nylon liner, polyurethane palm coating, gray and black 012-11-624-8 012-11-624-9 012-11-624-10



HYFLEX® 11-800

Gray foam nitrile palm coated, white nylon liner Light Duty 012-11-800-8 012-11-800 -9 012-11-800 -10



HYFLEX® 11-801

Black foam nitrile palm coated, gray nylon liner, Light Duty 012-11-801-8 012-11-801-9 012-11-801 -10



HYCRON® Nitrile Coated, Heavy Duty, Palm coated, safety cuff 012-27-607-XL



HYCRON® Nitrile Coated, Heavy Duty, Fully coated, 2.5" safety cuff 012-27-805-XL



POWER FLEX® T° HI VIZ YELLOW™

Cold Environment, Latex Coated, Acrylic Thermal Liner, Crinkle Finish Palm coated,fluorescent vellow 012-80-400-9 012-80-400-10



HYD-TUF®

Nitrile Coated, Cloth Back, Medium to Heavy Duty-Safety cuff 012-52-547-L 012-52-547-XL



TOUCH N TUFF® - NITRILE

Powder-free, 5 mils, rolled cuff, teal, 100 gloves/dispenser box 012-92-600-M 012-92-600-L 012-92-600-XL



SOL-VEX®

Nitrile, Unsupported 11 mils, 13", green embossed 012-37-145-8 012-37-145-9 012-37-145-10



SOL-VEX®

Nitrile, Unsupported Flock lined, 15 mils, 13", green embossed 012-37-175-8 012-37-175-9 012-37-175-10



HYLITE®

Nitrile Coated, Interlock Knit Lined, Medium-Duty Palm coated, knit wrist 012-47-400-9 012-47-400-10



ALPHATEC™

Fully coated, nitrile chemical resistant glove with a knitted seamless liner 012-58-530-9 012-58-530-10 012-58-530-11



POWERFLEX® Exclusive 13 gauge composite yarn liner, with unique soft black palm coating. Flame resistance is inherent in glove materials 012-80-813-9 012-80-813-10



COMTV591RS

Tear away traffic vest Traffic vest with 2" yellow high visibility reflective material on a bright orange polyester mesh



COMTV591RS-SLV Tear away traffic vest Traffic vest with 2" 3M silver reflective material on a bright

orange polyester

mesh



COMSB20E Traffic sash belt Elasticized sash belt with 1 1/2" yellow/silver reflective material



COMAS14E Ankle elastic band yellow/silver/yellow 14" reflective material



BARRICADE TAPE 0.045mm THICK 3" X1000 FT PER ROLL

COMCT3RE8 - Red barricade tape "Danger Do Not Enter" COMCT3RE9 - Red barricade tape "Danger" COMCT3YE1 - Yellow barricade tape "Caution" COMCT3YE2 - Yellow barricade tape "Caution Do Not Enter"



135-BK110 Clear Lens



PLUS STYLES - Klondike

VALUE STYLES - Bear Kat



135-BK110AF Clear Anti-Fog Lens 135-BK112 Gray Lens 135-BK114 Amber Lens



135-KD110 Black Frame, Clear Lens



135-KD110AF Black Frame, Clear Lens Anti-Fog



135-KD112 Black Frame, Gray Lens



135-KD113 Black Frame, Light Blue Lens



135-SS110 Storm Black Frame, Clear Lens



135-ST1130 Storm



135-ST1130 Storm Black Frame, 3.0 Green Lens Black Frame, 3.0 Green Lens



135-TK110 Tomahawk Black Frame, 3.0 Clear Lens



DEG12340 SPF 30 Lotion 120mL - 4oz Bottle



DEG12350 SPF 30 Lotion 1000MI – 34 oz **Bottle**



DEG12380 SPF 50 Lotion, 125mL - 4.4oz tube



DEG12402 10% DEET Towelettes, 5.85 grams Individual Use



DEG12425 10% DEET Liquid Spray. 120 mL - 4 oz bottle



DEG12435 28.5 % DEET. OTHER actives 1.50% Aerosol, 150g - 5.29oz can.



DEG12545 Wasp & Hornet Killer, 325gram 14oz Can.





Short Sleeve Hi-Vis T- Shirt (Size XL)

- Orange or Lime Green Cool Mesh
- 4 inch 3M Scotchlite[™] reflective taping
- Available in Generic tape for Day-time use
- Fire retardant coating and edging tape
- Machine washable
- Meets MTO and WCB requirements

DEG7845300-LG/XL DEG7845300-2XL/3XL

CSA Traffic Vest, Hi-Viz orange solid vest with velcro closure. Tear - away shoulders, sides and front, with D-ring access. 2" inch grey and yellow vertical front, X back stripes, with 4 pockets 360° horizontal Stripes around the waist 3M Reflective Scotchlite Material



DEG7091000 CLR Clear Lens Black Nylon Frame JS200 Light-weight Impact resistant Nylon Frame, with Single Lens style, designed to fit men and women, integrated nose piece, bayonet style temples, impact resistant polycarbonate lenses provides 99.9% UV protection, scratch resistant coating, ANSI Z87.1/CSA Z94.3-07.



DEG7093401 CLR Clear Lens **DEG7093401 GRY** Grey Lens

DEG7093401 IOM Indoor

/Outdoor Mirror Lens

Jazz JS 401- Ultra-lightweight wraparound design for men and women, combines a sleek appearance with rugged durability, features rubberized temples, frameless polycarbonate lens construction, provides 99.9% UV protection, scratch resistant coating, ANSI Z87.1/CSA Z94.3-07







DEG81AR WHT Wave Ratchet Sizing Adjustment And 4 Point Nylon Provides crown impact & penetration force transmission protection and dielectric protection up 20 20kV. Other colours also available



DEG7240000

visors. Yellow

Headgear with adjustable

comfort. Use with Mach &

ratchet suspension and

sweatband for added

Mach I replacement

DEG81CR NBL
The Wave CSA
Type 2 Hard Hat
Ratchet Navy Blue
Other colours also
available

DEG7815425-LG	Orange CSA 3M Scotchlite
DEG7815425-XL	Orange CSA 3M Scotchlite
DEG7815435-LG	Orange – Daytime Reflective
DEG7815435-XL	Orange – Daytime Reflective
DEG7815400-LG	Lime green CSA 3M Scotchlite
DEG7815400-XL	Lime green CSA 3M Scotchlite
DEG7815410-LG	Lime Green–Daytime Reflective
DEG7815410-XL	Lime Green–Daytime Reflective



DEG7845375-LG/XL

CSA Traffic Vest, Lime green solid vest with velcro closure. Tear - away shoulders, sides and front, with D-ring access. 2" inch grey and yellow vertical front, X back stripes, with 4 pockets 360° horizontal Stripes around the waist 3M Reflective Scotchlite Material

DEG7098501 GRY

Jazz JS 501- Ultra-lightweight construction, single lens style wrap-around design, molded-in brow guard and side shields provide superior peripheral vision and side protection. Silicone clear nosepiece and soft rubber non-slip temple tip pads for added comfort. polycarbonate lens provides 99.9% UV protection, scratch resistant coating. ANSI Z87.1/CSA Z94.3-07





DEG7102000 CLR

Soft PVC frame, green shaded, fits over most prescription eyewear, designed to fit men and women. Impact resistant polycarbonate lens provides 99.9% UV protection, scratch resistant coating, CSA/ANSI Z87.1



DEG7102000 AFC

JG 1000 Goggle chemical Splash Indirect ventilation, clear anti-fog lens



DEG71300000 AFC

A soft PVC frame with a wraparound design with foam liner inside the lens frame. Adjustable Nylon headband for an excellent fit. Features a polycarbonate lens with UV Protection. Impact Resistant Lens. CSA/ANSI Z87.1



Mach Supreme Full With Polycarbonate Visor

DEG72R8500 PCC

Mach Supreme Replacement Visor Polycarbonate



DEG81CR WHT

The Wave CSA Type 2 Hard Hat Ratchet White. Other colours also available



DuPont™ ProShield® NexGen® Constructed with a soft fabric and excellent breathability, ProShield® coveralls from DuPont help protect against non-hazardous particles and light liquid splash



Part#	Description
251-NG120SWHXL002500	Proshield® Nexgen® Coverall White XL - 25/case
251-NG120SWH2X002500	Proshield® Nexgen® Coverall White 2X- 25/case
251-NG120SWH3X002500	Proshield® Nexgen® Coverall White 3X – 25/case



Part#	Description
251-NG127SWHXL0025NP	Proshield® Nexgen® Coverall White XL – 25/case
251-NG127SWH2X0025NP	Proshield® Nexgen® Coverall White 2X– 25/case
251-NG127SWH3X0025NP	Proshield® Nexgen® Coverall White 3X– 25/case

Tempro® coveralls are designed to help protect and preserve primary flame-resistant garments. Lightweight, limited-use over-garments, Tempro® coveralls provide a barrier against non-hazardous particles and aerosols.



251-TM127SBULG002500	Tempro® Coverall Blue Large – 25/case
251-TM127SBUXL002500	Tempro® Coverall Blue X-Large – 25/case
251-TM127SBU2X002500	Tempro® Coverall Blue - 2X – 25/case
251-TM127SBU3X002500	Tempro® Coverall Blue - 3X – 25/case
251-TM127SBU4X002500	Tempro® Coverall Blue - 4X – 25/case
251-TM127SBU5X002500	Tempro® Coverall Blue 5X – 25/case

DuPont™ **Tyvek**°



251-TY500SWH00020000 Dupont™ Tyvek® Sleeve White Universal – 25/case



251-TY450SWH00020000Dupont™ Tyvek® Shoe
Cover White Universal
200/case

Dupont Tyvek Lab Coat White serged seams - collar - front snap closure - two pockets



251-TY212SWHLG003000	Dupont™ Tyvek® Lab Coat White Large - 30/case
251-TY212SWHXL003000	Dupont™ Tyvek® Lab Coat White XL - 30/case
251-TY212SWH2X003000	Dupont™ Tyvek® Lab Coat White 2X - 30/case
251-TY212SWH3X003000	Dupont™ Tyvek® Lab Coat White 3X - 30/case
251-TY212SWH4X003000	Dupont™ Tyvek® Lab Coat White 4X - 30/case
251-TY212SWH5X003000	Dupont™ Tyvek® Lab Coat White 5X - 30/case



251-TY273BWH00010000Dupont™ Tyvek® Apron White Universal 100/case



251-TY454SWH00010000 18" Dupont Tyvek Boot Cover White Universal 100/case

<u>DuPont™ Tyvek® coverall</u>s

- Provide light-weight inherent barrier protection against hazardous dry particles and aerosols, and nonhazardous light liquid splash
- Are good for industrial workers in a variety of applications including general maintenance/operations, asbestos and lead abatement, mold remediation, and environmental cleanups
- Provide excellent abrasion resistance
- Helps protect workers against small size hazardous particles



















Style 120 - serged seams - collar - front zipper closure - elastic waist

251-TY120SWHMD002500	Dupont™	Tyvek® Coverall White Medium – 25/Case
251-TY120SWHLG002500	Dupont™	Tyvek® Coverall White Large – 25/Case
251-TY120SWHXL002500	Dupont™	Tyvek® Coverall White X-Large – 25/Case
251-TY120SWH2X002500	Dupont™	Tyvek® Coverall White 2X – 25/Case
251-TY120SWH3X002500	Dupont™	Tyvek® Coverall White 3X – 25/Case
251-TY120SWH4X002500	Dupont™	Tyvek® Coverall White 4X – 25/Case

Style 122 - serged seams - attached hood (respirator fit) - front zipper closure elastic wrists - elastic ankles - elastic waist - attached skid-resistant boots

251-TY122SWHLG002500	Dupont™	Tyvek® Coverall White Large -25/case		
251-TY122SWHXL002500	Dupont™	Tyvek® Coverall White XL – 25/case		
251-TY122SWH2X002500	Dupont™	Tyvek® Coverall White 2X – 25/case		
251-TY122SWH3X002500	Dupont™	Tyvek® Coverall White 3X – 25/case		
251-TY122SWH4X002500	Dupont™	Tyvek® Coverall White 4X – 25/case		
251-TY122SWH4X002500 Dupont™ Tyvek® Coverall White 4X – 25/case Style 125 – serged seams - collar - front zipper closure - elastic wrists				
elastic ankles - elastic waist - comfort fit design				

251-TY125SWHLG002500	Dupont™ Tyvek® Coverall White Large - 25/case	
251-TY125SWHXL002500	Dupont™ Tyvek® Coverall White XL - 25/case	
251-TY125SWH2X002500	Dupont™ Tyvek® Coverall White 2X - 25/case	
251-TY125SWH3X002500	Dupont™ Tyvek® Coverall White 3X - 25/case	
251-TY125SWH4X002500	Dupont™ Tyvek® Coverall White 4X - 25/case	
Ob do 407	the also all be and (near instance). From the improve also are	

Style 127 - serged seams - attached hood (respirator fit) - front zipper closure elastic wrists - elastic ankles - elastic waist

Dupont™	Tyvek® Coverall White Large - 25/case
Dupont™	Tyvek® Coverall White - XL 25/case
Dupont™	Tyvek® Coverall White 2X - 25/case
Dupont™	Tyvek® Coverall White 3X - 25/case
Dupont™	Tyvek® Coverall White 4X - 25/case
	Dupont™ Dupont™ Dupont™



ERG12305 Chill-Its® 6700 **Evaporative Cooling** Bandana - Tie Red

Western

Bandana - Tie - Solid Blue

ERG12307 Chill-Its® 6700 **Evaporative Cooling**

ERG12336 Chill-Its® 6717 **Evaporative Cooling Hard** Hat Pad with Neck Shade



ERG12337

Chill-Its® 6715 Evaporative Cooling Hard Hat Pad: Attaches to standard hard hat headband.



ERG12338

Chill-Its® 6716 Evaporative Cooling Hard Hat Liner: Attaches to standard hard hat headband.

ERG12420-Blue ERG12438-Gray ERG12439-Lime ERG12441-Orange

Chill-Its® 6602 Evaporative Cooling Towel Advanced PVA cooling technology Superevaporative, feels significantly cooler than ambient air Activates fast and easy - run under cold water for one minute Wear for hours or for quick relief Simply re-wet to reactivate Machine washable Size: 13" x 29.5" (33cm x 75cm)



ERG12479

Chill-Its® 6615 High-Performance Dew Rag Redwestern Technical fabric transports moisture away.



6300 Trex Foot Wear

One piece traction device for shoes or boots delivers grip and stability

ERG16753 Medium(5-8) ERG16754 Large (8-11) ERG16755 X-Large (11-14)



6310 TREX™ Adjustable Ice Traction Device

Adjustable one-piece traction device for shoes or boots delivers tenacious grip and stability.

ERG16773 Medium(5-8) ERG16774 Large (8-11) ERG16775 X-Large (11-14)



ERG16810 N-Ferno® 6810 Stretch Cap -Half Style 100% polyester

WORK GEAR



ERG16821 N-Ferno ™ 6821

Cool Series Balaclava Long length • FR treated for safety single wash • Polyester fleece • One size, Black



ERG16950

N Ferno ™6950 Extreme Series Winter Liner Long length • Shell: 100% quilted nylon • Mid-Layer: Foam • Lining: 100% poly Sherpa • FR treated for safety (single wash) One size, Black w/white



ERG16971 N-Ferno® 6970 Extreme Balaclava w/Hot Rox™

knit

Technologically advanced high-performance cold weather mask combats the damaging effects of cold air



ERG16990

Warming Packs
Self contained
packs add heat
anywhere when
exposed to air.
Hand Style warms
up to 8 hours



ERG19002

Squids® 3100 Single Carabiner-10lb Tool Lanyard- Tethers tools to help worker prevent injury, damage and lost productivity from dropped tools.



ERG19112-Black ERG19119-Lime

Squids® 3400 Grabber - Dual Clip Mount Patented Grabbers keep your gloves, ice traction, cooling towels, keys and whatever else always seems to mysteriously disappear close at hand.



ERG19155

Squids® 3155 Elastic Hard Hat Lanyard with Clamp Easily and comfortably secures a hard hat to a worker to prevent the item from falling.



ERG18350

ProFlex® 350 Gel Foam Knee Pad: Gel comfort with slip resistant, puncture resistant soft cap.



ERG18380

ProFlex® 380 Standard Kneeling Pad Comfort for static kneeling situations. Closed-cell foam is non-conductive, resistant to petroleum, and siliconefree. Convenient handle.





FEN32-000200-0000

Porta Stream II
Emergency Eyewash
Station, with 180 oz.
Saline Offers versatile
portability and 15-minutes
of uninterrupted flushing
— without costly plumbing.



FEN32-000400-0000

Flash Flood Emergency
Eyewash Station, 1 gallon
Cartridge replacement is
quick and easy. Dual
nozzles flush both eyes
simultaneously. Flash
Flood™ delivers
Eyesaline™ Solution. Wall
mounted.



FEN32-000401-0000

Flash Flood Cartridge Refills Only- Trilingual (3 Minute) 1 gal, 4 per Pail



FEN32-000455-0000

Sterile Eyewash Bottles 32 Oz. Trilingual 12/Case Portable and readily available for use, these emergency eyewash bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency.



FEN32-000513-0000

180 Oz Saline Concentrate .Use with Fendall Porta Stream I, II or other 14-16 Gallon Stations Buffered saline eyewash. For use with Fendall Porta Stream™ Eyewash



FEN32-001000-0000

Pure Flow 1000 emergency eyewash station delivers the required 15 minutes of flushing with a preserved, buffered, saline solution that is superior to tap water for emergency eye care.



by Honeywell



HOWFF-1

BIL1010924 Leightning Earmuff NNR30dB Noise Reduction Rate.



BIL1010928
Thunder T1 Headband
Earmuff- Dielectric.
Construction with a
plastic headband that
does not conduct
electricity.



BIL1010970
Thunder T3 Headband
Earmuff – Dielectric NRR
30 Dielectric construction
suitable for all workplaces,
especially electrical
environments.



FirmFit Uncorded Earplugs, Orange, Polybag. Distinct warning orange color makes compliance checks easy. Easy to insert.



HOWLL-1 LASER LITE Bright, low-pressure single use foam earplug. Contoured T-shape for easy insertion and wear 200/box



HOWLL-30 Laser-Lite Foam Plug Polycord 100/box

HOWMAX-1



HOWLL-1-D Uncorded Laser Lite Disposable Earplugs Uncorded. NRR 32 Dispenser Refills 500 Pair (4 Box/Case)



HOWLPF-1
Max Lite Disposable
Earplugs, Uncorded,
Individual Polybag, Box of
200 pairs Contoured Tshape for easy insertion and
wear.



Max Highest Attenuating Single-Use Earplug Uncorded 2000/Pair

Uncorded 2000/Pai 10/Box NRR 33 Bell shape delivers maximum in-ear comfort.



HOWQB2HYG Quiet Bands 10/Box (10Bx/Cs) NRR 25 Re-sealable Bag Designed for people who are exposed to intermittent noise, QB2HYG offers solid protection with its supraaural fit.



HOWQB3HYG

Quiet Bands 10 Each Per Min 100 Box of 10 pairs. Banded Earplugs Quiet Designed for people who are exposed to intermittent noise, QB3HYG offers good protection with its semi-aural



HOWQD30

Quiet Reusable Earplugs Corded Built-in insertion stem makes insertion quick and easy. Contoured shape comfortably matches contours of the ear. Box of 100 pairs



HOWQM24+

Multiple-Position Headband Earmuff Dielectric



HOWSDT-30

Smartfit Detectable Triple-flange multiple-use detectable earplug 100/BX



HOWSMF-30

Smart Fit Corded 100Pr/Box NRR 25.Optional Cord, HearPack Conforming Material Technology™, adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed.













KCP20378	V30 Nemesis* CSA Safety Glasses, Clear Lenses with Black Frame
KCP20379	V30 Nemesis* CSA Safety Glasses, Clear Anti-Fog Lenses with Black Frame
KCP20380	V30 Nemesis* CSA Safety Glasses, Smoke Mirror Lenses with Black Frame
KCP20381	V30 Nemesis* CSA Safety Glasses, Indoor/Outdoor Lenses with Black Frame
KCP20382	V30 Nemesis* CSA Safety Glasses, Blue Mirror Lenses with Black Frame
KCP20386	V30 Nemesis* CSA Safety Glasses, Bronze Lenses with Camo Frame



KCP20525

Wildcat Safety Goggle Clear Anti-fog Lens Adjustable side vents to help increase airflow. Extreme heat resistance - will not melt, drip or ignite at 350 ^m°F for five minutes. Lightweight and comfortable with a pivot headband that allows for optimal placement



KCP20529

Wildcat Safety Goggle IRUV 5.0 Anti Fog Lens Adjustable side vents to help increase airflow.



KCP97431 -KCP97434

Jackson Safety* G60 Purple Nitrile*
Cut Resistant Gloves 9.0-L
ANSI Level 3 cut resistance,
CPPT = 1150g
More tapered coating on the fingertips
for added dexterity Breathable fabric
with flexible dotted palm provides
excellent grip and comfort
Ambidextrous design







- Aluminum valves, handles and levers are lightweight yet extremely durable and corrosion resistant
- Heavy duty plated steel siphon tubes are threaded versus crimped providing a secure connection
- Large neck opening more easily accommodates recharge
- Colour coded nameplates make it easier to identify agent type and applications
- Engineers grade polymer hose strap does not bend or scratch cylinders.
- Square thread design makes removing and installing valve quick and easy.
- · Large pull pin and handles are easy to operate with gloves

Part	Description
408-21008346	1A,10B:C Fire Extinguisher With Vehicle Bracket 2.5 LB
408-21008347	3A,40B:C Fire Extinguisher With Wall Bracket 5.5 LB
408-21008348	4A,60B:C Fire Extinguisher With Wall Bracket 10 LB
408-21008349	6A 80B C Fire Extinguisher With Wall Bracket 20 LB





KCP58512-KCP58516

KLEENGUARD* A20 Breathable Particle Protection Coveralls Med Style: Hooded - Zipper front, Elastic wrists & ankles, Elastic across the back Features: - REFLEX* design - Patented MICROFORCE™ Barrier SMS fabric - Barrier protection against dry particulates - Seamless front to provide more protection in the primary exposure areas - NFPA 99 Compliant Antistatic - Zipper flap - Elastic in the back - Denim Blue TYPICAL USES: Laboratories; Decontamination modesty garment; Remediation; Pesticides; Heavy dust environments



KCP44323 - KCP44326

KLEENGUARD* A40 Liquid & Particle Protection Coveralls Breathable, microporous film laminate Better liquid and particulate barrier than TYVEK™ Low in lint. Passes NFPA 99 criteria for antistatic materials Made with breathable material for comfort



KCP55082 - KCP55083

PURPLE NITRILE™® Exam Gloves, Ambidextrous. Custom design enhances comfort and fit, and textured fingertips improve wet and dry grip. Designed as an alternative for those who may have a Type 1 hypersensitivity to natural rubber latex proteins. Latex-free. Non-sterile. Powder-free. Single use only.



KCP57372 - KCP57374

Kleenguard Blue Nitrile Powder Free Glove. Kleenguard Blue Nitrile Powder Free Glove (100/Box) Provides hand protection while eliminating the type one allergic reactions associated with natural rubber latex proteins. The material provides an added degree of durability compared to latex, while textured fingertips provide enhanced grip and dexterity. CFIA approved – Size XS-XL

KCP36811

KLEENGUARD* A10 Light Duty Shoe Covers Blue - One Size Fits All Features:

- Fully elasticized
- Low skid
- Light blue color
- Lightweight polypropylene material





The Original's durable synthetic leather palm and breathable TrekDry® back-of-hand combine to create the ultimate tool for hardworking hands. A new tapered TPR closure and increasingly stronger hook and loop provide a secure fit to the wrist. With a gamut of practical uses.



Mechanix Wear Original series glove Black Standard Pack 10 484-MG-05-009 - Medium 484-MG-05-010 - Large 484-MG-05-011 - X-Large



Mechanix Wear Original series glove Hi-Viz Yellow Standard Pack 10 484-SMG-91-009- Medium 484-SMG-91-010- Large 484-SMG-91-011- X-Large



Mechanix Wear Original series glove Hi-viz Orange Standard Pack 10 484-SMG-99-009 - Medium 484-SMG-99-010 - Large 484-SMG-99-011 - X-Large

The FastFit® is a toolbox must-have. Form-fitting stretch panels between your fingers provide a snug fit & the elastic cuff offers easy on/off flexibility between tasks. The anatomically designed two-piece palm eliminates material bunching for an exceptional fit when working with hand tools. Breathable TrekDry® material form-fits the back of your hand & helps keep them cool & comfortable as you work through the day



Mechanix Wear Fast Fit glove Black Standard Pack 10 484-MFF-05-009 - Medium 484-MFF-05-010 - Large 484-MFF-05-011 - X-Large



Mechanix Wear Fast Fit glove Hi-viz Yellow Standard Pack 10 484-SFF-91-009 - Medium 484-SFF-91-010 - Large 484-SFF-91-011 - X-Large



The ORHD® Knit CR5 reduces risk on the rig by

delivering CE Level 5 cut resistance and critical impact

Mechanix Wear Fast Fit glove Hi-viz Orange Standard Pack 10 484-SFF-99-009 - Medium 484-SFF-99-010 - Large 484-SFF-99-011 - X-Large

Material4X® synthetic leather redefines durability with higher abrasion resistance and greater tear resistance than standard synthetic gloves



Mechanix Wear 4X Original series glove Brown/Black Standard Pack 10 484-MG4X-75-009 - Medium 484-MG4X-75-010 - Large 484-MG4X-75-011 - X-Large



protection to working hands

Mechanix Wear Knit ORHD series glove, Cut 5, Standard Pack 6 484-KHD-CR-009 - Medium 484-KHD-CR-010 - Large 484-KHD-CR-011 - X-Large



by Honeywell



MIL213WLS-Z7/6FTYL Web Lanyard 6-ft. length, 2 locking snap hooks, yellow



MIL233MK-Z7/6FTBKC Single Leg Manyard Made Of Kevlar W/Snap Hook And Web



MIL216M-Z7/5FTGNC 5Ft Manyard II Lanyard With Two Locking Snap



MIL219WRS-Z7/4FTYLC 4Ft Web Lanyard W/1 Locking Snap Hook

MIL219WRS-Z7/6FTYLC Miller Manyard Single Leg, Yellow Lanyard. One Snap And One Rebar Hook. 6 Ft. Long





MILT5111-Z7/4FTAFC 4' Titan tubular web shock absorbing lanyard MILT5111/6FTAF 6' Titan tubular web shock



MIL8798KR-Z7/6FTBKC Kevlar Web Lanyard with SofStop Shock-Absorber 6-ft. double leg; 1 locking snap hook, and 2 (2 1/2-in.) rebar hooks




MILT5112/6FTAF 6' Titan tubular web shock absorbing lanyard w/2-1/4" locking rebar hook



MILMFL-11-Z7/6FT Unit Connector-Aluminum Twist-Lock Carabiner

MILMFL-1-Z7/6FT Turbolite™ Personal Fall Limiter







MIL650-4/UYK
Yellow Non-stretch
Harness Universal.
Friction buckle shoulder
straps, mating buckle
chest strap, and tongue
buckle leg straps universal



MILP950QC/UGN
DuraFlex Ultra Harness
with Tubular Webbing
and Quick-Connect
Buckles Quick-connect
buckle chest strap and
legs straps; and Comfort
D-pad. - universal



<u>M</u>ILLER'

by Honeywell

MILT4507/UAK

Titan Non-Stretch Harness Sliding back D-ring; side D-rings; tongue buckle legs, mating buckle chest and shoulder straps; sub-pelvic strap - universal



MILE650-58/UGN
DuraFlex Harness
with Elastomer
Webbing Friction
buckle shoulder
straps, tongue buc
legs straps, and sig
D-rings - universal



MILE650QC/UGN
DuraFlex Ultra Harness
with Elastomer Webbing
and Quick-Connect
Buckles. Quick connect
buckle chest strap and
legs straps; and Comfort
D-pad - universal



MILRDT-QC/UBK Revolution Harness with DualTech Webbing Quick-Connect Buckle Legs - universal

MOLDEX



Part	Description	U/M
MM2200N95	2200 Series N95 Particulate Respirator	20/Box
MM2300N95	2300 Series N95 Particulate Respirator with exhale valve	10/Box
MM2400N95	N95 Particulate Respirator Plus Nuisance Ozone/Organic Vapours	10/Bag
MM2700N95	N95 Particulate Respirator with handy strap.Medium/Large	10/Box
MM2310	N99 Premium Particulate Respirator	10/Bag



9000 Series Full Face Respirator At less than 13 ounces, the 9000 Series respirator is ultra-lightweight.

MM9001 - Small MM9002 - Medium MM9003 - Large



MM7940

P100 Filter Disk for 7000 Series Half Mask & 9000 Series Full Face Respirators



MM6506

The new Jazz Band® has been redesigned with increased protection and comfort in mind. NRR 25 Banded Hearing Protector with Optional Neck Cord



SparkPlugs® earplugs are made of extra-soft, extra light foam.

MM6604 Uncorded. 200 Pairs/Box

200 Pairs/Box MM6654 Corded 100 Pairs/Box



MM6800

Pura-Fit Disposable Earplug Un-Corded right color for easy compliance checks. Long length for easy fitting and removal.200 Pairs/Box



MM6644

SparkPlugs® PlugStation®, 250 Pairs per Dispenser 6 Dispensers per case



MM6645

SparkPlugs®
PlugStation®
500 Pairs per
Dispenser
4 Dispensers per
case



MM6845

Pura-Fit® PlugStation®, 500 Pairs per Dispenser 4 Dispensers per case



applications where impact

resistance to impact and

hazards exist .Wider

design for improved

splash hazards



MSA10115836



MSA10034487

Sound Control SH Soprano Earmuff Kit for Full Brim Hat . Easy ear cup height adjustment. Soft ear cup material for extended wear. Three distinct wearing positions for ease of use NRR 25Db. Hard cap (not included)



MSA10061272

Cap Mount Ear Muffs Forslotted Caps HPE Style Designed for easy attachment to slotted MSA caps and help reduce the effects of excessive noise. Hard cap (not included)



MSA10116627

Part

V-Gard Accessory System Universal Visor Frame, 11 1/4 x 5 1/2, Black Features a heavy-duty, flat, rubber strap can be used with slotted and non-slotted MSA helmets. Perfect compatibility with many half-mask respirators



MSA10153384

Fas-Trac III Replacement Suspension, 4-pt Std-sized for Thermalgard and Topgard Fas-Trac™® III ratchet suspension and flush rear lug attachments eliminate pressure points. Graspable ratchet with ultra-smooth rotation and steadfast hold. Three levels of nape strap adjustment for customized fit



The MSA V-Gard Helmet, with its distinctive trademark "V" design, is a world recognized brand kr

1	nown for comfort, quality, and durability		
N. N.	Description		
MSA	Cap V-Gard White Fas-Trac Susp	358	
Free	Cap,V-Gard,Blue,Fas-Trac Susp	359	
Hann			

MSA4753 MSA4753 MSA475360 Cap V-Gard Yellow Fas-Trac Susp MSA475361 Cap V-Gard Orange Fas-Trac Susp MSA475362 Cap V-Gard Green Fas-Trac Susp MSA475363 Cap V-Gard Red Fas-Trac Susp




A10104254

edom Series V-Gard Hard Hat, Full Brim, Camouflage. Featuring Fas-Trac™® Suspension. Industrialstrength head protection that's lightweight yet durable. Slotted for better impact resistance and personal comfort



MSA10103908 Cap, V-Gard, Standard,

Camouflage, Ratchet Suspension



Part #	Description
MSA475382	Cap Top Gard Orange Fas Trac®
MSA475388	Hat Topgard Gray Fas Trac®
MSA475389	Hat Topgard Blue Fas Trac®
MSA475390	Hat Topgard Orange Fas Trac®
MSA475391	Hat Topgard Green Fas Trac®
MSA475392	Hat Topgard Red Fas Trac®
MSA475393	Hat Topgard Ratchet White
MSA475394	Hat Topgard Black Fas Trac®

MSA10040018

6" Chisel Grip Keeps hands away from the point of contact: permits faster, safer, more accurate work. Vibration-absorbing handle



MSA10072475 Workman® Energy-

Absorbing Lanyard



MSA10107602

Altair 4X Multigas Detector extremely durable Multigas Detector that simultaneously measures up to four gases from a wide range of XCell(R) sensor options including combustible gases, O2, CO, H2S, SO2 and



MSA455299

W65 Self-Rescuer Respirator The MSA Filter Self-Rescuers W65-2/W65 and W 95 are Air-Purifying Respirators for one-time escape use providing protection against toxic carbon monoxide (CO) and other gases emitted in underground mine fires or explosions



MSA488132

Visor Polycarb Formed 8X16X060 Clear. For use with Defender Plus Faceshield Frame. Great eye protection .Protects against flying, abrasive particles and chemical splash



MSA10072479

Workman Harness with Chest and Leg Buckles and Back D-Ring



MSA472859

Adapter Assembly Welders Clip On Ultravue facepiece



MSA507005

18" Tool Holder Attach to broom handles and mops for better grip. Eases awkward hand positioning. Vibration-absorbing design



MSA815692

Respirator Advantage 2-Pc Neck 200 LS Facepieces, Medium, 2-Piece Neckstrap the lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber to give the workers more comfort and stability





NORA79

Hard hat with rain trough, HDPE shell, 4 point nylon suspension, pin lock adjustment, 4 anchor points for chin strap.

Colours available: White, yellow, orange ,dark green, hi-viz, light blue, sky blue, navy blue



by Honeywell



NORA79R

Hard hat with rain trough, HDPE shell, 4 point nylon suspension, ratchet adjustment, 4 anchor points for chin strap.

Colours available: White, yellow, orange .dark green, hi-viz, light blue, sky blue, navy blue



NORA89R

Hard hat with rain trough, HDPE shell, foam liner, 4 point nylon suspension, ratchet adjustment, 4 anchor points for chin strap

Colours available: White, yellow, orange ,dark green, hi-viz, light blue, sky blue, navy blue



NOR54001

North 5400 full facepiece, elastomeric, with four strap headband, dual cartridge connectors for N series. Size medium/large.



NOR770030S - Small NOR770030M-Medium NOR770030L - Large

Half Mask Silicone With Dual Cartridge Connectors



NOR760008A

Full Facepiece Silicone Medium/Large 5 Strap Head Harness with Dual Cartridge Connectors



NOR550030M

5500 Series Low Maintenance Half Mask Respirators, Medium. Made of extremely soft nonallergenic elastomer for comfort and fit.



NORN75001L

Organic Vapor Respirator Cartridges



NOR7580P100

P100 any particulates filter (HEPA) - 99.97% minimum filter efficiency. Compatible with all North facepieces - Sold in 2/pk



NQR7583P100L

Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide And P100 Cartridge/Filter Combination



NOR75SCP100L

Defender:
Organic Vapor,
Chlorine,
Hydrogen
Chloride, Sulfur
Dioxide and
P100

Cartridge/Filter Combination



NOR7902

The 7900 Series mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations. Use the respirator as a "visitors escape device" or issue individual respirators to employees as a safety precaution against a potential chemical leak



NORSB470

Terry Cloth Sweat Band with Velcro Closure. Universal Fit. 10 Per Pack.



NOR80836A

Peel-Away Windows For Use With 5400, 7600 and 7800 Series Full Facepieces Convenient, disposable lenses. Simply peel away and dispose



NOR90S

Visitor Spectacles 3A Premium Protection For Plant Visitors Clear Lens



NORLP110

Lockout Electrical plug lock 110 Volts for plugs up to 1 3/4" X1 3/4"X3 1/4" (44.5mm X 44.5mm X 82mm)



NOR75125C

Boot Servus PVC 15 In 38.1 cm Black Insafetoein Steel Toe Insafestep



NOR7003

Respirator Refresher Wipe Pads (100/Box) Alcohol-free and will not damage facepiece materials. Individually wrapped to hold moisture. Stored in a convenient box

Lens

PYR-S4110S

PYR-SB1810R25

Clear Lens + 2.5

V2® Readers Black Frame

PYRAMEX

PYR-SW5655D Goliath®

White Frame Sky Red Mirror

Intruder® Clear Hardcoated Lens



PYR-SB8710DTP

Accurist® Black Frame Clear Anti-Fog Lens



PYR-SB5621D Goliath® Black Frame Gray Polarized Lens



PYR-SBG5020DT

Highlander Plus™ Black-Gray Frame Gray Anti-Fog Lens



PYR-S7210ST

Provog™Clear Frame Clear Anti-Fog Lens



PYR-S2510S Ztek® Clear Frame Clear Lens



RON365 Small RON375 Medium RON385 Large RON395 X Large



PYR-SB8720DTP

Accurist® Black Frame Gray Anti-Fog Lens



PYR-SB5645D

Goliath® Black Frame Ice Orange Lens



PYR-SB7010SDT

I-Force®Black Frame Clear Anti-Fog Lens



PYR-S7220S

Provoq™ Gray Frame Gray Lens



PYR-S2560S

Ztek® Infinity Blue Frame Infinity Blue Lens

Classic, Complete 3 piece suit; jacket, detachable hood and bib pants. .35mm, PVC/Polyester, Suit, 3 PC, YELLOW 611-2003S-5XL



PYR-SB8725DTP

Accurist® Black Frame Light Gray Anti-Fog



PYR-SB5665D

Goliath® Black Frame Ice Blue Mirror Lens



PYR-SB7020SDNT

I-Force® Slim Black Frame Gray Anti-Fog



PYR-GB1810ST

V2G® Black Frame Clear Anti-Fog



PYR-S2510SN

Mini Ztek® Clear Frame Clear Lens







PYR-S2517SN Mini Ztek® Pink Frame Pink Lens



CSA, Class 2, Tear away, 100% Polyester Mesh Safety. Vest with hook and loop closures on sides, shoulders, and front. 2" Silver 3M™ Reflective Material. D-Ring Access slot on back. Fluorescent Lime L-4X - 611-CS2



Manufactured from a patented blend of premium quality synthetic materials; exclusive to Ronco • Impressive strength and elasticity • Exceptional touch sensitivity and dexterity

- · Superior durability · Powder free
- 100% latex free; reduces risks associated with allergic reactions
- · Blue colour







RONCO NITRILE N2

- 100% nitrile Excellent strength • Available as lightly powdered or powder free
- 100% latex free, reduces risks associated with allergic reactions
- · Blue colour



RONCO BluRite Plus

RON966	Small
RON976	Medium
RON986	Large
RON996	X Large

 Manufactured from premium quality nitrile • 100% accelerator free, reduces risks of Type IV allergic reactions • Excellent resistance to a wide variety of chemicals • Powder free • 100% latex free, reduces risks associated with allergic reactions • Blue colour



RONCO NITRILE N2

RON963	Small
RON973	Medium
RON983	Large
RON993	X Large



focus on quality

• 100% nitrile • Excellent strength • Available as lightly powdered or powder free • 100% latex free. reduces risks associated with allergic reactions

· Blue colour



RON170-21 **Bouffant Caps** Non Woven White Min 100/Bag, Min.10Bags



RON170G-21 **Bouffant Caps** Non Woven Green Min 100/Bag, Min.10Bags



RON170Y-21 **Bouffant Caps Non** Woven 100/Bag Yellow Min.10Bags





SPKP100

Oil Only Sorbent Pads Weight: Heavy Size: 15"x18" 100/bale Pure melt blown fibers are the most cost-effective absorption technology todav. Fast-wicking fibers absorb 25 times their weight in hydrocarbon. Repels water - absorbs hydrocarbon products.





A400 Series Eyewear, Clear Polycarbonate Hard Coat Lenses, Clear Frame Glasses are scratch- and impact-resistant.



A700 Series Eyewear, Clear Polycarbonate Hard Coat Lenses, Clear Frame Flexible temples with soft padded temple tips. Molded nose bridge for comfortable fit

Clear Frame Clear Lens, Anti-scratch Coating Gray Frame TSR Gray Lens, Anti-scratch Coating Amber Frame Amber Lens, Anti-scratch Coating Gray Frame Blue Mirror Lens, Anti-scratch Coating Gray Frame I/O Silver Lens, Anti-scratch Coating Clear Frame Clear Lens, Fog-Ban Anti-fog Coating

		Part#
UVXA400	Clear Frame Clear Lens, Anti-scratch Coating	UVXA700
UVXA400AF	Clear Frame Clear Lens, Uvextra Anti-fog Coating	UVXA701
UVXA401	Gray Frame Gray Lens, Anti-scratch Coating	UVXA702
UVXA401AF	Gray Frame Gray Lens, Uvextra Anti-fog Coating	UVXA703
UVXA402	Amber Frame Amber Lens, Anti-scratch Coating	UVXA704
UVXA403	Gray Frame Silver Mirror Lens, Anti-scratch Coating	UVXA705
UVXA404	Clear Frame I/O Silver Mir Lens, Anti-scratch Coat	

Uvex Seismic Sealed Eyewear

Contemporary style that can be worn with temples or headband. Provides protection against impact, sun, wind, and debris. Ideal for high-particulate environments such as grinding, chipping and sanding.




UVXS0600X Black Frame Clear Lens, Anti-scratch Coating UVXS0601X Black Frame Espresso Lens, Uvextra Anti-fog

UVXS0602X Black Frame Amber Lens, Uvextra Anti-fog

UVXS0604X Black Frame SCT-Reflect 50 Lens, Uvextra Anti-fog UVXS0605X Black Frame SCT-Gray Lens, Uvextra Anti-foq

Uvex Astro OTG 3001





Uvex Genesis

Wrap-around lens provides exceptional peripheral vision and protection. Flexible fingers adjust to most nasal profiles. Elastomer browguard deflects impact. Adjustable temples and lens inclination.



UVXS2500C	Black Frame Clear Lens, Uvextreme Anti-fog Coating
UVXS2501	Black Frame Espresso Lens, Uvextra Anti-fog
UVXS2504	Black Frame Gray Lens, Ultra-dura Anti-scratch Coating
UVXS2509	Black Frame SCT-Gray Lens, Uvextra Anti-fog

UVXS3200	Uvex Genesis Black Frame Glasses, Clear Ultra-dura
UVXS3200X	Uvex Genesis Black Frame Glasses, Clear Uvextreme
UVXS3201X	Uvex Genesis Black Frame Glasses, Espresso Uvextreme
UVXS3204	Uvex Genesis Black Frame Glasses, SCT-Reflect 50 UD
U V X Z U O	Uvex Genesis Black Frame Shade 3.0 Infra-dura Lens, Ultra-dura Anti-scratch Coating
	Uvex Genesis Blue Frame Ultra Dura Clear Lens
UVXS3240X	Uvex Genesis Vapour Blue Frame Glasses, Clear Uvextreme
UVXS6902X	Uvex Genesis Replacement Lens, Amber / Uvextreme AF
UVXS6900X	Uvex Genesis Replacement Lens, Clear Uvextreme
UVXS6904	Uvex Genesis Replacement Lens, SCT-Reflect 50 / Ultradura





UVXS3960C

Uvex Stealth Futuristic, low profile design for chemical splash and impact. Toric lens provides superior optics and peripheral vision. Quick adjust headband Clear Lens, Uvextreme Anti-fog Coating



UVXS3960C

Uvex Stealth Futuristic, low profile design for chemical splash and impact. Teal Body, Neoprene Band Clear Lens, Uvextreme Anti-fog Coating



UVXS462

Uvex Cleaning Tissues 500/Box Specifically formulated for anti-fog and scratch resistant hardcoat lenses.



UVXS463

Uvex Lens Cleaning Solution Spray Bottle 16 oz. Specifically formulated for anti-fog and scratch resistant hardcoat lenses.



UVXS468

Uvex Lens Cleaning Moistened Towelettes (100/bx). Specifically formulated for anti-fog and scratch resistant hardcoat lenses.

Uvex Bionic

A revolutionary face shield designed for rugged jobs. Extremely lightweight and highly adjustable for all-day comfort it's perfect for workers exposed to impact, chemical splash, and airborne debris.



UVXS8500	Uvex Bionic Black Matte Faceshield	Visor Coating - Uncoated	Visor Tint - Clear PC
UVXS8510	Uvex Bionic Black Matte Faceshield	Visor Coating - Anti-fog /Hardcoat	Visor Tint - Clear PC
UVXS8550	Uvex Bionic Replacement Visor	Visor Coating - Uncoated	Visor Tint - Clear PC
UVXS8555	Uvex Bionic Replacement Visor	Visor Coating - Anti-fog/Hardcoat	Visor Tint - Clear PC
UVXS8560	Uvex Bionic Replacement Visor	Visor Coating - Uncoated	Visor Tint - Shade 3.0
UVXS8565	Uvex Bionic Replacement Visor	Visor Coating - Uncoated	Visor Tint - Shade 5.0
UVXS8580	Uvex Bionic Replacement Sweatband		
UVXS8590	Uvex Bionic Hard Hat Adapter		
UVXS8595	Uvex Bionic Ratchet Suspension		



VIZCON

Traffix Devices Inc.

Enviro Cone

- · New super cone
- · High visibility and long-term durability
- Superior hot and cold weather performance
- No cracking / breaking down to -25° F
- More stable than 7 or 10lb PVC cones because 80% of the weight is in the base
- Easy Grip Groove for quick deployment and retrieval
- Made from 80% recycled material and can be recycled again
- Made in North America





375-16018-NSWB-3 - Enviro-cone, 18 inch 3 lb With No Reflective Collars **375-16028-NSWB-7** Enviro-cone, 28 inch 7 lb With No Reflective Collar

Delineator Tube





3M













3MH71-0003-1978	3M™ Speedglas™ Quick Release Welding Helmet 9100 QR, with Large Size Auto-Darkening Filter 9100X and Hardhat H-701R, 06-0100-20QR
3MH71-0003-1979	3M™ Speedglas™ Quick Release Welding Helmet 9100 QR, with X-Large Size Auto-Darkening Filter 9100XX and Hardhat H-701R, 06 0100 300P



Part#	Description
3MH70-0715-1067-4	3M™ Speedglas™ Auto Darkening Filter 9100V, Welding Safety 06-0000-10, Shades 5, 8-13
3MH70-0715-1068-2	3M™ Speedglas™ Auto Darkening Filter 9100X, Shades 5, 8-13, Welding Safety 06-0000-20
3MH70-0715-1069-0	3M™ Speedglas™ Auto Darkening Filter 9100XX, Shades 5, 8-13, Welding Safety 06-0000-30



Part#	Description
3MH70-0715-1009-6	3M™ Speedglas™ Inside Protection Plate 9100V, Welding Safety 06-0200-10
3MH70-0715-1016-1	3M™ Speedglas™ Inside Protection Plate 9100X, Welding Safety 06-0200-20
3MH70-0715-1017-9	3M™ Speedglas™ Inside Protection Plate 9100XX, Welding Safety 06-0200-30
3MH70-0715-1051-8	3M™ Speedglas™ Outside Protection Plate 9100, Welding Safety 06-0200-51-B, Standard - Bulk
3MH70-0715-1052-6	3M™ Speedglas™ Outside Protection Plate 9100, Welding Safety 06-0200-52-B, Scratch Resistant



3MH70-0715-6456-43M™ Speedglas™ 9100 Hard
Hat Adapter, 06-0014-00NR for
3M™ Speedglas™ Welding
Helmet 9100



3MH70-0715-6456-4 3M[™] Speedglas[™] Hard Hat Adapter, Welding Safety, 9100 FX, 06-0614-00NR, for 3M[™] Speedglas[™] Welding Helmet, 9100 FX, 1 per case



3MH70-0712-7294-5 04-0320-00 3M™ Speedglas™ Welding Helmet Battery, 04-0320-00/37137(AAD)



Part#	Description
3MH71-0002-5866	3M [™] Adflo [™] Powered Air Purifying Respirator High Efficiency System with 3M [™] Speedglas [™] Welding Helmet 9100-Air, 35-1101-20SW, with Lithium Ion Battery, Side Windows and Auto-Darkening Filter 9100X, Shades 5, 8-13
	3M [™] Adflo [™] Powered Air Purifying Respirator High Efficiency System with 3M [™] Speedglas [™] Welding Helmet 9100-Air, 35-1101-30SW, with Lithium Ion Battery, Side Windows and Auto-Darkening Filter 9100XX, Shades 5, 8-13
	3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System with 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 36-1101-10SW, with Lithium Ion Battery, Side Windows and Auto-Darkening Filter 9100V, Shades 5, 8-13
	3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System with 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 36-1101-20SW, with Lithium Ion Battery, Side Windows and Auto-Darkening Filter 9100X, Shades 5, 8-13
	3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System with 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 36-1101-30SW, with Lithium Ion Battery, Side Windows and Auto-Darkening Filter 9100XX, Shades 5, 8-13
	3M [™] Adflo [™] Powered Air Purifying Respirator High Efficiency System with 3M [™] Speedglas [™] Welding Helmet 9100 MP, 37-1101-10SW, with Lithium Ion Battery, Hard Hat, Side Windows and Auto-Darkening Filter 9100V, Shades 5, 8-13,
	3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System with 3M™ Speedglas™ Welding Helmet 9100 MP, 37-1101-20SW, with Lithium Ion Battery,
	Hard Hat, Side Windows and Auto-Darkening Filter 9100X, Shades 5, 8-13 3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System with 3M™ Speedglas™ Welding Helmet 9100 MP, 37-1101-30SW, with Lithium Ion Battery,
3MH71-0002-5873	Hard Hat, Side Windows and Auto-Darkening Filter 9100XX, Shades 5, 8-13

3M[™] Adflo[™] Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter, Respiratory Protection 15-0299-99X02/37145(AAD)

3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency

3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency

Particulate Filter, Respiratory Protection 15-0299-99X06

Particulate Filter, Respiratory Protection 15-0299-99X36





3M[™] Adflo[™] Replacement Cartridges Organic Vapor/Acid Gas(OV/SD/CL/HC) 15-0499-99X02 15-0499-99X06



Part#

3MH70-0715-4461-6

3MH70-0715-4462-4

3MH70-0715-4463-2

Description

3M[™] Adflo[™] Prefilter, Welding Safety 15-0099-99X06/37144(AAD) 15-0099-99X12



3MH71-0002-5244 3M™ Adflo™ PAPR Battery Smart Charger, 35-0099-08, for Lithium Ion Battery



3MH71-0002-5245 3M[™] Adflo[™] Powered Air Purifying Respiratory (PAPR) Battery, 35-1099-07, Lithium Ion



Cylinder

ANT6105 Single D & E Cart Heavyduty frame

ANT6114 Single Cylinder Medical Cart / Retractable Unit Heavyduty cart. Retractable unit



ANT6120

12-Cylinder Medical Stand, 400 lb Load Capacity All-welded steel construction ensures greater durability, strength and longer life of the unit. Designed for use where there is a need for multiple cylinder storage and mobility is not a factor. Heavy-duty frame.



ANT94L16 Cylinder Truck with 16 inch Pneumatic Wheel



ARO1000F-0141 Blue Doom Carrera shell with 1000FCF Filter



AROOPT-1000 Black Optiva® Helmet with Inside Variable Filter



AROS240-9 AROS240-10 AROS240-11

Retro Fit Auto-Darkening Filter. Shades 9, 10, 11 -Horizontal 2" X 4 1/4" X .2"



ARCONE®

AROX81VX-1500

Black Vision Helmet with X81VX *New Digital ASIC A/D lens*





ATLH

Tomahawk Cone& Chisel Hammer with Steel Handle Heads are "pinned" for safety and reliability. Manufactured under the same rigid standards as all hammers. These popular models feature "Flex-O" steel coil hand grips welded to tough steel handle shafts

ATLWH-20

Cone & Chisel

hand fitted and secured in

eliminates handle loosening.

The Atlas "Long Nek" head

design offers 50% greater

splinter caused by working

the head by our unique

process which virtually

handle support and

over an edge

protection from handle



Standard Wood Grip Tomahawk



Atlas Long-Nek Tomahawks® -Replacement Handle 13 inch hickory handle

AT MARAHET

ATLHCP

Cone & Cross Chisel Hammer Tomahawk



Long-Nek Tomahawk Select Hickory handles are

ATLJ

ATLWH-30

Cone & Cross Chisel Longneck Tomahawk Atlas "Long Nek" head design offers 50% greater handle support and protection from handle splinter caused by working over an edge



Bernard™ 40B Shortstub™ Stick Electrode Holder. Electrode can be used to within one inch of the high heat. Designed to greater improve productivity with a quick and easy installation of electrodes, eliminating total replacement



Head Assembly for use with Shortstub







Bestweld Cable Connector **BWCCS SET BWCCM Male BWCCF Female**







BWH
H Style Chipping



Part	Description
BWSSS-G	Cylinder Cart For Side By Side Small
BWSSM-G	Cylinder Cart For Side By Side Medium
BWSSL-G	Cylinder Cart For Side By Side Large
BWSSLP	Cylinder Cart For Side By Side Large Pneumatic
BWBBM-G	Cylinder Cart For Back To Back Medium
VAUSM100	Cylinder Cart For MIG
VAU207G-G	Single Cylinder Cart

BWS1167GE3	1/16x7 Ground E3 Tungsten 10/Pkg
BWS1167GZ	1/16x7 Ground Zirtung 10/Bx
BWS187G	1/8x7 Ground Pure 10/Bx
BWS187GE3	1/8x7 Ground E3 Tungsten 10/Pkg
BWS187GZ	1/8x7 Ground Zirtung 10/Bx
BWS3327G	3/32x7 Ground Pure 10/Bx
BWS3327GZ	3/32x7 Ground Zirtung 10/Bx
BWS3327GE3	3/32x7 Ground E3 Tungsten 10/Pkg



Part #	Description
BWS22-023-003X	Carbons 1/8 X 12 DCCC
BWS22-033-003X	Carbons 3/16 X 12 DCCC
BWS22-043-003X	Carbons 1/4 X 12 DCCC
BWS22-053-003X	Carbons 5/16 X 12 DCCC
BWS22-063-003X	Carbons 3/8 X 12 DCCC
BWS22-983-003X	Carbons 5/32 X 12 DCCC



BWS70S6-0.6-1	ER70S-6 .023 X 2lb Spool
BWS70S6-0.6-5	ER70S-6 .023 X 11lb Spool
BWS70S6-0.8-1	ER70S-6 .030 X 2lb Spool
BWS70S6-0.8-5	ER70S-6 .030 X 11lb Spool
BWS70S6-0.9	Er70S-6 .035 X 15Kg Spool
BWS70S6-0.9-1	Er70S-6 .035 X 2lb Spool
BWS70S6-0.9-5	Er70S-6 .035 X 11lb Spool



BWS-MP8

Bestwelds MIG Economy Plier. Multi-purpose spring-loaded MIG plier designed specifically for CO2 welding operations maintenance and other different tasks



BWS71-030-10	E71T-GS Fluxcor 030 X 10 lb
BWS71-030-2	E71T-GS Fluxcor 030 X 2 lb
BWS71-035-10	E71T-GS Fluxcore 035 x 10 lb
BWS71-035-2	E71T-GS Fluxcor 035 X 2 lb



Part	Description
BWSRA160TE	Raparound 4X 4 36 Tough Edge
BWSRA170TE	Raparound 4X 6 310 Tough Edge
BWSRA177TE	Raparound 4X 7 412 Tough Edge
BWSRA179TE	Raparound 4X 9 616 Tough Edge





Cutting Tips



OKIBS400EH 400 Amp Bernard Style Electrode (Ehbn40) OKIBWRH

Replacement Head For 400Eh (Ehss40Hd))



OKIWG200 – 300 – 500Ground Clamp 200 Amp (Ecal20) 300 Amp (Ecal30) 500 Amp (Ecal50)



BWTD-16Bestwelds Nozzle
Dip

Part	Description
BWS1-101-0 to 6	1-101-0 to 6 Victor
BWS3-101-0 - 4	3-101-0 to 5 Victor
BWS4202-2 to 9	4202-2 to 9 Purox
BWS6290-0 to 5	6290-0 to 5 Harris



Part #	Description
900-17FV	Bestwelds Torch Body Flexible with Valve
900-17FV-25-R	Bestwelds Torch Package X 25ft Rubber
900-18-25-R	Bestwelds Torch Package X 25ft
900-20-25-R	Bestwelds Torch Package 25 Ft Braided



Part	Description
900-10N23	Bestwelds Standard Collet 1/16 1.6mm 5 Pack
900-10N24	Bestwelds Standard Collet 3/32 2.4mm 5 Pack
900-10N25	Bestwelds Standard Collet 1/8 3.2mm 5 Pack
900-10N28	Bestwelds Collet Body 1/82 3.2mm 5 Pack
900-10N31	Bestwelds Collet Body 1/16 1 6mm 5 Pack
900-10N32	Bestwelds Collet Body 3/32 2.4mm 5 Pack
900-10N46	Bestwelds Ceramic Cup 1/22 13mm 10 Pack
900-10N47	Bestwelds Ceramic Cup 7/16 11mm 10 Pack
900-10N48	Bestwelds Ceramic Cup 3/8 10mm 10 Pack
900-10N49	Bestwelds Ceramic Cup 5/16 8mm 10 Pack
900-10N50	Bestwelds Ceramic Cup 1/4 6mm 10 Pack



900-4E315M Bestwelds Bernard Style Mig Gun 300A 15FT Cable Miller End



900-4E315T Bestwelds Bernard Style Mig Gun 300A 15FT Cable Tweco End



Nozzles



900-4391

Bestwelds Bernard Style Brass Nozzle 5/8/16mm 5/ Pack



900-4392

Bestwelds Bernard Style Brass Nozzle 1/2/13mm 5/ Pack



900-4393

Bestwelds Bernard Style Copper Nozzle 5/8/16mm 5 Pack

Contact Tips



Part Description 900-7488 Bestwelds Bernard Style Contact Tip .030/0.8mm ECU 900-7489 Bestwelds Bernard Style Contact Tip 0.35/0.9mm ECU 900-7490 Bestwelds Bernard Style Contact Tip .045/1.2mm ECU 900-7491 Bestwelds Bernard Style Contact Tip 1/161.6mm ECU 1

Liner



900-43115

Bestwelds Bernard Style Steel Liner X 15ft 0.8-1.2

Head Assembly



900-4335

Bestwelds Bernard Style Head Assembly 5 Pack

<u>Nozzles</u>

Part	Description
900-24A-50	Bestwelds Tweco Style Nozzle Adjustable 1/2/13mm 5 Pack
900-24A-62	Bestwelds Tweco Style Nozzle Adjustable 5/8/16mm 5 Pack
900-24A-75	Bestwelds Tweco Style Nozzle Adjustable 3/4/19mm 5 Pack
900-24CT-50S	Bestwelds Tweco Style Fixed Nozzle Coarse 1/2/13mm 5 Pack
900-24CT-62S	Bestwelds Tweco Style Fixed Nozzle Coarse 5/8/16mm 5 Pack
900-24CT-75S	Bestwelds Tweco Style Fixed Nozzle Coarse 3/4/19mm 5 Pack

Contact Tips



Part	Description
900-14-35	Bestwelds Tweco Style Contact Tip .035/0.9mm ECU 25 Pack
900-14-45	Bestwelds Tweco Style Contact Tip .045/1.2mm ECU 25 Pack
900-14-116	Bestwelds Tweco Style Contact Tip 1/16/1.6mm ECU 25 Pack
900-14H-35	Bestwelds Tweco Style Contact Tip .035/0.9mm ECU HD 25 Pack
900-14H-45	Bestwelds Tweco Style Contact Tip .055/01.2mm ECU HD 25 Pack
900-14H-116	Bestwelds Tweco Style Contact Tip 1.6mm ECU HD 25 Pack

Liner



Part	Description	
900-44-3545-15	Bestwelds Tweco Style Liner Conduit 0.9-1.2mm X 15ft	
900-44-116-15	Bestwelds Tweco Style Liner Conduit 1.6mm X 15ft	



Nozzle

Part	Description
900-34A	BWS Tweco Style Adjustable Nozzle Insulator 5/pack
900-34CT	BWS Tweco Style Nozzle Insulator Coarse Thread 5/pack
900-054A	BWS Tweco Style Gas Diffuser 1/4 UNF 5/pack





CAI1810

Revolution MIG / Multi-Task, Cow Grain Unlined, padded and reinforced palm for added protection and comfort. Top grain leather forchettes and fingertips. Two-layer insulated back for protection from radiant heat



CAI1812

Revolution Welding Gloves, Tan/Gold, 4"Gauntlet, Pig Grain Leather Complimentary 3 in carabiner to keep gloves together with loops on each pair. Exclusive KontourTM, Design---Sewn with 100% KeylarTM® thread



CAI1814 Revolution Deer Weld Glove Large Designed for MIG, Stick and Plasma. Heavy Cow Grain leather palm with double stitched padding and wearpatch



CAI1828

Revolution Multi-Task, Cow Grain Unlined, padded and reinforced palm and thumb saddle for added protection and comfort



CAI1830

Revolution Stick / MIG& Plasma, Deerskin Large Exclusive Caiman® Cool-Design utilizes corrugated foam and perforated leather to disperse heat off the back of the hand



CAI1864

Caiman
Deerskin Glove
Excellent allaround glove
for TIG welding,
gas welding
and plasma
cutting



CAI1868

Caiman® Revolution® Welding Gloves for Multi-Task/TIG Welding, Goat-Grain Leather, White/Gold. 3-dimensional patterns, pre-curved fingers and form-fitting for ultimate fit, comfort and dexterity. Patches, padding and reinforcements for comfort and protection. Sewn with 100% Kevlar thread



CAI1878

21" Deerskin Welders Industry First! - 21" glove with heavy duty padding on the forearm and elbow for comfort. Boarhide™ leather heat shield patch, reinforced palm, cuff and leanon patch



CAI2950 Multi-

Activity
Glove
Large
RhinoTex™
synthetic
leather
palm



CAI2955

White Goat Grain Multi-Activity MAG Gloves feature internal padded palm, Air-Mesh ultrabreathable back, Pinched-Tip fingers



CAI2970

Gray Deerskin
Multi-Activity
MAG Gloves
feature internal
padded palm,
Air-Mesh ultrabreathable back
and Pinched-Tip
fingers



CAI2981

Deerskin Hi-Vis Reflective Multi-Activity Gloves feature reflective tape on knuckle area and finger tip



CAI3030

Gold Boarhide 30 Coat / Jacket features satin lined shoulders/sleeves, corduroy collar, inside pocket, reinforced stress points & 100% Kevlar



CAI3031

Boarhide Cape Sleeves feature corduroy lined collar, reinforced stress points & sewn with 100% Kevlar with folded, double stitched construction



CAI3136

Boarhide Bib Apron is available in 36in, 42in & 48in lengths. Offers superior cut, abrasion and heat resistance than cowhide



CAI3142

Boarhide Bib Apron are available in 36in, 42in & 48in lengths. Superior cut, abrasion and heat resistance versus cowhide

VELDING



CAN300-230 CAN300-4L Leak **Detection Compound -**Oxygen Compatible -Approved For Oxygen Use - Regular Temp Type I -8 oz or 4 Liters



CAN365-230 CAN365-4L Leak **Detection Compound -**Oxygen Compatible -Approved For Oxygen Use - Low Temp Type II-8oz or 4 Liters



WELDING CHEMICAL PRODUCTS



CANAG-16-A

Bright Zinc Galvanizing Spray Provides a brilliant metallic aluminum finish. Provides superior zinc protection on welds. galvanized steel, base iron and other ferrous surfaces exposed to harsh and corrosive environments



CANAS-16-A **CANAS-1G** CANAS-20L

Heavy duty anti-spatter is a non-flammable, quick drying, solvent based spray. Heat resistant for high temperature applications.



CANC101-A

Cleaner -Standard.NDT STD Cleaner Aerosol Blend of petroleum hydrocarbon solvents. Cleaner



CAND101-A

Dye Penetrant Inspection, Developer D101 is a non-acqueous wet developer that sprays out white for red dve



CANCF1-4L

Cooling Fluids -Inhibited Ethylene Glycol Based - Regular Temperature 4L. Designed for use in Plasma, MIG. TIG and resistance welding systems



CANCF2-4L

Cooling Fluids - Inhibited Ethylene Glycol Based - Mid Temperature 4L Designed for use in Plasma, MIG, TIG and resistance welding systems



CANLUBE-4 -CANLUBE-6 -**CANLUBE-25**

Wire Lube Pads. Regular Pretreated replacement pads that reduce friction in wire feed units. Pads are coated to remain wet without containing excess liquid material. Product is non-irritating, non-toxic, odorless.



CANES-16-A

Premium Anti-spatter -Water Based Concentrate 16 OZ. Premium quality water based anti-spatter compound that provides a thin, uniform protective coating on MIG nozzles, tips, fixtures and materials during weld process. Prevents spatter build up in welding applications on all types of materials including steel, stainless steel, aluminium.



CANP101S-A Penetrant Solvent. Red dye, solvent removable penetrant indicates surface flaws against white developer powder background No chlorinated solvents. meets ASME section V halogen and chloride content requirements CANP301W-A Penetrant

Water Penetrant Solvent. Red dye, water removable penetrant indicates surface flaws against white developer powder background



CANTD-16

Premium Nozzle Tip Dip made from USP grade materials and provides a rich protective barrier which prevents spatter build up on MIG gun nozzles, tips, positioners and fixtures





CENTURY®

Part #	Length Ft.	AWG Size	Amps	Color
CWCD13308025	25	8	40	Black
CWCD13308050	50	8	40	Black

Best Welds filter plates offer ultimate protection against ultraviolet and infrared rays present in the welding environment • Precisely shaded and optically correct. • Precision ground and edged to allow a safe and proper fit




Bestwelds-2X4-1/4

Part	Shade
CEP932-105-8	Shade 8
CEP932-105-9	Shade 9
CEP932-105-10	Shade 10
CEP932-105-11	Shade 11
CEP932-105-12	Shade 12



Bestwelds Hardened Glass Filter Plate -4-1/2X5-1/4

Part	Shade
CEP932-107-8	Shade 8
CEP932-107-9	Shade 9
CEP932-107-10	Shade 10
CEP932-107-11	Shade 11
CEP932-107-12	Shade 12



	Part	Shade
	CEP932-108-8	Shade 8
3	CEP932-108-9	Shade 9
Note it	CEP932-108-10	Shade 10
	CEP932-109-11	Shade 11
	CEP932-108-12	Shade 12



Part	Description	
CEP932-145-100	Glass Magnifier	2x4.25 1.0 Diopter
CEP932-145-125	Glass Magnifier	2x4.25 1.25 Diopter
CEP932-145-150	Glass Magnifier	2x4.25 1.50 Diopter
CEP932-145-175	Glass Magnifier	2x4.25 1.75 Diopter
CEP932-145-200	Glass Magnifier	2x4.25 2.0 Diopter
CEP932-145-250	Glass Magnifier	2x4.25 2.5 Diopter
CEP932-145-300	Glass Magnifier	2x4.25 3.0 Diopter



CEP932-12BFixed-Front Welders Goggle



Part	Description
CEP932-146-100	Magnifier Plate Plastic 2X4.25 1.0 Diopter
CEP932-146-125	Magnifier Plate Plastic 2X4.25 1.25 Diopter
CEP932-146-150	Magnifier Plate Plastic 2X4.25 1.50 Diopter
CEP932-146-175	Magnifier Plate Plastic 2X4.25 1.75 Diopter
CEP932-146-200	Magnifier Plate Plastic 2X4.25 2.0 Diopter
CEP932-146-225	Magnifier Plate Plastic 2X4.25 2.25 Diopter
CEP932-146-250	Magnifier Plate Plastic 2X4.25 1.0 Diopter



CEP932-44

Welders' Cup Goggle, #5 Green Shade, Thermoplastic Green Frame Adjustable elastic headband. Contour shape fits snugly and comfortably. Lightweight, hard plastic goggles with rigid frame provides superior impact protection



CEP932-442 Safety Plate Poly 4 X 5



CEP932-440 Safety Plate Polycarbonate Safety Plate 2 X 4



CR39 Clear Plastic Cover Lens 2X4.25

Comeaux Caps

Part	Size
CMX2000R-712	7 1/2 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap
CMX2000R-714	7 1/4 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap
CMX2000R-718	7 1/8 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap
CMX2000R-734	7 3/4 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap
CMX2000R-738	7 3/8 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap
C.MX2000R-758	7 5/8 Deep Round Crown Cap Assorted Single sided. Super soft brim fitted welders cap





Jackson Contour
WRAP-A-ROUND* An
inexpensive tool for
marking straight lines
around pipe. Made out
of flexible gasket
material, with good
resistance to heat and
cold.



CONTOUR"

Part	Size
KCP14752	3001858 Contour #164B Wrap-a-round Black Med
KCP14753	3001859 Contour #176B Wrap-a-round Black Large
KCP14754	3001860 Contour #177B Wrap-a-round Black X-Large 7'
KCP14756	3001861 Contour #179B Wrap-a-round Black X-Large 9'
KCP14766	3001869 Contour #177GG Wrap-a-round Grev Large 7'



KCP14771

Contour #1 Marker The Contour Marker consists of an X frame, calibrated protractor, and a triplejointed marking arm adjustable to the line to be scribed



KCP14775 Standard KCP14776 Jumbo Spring Loaded

Contour Centering Heads aid in the settings of centerlines, establishing angles and marks for butt-ins, locating points inside pipes and tanks, laying out keyways and measuring declivity



KCP14777

8" Pro Mag Level 2 cast-in 25-pound pull magnets.360-degree adjustable DSL with two 90-degree quadrants graduated in 2-1/2 degree increments. Groove on bottom permits use on small pipe. Lightweight



KCP14780 - KCP14781 - KCP14782

Radius Marker All are a folding type design, the three smaller models will fit conveniently into a shirt pocket. All have sturdy friction joints to maintain rigidity and accuracy. Precision tools made of rust proof aluminum and anodized for lasting protection. The arms are precisely aligned with spring tension joints to guarantee accuracy and rigidity. The holder accommodates flat or round soapstone and pencils



KCP14791

Contour #28 Magnetic Burning Guide The CURV-O-MARK* Pro-Mag Burning Square is a precise tool used in structural thermal cutting and layout



KCP14797

Contour Dial-Set-Level (DSL)
Replacement Dial & Level Adjustable
bubble protractor. Bubble cast in aluminum
dial. Covers 180 degrees through two 90
degree quadrants

KCP14795

Jackson Safety* Contour #32 Pipe Flange Aligner Remove the difficulty of flange aligning and squaring with a sample tool that holds a square in the needed position without tying up one's hands.

VELDING



EAG42

Plug For 1252 EQ To Lev 93 Connecting and protecting electrical loads is crucial to reliable, efficient and safe power management with a facility. Constructed of unbreakable thermoplastic



COOPER Wiring Devices

EAG1252

Receptacle EQ To Lev 5378 Connecting and protecting electrical loads is crucial to reliable, efficient and safe power management with a facility Constructed of unbreakable thermoplastic





FM110PWECSA

Pipeliner with Fiberglass, White, 2X4 Shade 10, Rubber Headband Comfortable, functional headgear. Compact design allows access to areas where there is no room for a standard helmet



FM1CP

Custom-fit Replacement Headgear with Neoprene headgear strap. Exclusive free-floating arms balance and stabilize the helmet while minimizing pressure points. Overhead band with multiple adjustments. Strip-proof ratchet head size adjustment provides small increment sizing



FM2006SRCSA

Futura Thermoplastic Welding Helmet Shade10



FM3C

Custom-fit Replacement Headgear with Standard Headgear Deeply offset, pliable headband fits head contours comfortably. Exclusive free-floating arms balance and stabilize the helmet while minimizing pressure points. Stripproof ratchet head size adjustment provides small increment sizing



Suspensions with RATCHET FOR E1, E2 Fibre-Metal™ The 360° degree padded sweatband provides extra comfort for all day wear. The patented SwingStrap™, combines the benefits of both the ratchet and the 360 padded sweatband with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension.



Welding Helmet Protective Cap Components with Quick-Lok™, Complete Kit Fully adjustable to better fit Fibre-Metal caps and major competitive brands. Model 4000 Quick-Lok provides more permanent mounting for longer term or high activity applications.



FM4118CL

.060" 8"X11-1/4" Clear View Faceshield Preformed to the curve of the crown.SEI certified to comply with current ANSI standards



FM4118DGN

.060" 8"X11-1/4" Dark Green Standard View Faceshield Preformed to the curve of the crown.SEI certified to comply with current ANSI standards

by Honeywell



FM4178CL

Faceshield Window Wide Vision Size. .060" 8" X 16 1/2" Clear. Injection Molded, Fits F400, F500 Series, FH66, FM70, FM71.



FM4199CL

Faceshield Window Extended View .060" 9 3/4" X 19" Clear, Injection Molded, Fits F400 and F500 Series and FH66.



Welding Helmet Protective Cap Components with Speedy-Loop™ Fully adjustable to better fit Fibre-Metal caps and major competitive brands. Model 5000 Speedy-Loop provides easy on/off welding helmet mounting on protective caps.



FM4178DGN

Faceshield Window Wide Vision Size, .060" 8" X 16 1/2"Dark Green, Injection Molded, Fits F400, F500 Series, FH66, FM70, FM71.



FM4199DGN

Faceshield Window Extended View .060" 9 3/4" X 19" Dark Green, Injection Molded, Fits F400 and F500 Series and FH66.



FM4199IRUV5

Faceshield Window Extended View .060" 9 3/4" X 19" IR/UV Shade 5, Injection Molded, Fits F400 and F500 Series and FH66



FM417IRUV5

High Performance Faceshield Window Wide View Preformed to the curve of the crown.SEI certified to comply with current ANSI standards



FM4178IRUV8

Faceshield Window Wide Vision. .060 8"X16 1/2" IR/UV Shade 8, Injection Molded, Fits F400, F500, FH66, FM70, FM71. Use for Plasma Cutting



FM4906BECSA FM4906GYCSA Grey Tigerhood Classic Welding

Helmet, Colors, Thermoplastic, Lift Front, 4001 Mounting Cups



FM4990GY-CSA

Welding Helmet Shell Gray W/4001 Mounting Cup Available in a variety of colors. Molded-in colors eliminate chipping, peeling, fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face



Available in a variety of colors. Molded-in colors eliminate chipping, peeling, fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face



FM6000

Slotted Cap Blades. Fully adjustable to better fit Fibre-Metal caps and major competitive brands Model 6000 Quick-Lok mounting blades for quick and easy mounting of Fibre-Metal welding helmets

by Honeywell



FM906BECSA BLUE FM906GYCSA GREY

Helmet 906 SH10 Available in a variety of colors. Molded-in colors eliminate chipping. peeling, fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face



FMF300CSA

High Performance Faceshield Headgear, 3" Crown, Ratchet, Fits Over Protective Spectacles, does not include faceshield they are stronger, more durable and more heat resistant than ordinary faceshields. Made from NoryI™ the same material used in our welding helmets



High Performance Faceshield Headgear for use with Protective Caps, F400 4" Crown with Adjustable 5000 Speedy Loop, Attach to Cap series Hard Hats.



FM990GYCSA

Tigerhood Classic Welding Helmet, Gray, 4 1/2" x 5 1/4" Fixed-Front, #10., Wide Vision Molded-in colors eliminate chipping, peeling, and fading. Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through. Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face



FMF400CSA

High Performance Faceshield Headgear, with deeper 4" Crown Ratchet Fits Over Protective Spectacles, Uses 3C Headgear, stronger, more durable and more heat resistant than ordinary faceshields. Made from Noryl™® the same material used in our welding helmets

FMP2AQRW71A000

Cap Style Hard Hat,

Class G & C

Roughneck, Fiberglass,

Factory Assembled with

Quick-Lok blocks and 3R

Ratchet Headband, 8 Pt.

Ratchet Suspension, Type 1,



FM998

Thermoplastic Helmet Style Handshield, Wide Vision, Handle Grip



FMF4400

Head Gear with F4400 High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields. Made from Noryl™ the same material used in our welding helmets



FMF4500

Head Gear with F4500 High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields. Made from Noryl™ the same material used in our welding helmets



Cap Style Hard Hat With 3RW2 Ratchet Headband, 8 Pt. Suspension, Quick Lok Blocks, Superlectric Thermoplastic, Class G, C, Type 1 The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear



FMF500CSA

High Performance Faceshield Headgear, with deeper 7" Crown, Ratchet, Broader. Fits over Protective Spectacles, uses 3C Headgear, stronger, more durable and more heat resistant than ordinary faceshields. Made from NoryI™ the same material used in our welding helmets



FMWFG

Weld Fillet Gage Set 1/8In-1In W/ Case

Colour **Part** FMP2HNQRW01A000 White FMP2HNQRW03A000 Orange FMP2HNQRW09A00 Grey FMP2HNQRW15A000 Red FMP2HNQRW71A00 Blue

Cap Style Hard Hat, High Heat (up to 500°F/260°C) Superglas Fiberglass Roughneck, Quick-Lok blocks and 3RW3 Ratchet Headband, 8 Pt. Suspension, Type 1, Class G



FLA38240T

2 pc. Set flange aligner threaded pins comes with 360° vials that just "snap" in and out for easy replacement. All models of the pipe aligner will two-hole (make 2 holes of the flange horizontally level with the ground) and vertically level the face of the flange in one step. Features slotted pins with "friction fitting" knurled nuts for flanges to 30" - 150 lbs.



FLA42050T

Two Hole Pins, Alloy Steel, Mini, 1 7/16 in Hole Diameter Lightweight. Machined from hardened steel for durability and longevity. Utilize fast double lead threads instead of ACME threads for a more reliable hold over time



FLA5 Vial 1' Long

FLA5102 Vial Repair Kit 2 Vial & 1 Tube Sealant



FLA53276

Magnetic Standard
Centering Head with
Vial Designed to
establish and mark a
centerline at any angle
around the
circumference (inside
or outside) on a pipe or
tank. Magnetic. Use it
as a protractor level, or
remove and use the
hardened center punch
for other marking jobs



FLA53205

Magnetic small centering head w/vial Designed to establish and mark a centerline at any angle around the circumference (inside or outside) on a pipe or tank. Magnetic. Use it as a protractor level, or remove and use the hardened center punch for other marking jobs



FLA72800 Small FLA72805 Medium

Radius Marker folding type design, the three smaller models will fit conveniently into a shirt pocket. All have sturdy friction joints to maintain rigidity and accuracy. Precision tools made of rust proof aluminum and anodized for lasting protection. The arms are precisely aligned with spring tension joints to guarantee accuracy and rigidity. The holder accommodates flat or round soapstone and pencils



FLA89754

Universal Magnetic Tapeholder A strong 25 pound pull magnet set in epoxy secures the tape holder to your work. It has been redesigned with no removable parts and works with most industrial measuring tapes. It is a great little magnetic pocket level and your third hand when doing those difficult measuring jobs while working alone. Will secure the end of your tape while laying out close tolerance measurements from the end or the center of your material



FLAPP-200

Pocket Pro Level 2.5 Increments. Extra strong magnets hold it firmly to any steel surface. Magnetic. There are two (2) stationery vials placed at 90° angles of each other and can be read from any surface of the level. With protractor degree dial




Standard Pocket Level Magnetic level has threeposition leveling that can be viewed clearly from almost any angle. Tradesman who does not need the protractor degree dial



VELDING

*SHUR



CABLE



GEN6-152	Welding Cable 6 X 152 Meter
GEN4-76	Welding Cable 4 X 76 Meter
GEN4-152	Welding Cable 4 X 152 Meter
GEN2-76	Welding Cable 2 X 76 Meter
GEN2-152	Welding Cable 2 X 152 Meter
GEN1-76	Welding Cable 1 X 76 Meter
GEN1-152	Welding Cable 1 X 152 Meter
GEN1/0-76	Welding Cable 1/0 X 76 Meter
GEN1/0-152	Welding Cable 1/0 X 152 Meter
GEN2/0-76	Welding Cable 2/0 X 76 Meter
GEN2/0-152	Welding Cable 2/0 X 152 Meter
GEN3/0-76	Welding Cable 3/0 X 76 Meter
GEN3/0-152	Welding Cable 3/0 X 152 Meter
GEN4/0-76	Welding Cable 4/0 X 76 Meter
GEN4/0-152	Welding Cable 4/0 X 152 Meter




Common Lead-bearing

Solder With some exceptions, these tin-lead solders can be used to join copper and most copper alloys, lead, nickel alloys and steel. Tin-lead solders are not recommended for joints subject to high stress or vibration in the cooling industry due to lack of sufficient elongation properties. These solders are also available with rosin or acid core.









GSEAP-54


Torch Handle propane, front valve for screwin tips. Keep your tips burning. Very durable





GSEHEF-12 Vapour Propane Gas Hose 12 ft





GSEGP-600 Torch-Instant

Ignition-max Cylinders Sold




GSEKA-1H

Goss KA-1H Kit Adjustable feather flame tips. Economical soldering kit. Kits matched to different tip & tank sizes. Screw-in design handle and tips

GSEMA-80-16

Replacement Gauge for Propane Gas. 1 1/2 in diam. Contents 0-Full





HASCPF1

Stay Clean Paste Flux-1# Jar

HASCPF4

Stay Clean Paste Flux-4Oz Jar

HMPHM00 Pipe Bevel Machine Model 0 2-4

HMPHM01 Pipe Bevel Machine Model1 3-8



Pipe Beveling Machine Company, Inc.





HMPHM02 Pipe Bevel Machine Model 2 6-12



HMQAFP Flange Pin Quick Acting Set



Bestwelds Hose



Part #	Description
HOSRH-2102	1/4 X 25 BB Hose Grade R Twin Line
HOSRH-2103	1/4 X 50 BB Hose Grade R Twin Line
HOSRH-2105	1/4 X 100 BB Hose Grade R Twin Line
HOSRH-2107	1/4 Hose Grade R Twin Line
HOSRH-3127	1/4 Green Hose Grade R Single Line



Part #	Description
HOSTH-1731	1/4 X 25 BB Hose Grade T Twin Line
HOSTH-1741	1/4 X 50 BB Hose Grade T Twin Line
HOSTH-1751	1/4 X 100 BB Hose Grade T Twin Line
HOSTH-1931	3/8 X 25 BB Hose Grade T Twin Line
HOSTH-1941	3/8 X 50 BB Hose Grade T Twin Line
HOSTH-1951	3/8 X 100 BB Hose Grade T Twin Line



HOSRH-14GH-6 Welding Hose Single 1/4 X 6' Black



Jackson Safety* Headgear HDG10 K-

Facesaver Model K Ratchet headgear

with spark deflector secures 12" or

15.5" face shields. Sort, absorbent

sweatband gently hugs at the natural

wrap-around foam cushioned

shape of the head.





KCP12993

Airmax PAPR with Welding helmet with a W40 Series variable auto-darkening filter which can automatically detect weld arcs and switch to weld shade. Flame-retardant face seal protects against sparks. Lightweight blower unit with adjustable waist belt. Audible alarm signals user when new filter or battery charge is needed. Filter provides NIOSH-approved HE filtration from particulate contaminants



KCP14391 Model P Brimmaster (Cap Coil Spring Attachment): Model P Bracket Visor Sold Separately



KCP14732

Welding Ground Clamp GC-5 Forged copper alloy ground clamps have higher conductivity, fewer residents, and run at a cooler temperature for better arc starting. The extra-large contact areas provide superior conductivity and higher clamping pressure. Easy jaw opening.



KCP14381



KCP14733 Set KCP14737 Female KCP14739 Male Jackson Safety* Welding QUICK-TRIK* QNB-2-BP Single Dome Nose QUIK-TRIK top-of-the-line cable connector halves have morse-tappered sections that are drawn together with a cam

/ELDING



KCP14940

170-SB Headgear. HDG20 Face Shield Headgear 170-SB Fully dielectric. Meets ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand Headgear.



KCP14967

H-500 Large Lens.W20 H500 Fiberglass Handshields H-500 Large Lens Designed for high-heat applications. Features fiberglass helmet with injection-molded plastic handle. For quick inspections, providing quidance and monitoring robotic welds. Must purchase a filter prior to use

HSL-100 Helmet Bulk. 4

1/2 x 5 1/4, Shade 10,

Extended front increases

Black ADF adaptable.

throat protection from

sparks, slag and other

physical hazards. Hard

(15968). Narrow shell

in tight spaces

hat adaptable using 187-S

design is perfect for work



KCP14948

137 Cap Shield. Cap Coil Spring Attachments Curved aluminum channel and coil spring attachment. For attaching any visor spark deflector combination, to any non-slotted cap. Metal device for nonslotted caps. Polyethylene spark deflector



KCP14975

HSL-100 Helmet.W10 **HSL 100 Passive** Welding Helmets HSL-100 ADF adaptable. Extended front increases throat protection from sparks, slag and other physical hazards. Hard hat adaptable using 187-S (15968). Narrow shell design is perfect for work in tight spaces



KCP20696

370 REPLACEMENT HEADGEAR301 4866 Aircushioned cloth sweatband is washable and durable. Teeth are automatically disengaged durina adjustment



KCP14956

170 HEADGEAR. Welding Helmet Headgear 170 Air-cushioned cloth sweatband is washable and durable. Teeth are automatically disengaged during adjustment



HSL-2 Helmet.W10 HSL 2 Passive Welding Helmets HSL-2 Extended front increases throat protection against sparks, slag and other physical hazards. Hard hat adaptable using 187-S (15968). Narrow shell design is perfect for work in tight spaces



KCP21931

KCP15134

JACKSON SAFETY* WH40 NITRO* Welding Helmet, Blue Features variable shade 9-13. sensitivity and delay adjustments. Lightweight™ . Offers welders outstanding price point. Solar powered. Three independent sensors



KCP28633

34-60-PC (Flat) Polycarbonate Faceshield 99.9% UV protection. Ideal for impact and heat resistance. features at an economical Optical-grade polycarbonate from extruded sheets



KCP29052

F30 Acetate Face Shields Clear 8" 99.9% UV protection. High-grade cast sheet acetate protects against splash. Ideal for scratch resistance and premium optics



KCP29056

HU H9194 VISOR15051 3000136 99.9% UV protection. Highgrade cast sheet acetate protects against splash. Ideal for scratch resistance and premium optics



KCP29077

170-SB Headgear Bulk. HDG20 Face Shield Headgear 170-SB Fully dielectric. Meets ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand Headgear. Secured with integral plastic lugs. Spark deflector for visor use without a safety cap.



KCP29079

34-40 Acetate 99.9% UV protection. High-grade cast sheet acetate protects against splash. Ideal for scratch resistance and premium optics



KCP29091 Clear





34-42 Acetate F30 Acetate Face Shields 34-42 Acetate 99.9% UV protection. High-grade cast sheet acetate protects against splash. Ideal for scratch resistance and premium optics



KCP36680

WILSON* Back Hand Pad/Glove Protector 5.5" x 13" Glove protector helps extend glove life and performance Double-layer protection with WILSON* Aluminum Mylar Aluminum (AMA) top and hightemperature fiberglass bottom Sewn & riveted for added durability 10/pack (no pack splits) Old Code: BHP-06



Magswitch MagSquare Powerful magnetic device that can be turned on and off with a simple half turn of a knob. No batteries. No electricity.



MSW8100089 Magswitch MLAY 600 Lifting Magnet 200 / 90 Single Lifter



MSW8100099 Magsquare 1000/454 kg

MSW8100106 Magsquare 600/272 kg

MSW8100238 Magsquare 400/181 kg

MSW8100494 Magsguare 165/68 kg



MSW8100352 Mini Angle





MSW8100350

Magswitch Mini Multi-Angle Welding Magnet. Accommodates flat and pipe.On/Off Magswitch Magnet that truly stays clean Powered by 80 lbs (36 kg) Magswitch magnet. Fast 90 and 45 degree angles for small pieces



MSW8100359

Hand Lifters - Ideal for cutting tables, scrap and small steel handling. Manual on/off. Push button on/off cordless electric Hand lifter. Rechargeable batteries. Swivel handle



Ground connection means instant local grounding. Powered by 150 lbs (68 kg).



MSW8100747

Magnetic Ground Clamp, 200 lb Capacity, 4"w x 2 7/10"l x 2 3/5"h Instant ground on flat or pipe. On/Off magnetic clamp enables welder to quickly set up, weld and move on to the next job. Provides strong grip on flat or round surfaces. No more tacking on tabs in large sheet-weld or pipe jobs



MSW8100503

90 Degree Angle 1000. Magswitch 90° welding angle featuring two MagSquare 1000 magnets, each with 1000lb/460kg holding force on each axis. Magswitch 90 degree angles offer unmatched versatility, magnets move up and down or reversible on each axis. Add More MagSquare for additional strength. Holds flat or round steel.



76





MFX01-0145-78

Magnaglo® 14AM Prepared Oil Bath, Brown, 16 oz Aerosol can. Fluorescent prepared bath combines 14A powder with Carrier II oil. Ready-to-use without measuring and mixing. Used to locate fine surface and subsurface discontinuities such as: inclusions, seams, shrink cracks, tears, laps, flakes, welding defects, and grinding, quenching or fatique cracks



MFX01-1780-69

#8A Red 10 Lb Nonfluorescent Particles General purpose dry method particles. Used on dark surfaces for optimum contrast



MFX01-5155-78

Spotcheck SKL-SP2 Solvent Removable Penetrant, Red, 16 oz Aerosol Can Has been successfully used on nonporous ceramics and other similar materials. Offers maximum reliability in locating surface-open flaws and discontinuities. Solvent removable red color contrast penetrant



MFX01-5352-78

Skd-S2 Spotcheck® Nonchlorinated Developer Case Of 12 (16Oz Can)



7HF Visible Magnetic Particle Wet Method Prepared Bath, Black,16oz Aerosol Composed of Magnavis™® 7C Magnaflux magnetic powder suspended in a low volatility mineral oil. Designed for spot inspections of parts that must be inspected in the field due to size or location. Suitable for inspection of tubes, piping and other large structures



MFX01-2250-78

Magnavis WCP-2 Contrast Paint, White, 16 oz Aerosol Can be used with both dry and wet-method magnetic particles. Composed of acetone and inorganic pigments and utilizes a carbon dioxide aerosol propellant for ease of application. Designed for use in applications where the contrast in color between the part being tested and the magnetic particles being used is insufficient for reliable identification of flaws



MFX01-5190-78

Spotcheck SKL-WP2 Water Washable Penetrants, Red, 16 oz Aerosol Can Eliminates the need for solvent removers or emulsifiers in the elimination of excess surface penetrant. Low odor, water washable penetrant that exhibits outstanding penetrating characteristics and discontinuity identification. Red visible dye.Water wash removable



MFX01-5750-78

Spotcheck SKC-S, Clear, 16 oz Aerosol Can Non-halogenated .Used in the liquid penetrant inspection process. Used on a moist cloth to remove surface penetrant from the inspection area prior to applying developer





	OET10100011	0811-100 2 Ear Clamp 11Mm (0811) 3/8 100/Bag
	OET10100016	Zinc Plated Carbon Steel Sae 1113, 10.8-13.0,.425512
	OET10100019	2 Ear Clamp 1315 100/Bag
	OET10100022	1517-100 2 Ear Clamp 17Mm (1517) 19/32 100/Bag
	OET10100024	1518-100 2 Ear Clamp 1518 100/Bag
	OET10100027	1720-100 2 Ear Clamp 20Mm (1720) 3/4 100/Bag
	OET10100030	2023-100 2 Ear Clamp 23Mm (2023) 7/8 100/Bag



2-Ear design gives increased clamping range. Deburred edges prevents damage to clamped parts. Fast, simple, secure installation. Ideal for air and liquid lines. Robust design for good, permanent sealing



OET14100082 Standard Jaw pinchers 1098 Sturdy. Tough and durable



OET18500106 WK82 Welding Hose Repair Kit



OKINS-16 Anchor Flat Soapstone (288Gr/Skid) Dimension 3/16" X 1/2" X 5"



Soapstone





OPT1008.000 Optrel Weldcap RC 3/9-12 Comfort of a baseball hat with the advantages of a full welding helmet. Extensive field of vision. Grinding mode. Low battery warning LED







OPTK590

Nova Autodarkening Filter Made to fit all standard helmets. Nova auto darkening filter for use in welding helmets. Selfrecharging for extended use



Optrel e680 Welding Helmet, Shade Range 5-13 3-way adjustable headgear. Can be used for overhead welding. Control unit on the outside of the helmet. Grind mode. Sensitivity/Delay functions. Shade range 5-13.True color filter. Variety of adjustable features



OPTK6500

Optrel e650 Welding Helmets, shade range 9-13 3-way adjustable headgear. Can be used for overhead welding. External controls. Grind mode. Sensitivity/Delay functions. Shade range 9-13

OPTK6801 Dark Blue



Tank Wrench B&MC (Tw-5)



WWWGC-3 Ground Clamp 300Amp



WWWBC-600B **Battery Clamp** Black Bulk 600 Amp

WWWBC-600R **Battery Clamp** Red Bulk 600 Amp



WWWDA-5095 Adapter Dinse To American




QUALITY WELDING ACCESSORIES

WWWEG-300-B WWWEG-500-B **Ground Clamps** 300Amp or 500Amp



Cable Lug Hammer



WWWHL-1020-B



WWWLGC-300 Ground Clamp Heavy **Duty Copper** WWWLGC-500 Ground Clamp Heavy **Duty Copper**



Mastergage, Mg-8, Cam-Type Weld Gage

WWWMG-11 Fillet Weld Gage



WWWMGC-300 **Ground Clamp Magnetic**



WWWMGC-500 **Ground Clamp** Magnetic



WWWPA-532 Holder 200 Amp Heavy Duty



WWWPA-316 Holder 250 Amp Heavy Duty



WWWPA-732 Holder 300 Amp



WWWPGC-500 **Ground Clamp** Copper 500 Amp



WWWSGC-600 **Ground Clamp** 600 Amp



WWWSK-25 Connector Male Dinse 62



WWWSK-50 Connector male Dinse 1-1/0



WWWSK-75 Connector male Dinse 1/0-2/0



WWWWGC-600 **Ground Clamp** 600 Amp C





Part

Safetube® rod canisters provide short term consumable storage. Diamond shape prevents unwanted canister rolling off a work surface. The canister cap uses a quick-lock thread for simple removal with just a quarter turn. The cap is also is sealed with a pressure fitted O-ring to prevent intrusion of moisture and contaminants



PHX1205500

Type 1 Portable Rod Oven 120/240V 10 lb Removable locking cord allows easy replacement. Spring latch tightly secures an insulated lid for maximum efficiency



PHX1205510

Type 2 120/240V 20lb Dry Rod II Oven Removable locking cord allows easy replacement. Spring latch tightly secures an insulated lid for maximum efficiency



PHX1205520

Type 5 120/240V 50LB Dry Rod II Oven Removable locking cord allows easy replacement. Spring latch tightly secures an insulated lid for maximum efficiency

Description

ROD Original & Patented Î GUARD

RODRG-100-24 14 inch RODRG-200-24 18 inch

Polyethylene Canisters. Electrode Handled, Blue, 24 per case Features threaded cap with neoprene seal to provide airtight protection for electrodes and other materials.

TEMTS0150 28006 Tempilstik 150 Fahrenheit 66 Centigrade

TEMTS0225 28016 Tempilstik 225 Fahrenheit 107 Centigrade

28012 Tempilstik 200 Fahrenheit 93 Centigrade

28019 Tempilstik 250 Fahrenheit 121 Centigrade

28026 Tempilstik 300 Fahrenheit 149 Centigrade

28031 Tempilstik 350 Fahrenheit 177 Centigrade

28035 Tempilstik 400 Fahrenheit 204 Centigrade

RODRG-300-12

Polyethylene Canisters, 36 in Electrode Handled, Blue Features threaded cap with neoprene seal to provide airtight protection for electrodes and other materials. Great for storage and inventory control of welding electrodes, rods and filler metals.



sellstrom

SEL29301 Lift Front Helmet

SEL29311 Silver Lift Front Helmet



SEL29341

Blue Lift Front Helmet



Fog



Crown with Holes with Clear Window with Shade

SEL96110

Knee-Pro



Knee Pads



TEMTS0450	28039 Tempilstik 450 Fahrenheit 232 Centigrade
TEMTS0500	28043 T€ mpilstik 500 Fahrenheit 260 Centigrade

TEMTS0200

TEMTS0250

TEMTS0300

TEMTS0350

TEMTS0400

Temp




Gas Diffuser (Pk/5)

Constructed to ensure consistent dimensional stability. Silicon O-ring seals against the nozzle assembly. Use in light to medium duty welding applications



TwecoTong Electrode Holders. Efficient 6 position iaw patterns and fully insulated, protected springs. Reversible top and bottom Insulators







TWE9425-1200

Tempilstik

Complete Connection Equipped with heat- and oil-resistant covers. Provides a positive cam action which optimizes interface between connector halves



TWE9425-1430

Dinse Style Mechanical Cable Connectors Complete





VIC0386-1293

Turbo Extreme TX504 Torch Swirl, MAP-Pro/LP Gas, Self Lighting



VIC0381-0816

CA 2460 Heavy Duty Cutting Attachment, 8 inch Cut Capacity, 90 Degree Head, Tip Series: 1



VIC0381-1940

Victor 400 Series CA411-1, Heavy Duty, Cutting Attachment, Series 1



VIC0384-2036

Journeyman Heavy Duty Outfit, H 315FC Torch Handle, CA460

Cutting AttachmenG⊨ 540/510 ESS4 ED Regulators



VIC0384-2540

Victor Medalist G250. 540/510, Medium Duty, Cutting System. Built-In Check Valves One Cutting Attachmen for All Fuel Gases



VIC0384-2690 Victor Medalist G-350, 540/510, Heavy Duty, Cutting System,

Medalist 350



WA007022 Weld-Aid Nozzle Kleen #2 16oz. Protects nozzles. diffusers, and tips. Smoke and odour free. Solvent-based. paintable, and

non-flammable

WA007030 Weld-Aid Weld Kleen 20oz. Protects fixtures, parts, and clamps. Smoke- and odour-free. Solvent-based. paintable, and non-flammable



WA007040

Weld-Aid Lube-matic 5 oz Cuts rust and reduces wire drag 60%. Great for longer distance feed. Helps feed all mild steel. fabricated, and core wires



Lube Pad Lubrication

wires with poor cast,

allows smooth feeding of

helix, rust and long feed

liners. Pre-treated with

Lube Matic™® liquid

WA007060

WA007061

Wire Kleener Pad, Solid, Red Clean wire and reduce burnback 50%. Excellent for aluminum. Reduces wire drag by 60% and feeds wire more smoothly



WA007090 Weld-Aid Weld

Kleen 350/1GL Biodegradable. non-toxic & paintable. Can be frozen. Economical and safe



WA007091

Weld-Aid Weld Kleen 350/5GL Biodegradable. non-toxic & paintable. Can be frozen. Economical and safe



WA007092

Weld-Aid Weld Kleen 350/55GL Biodegradable non-toxic & paintable. Can be frozen. Economical and safe



WAB-100

Brite Zinc is 69% zinc metal. Covers 40 square feet. One step color matches the shiny look of Hot dip galvanizing. Special no clog nozzle. Meets ASTM-A780 for corrosion protection



WESFA-10

Flash Arrestor Torch Style Set 10" maximum cutting capacity. Color-coded for gas service to provide added safety. For stopping flashbacks by preventing ignition of mixed gases and to protect equipment. Internal check valves designed to prevent reverse flow and accidental mixing of gases. Torch and regulator models provide downstream and upstream protection



WESFA-30

Flashback Arrestor Regulator Adaptor Set 10" maximum cutting capacity. Color-coded for gas service to provide added safety. For stopping flashbacks by preventing ignition of mixed gases and to protect equipment such as hoses, regulators, and cylinders. Internal check valves designed to prevent reverse flow and accidental mixing of oxygen and fuel gases. Torch and regulator models provide downstream and upstream

protection



WESQDB-30

Regulator-to-Hose Set with Check Valves Brass construction provides long service life. Double seal socket connection on second seal. Instant closure on reverse flow check valves. Noninterchangeable oxygen and fuel gas connectors. Spring-loaded locking mechanism responds to fingertip action and achieves a gas-tight connection



WESR125

Ultra Low Cost Balloon Inflater Hand tight design provides leakfree connection. Horizontal onepiece design with all brass piston construction. Replaceable rubber tilt valve. Replaceable Viton™® O-Ring



WESRPB-6HG

Handtight Connection with Gauge Filtered throughout to trap foreign matter and extend regulator life. Heavy duty all brass piston design. Replaceable brass quick tie hook for use with latex balloon sealing discs. Replaceable rubber tilt valve for simple, fast inflation of latex balloons



Propane Torch, Push Button Igniter, 500,000 BTU/H Output, 31 in Handle Ergonomic handle with adjustable trigger. Flame tools are for exterior maintenance and repair. Hooks up to standard 20 lb. propane tank. Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes. Push button igniter for fast and safe lighting



WESWB-101

Hotspotter All Purpose Propane Torch, 500,000 BTU/H Output, 31 in Handle Ergonomic handle with adjustable trigger. Flame tools are for exterior maintenance and repair. Hooks up to standard 20 lb. propane tank. Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes



WES411 Valved Y Connection Inert Gas RH 5/8"-18 Male



WESQDB33 Q C Socket & Plug/Inert. Regulator-to-Hose Connect Brass construction provides long service life



WES37
Hose Splicer 1/4
Barb Hex



WES15-3

Nipple CGA-500-510-580-590 The inlet nipple provides fast and semi permanent connection, however not as permanent installations. They are made up of a brass material for maximum durability. Utilize this brass regulator inlet nipple for various gas regulators with a 1/4 NPT connection

WESQDB34

Q C Socket & Plug

long service life

Hose-to-Machine Connect

Brass construction provides





WSC36149

60"X50YDS 15 OZ Fiberglass Blanket Red Approved for use in vertical applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding. Prevents sparks from escaping a confined area



WSC36333

6Ftx10Ft Single Panel Stur-D-Screen, Square 19-guage steel tubing, bolted corner clamps, platform "T" legs Black powder-coat finish. Pre-drilled for caster installation; Includes square steel frame, brackets, platform "T" legs, lacing ties. Frame Only



WSCUM6500

3019277 6' 6 Inc Dia. Blue Rip-Stop Umbrella, 36684 6.5' x 7' blue welding umbrella provides protection from rain or sunlight. Lightweight aluminum frame and tilt mechanism with water and fire-resistant fabric





Standard Tip Cleaner Set 13 Cleaners Size 6 - 2



WYP1100S

Tru Flame Tip Cleaners 111 Cleaners Size 6 - 2



WYP4

King Tip Cleaner Set 13 Cleaners Extra Long Size



WYP400-1

Flat Soapstone Holder, 3/16" X 5", Stainless Steel Brass trigger depresses and slides to proper alignment hole and snaps back to lock in position. Noncorrosive channel with brass indexing trigger provides superior sliding action. Practical design allows for one handed operation and easy use. Quality construction for durability and appearance. Spring steel pocket clip oversized to fit leather aprons



WYP800-1

Round Soapstone Holder, 1/4" X 5", Stainless Steel Inner sleeve collet securely holds the soapstone and also adjusts to grip uneven and undersized soapstone. Locking cap allows accurate adjustments for closer marking control. Sleek brass case with contrasting cap and pocket clip enhances appearance. Slim design provides better visibility in the marking area