Helyx

Safety & Industrial Supplies

SAFETY EQUIPMENT & SUPPLIES S27

SEE INSIDE FOR THESE NEW PRODUCTS!

Z2500 Eyewear with Foam Gasket

Page 4

ZENITH® Safety Products

North Zone™ Hard Hats

Page 21

Honeywell NORTH

RU8800 Half-Mask Respirators

Page 52

Honeywell NORTH

Fall Arrest Tool Tethers

Page 94

3M | DBI SALA® Fall Protection for Tools

ZX-30° Premium PVC Foam, Acrylic Lined Gloves

Page 144

ZENITH® Safety Products

Premium Traffic Cones

Page 326

ZENITH® Safety Products

Rapid Roll Barrier

Page 330

IRONguard Protecting Your People



Knocked-Down Self-Dumping Hoppers

Page 370

KLETON

ProPolymer LED Flashlight

Page 394

STREAMLIGHT

TABLE OF CONTENTS

Personal Protection
2 - 193

Emergency Response
194 - 279

Security & Identification
280 - 343

Matting
344 - 359

Janitorial
360 - 371

Material Handling
372 - 389

Electrical
390 - 407

Fans & Heaters
408 - 411

Eye Protection

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEH642	Clear

Z200

- Superior protection at an economical price
- Polycarbonate lens with UV protection
- Ideal visitor spectacle
- Molded-in nose bridge
- Distortion-free
- Lens tint: Clear
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEF024	Clear

Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAK850	Clear
SAK851	Grey/Smoke

Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAW920	Clear

Z700

- Frameless design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX442	Clear

Z800

- Sporty design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Blue frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX443	Clear

Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAP877	Clear
SAS362	Grey/Smoke
SAS363	Amber
SAS364	Blue
SEB183	Clear Anti-fog
SEA551	I/O Blue Mirror
SEE955	Orange

Z900

- Modern design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX444	Clear

Z1000

- Frameless design with extended wrap-around coverage
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX445	Clear

Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Includes a clip for Rx inserts
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC952	Clear

Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC953	Clear

Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC954	Clear

Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC955	Clear
SEI524	Grey/Smoke
SEI525	Amber
SEI526	Blue
SEI527	I/O Mirror
SEI528	Clear w/Anti-Fog

Z1600

- Modern design with extended wrap around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with standard CSA Z94.3

Model No.	Lens Tint
SEE817	Clear

Z1800

- Readers Lens
- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Ultra-soft non slip nosepiece
- Adjustable temples provide a superior comfort and fit
- Black frame
- Distortion-free
- Compliant with CSA standard Z94.3.

Model No.	Lens Tint	Diopter
SEH013	Clear	1.0
SEH014	Clear	1.5
SEH015	Clear	2.0
SEH016	Clear	2.5

Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

SEH632

SEK287

Model No.	Lens Tint
SEH632	Clear
SEK286	Grey/Smoke
SEK287	Amber
SEK288	Blue
SEK289	I/O Full Mirror
SEK290	Clear Anti-Fog

Z2000

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK291	Clear
SDN697	Grey/Smoke
SDN698	Amber
SDN699	I/O Mirror
SDN700	Clear Anti-Fog

Z2100

- Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK292	Clear

See page 15 for Lens Cleaning Products

Z2200

- Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK293	Clear

Z2400

- Frameless design with extended wraparound coverage
- Flexible temple provides added durability
- Scratch resistant polycarbonate lens with UV protection
- Distortion-free
- Certification(s): Compliant to CSA Z94.3 standard and ANSI Z87+

SET315

Model No.	Lens Tint	Lens Coating
SET315	Clear	Anti-Scratch
SET316	Grey/Smoke	Anti-Scratch
SET317	Amber	Anti-Scratch
SET318	Blue	Anti-Scratch
SET319	I/O Blue Mirror	Anti-Scratch
SET320	Clear	Anti-Fog

Z2500

- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible rubber arms make for a comfortable fit
- Distortion-free
- Standard(s) Met: ANSI Z87+ and CSA Z94.3

SDN701

SDN708

Model No.	Lens Tint	Lens Coating
SDN701	Clear	Anti-Scratch
SDN702	Grey/Smoke	Anti-Scratch
SDN703	Amber	Anti-Scratch
SDN704	Blue	Anti-Scratch
SDN705	Indoor/Outdoor Mirror	Anti-Scratch
SDN706	Clear	Anti-Fog
WITH REMOVABLE FOAM GASKET		
SDN707	Clear	Anti-Scratch
SDN708	Grey/Smoke	Anti-Scratch
SDN709	Indoor/Outdoor Mirror	Anti-Scratch
SDN710	Clear	Anti-Fog

GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Nosepiece with soft flexible "fingers" adjust and conform to almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V0 ballistic (standard MIL-STD-662) test regiment
- Certified to CSA standard Z94.3
- Available with high-performance Uvextreme® AF anti-fog, Ultra-Dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints

SN209

Model No.	Mfg. No.	Lens Tint
BLACK FRAME		
SN209	S3200	Clear Ultra-Dura® HC
SN210	S3200X	Clear Uvextreme® AF
SAQ907	S3200D	Clear Dura-Streme™ HC/AF
SN211	S3201	Espresso Ultra-Dura®
SN212	S3201X	Espresso Uvextreme® AF
SN213	S3202	Amber Ultra-Dura® HC
SAK427	S3207	Infra-Dura® 3.0 HC
SAK428	S3208	Infra-Dura® 5.0 HC
VAPOUR BLUE FRAME		
SN219	S3240	Clear Ultra-Dura® HC
SN220	S3240X	Clear Uvextreme® AF
SN221	S3241	Espresso Ultra-Dura® HC
SN222	S3241X	Espresso Uvextreme® AF
SN223	S3242	Amber Ultra-Dura® HC

HC: Hard Coat AF: Anti-Fog

Model No.	Mfg. No.	Lens Tint
REPLACEMENT LENSES		
SN243	S6900	Clear Ultra-Dura® HC
SN244	S6900X	Clear Uvextreme® AF
SAQ908	S6900D	Clear Dura-Streme™ HC/AF
SN245	S6901	Espresso Ultra-Dura® HC
SN246	S6901X	Espresso Uvextreme® AF
SN247	S6902	Amber Ultra-Dura® HC

GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two-shot temples for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Certified to CSA standard Z94.3
- Available with high-performance Uvextreme® AF anti-fog, Ultra-Dura® anti-scratch, Durastreme® dual anti-fog/anti-scratch, and HydroShield™ anti-fog lens coatings as well as a wide range of lens tints

SAK138

Model No.	Mfg. No.	Lens Tint
ULTRA-DURA® HARDCOAT		
SAK138	S3300	Clear
SAK139	S3301	Grey
SAK403	S3308	Mirror
SAK405	S3306	Shade 3.0
SAK406	S3307	Shade 5.0
HYDROSHIELD™ ANTI-FOG		
SDL051	S3300HS	Clear
SDL052	S3301HS	Grey
UVEXTREME® AF		
SAK093	S3300X	Clear
SAK407	S3301X	Grey
SAK408	S3303X	SCT-Grey
SAK409	S3304X	SCT-Low IR
DURA-STREME™		
SAQ909	S3300D	Clear

Model No.	Mfg. No.	Lens Tint
REPLACEMENT LENSES		
SAK411	S6950	Ultra-Dura® HC Clear
SAK412	S6951	Ultra-Dura® HC Grey
SAK413	S6958	Ultra-Dura® HC Mirror
SAK415	S6956	Ultra-Dura® HC Shade 3.0
SAK416	S6957	Ultra-Dura® HC Shade 5.0
SAK417	S6950X	Uvextreme® AF Clear
SAK418	S6951X	Uvextreme® AF Grey
SAK419	S6953X	Uvextreme® AF SCT-Grey
SAK420	S6954X	Uvextreme® AF SCT-Low IR
SAQ910	S6950D	Dura-Streme™ Clear

RX INSERTS

- Optional Rx insert for Genesis XC® eyewear
- Holds prescription lenses securely
- Accommodates a variety of Rx needs including bifocals, trifocal and progressive lenses
- Classic screw closure easily fits, with prescription ranging from +3.0 to -3.0D

Model No. SAK410
Mfg. No. S3350

SKYPER®

- Simple lens replacement system
- Adjustable temple length and lens inclination
- Lifetime frame guarantee
- Certified to CSA standard Z94.3
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Model No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SH014	S1900X	Clear
ULTRA-DURA® HARDCOAT		
SH015	S1900	Clear
SH016	S1902	Amber
SH017	S1903	Mirror
SH018	S1906	Infra-Dura® 2.0
SH019	S1907	Infra-Dura® 3.0
SH020	S1908	Infra-Dura® 5.0
REPLACEMENT LENSES		
SH021	S6500X	Uvextreme® AF Clear

SEISMIC®

- Protection against impact, sun, wind, dust and debris
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high quality face cushioning and padded temple tips offer all-day comfort
- Adjustable flame-resistant headband provides excellent fit
- Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear
- Headband and cushion-lined subframe are latex-free
- Certified to the requirements of the CSA Z94.3 standard only with subframe in place
- Available with high-performance Uvextreme® AF, anti-fog, Dura-streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat

Model No.	Mfg. No.	Frame Colour	Lens Tint/Lens
SBA822	S0600	Black	Clear/Hardcoat
SBA823	S0600X	Black	Clear/ Uvextra® AF
SBA824	S0600D	Black	Clear/ Dura-streme® AF
SBA825	S0601X	Black	Espresso/ Uvextra® AF
SBA826	S0602X	Black	Amber Uvextra® AF
SBA827	S0604X	Black	Mirror/Uvextra® AF
SBA828	S0620	Blue	Clear/ Hardcoat
SBA829	S0620X	Blue	Clear/ Uvextra® AF
SBA830	S0622X	Blue	Amber/ Uvextra® AF
SBA831	S0624X	Blue	Mirror/ Uvextra® AF

PROTÉGÉ™

- Proprietary Floating Lens™ design offers increased flexibility for better fit
- Secure wraparound brow expands to fit a wide range of users
- Ultra lightweight design
- Soft temple tip pads provide a secure, comfortable fit
- Soft, clear nose pads prevent slipping
- Compliant with ANSI standard Z87+
- Lifetime frame guarantee
- Certified to the requirements of the CSA Z94.3 Standard
- Available with high performance Ultra-Dura® anti-scratch, Uvextreme® AF anti-fog, and HydroShield™ anti-fog lens coatings

Model No.	Mfg. No.	Frame Colour	Lens Tint
UVEXTREME® AF			
SA0666	S4201X	Black	Grey
SA0667	S4210X	Sandstone	Clear
SA0668	S4211X	Sandstone	Grey
ULTRA-DURA® HARDCOAT			
SA0659	S4200	Black	Clear
SA0660	S4201	Black	Grey
SA0661	S4202	Black	SCT®-Reflect® 50
SA0662	S4210	Sandstone	Clear
SA0663	S4211	Sandstone	Grey
SA0664	S4212	Sandstone	SCT®-Reflect® 50
HYDROSHIELD™ ANTI-FOG			
SDL053	S4200HS	Black	Clear
SDL054	S4201HS	Black	Grey

TIRADE™

- Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes
- Frameless, unilens design allows for wide-field peripheral vision
- Quick-release hinge system converts easily from temples to headband
- Removable temples and standard adjustable headband included
- Hypoallergenic latex-free option available
- 100% non-conductive dielectric design
- Uvextra® anti-fog coated lens reduces fogging, keeping lenses clear
- Ideal for use in oil, gas & chemical, utility, construction and manufacturing operations
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards (with and without foam subframe in place)

Model No.	Mfg. No.	Lens Tint
SDL044	S4040	Clear
SDL045	S4041	Grey
SDL046	S4042	Amber
SDL047	S4043	Silver Mirror
SDL048	S4044	SCT-Reflect 50

FALCON®

- Frameless design with patented dual 9-base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision
- Impact-resistant polycarbonate lens absorbs >99.9% of harmful UVA and UVB radiation
- Certified to CSA standard Z94.3
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
ULTRA-DURA® BLACK TEMPLES		
SAJ061	S4500	Clear
UVEXTREME® AF - BLACK TEMPLES		
SAJ062	S4500X	Clear
REPLACEMENT LENSES		
SAJ079	S6700	Ultra-Dura® Clear
SAJ080	S6700X	Uvextreme® AF Clear

ASTROSPEC® OTG 3001

- Same features as the Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Lifetime frame guarantee
- Certified to CSA standard Z94.3
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Honeywell UVEX

BLACK FRAME

Model No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SE700	S2500C	Clear
SE701	S2504C	Grey
ULTRA-DURA® HARDCOAT		
SE704	S2500	Clear
SE705	S2504	Grey

BLUE FRAME

Model No.	Mfg. No.	Lens Tint
UVEXTREME® AF		
SE702	S2510C	Clear
SE703	S2514C	Grey

LIVEWIRE™

- Foam-lined subframe has gap-free seal around the eyes to keep debris out
- Flexible design can be worn with a headband or with temples
- Simple temple-to-headband exchange
- Not for chemical splash applications
- Meets CSA standard Z94.3

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint	Lens Coating
SDK969	S2600XP	Clear	Anti-Fog
SDK970	S2600D	Clear	Hard Coat/Anti-Fog
SDK971	S2601XP	Espresso	Anti-Fog
SDK972	S2602XP	Amber	Anti-Fog

ASTROSPEC 3000®

- Lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Duoflex® temples
- Molded side shields
- Black frame
- Lifetime frame guarantee
- Certified to CSA standard Z94.3
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
ULTRA-DURA® HARDCOAT		
SE633	S1359	Clear
SE634	S1369	Grey
SE635*	S1360	Light Grey
SE636*	S145	Amber
SE637	S1379	Mirror
SE638*	S112	SCT- Low IR
SE639*	S1361	SCT-Grey
SE641	S111029	Infra-Dura® 2.0
SE642*	S1111	Infra-Dura® 3.0
SE643*	S1112	Infra-Dura® 5.0
UVEXTREME® AF		
SE622	S1359C	Clear
SE623*	S136C	Grey
SE624*	S1362C	SCT-Vermilion
REPLACEMENT LENSES		
SE652	S535	Ultra-Dura® HC Clear
SE653	S536	Ultra-Dura® HC Grey
SE404	S535C	Uvextreme® AF Clear
SE650	S536C	Uvextreme® AF Grey

*Does not feature Duoflex® temples

IGNITE™

- Sleek, sporty, unisex lightweight frameless design appeals to a broad range of workers
- Offers 180° of distortion-free, unobstructed vision
- A 9-base, wrap-around lens design provides close-to-the-face protection and superior coverage
- Adjustable nose piece reduces slippage and provides a personalized, comfortable fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Available with Uvextra® AF, anti-fog coating
- Certified to CSA standard Z94.3

SAQ725

Model No.	Mfg. No.	Frame Colour	Lens Tint
SAQ725	S4400	Black & Silver	Clear/Hardcoat
SAQ726	S4400X	Black & Silver	Clear/Uvextra® AF
SAQ727	S4401	Black & Silver	Grey/Hardcoat
SAQ728	S4401X	Black & Silver	Grey/Uvextra® AF
SAQ729	S4402	Black & Silver	SCT-Reflect 50/Hardcoat
SAQ730	S4403	Black & Silver	Silver Mirror/Hardcoat

ULTRA-SPEC®

ULTRA-SPEC® 1000

- Ideal visitor spec
- Uncoated 100% polycarbonate wraparound unilens design with solid side shields
- Certified to CSA standard Z94.3

SAG310

ULTRA-SPEC® 2000

- Coated 100% polycarbonate wraparound unilens design
- Adjustable temple length
- Certified to CSA standard Z94.3

SE614

Model No.	Mfg. No.	Frame Colour	Lens Tint
ULTRA-SPEC® 1000 UNCOATED			
SAG310	S300CS	Clear	Clear
ULTRA-SPEC® 2000 UVEXTREME® AF			
SE614	S0250X	Clear	Clear
SE615	S0280X	Grey	Grey
SE616	S0290X	Amber	Amber

AMBIENT™ OTG

- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design
- Highest available impact protection
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Adjustable and bendable, wire-core temples offer complete flexibility with secure, customised fit
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles
- The medium version has a 13% smaller lens than the larger version and extends the life of the eyewear
- Certified to CSA standard Z94.3
- Available with high-performance Uvextreme® AF anti-fog, Ultra-Dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints

SAS560

Model No.	Mfg. No.	Description
SAS560	S3150	Blue/Large Clear Ultra-Dura® HC
SAS561	S3150X	Blue/Large Clear Uvextreme® AF
SAS562	S3150D	Blue/Large Clear Dura-stremeTM HC/AF
SAS563	S3160	Blue/Medium Clear Ultra-Dura® HC

HC: Hard Coat AF: Anti-Fog

VAPOR®

- Affordably priced, shiny smooth design
- Metallic blue, lightweight frame for all-day wear
- Sport temple provides a secure and comfortable wraparound fit
- Soft nose bridge prevents slipping and conforms to varying nose bridge shapes
- 9-base polycarbonate hardcoat lenses provide distortion-free 180° field of vision
- Includes: Breakaway Flexicord™ with every pair
- Certified to CSA standard Z94.3

SAK394

Model No.	Mfg. No.	Lens Tint
SAK393	11150900	Clear/Hardcoat
SAK394	11150901	TSR® Grey/Hardcoat
SAK395	11150904	Silver Mirror/Hardcoat
SAK396	11150905	Clear Fog-Ban®
SAK397	11150906	Grey Fog-Ban®

FUSE®

- Affordably priced, sporty gunmetal double bridge styling
- Soft adjustable saddle nose bridge prevents slipping and provides comfort and grip
- 9-base polycarbonate lenses provide distortion-free 180° field of vision
- Frame with nickel-free top-coat to prevent skin reactions for people sensitive to nickel
- Hinge-stoppers prevent temple tips from touching the lenses when folded
- Includes: breakaway Flexicord™ with every pair
- Certified to CSA standard Z94.3

SAK398

Model No.	Mfg. No.	Lens Tint
SAK398	11150800	Clear/Hardcoat
SAK399	11150801	TSR® Grey/Hardcoat
SAK400	11150804	Silver Mirror/Hardcoat
SAK401	11150805	Clear Fog-Ban®
SAK402	11150806	Grey Fog-Ban®

A700 SERIES

- Lightweight design with sport temples
- Soft temple tip pads provide a secure, comfortable fit
- Moulded universal nose bridge
- Provides 99.9% UV protection
- Certified to CSA standard Z94.3

SAO669

Model No.	Mfg. No.	Frame Colour	Lens Tint
SAO669	A700	Clear	Clear/Hardcoat
SAO670	A701	Grey	TSR® Grey/Hardcoat
SAO671	A702	Clear	Amber/Hardcoat
SAO672	A703	Grey	Blue Mirror/Hardcoat
SAO673	A704	Grey	I/O Silver Mirror
SAO674	A705	Clear	Clear Fog-Ban®

ADAPTEC™

- Adjustable nose bridge keeps eyes centered in lens for clearer optics and reduced eye fatigue
- Vented, cushioned frame allows optimum air circulation and reduces fogging
- Ratcheting temple hinges adjust lens angle for greater protection and reduced fogging
- Soft, flexible material covers frame components for comfortable, secure fit
- The North Adaptec™ 4A lens coating ensures excellent anti-fog, anti-static and scratch resistant properties plus 99.9% UV protection
- Certified to CSA standard Z94.3

SED450

SED459

SED464

Model No.	Mfg. No.	Frame Colour	Lens Tint
NARROW			
SED448	T5900NTK	Black	Clear
SED450	T5900NTKS	Black	Smoke
SED451	T5900NTKA	Black	Amber

Model No.	Mfg. No.	Frame Colour	Lens Tint
REGULAR			
SED456	T5900LTK	Black	Clear
SED458	T5900LTKS	Black	Smoke
SED459	T5900LTKA	Black	Amber

Model No.	Mfg. No.	Frame Colour	Lens Tint
WIDE			
SED464	T5900WTK	Black	Clear
SED466	T5900WTKS	Black	Smoke
SED467	T5900WTKA	Black	Amber

Other frame colours and lens tint also available. Contact us for more details.

TORNADO F5™

- Unique dual lens styling in a single piece lens design gives maximum protection and comfort for greater user acceptance
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- Anti-fog, anti-scratch, anti-static and anti-UV
- Certified to CSA standard Z94.3

Curved Temples

Straight Temples

Model No.	Mfg. No.	Frame Colour	Lens Tint
CURVED TEMPLES			
SEF128	T57505B	Black w/Red Trim	Clear
SEC323	T57505BS	Black w/Red Trim	Smoke
SEB098	T57505BA	Black w/Red Trim	Amber
SEC320	T57505BL	Blue w/Grey Trim	Amber
STRAIGHT TEMPLES			
SEB099	T58505B	Black w/Red Trim	Clear
SEC326	T58505BS	Black w/Red Trim	Smoke
SEC324	T58505BA	Black w/Grey Trim	Amber
SEC325	T58505BL	Blue w/Grey Trim	Clear

LIGHTNING™ & LIGHTNING PLUS™

- High base panoramic lens for a wide unobstructed field of vision
- Frame made of chemical and heat resistant Elasto LT material
- Provided with two Flexi-Fit soft nose-pieces for comfort and adaptability
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique Rapid-Change system
- Soft-Touch comfort pads
- **Lightning** models: Self-adjusting temples to insure a secure and comfortable fit
- **Lightning Plus** models: Bowed temples designed to fit virtually anyone
- Certified to CSA standard Z94.3

SAJ222

SAJ223

Model No.	Mfg. No.	Frame Colour	Lens Tint
LIGHTNING			
SAJ221	T65005	Black	Clear
SAJ222	T65005S	Black	Smoke
SAJ230	T65005A	Black	Amber
SAJ231	T65005M	Black	Mirror*
SAP515	T65015TCG	Black	I/O Mirror*

Model No.	Mfg. No.	Frame Colour	Lens Tint
LIGHTNING PLUS			
SAJ223	T65505B	Black	Clear
SAJ224	T65505BS	Black	Smoke
SAJ232	T65505BA	Black	Amber
SAP516	T65515BTCG	Black	I/O Mirror*

* Lenses are not anti-fog

N-VISION™ T5650 SERIES

UNIVERSAL COMFORT BRIDGE SYSTEM

- Modern ergonomic design for comfort and fit
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple ends supplied with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

SAK140

Model No.	Mfg. No.	Lens Tint
SAK140	T56505B	Clear
SAK141	T56505BS	Smoke
REPLACEMENT LENSES		
SAK192	477RL	Clear
SAK784	478RL	Smoke

N-VISION™ T5655 SERIES

FLEXI-FIT SOFT NOSEPIECE SYSTEM

- Flexi-Fit soft nosepiece for comfort and adaptability
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

SAK195

Model No.	Mfg. No.	Lens Tint
SAK195	T56555B	Clear
SAK196	T56555BS	Smoke
REPLACEMENT LENSES		
SAK787	485RL	Clear
SAK788	486RL	Smoke

3M™ SECUREFIT™ PROTECTIVE EYEWEAR

- Patent-pending 3M™ Pressure Diffusion Temple Technology
- Versatile design is suited for a wide variety of faces
- Automatically self-adjust to provide a secure, comfortable fit each time
- Contemporary design weighs less than 1 oz. for lightweight comfort
- Available in Classic or Comfort series
- Comfort series features soft adjustable nosepads for an even greater personalization of fit
- Polycarbonate lens absorbs 99.9% UVA & UVB
- Meets the requirements of CSA Z94.3 and ANSI Z87.1-2010

SEK245

Model No.	Mfg. No.	Lens Tint	Lens Coating
CLASSIC SERIES			
SEK244	SF201AF-CA	Clear	Anti-Fog
SEK245	SF202AF-CA	Grey	Anti-Fog
SEK246	SF203AF-CA	Amber	Anti-Fog
SDL952	SF201AS-CA	Clear	Anti-Scratch
COMFORT SERIES			
SDL528	SF401AF-CA	Clear	Anti-Fog
SDL551	SF402AF-CA	Grey	Anti-Fog
SDL530	SF403AF-CA	Amber	Anti-Fog
SDL953	SF404AF-CA	Light Blue	Anti-Fog
SDL529	SF410AS-CA	Indoor/Outdoor Mirror	Anti-Scratch

3M™ BX™ EYEWEAR

- High impact resistant polycarbonate lens provides 99.9% UV protection
- Soft, universal-fit nose bridge
- Three lens angles for custom fit
- Adjustable temple lengths
- Soft tip temples feel good even after extended wear
- Certified to CSA standard Z94.3

SAO648

Model No.	Mfg. No.	Lens Tint
SAO648	11380	Clear
SAO649	11381	Grey

3M™ SOLUS PROTECTIVE EYEWEAR

- The Scotchgard™ anti-fog lens will resist fogging under most conditions, offering an unobstructed view of tasks, free from debris, withstanding up to 25 washes without losing performance
- Clear lens is ideal for indoor applications requiring impact protection
- Contemporary styling
- Removable temples enable the use of the optional strap (**SFM411**)
- Optional foam gasket helps reduce eye exposure (**SFM410**)
- Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- Meets the requirements of CSA Z94.3 and ANSI Z87.1

SFM405

Model No.	Mfg. No.	Lens Tint
SFM405	S1101SGAF	Clear
SFM406	S1102SGAF	Grey/Smoke
SFM407	S1103SGAF	Amber

Model No.	Mfg. No.	Description
SFM408	S1101SGAF-KT	Kit, Includes Clear Lens Eyewear, Foam Gasket and Elastic Headband
SFM410	SOLUS-FOAM	Replacement Foam Gasket
SFM411	SOLUS-STRAP	Replacement Strap

3M™ METALIKS™ & METALIKS™ SPORT

- First 10-base curve lens in safety eyewear – maximum style and protection
- Adjustable with rubber-tipped temple
- Soft and adjustable wire nose bridge
- DX™ coating resists fogging, scratching, static and chemical attacks
- Certified to CSA standard Z94.3

SAN729

Model No.	Mfg. No.	Frame Colour	Lens Tint
METALIKS®			
SAN729	15170-1	Silver	Clear
SAN730	15171-1	Silver	Grey
SAN731	15172-1	Silver	Mirror*
SAN732	11532-1	Blue	Clear
METALIKS® SPORT			
SAI949	11343-1	Brushed nickel	Clear
SAI950	11344-1	Brushed nickel	Grey
SAI951	11345-1	Brushed nickel	Mirror*
SAI952	11346-1	Brushed nickel	Amber

*Mirror lens are not anti-fog

3M™ BX™ EYEWEAR W/READER LENS

- Anti-fog, reader lenses + 1.5, + 2.0, + 2.5
- Universal-fit nose bridge
- Sliding temple lengths with soft tips for comfort even after extended wear
- High impact polycarbonate lenses with 99.9% UV protection
- Silver/black frame
- Certified to CSA standard Z94.3
- Meets ANSI standard Z87.1

SAN521

Model No.	Mfg. No.	Lens Tint	Diopter
SAN521	11374	Clear	+1.5
SAN522	11375	Clear	+2.0
SAN523	11376	Clear	+2.5
SAN524	11377	Grey	+1.5
SAN525	11378	Grey	+2.0
SAN526	11379	Grey	+2.5

3M™ VIRTUA™ CCS WITH FOAM GASKET

- Comfortable, lightweight frame features the Cord Control System (CCS) with an optional foam gasket attachment
- CCS is designed to keep a corded earplug attached, untangled, and ready for use
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning
- Anti-fog polycarbonate lens absorb 99.9% UV
- Certification(s): Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010

SEH157

SDN363

Model No.	Mfg. No.	Lens
SEH156	11872	Clear
SEH157	11873	Grey
SEH158	11874	I/O Mirror
SDN363	VC215AF	Clear, Diopter +1.5
SDN364	VC220AF	Clear, Diopter +2.0
SDN365	VC225AF	Clear, Diopter +2.5

3M™ OX™ 2000 PROTECTIVE EYEWEAR

- Sturdy, durable OX protective eyewear delivers high impact protection
- Wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage
- Its lightweight frame and anti-fog hard coat lens deliver clarity
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

SDL985

Model No.	Mfg. No.	Lens Tint	Lens Coating
SDL985	12166-00000-20	Clear	Anti-Fog

3M™ PRIVO™

- Euro-styled safety eyewear: look good while being safe!
- Excellent coverage and world-class fit
- Soft-tipped temples
- Soft comfort nose bridge
- Certified to CSA standard Z94.3

SAP458

SAP461

Model No.	Mfg. No.	Frame Colour	Accent Colour	Lens Tint
SAP456	12261	Black	Orange	Clear AF
SAP457	12262	Black	Orange	Grey AF
SAP458	12263	Black	Orange	Amber AF
SAP459	12264	Black	Orange	I/O Mirror
SAP460	12265	Silver	Red	Clear AF
SAP461	12266	Silver	Red	Grey AF
SAP463	12268	Silver	Red	I/O Mirror

3M™ SAFETY SUNWEAR

- Perfectly blending comfort, performance and flair
- Offers a streamlined frame design with attitude, bold style and impact-resistant polycarbonate lenses
- Foam-lined gasket helps provide cushioned protection against impact, sun, wind, and nuisance dust
- Lens absorbs 99.9% UVA and UVB
- Reduces brightness and glare from the sun
- Microfibre storage bag included for convenient storage
- Certification(s): Meets the requirements of CSA Z94.3 and ANSI Z87.1-2010

SDN366

SDN367

Model No.	Mfg. No.	Frame Colour	Lens Tint	Lens Coating
SDN366	SS1502AF-W-CA	White	Grey	Anti-Fog
SDN367	SS1511AF-B-CA	Black	Silver Mirror	Anti-Fog
SDN368	SS1514AS-S-CA	Black	Grey Polarized	Anti-Scratch

3M™ LIGHT VISION™ 2 W/READER LENS

- The first industrial eyewear designed with integral hands-free lighting
- Dual hands-free temple lights swivel/adjust for bright directional beams
- Long battery life of up to 50 hours
- Wide coverage wraparound design protects against flying particulates
- Impact resistant polycarbonate lens with anti-fog coating
- Soft rubber temples and nose pads for extended wear comfort
- Lanyard and storage bag included
- Compliant with CSA standard Z94.3

SAP480



Model No.	Mfg. No.	Diopter
SAP480	11476	-
SAP481	11477	+1.5
SAP482	11478	+2.0
SAP483	11479	+2.5

3M™ QX™

PROTECTION HIGHER THAN EVER

Eye shield perfection. QX™ eye gear exceeds impact standards with an athletic design for solid fit and biomorphic coverage.

Specifications:

- Choice of two temples: adjustable, and Sport-Grip™
- Dual 9-base lens for extended wraparound coverage
- Soft non-slip nosepiece available on QX™ 2000 and QX™ 3000 models
- DX™ anti-fog hard coat guards against fogging, scratching, static and chemical attacks
- High impact Duralite® polycarbonate lens absorbs 99.9% of UV
- Lightweight with distortion-free optics
- Patented lens removal system
- Exceed military V_0 test regimen for high velocity impact protection (QX™ 2000 and QX™ 3000 models)
- Certified to CSA standard Z94.3

Reversible Non-Slip Nosepiece

SN476

Model No.	Mfg. No.	Lens Tint
QX™ 1000 BLACK ADJUSTABLE TEMPLES		
SN476	12100	Clear
SN586	12101	Grey
QX™ 2000 BLACK ADJUSTABLE TEMPLES & SOFT NOSEPIECE		
SN595	12109	Clear
SN596	12110	Grey
QX™ 3000 BLACK SPORT-GRIP™ TEMPLES & SOFT NOSEPIECE		
SN597	12115	Clear

TYPES OF TEMPLES

Adjustable

Sport-Grip™

Z300

- Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on models **SEF219** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on model **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3

ZENITH® Safety Products

Model No.	Description
SEF218	Direct vent
SEF219	Indirect vent
SAN430	Indirect vent anti-fog

Z1100

- Indirect ventilation
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEK294

ZENITH® Safety Products

GOGGLES W/ SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095

ZENITH® Safety Products

3M™ GOGGLE GEAR SPLASH GOGGLE

- 3M™ Goggle Gear 500 Series Protective Eyewear are a low profile splash goggle featuring Scotchgard™ clear anti-fog lens coating which helps keep lenses clear - providing longer lasting fog resistance than traditional anti-fog coatings
- Additionally, the Scotchgard™ anti-fog coating retains its anti-fog effectiveness through at least 25 washings with water
- Low-profile design with removable strap
- Lens, frame, and strap can be quickly disassembled for cleaning
- Indirect venting
- Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- Meets the requirements of CSA Z94.3 and ANSI Z87.1
- Lens Tint: Clear
- Lens Coating: Anti-Fog

Model No. SFM409
Mfg. No. GG501SGAF

FURY®

- Sleek, frameless design with wraparound 9-base unilens
- Ideal for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Not for chemical splash applications
- Compliant with CSA standard Z94.3

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
SG499	S1890X	Clear

FLEX SEAL®

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimizes fogging
- Fits over most prescription eyewear
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the neoprene headband above the ears
- Certified to CSA standard Z94.3

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
SAK386	S3400X	Clear
SAK387*	S3405X	Clear
REPLACEMENT LENSES		
SAK391	S710X	Clear

* Fabric headband

V-MAXX®

- Sleek wrap-around styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180˚ clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3

Honeywell UVEX

Model No.	Mfg. No.	Description	Lens Tint
SAI905	11250800	Direct vent, red elastic headband	Clear Fog-ban®
SAI906	11250810	Indirect vent, black neoprene headband	Clear Fog-ban®
SAI907	11250830	Indirect vent, black frame and elastic headband	Shade 3.0
SAI908	11250850	Indirect vent, black frame and elastic headband	Shade 5.0
SAI909	11250860	Goggles covers, 10/Pkg	-

STEALTH®

- Low profile design for chemical splash and impact protection
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Uvextreme AF® and HydroShield™ AF coatings, and indirect ventilation system minimizes fogging
- Durastreme™ dual anti-fog/anti-scratch coating minimizes fogging while protecting the lens
- Impact resistant polycarbonate lenses absorb 99.9% of UV light
- Neoprene headband
- Quick adjust headband
- Certified to CSA standard Z94.3

SE790

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
SE790	S3960C	Uvextreme® AF, Clear
SE791*	S3960CI	Uvextreme® AF, Clear
SE792	S3961C	Uvextreme® AF, Grey
SE793	S3962C	Uvextreme® AF, Amber
SAQ911	S3960D	Dura-stremeTM, Clear
SDL055	S3960HS	HydroShield™ AF, Clear
SDL056	S3961HS	HydroShield™ AF, Grey
REPLACEMENT LENSES		
SE794	S700C	Uvextreme® AF, Clear
SE795	S701C	Uvextreme® AF, Grey
SE796	S702C	Uvextreme® AF, Amber
SAQ912	S700D	Dura-streme™, Clear

* Fabric headband

FUTURA™

- Wraparound sports style provides excellent panoramic vision
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Frosted browguard reduces glare
- Indirect venting increases air flow
- Impact resistant polycarbonate lenses absorb 99.9% of UV light
- Uvextreme® AF coating minimizes fogging
- Neoprene headband
- Fits over most Rx eyewear
- Certified to CSA standard Z94.3

SE799

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint
CLEAR FRAME		
SE799	S345C	Clear
REPLACEMENT LENSES		
SE802	S780C	Clear

STRATEGY®

- All-day comfort, exceptional fit and protection, even in extreme environments
- Four ventilation options: direct vent, closed vent, indirect vent and indirect vent with foam lining for fine particle protection
- Soft, flexible TPE body conforms to the face, providing an exceptional snug fit
- Optically perfected clear polycarbonate lens with Uvextra™ AF anti-fog coating
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3

SAP502

SAP500

Honeywell UVEX

Model No.	Mfg. No.	Frame Colour	Description
SAP498	S3800	Grey	Direct Vent
SAP499	S3805	Grey	Closed Vent
SAP500	S3810	Grey	Indirect Vent
SAP501	S3815	Grey	Indirect Vent w/Foam
SAP502	S3820	Hot Orange	Indirect Vent

CARBONVISION™

- Flexible soft frame adapts perfectly to the face to ensure a perfect fit and seal around the eyes for high-performance protection and all-day comfort
- The soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain
- Convenient clip makes it easy to remove headband before cleaning
- Ideal for protection from impact, dust/airborne particles as well as chemical splash hazards
- Low profile, compact design is ideal for wearing with disposable respirators and protective caps
- Dura-streme® dual anti-fog/anti-scratch coating

SEH176

SDL472

Honeywell UVEX

Model No.	Mfg. No.	Lens Tint	Headband
SEH176	S1650D	Clear	Neoprene
SDL471	S1651D	Grey	Neoprene
SDL472	S1650DF	Clear	Fabric
SDL473	S1651DF	Grey	Fabric

FECTOGGLES™

- Vent channels at top and bottom for improved air flow
- Lighter weight than most goggles for improved comfort
- Soft foam backing seals out particulates
- Black frame with strap
- Lens Tint: Clear
- Certified to CSA standard Z94.3

SAQ932

3M

Model No.	Mfg. No.	Size
SAQ932	16617-00000	Medium
SAQ933	16618-00000	Large

EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF180

GOGGLES CASES

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF181

NEOPRENE EYEWEAR RETAINERS

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF183



NYLON EYEWEAR RETAINERS

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF182

SKULLERZ® COTTON EYEWEAR LANYARDS

- 100 % cotton
- Adjustable barrel slide
- Durable, cool, comfortable
- Machine washable
- Fits standard frames
- Colour: Black

3200 SERIES

Model No. SAK847
Mfg. No. 19152

3215 SERIES DUAL BREAKAWAY DESIGN

Model No. SAK848
Mfg. No. 19212

SAK847

SAK848

SKULLERZ® BREAKAWAY ROPE EYEWEAR LANYARDS

- 3 mm nylon rope construction
- Breakaway connection
- Slip-style attachment fits a variety of temple sizes
- Colour: Black

Model No. SDM707
Mfg. No. 19324

SKULLERZ® ELASTIC COIL EYEWEAR LANYARDS

- Stretchable nylon/elastic construction
- Low-profile design
- Slip-style attachment fits a variety of temple sizes
- Colour: Black

Model No. SDM708
Mfg. No. 19280

PRINZING SAFETY GLASSES DISPENSERS WITH LID

- Compact unit designed to hold up to six pairs of glasses
- Dust cover to isolate glasses
- Wall or table mount
- 9" W x 6" D x 3" H

Model No. SED048
Mfg. No. PD211L-F

DELUXE VISITOR SPEC DISPENSERS

- Bottom door that keeps glasses in and folds down for easy dispensing
- Supplied with two top holes making them ideal for wall-mounting
- Holds approximately 20-25 glasses
- 8" W x 4" D x 18" H

Model No. SED050
Mfg. No. MVSD

LENS CLEANING PRODUCTS

- Anti-fog, anti-static lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, faceshields and computer monitors
- Silicone free

METAL LENS CLEANING STATIONS

- Rugged, long-wearing steel dispenser
- Comes with two boxes of 5" x 8" interfolded wipes and one 16 oz./473 ml pump bottle of lens cleaning solution

Model No. SEE397
Mfg. No. 860DFP

LENS CLEANING TISSUES

- For general lens cleaning and wiping needs
- Fits **SEE380** and **SEE382** lens cleaning stations
- 300 interfolded 5" x 8" wipes

Model No. SEE398
Mfg. No. M60G

UVEX CLEAR®

- Specially formulated for anti-fog and scratch resistant hardcoats and is completely silicone-free and alcohol-free
- Refillable lens cleaning station model **SR366** comes complete with one 16-oz. Uvex Clear® cleaning solution, 4 boxes of 500 non-abrasive tissues, a 3.5" x 4.5" mirror and screw mounts and adhesive foam for quick wall mounting

SR366

Model No.	Mfg. No.	Description
SR366	S461	Refillable lens cleaning station (22.5" x 12.5")
SN287	S463	473 ml/16 oz. refillable spray solution
SM798	S464	3.78 L/1 gallon solution refill
SN144	S462	Box of 500 non-abrasive tissues

LENS CLEANER

Model No.	Size	Description
SEE377	237 ml/8 oz.	Modern round bottle w/pump
SEE378	473 ml/16 oz.	Boston round bottle w/pump
SEE381	3.78 L/1 gallon	Refill

DISPOSABLE LENS CLEANING STATIONS

- **SEE380** contains 600 interfolded 5" x 8" tissues and one 237 ml bottle of fluid
- **SEE382** contains 1200 interfolded 5" x 8" tissues and one 473 ml bottle of fluid

SEE382

SEE380

Model No.	Description
SEE380	One 237 ml/8 oz. bottle w/pump and 600 tissues
SEE382	One 473 ml/16 oz. bottle w/pump and 1200 tissues

LENS CLEANING TOWELETTES

- Excellent cleaning with no streaking
- 5" x 8" individually wrapped towelettes permeated with anti-fog, anti-static formula
- 100 towelettes per dispenser

Model No. SEE379

RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Model No. SEE383

HIGH PERFORMANCE® FACESHIELDS

- Exclusive overlay designs; heat and scratch resistant
- Oversized 7" heat resistant crown for extra protection
- Lifetime limited warranty
- Meets ANSI Z87.1 and CSA Z94.3 standards

Headgear and faceshields sold separately

Honeywell FIBRE-METAL

Model No.	Mfg. No.	Description
SAJ463	F-500	Headgear
SAP369	4199CL	Clear, 19" x 9 3/4"
SAR046	4199IRUV3	IR 3.0, 19" x 9 3/4"

ARC FLASH SERIES FACESHIELDS

DUAL CROWN HIGH PERFORMANCE FACESHIELD SYSTEMS

- Full face and neck protection
- Broader, deeper 4" headgear and chin protector, molded from Noryl®
- Available in dual crown ratchet headgear model or duel channel cap peak mounting bracket with chin protector
- High performance injection molded, preformed optically correct propionate faceshield with 25 cal ratings when used as tested
- Meets ANSI standard Z87.1-2010 and is certified to the requirements of CSA standard Z94.3

ARC Flash NFPA 70E

Honeywell FIBRE-METAL



Model No.	Mfg. No.	Description
SAP523	FM400DCAF25	Dual crown protective mask and faceshield
SAP524	FM70DCAF25	Dual crown protective mask, faceshield and safety cap

HIGH PERFORMANCE® FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 16.5" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection

Headgear and faceshield sold separately

Honeywell FIBRE-METAL

Model No.	Mfg. No.	Description
SAM376	F-400	Headgear
SAM377	4178	Clear faceshield
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 faceshield

FACESHIELDS

- Accepts a wide range of faceshield/window styles
- Cross strap adjusts to allow an exceptional fit
- Full floating mount provides comfortable wear even with heavy faceshield and continuous use
- Quick change system for holding faceshield/window
- Ratchet adjustment for quick, easy and perfect fit

Headgear and faceshield sold separately

Honeywell NORTH

Model No.	Mfg. No.	Description
SAH652	KHG4001	Headgear

FACESHIELDS

Model No.	Mfg. No.	Size"	Form	Material
SAI077	A8154	8 x 15 1/2	Formed	Polycarbonate
SAI078	A8150/40	8 x 15 1/2	Flat PET-G	Copolyester

BIONIC™ SHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application
- Easily replaceable visor with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Meets ANSI standard Z87.1-2010 and is certified to the requirements of CSA standard Z94.3

Honeywell UVEX

Model No.	Mfg. No.	Description
BIONIC™ SHIELDS		
SAK421	S8500	Clear uncoated faceshield
SAK422	S8510	Clear anti-fog hardcoat faceshield
REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear uncoated
SAK424	S8555	Clear anti-fog hardcoat
SAK425	S8560	Shade 3.0, uncoated
SAK426	S8565	Shade 5.0, uncoated
ACCESSORIES		
SA0774	S8580	Replacement headband
SA0775	S8570	Hard hat adapter
SA0776	S8595	Ratchet suspension

PROTECTO-SHIELD® PROLOK® FACESHIELDS

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor

Model No.	Mfg. No.	Description
HEADGEARS		
SG413	11380048	Ratchet Adjustment
SG414	11380049	Pinlock Adjustment

Model No.	Mfg. No.	Description	Dimensions H" x W" x D"
FACESHIELDS - MOLDED			
SG418	11390044	Clear, Triton	8 1/2 x 15 x 0.060
SG419	11390047	Clear, Polycarbonate	8 1/2 x 15 x 0.060
SAK431	11390066	Shade 3.0	8 1/2 x 15 x 0.060
SAK432	11390067	Shade 4.0	8 1/2 x 15 x 0.060
SAK433	11390068	Shade 5.0	8 1/2 x 15 x 0.060
SAK434	11390069	Shade 6.0	8 1/2 x 15 x 0.060
FACESHIELDS - ALUMINUM BOUNDED ACETATE			
SG421	11390055	Clear	8 1/2 x 15 x 0.040

SG414

SG418

SG421

FACESHIELDS

- Universal hole pattern allows visors to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate visors form easily for a contoured, customized fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z84.3

Honeywell NORTH

Faceshield sold separately

JACKSON SAFETY* 170-SB HEADGEARS

- Enables attachment of all faceshields
- Spark deflector
- Ratchet suspension

Faceshields sold separately

Kimberly-Clark PROFESSIONAL*

Model No. 138-1613
Mfg. No. 29077

JACKSON SAFETY* MODEL K HEADGEARS

- Spark deflector
- Soft, absorbent wraparound foam cushioned sweatband gently hugs the natural shape of the head
- Ratchet suspension

Faceshields sold separately

Kimberly-Clark PROFESSIONAL*

Model No. 141-1425
Mfg. No. 14381

JACKSON SAFETY* CAPSHIELDS

- Ideal for attachment of Jackson Safety* faceshields

137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment

138-1550

437 CAPSHIELDS

- All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs

138-1775

Kimberly-Clark PROFESSIONAL*

Model No.	Mfg. No.	Description
138-1550	14948	137 Capshield, Cap Coil Spring Attachment
138-1775	14947	437 Capshield, Blade Mounted

JACKSON SAFETY* FACESHIELDS

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3

138-1070

Kimberly-Clark PROFESSIONAL*

Model No.	Mfg. No.	Dimensions W" x D" x L"	Description	Binding
138-1070	29087	15.5 x 0.060 x 8	F20, Clear - Polycarbonate	Unbound
138-1035	29079	15.5 x 0.040 x 9	F30, Clear - Acetate	Aluminum Bound
138-1072	26262	15.5 x 0.060 x 8	F50, IR/UV 3.0 - Polycarbonate	Unbound
138-1074	29080	15.5 x 0.060 x 8	F50, IR/UV 5.0 - Polycarbonate	Unbound

ZENITH GOGGLES WITH SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095

ZENITH® Safety Products

RATCHET FACESHIELDS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkgard made of HDPE Plastic
- Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards

Headgear and faceshield sold separately

CREWS

Model No.	Mfg. No.	Description	Dimensions H" x W" x D"
SA388	103	Ratchet Headgear	-
SA301	181540	Clear Polycarbonate Faceshield	8 x 15 1/2 x 0.040

3M™ H8A HEADGEAR WITH WP96 FACESHIELD

- Combination headgear and faceshield safety system
- Includes H8A ratchet headgear and WP96 polycarbonate faceshield with adjustable ratchet suspension
- Molded faceshield provides impact protection
- Five position crown strap
- Shield tint: Clear
- Certification(s): Meets the requirements of ANSI Z87.1-2003

3M

Model No.	Mfg. No.	Description	Dimensions H" x W" x D"
SDA135	82783-00000	Headgear w/WP96 Faceshields	9 x 14.5 x 0.08
SM817	82701-00000	Replacement WP96 Faceshields	9 x 14.5 x 0.08

FACESHIELDS

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI Z87.1.

SEL012

SEL087

SEL099

MSA

Model No.	Mfg. No.	Description	Window Dimensions W" x D"
POLYCARBONATE			
SEL087	10120108	Clear, Side Contour	8 x 17
SEL088	10115842	Green Tint, Molded, AF/AS	8 x 17
SEL098	10115842	Clear, Molded	10.375 x 17
PROPIONATE			
SEL084	10115855	Clear, Molded	8 x 17
SEL085	10115851	Clear, Molded	9.25 x 18
MESH			
SEL099	10116557	Mesh w/Plastic Edge	- -
SEL013	10158822	V-Gard, Mesh	- -
ARC FLASH			
SEL107	10115847	Molded, Rated 12.9 Cal/cm²	29.25 x 18
SEL108	10118480	Molded, Nitrometer, Chin Protector	8 x 7.25
FRAME			
SEJ998	10115730	V-Gard, for Slotted Caps	
SEL103	10121266	V-Gard, for Slotted Caps, w/Debris Control	
SEL104	10115821	V-Gard, for Slotted Caps, High Temp, w/Debris Control	
SEL105	10121267	V-Gard, for Slotted Caps, High Temp, w/o Debris Control	
SEL106	10116552	V-Gard, Universal Frame, High Temp, w/Debris Control	
SEL012	10115822	V-Gard, Universal Frame, for MSA Slotted Helmet	
SEK014	10124426	V-Gard, Universal Frame, w/o Debris Control	
SEK015	10121268	V-Gard, Universal Frame, w/o Debris Control	

HEAD & FACE PROTECTION SYSTEMS

CONTAINS:

1 **SAF960** V-Gard® hard hat, yellow
1 **SEJ998** Frame for V-Gard®
1 **SEK030** Clear polycarbonate faceshield
1 **SEL083** Sound Blocker muffs, 21 NRR

Model No. SAM400

SAM400

CONTAINS:

1 **SAF960** V-Gard® hard hat, yellow
1 **SEJ998** Frame for V-Gard®
1 **SEK030** Clear polycarbonate faceshield

Model No. SAM401

MSA

SAM401

LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Features short peak, trim profile, and functional rain trough
- Accessory slots accommodate a wide variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 1, Class E

Safety Products for LIFE.

SAX845

Model No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX840	14LS79822-YEL	Yellow
SAX841	14LS79826-BLU	Blue
SAX842	14LS79821-WHT	White
SAX844	14LS79823-ORG	Orange
SAX849	14LS79801-DBL	Dark Blue
SAX845	14LS79835-HVO	Hi-Viz Orange
SECURE-FIT RATCHET SUSPENSION		
SAX850	14LR79622-YEL	Yellow
SAX851	14LR79626-BLU	Blue
SAX852	14LR79621-WHT	White
SAX854	14LR79623-ORG	Orange
SAX859	14LR79601-DBL	Dark Blue
SAX855	14LR79635-HVO	Hi-Viz Orange

Note: Other colours available upon request

REPLACEMENT 4-POINT SUSPENSION

Model No.	Mfg. No.	Description
SAX884	14A79800	Easy Quick-Slide suspension
SAX885	14A79600	Secure-Fit ratchet suspension

OMEGA II SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 6-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 1, Class E

Safety Products for LIFE.

SAX800

Model No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX787	14OS69132-YEL	Yellow
SAX788	14OS69136-BLU	Blue
SAX789	14OS69131-WHT	White
SAX793	14OS69129-HVP	Hi-Viz Pink
SAX790	14OS69133-ORG	Orange
SAX799	14OS69301-DBL	Dark Blue
SAX795	14OS69135-HVO	Hi-Viz Orange
SECURE-FIT RATCHET SUSPENSION		
SAX800	14OR69952-YEL	Yellow
SAX801	14OR69956-BLU	Blue
SAX802	14OR69951-WHT	White
SAX803	14OR69953-ORG	Orange
SAX812	14OR69901-DBL	Dark Blue
SAX806	14OR69989-HVP	Hi-Viz Pink
SAX808	14OR69955-HVO	Hi-Viz Orange

Note: Other colours available upon request

REPLACEMENT 6-POINT SUSPENSION

Model No.	Mfg. No.	Description
SAX880	14A19141	Easy Quick-Slide suspension
SAX881	14A19945	Secure-Fit ratchet suspension

OMEGA II SAFETY CAPS CSA TYPE 2

- Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 2, Class E

Safety Products for LIFE.

SAX819

Model No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX813	14OSC49132-YEL	Yellow
SAX815	14OSC49131-WHT	White
SAX819	14OSC49129-HVP	Hi-Viz Pink
SAX814	14OSC49136-BLU	Blue
SAX816	14OSC49133-ORG	Orange
SAX825	14OSC49301-DBL	Dark Blue
SAX821	14OSC49135-HVO	Hi-Viz Orange
SECURE-FIT RATCHET SUSPENSION		
SAX826	14ORC49932-YEL	Yellow
SAX827	14ORC49936-BLU	Blue
SAX828	14ORC49931-WHT	White
SAX829	14ORC49933-ORG	Orange
SAX838	14ORC49901-DBL	Dark Blue
SAX832	14ORC49929-HVP	Hi-Viz Pink
SAX834	14ORC49935-HVO	Hi-Viz Orange

Note: Other colours available upon request

REPLACEMENT 4-POINT SUSPENSION

Model No.	Mfg. No.	Description
SAX882	14A69141	Easy Quick-Slide suspension
SAX883	14A69945	Secure-Fit ratchet suspension

OMEGA II FULL BRIM SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 6-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Certified to CSA standard Z94.1-05 type 1, Class E

SAX861

Safety Products for LIFE.

Model No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX860	14FS69502-YEL	Yellow
SAX861	14FS69506-BLU	Blue
SAX862	14FS69501-WHT	White
SAX865	14FS69503-ORG	Orange
SAX864	14FS69510-HVL	Hi-Viz Lime
SEJ178	14FS69505-BLK	Black
SECURE-FIT RATCHET SUSPENSION		
SAX867	14FR69812-YEL	Yellow
SAX868	14FR69816-BLU	Blue
SAX869	14FR69811-WHT	White
SAX872	14FR69813-ORG	Orange
SAX871	14FR69823-HVL	Hi-Viz Lime
SEJ179	14FR69821-BLK	Black

Note: Other colours available upon request

REPLACEMENT 6-POINT SUSPENSION

Model No.	Mfg. No.	Description
SAX880	14A19141	Easy Quick-Slide suspension
SAX881	14A19945	Secure-Fit ratchet suspension

BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-moulded suspension
- "Pin-lock" sizing adjustment
- **Not certified**

SAX877

Safety Products for LIFE.

Model No.	Mfg. No.	Colour
SAX874	14B19112-YEL	Yellow
SAX876	14B19111-WHT	White
SAX877	14B19114-RED	Red
SAX879	14B19161-DBL	Dark Blue

Note: Other colours available upon request

REPLACEMENT BUMP CAP SUSPENSION

Model No.	Mfg. No.	Description
SAX886	14A19120	Replacement suspension

LIBERTY FULL BRIM TYPE 2 SAFETY CAPS

- Crown and lateral impact and penetration
- Lightest weight CSA Type 2 certified full brim on the market
- Remarkable styling, low profile design providing added stability and comfort
- Full brim provides sun and rain protection
- Accommodates chin strap
- Moisture wicking brow pad is removable, washable, and replaceable
- Goggle retaining slots on suspension
- Mega Ratchet™ 4-point woven nylon suspension fits head sizes 6 1/2 - 8
- Foam lined ratchet housing provides added comfort and increased traction
- Certified to CSA standard Z94.1-05 type 2, Class C, E and G

SDL927

Safety Products for LIFE.

Model No.	Mfg. No.	Colour
SDL923	14LFRC69771-WHT	White
SDL924	14LFRC69772-YEL	Yellow
SDL925	14LFRC69773-ORG	Orange
SDL926	14LFRC69774-RED	Red
SDL927	14LFRC69770-DBL	Dark Blue
SDL928	14LFRC69776-BLK	Black
SDL929	14LFRC69775-HVO	Hi-Viz Orange
SDL112	14LFRC69778-HVL	Hi-Viz Lime
SDL930	14LFRC69779-HVP	Hi-Viz Pink

Note: Other colours available upon request

REPLACEMENT 4-POINT SUSPENSION

Model No.	Mfg. No.	Description
SAX885	14A79600	Replacement Suspension

CREATE-A-CAP - BUMP CAPS

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook & loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection
- Caution, bump caps are not designed to protect against impact from falling or glancing objects
- **Does not meet CSA or ANSI requirements**

Model No.	Colour
SEJ182	Dark Blue
SEJ183	Camo
SEJ184	Orange
SEJ185	Red

NORTH ZONE™ HARD HATS

- Slots for cap-mounted earmuffs, face shields and other PPE accessories
- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- Short brim and low-profile design for increased field of vision and user mobility
- Approved to be worn in the reverse position
- Certification(s): ANSI Type I/CSA Type 1

SFM532

Model No.	Mfg. No.	Colour
PINLOCK SUSPENSION		
SFM500	N10010000	White
SFM501	N10020000	Yellow
SFM502	N10030000	Orange
SFM503	N10040000	Green
SFM504	N10050000	Hi-Viz Red
SFM505	N10070000	Sky Blue
SFM506	N10080000	Navy Blue
SFM507	N10090000	Grey
SFM508	N10100000	Tan
SFM509	N10110000	Black
SFM510	N10120000	Brown
SFM511	N10130000	Gold
SFM512	N10150000	Red
SFM513	N10170000	Royal Blue
SFM514	N10200000	Hot Pink
SFM515	N10440000	Hi-Viz Yellow
SFM516	N10460000	Hi-Viz Orange

Model No.	Mfg. No.	Colour
RATCHET SUSPENSION		
SFM517	N10R010000	White
SFM518	N10R020000	Yellow
SFM519	N10R030000	Orange
SFM520	N10R040000	Green
SFM521	N10R050000	Hi-Viz Red
SFM522	N10R070000	Sky Blue
SFM523	N10R080000	Navy Blue
SFM524	N10R090000	Grey
SFM525	N10R100000	Tan
SFM526	N10R110000	Black
SFM527	N10R120000	Brown
SFM528	N10R130000	Gold
SFM529	N10R150000	Red
SFM530	N10R170000	Royal Blue
SFM531	N10R200000	Hot Pink
SFM532	N10R440000	Hi-Viz Yellow
SFM533	N10R460000	Hi-Viz Orange

MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or Quick Fit suspension
- Quick Fit suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- Certified to standard CSA Z94.1-05 type 2, Class E

Model No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Dark Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Dark Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6
ACCESSORIES				
SA0538	A89S2	Quick Fit 4-Point Suspension		
SAN022	A89RS2	4-Point Ratchet Suspension		

THE EVEREST A49 CSA TYPE 1

- High-density polyethylene outer shell
- 6-point ratchet web suspension or 4 -point pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- Sizing adjustment from 6 1/2 to 8
- Certified to CSA standard Z94.1-05 type 1, Class E

SE928

Model No.	Mfg. No.	Suspension	Colour	Wt. oz.
SE928	A49R010000	Ratchet	White	15.4
SE929	A49R020000	Ratchet	Yellow	15.4
SE930	A49R070000	Ratchet	Sky Blue	15.4
SE931	A49R110000	Ratchet	Black	15.4
SE932	A49R150000	Ratchet	Red	15.4
SH151	A49010000	Pinlock	White	14.7
SH152	A49020000	Pinlock	Yellow	14.7
SH154	A49110000	Pinlock	Black	14.7
SH155	A49150000	Pinlock	Red	14.7
ACCESSORIES				
SJ317	A99C100	Safety Cap 4-Point Chin Strap		
SI919	A491S	4-Point pinlock Suspension		

THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell
- Ergonomically designed 6-point suspension with 2 adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- Certified to standard CSA Z94.1-05 type 2, Class E

SE936

Model No.	Mfg. No.	Colour
SE933	A119R010000	White
SE934	A119R020000	Yellow
SE935	A119R030000	Orange
SE936	A119R070000	Sky Blue
SE937	A119R110000	Black
SE938	A119R150000	Red
SAN168	A119R080000	Navy

SUSPENSION TYPES:

Ratchet

Quick Fit

Pinlock

BUMP CAPS BC86

- For low hazard area protection against minor bumps and lacerations
- Cool, well-ventilated and lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- Available in various colours

SAI588

Model No.	Mfg. No.	Colour
SAI586	BC86010000	White
SAI587	BC86020000	Yellow
SAI588	BC86070000	Sky Blue
SAI589	BC86080000	Dark Blue
SEK326	BC86030000	Orange
SAQ555	BC86040000	Green

V-GARD® PROTECTIVE CAPS

OFFER COMFORTABLE, LIGHTWEIGHT PROTECTION

V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system. V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size. Available with Fas-Trac® or 1-Touch™ suspension. Caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in ANSI Z89.1 2003, and CSA Z94.1-2005, class E.

Model No.	Mfg. No.	Colour
FAS-TRAC® SUSPENSION		
SAF970	475358	White
SAF971	475359	Blue
SAF972	475360	Yellow
SAF973	475361	Orange
SAF974	475363	Red
SAF975	475362	Green
SAF976	475364	Grey
SAF977	488146	Hi-Viz Orange
SAF978	815565	Hi-Viz Lime Green
SDL113	10061512	Hi-Viz Yellow Green
SAF981	492559	Black
1-TOUCH™ SUSPENSION		
SAM578	10057441	White
SAM579	10057442	Blue
SAM580	10057443	Yellow
SAM581	10061514	Hi-Viz Lime Green

MSA SUSPENSION TYPES:

Fas-Trac® III

1-Touch™

THE SUMMIT A99R CSA TYPE 2

- High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- 6-point ratchet suspension system comes with 2 adjustment levels for headband
- Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- Certified to CSA standard Z94.1-05 type 2, Class E

Model No.	Mfg. No.	Suspension	Colour
SA651	A99R010000	Ratchet	White
SA652	A99R020000	Ratchet	Yellow
SH146	A99R030000	Ratchet	Orange
SA650	A99R070000	Ratchet	Sky Blue
SH147	A99R040000	Ratchet	Green

Note: Other colours available upon request

ACCESSORIES

Model No.	Mfg. No.	Description
SJ317	A99C100	Safety Cap 4-Point Chin Strap

SUPEREIGHT™ P2A ROUGHNECK

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Meets ANSI standard Z89.1, Type 1, Classes C and G
- P2A is high heat resistant to 370°F

SAM405

Model No.	Mfg. No.	Colour
SAM404	P2AQRW09A000	Grey
SAM405	P2AQRW74A000	Green
SAM406	P2AQRW71A000	Blue

V-GARD® FULL BRIM HARDHAT

- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Fas-Trac® III suspension
- Slotted design works with MSA accessories

SDL497

Model No.	Mfg. No.	Colour
SDL493	475366	Yellow
SDL494	475367	Navy Grey
SDL495	475368	Blue
SDL496	475369	White
SDL497	475370	Green
SDL498	475371	Red

TOPGARD® PROTECTIVE CAPS

UNI-RIDGE DESIGN PROTECTS WEARER FROM FALLING OBJECTS

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-TouchTM or Fas-Trac® suspension. Topgard® caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in ANSI Z89.1 2003 and CSA Z94.1-2005, class E.

MSA

Model No.	Mfg. No.	Colour
1-TOUCH™ SUSPENSION		
SAM569	454728	White
SAM571	454723	Blue
SAM572	454721	Yellow
SAM573	454725	Orange
SAM574	454727	Red
SAM575	454726	Green
SAM576	454722	Grey
FAS-TRAC® SUSPENSION		
SAG002	475385	White
SAG003	475380	Blue
SAG004	475378	Yellow
SAG005	475382	Orange

REPLACEMENT SUSPENSIONS

Model No.	Mfg. No.	Description
SAM577	10061127	1-Touch™ Suspension
SEL240	10153384	Fas-Trac® III Suspension

TOPGARD® FULL BRIM HARDHAT

- Built for use by utilities and other industries where head protection with dielectric protection is necessary
- Withstands radiant heat loads up to 275°F
- Fas-Trac® III suspension
- Non-slotted hardhat

SDL487

MSA

Model No.	Mfg. No.	Colour
SDL487	475387	Yellow
SDL488	475388	Grey
SDL489	475389	Blue
SDL490	475391	Green
SDL491	475392	Red
SDL492	475394	Black

FREEDOM SERIES™ HARD HATS

- V-Gard® helmet with distinctive "all Canadian" graphics
- Fas-Trac® suspension
- Meet requirements of ANSI Z89.1 2003 for a type I helmet, class E and CSA type 1, class E

Model No. SAM667
Mfg. No. 10050613

MSA

WORKER STARTER KITS

ZENITH® Safety Products

- Ideal for outfitting temporary workers
- **Kit includes:**
  Hard hat: CSA type 1 with ratchet suspension
  Safety glasses: I/O blue mirror compliant with CSA standard
  Ear plugs: Corded CSA class AL with NRR rating of 32 dB
  Gloves: Split cowhide patch palm leather
  Respirator: NIOSH N95 approved

Model No.	Hard Hat Colour
SEH890	Yellow
SEH891	White
SEH892	Blue

SEH890

WINTER LINERS

FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.

SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.
Model No. SAM455

SAM455

MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.
Model No. SAM456

SAM456

ZENITH® Safety Products

SAJ553

MILD COLD

Single twill layer with napped inside for mild cold.
Model No. SAJ553

SEPTOR® HEADLAMPS

- Hands-free headlamp features LEDs lighting that amply illuminate the task at hand
- 90° tilting head for task targeting
- 7 bright white LEDs that have a 100 000 hour lifetime and never needs to be replaced
- **XC389:** 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- **XE488:** 7 LEDs with high and low brightness levels
- Water resistant
- **XE488**: Class I, Div. I
- **Includes:** 3 AAA alkaline batteries, elastic headstrap and rubber hard hat strap

XC389

Model No.	Mfg. No.	Description
XC389	61052	Industrial Headlamp
XE488	61024	Hazardous Location

STREAMLIGHT

TRIDENT® HEADLAMPS

- 3-way headlamp with rubber and elastic straps
- Features 1 high powered LED and 3 ultra bright white LEDs within the same reflector - all with 100 000 hour lifetimes
- 90° tilting head
- **XC388:** Low Battery Indicator – Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- **XE487**: Class I, Div. I
- **Includes:** 3 AAA alkaline batteries and both elastic and rubber hard hat straps

XC388

Model No.	Mfg. No.	Description
XC388	61050	Industrial Headlamp
XE487	61025	Hazardous Location

STREAMLIGHT

ARGO® HEADLAMPS

- Long-range headlamp with a far reaching beam of 190 meters (high)
- **SEJ181:** 150 lumens
- **XE489:** 90 lumens
- 3 lighting modes: High for maximum output long-range beam distance, medium for intense brightness, and low for extended run times
- Run time: High: 3 hours
- Low Battery Indicator – Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- **XE489**: Class I, Div. I
- **Includes:** 3 AAA alkaline batteries and both elastic and rubber hard hat straps

SEJ181

XE489

Model No.	Mfg. No.	Description
SEJ181	61301	Industrial Headlamp
XE489	61026	Hazardous Location

STREAMLIGHT

3AA HAZ-LO® HEADLAMPS

- Streamlight®'s first safety approved LED headlamp for Class 1, Div 1 hazardous locations
- Contains a 1 Watt super high-flux LED
- LED has a 50 000 hour lifetime and never needs to be replaced
- Brightness: 120 lumens
- Run time: Up to 11 hours of continuous use
- O-ring sealed for weather-resistance
- 90° tilting head
- UL Classified for Class I, Division 1, Groups A, B, C, D, Temperature Code T4
- **Includes**: 3 AA Alkaline batteries; 2 head straps - rubber and elastic

Model No. XC391
Mfg. No. 61200

STREAMLIGHT

EXPLOSIONPROOF HEADLIGHTS

- Totally enclosed, chemical resistant light
- Includes adjustable strap that mounts the light on a hard hat
- Fits comfortably directly on worker's head
- Lamp housing swivels 45° for accurate aim
- Operates for approximately 4 hours on four AA batteries (not included)
- Weight with batteries: 7.6 oz

Model No. XA036
Mfg. No. HL-X

REPLACEMENT BATTERIES AA

1.5 V, 24/pkg. - Sold per Package
Model No. XB872
Mfg. No. EN91

LIND EQUIPMENT

CREE® LED HEADLAMPS

- 3 settings: High, Low and Strobe
- Head angle is adjustable
- Adjustable in/out zoom
- Water resistant
- Lumens (High): 120
- Lumens (Low): 30
- Run Time Hrs. (High): 6
- Run Time Hrs. (Low): 20
- Batteries Required: Three AAA

Model No. XE887

aurora tools®

ENERGIZER® HD VISION INDUSTRIAL HEADLAMP

- Three light modes: White spot light, white flood light and spot and flood together
- Dimmable to control brightness and runtime
- Powerful beam: Up to 4X brighter than standard LED technology
- Beam distance: 40 m
- Pivots to direct light where you need it
- Durable light is water resistant with a shatterproof lens
- Includes 3 AAA Energizer® MAX® batteries
- Non slip rubber grip (holds tight on helmets)
- Lumens (high): 180
- Run time hrs.: High: 8, Low: 50

Model No. SDM001
Mfg. No. HDBIN32E

Energizer

LED HEADLAMPS

- 7 ultra bright LED lights
- 3 brightness levels – 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap

Model No. XC658

aurora tools®

HARD HAT MOUNTING RACKS

Two models of racks are available to store your hard hat:

SEAT MOUNT RACK

- Hangs over the front or back of a car or truck seat

WALL MOUNT RACK

- Can be permanently mounted in a vehicle or office

WINDOW KIT

- Attaches to the wall rack
- Includes 3 suction cups & hardware

SIPCO® Products, Inc.

SA660

SA664

Model No.	Mfg. No.	Description
SA660	STR-1-SM	Seat Mount Rack
SA664	STR-2-WM	Wall Mount Rack
SA665	STR-3-WMK	Window Kit

SQUIDS® HARD HAT LANYARDS

- Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Buckle connecting lanyards feature a double lock plastic buckle that attaches to your fall protection
- Maximum safe working capacity: 2 lbs. (0.9 kg)
- Third party tested using a 2:1 safety factor
- Hard hat not included

SQUIDS® 3150 & 3155 STANDARD LANYARDS

- High-stretch elastic material allows workers to move their head freely

SQUIDS® 3157 & 3158 COIL LANYARDS

- Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion

ergodyne WORK GEAR

SED753

SDL089

Model No.	Mfg. No.	Colour	Connection Type
STANDARD LANYARDS			
SED573	19150	Lime	Buckle
SED574	19155	Lime	Clamp
COIL LANYARDS			
SDL089	19156	Black	Buckle
SDL090	19157	Lime	Buckle
SDL091	19158	Black	Clamp
SDL092	19159	Lime	Clamp

HEADGEAR PADS & SWEATBANDS

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Hook and loop fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- **Sold per package of 2**

Model No.	Description
620-3200V	Suspender Pads for Use with Hard Hats
SAM548	Sweatbands
620-3100V	Non-Suspender Pads for Use with Welding Helmets

SWEATBANDS

- Cool and comfortable solution for hot workplace environments
- Soft, reinforced sponge to absorb perspiration
- Waffled sponge provides added durability with gauze scrim-reinforced design
- Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place
- For workers who wear head or face protection all day
- Dimensions: 8 5/8" x 1 3/4"

Sold per package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI910	16750	Sweatband	25

SAI910

Disposable Earplugs

MAX® FOAM

- The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 33 dB, CSA Class AL

Sold per box



Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SD630	MAX-1	Uncorded	200
SD631	MAX-30	Corded	100

MATRIX™

- Patented no roll design makes insertion easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection - no need to wait for foam to expand
- Screens harmful noise out, but lets voice pass through
- NRR 29 dB, CSA Class AL

Sold per box

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK057	MTX-1-OR	Uncorded	200

MULTI MAX® MULTI-SIZED FOAM

- Multi Max® offers flexibility, protection and economy in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory
- Smooth, soil-resistant polyurethane foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with S.3.19-1974
- NRR 31 dB, CSA Class AL

Sold per box

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SM556	MM-1	Poly Bag	200

LASER-TRAK® METAL DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly sensitive production areas
- Contoured T-shape for easy handling and wear
- Comfortable long term wear
- NRR 33 dB, CSA Class AL

Sold per box

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK189	LT-30	Polycord, Individual Polybag	100

LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 32 dB, CSA Class AL

Sold per box

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SM562	LL-1	Uncorded, Poly Bag	200
SM563	LL-30	Corded, Poly Bag	100

MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 30 dB, CSA Class AL

Sold per box

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box /(Pairs)
SM558	LPF-1	Uncorded, Poly Bag	200
SM559	LPF-30	Poly Cord, Poly Bag	100
SM560	LPF-30-PB	Poly Cord, Paper Bag	100
SM561	LPF-30-P	White Cotton Cord, biodegradable-repulpable paper bag	100

FIRMFIT™ SINGLE USE EARPLUGS

- Low pressure firm foam
- FirmFit™ exerts low expansion pressure on the ear canal
- Slow recovery rate gives you plenty of time to correctly insert in ear canal
- Distinct warning orange colour makes compliance checks easy
- NRR 30 dB

Sold per box



Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SEK003	FF-1	Uncorded, Poly Bag	200
SEK004	FF-30	Corded	100
SEK067	FF-1-PB	Uncorded, Paper Bag	100
SEK068	FF-30-PB	Corded, Paper Bag	100

E·A·RSOFT™ YELLOW NEONS™ & BLASTS™ EARPLUGS

THE SOFTEST, SMOOTHEST, HIGHEST NRR EARPLUGS AVAILABLE TODAY!

- Advanced foam formulation that provides low-pressure comfort
- Available uncorded or with breakaway cord
- Two sizes available for optimum comfort and protection
- Yellow E-A-R™ trademark colour assures proven protection and high quality
- Laboratory tested NRR 33 dB
- Also available in Yellow Neons™ metal detectable
- Both the cord and the plugs are metal detectable
- CSA class AL

Sold per box

SJ423


SJ428

SJ427

Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)
UNCORDED				
SJ423	312-1250	Yellow Neons™	Regular	200
SJ425	312-1251	Yellow Neons™	Large	200
SJ427	312-1252	Blasts™	Regular	200
CORDED				
SJ424	311-1250	Yellow Neons™	Regular	200
SJ426	311-1251	Yellow Neons™	Large	200
SJ428	311-1252	Blasts™	Regular	200
CORDED METAL DETECTABLE				
SAF802	311-4106	Yellow Neons™	Regular	200

3M™ E-A-R™ CLASSIC™ FOAM EARPLUGS

Slow recovery PVC foam provides comfort with low pressure. It is moisture resistant and the foam will maintain its comfort, fit and critical recovery characteristics. Shape equalizes pressure throughout the ear canal as it expands. Flame retardant and dermatologically safe foam is not irritating. **The Classic™ Plus** offers the highest NRR, 33 dB. It has a longer high performance foam plug for increased protection and fits more deeply into the ear canal. **The Classic™ Small** has a more narrow design for smaller ear canals. Also available in the **Classic™ Plus Metal Detectable** foam earplugs. Both the cord and the plugs are metal detectable. All models available uncorded pillow pak or corded in poly bag. Model **SH106** is packaged in environmentally friendly paper pak, vegetable based in ink and glue. One size fits all. Colour: Yellow.

Sold per box

SAJ486

SH106

Model No.	Mfg. No.	Description	NRR dB	Qty/Box (Pairs)
UNCORDED				
SA681	310-1001	Foam - Pillow	29	200
SH106	313-5555	Foam - Paper Pak	29	200
SH107	310-1101	Plus Foam	33	200
SH109	310-1103	Small Foam	29	200
SAJ486	312-1201	Polybag	29	200
CORDED				
SE649	311-1101	Foam	29	200
SH108	311-1105	Plus Foam	33	200
SH110	311-1106	Small Foam	29	200

E-A-R™ TAPERFIT™ 2 FOAM

- Self-adjusting polyurethane foam provides low-pressure comfort with excellent attenuation
- Dermatologically safe and non-irritating foam
- NRR 32 dB
- Available in two sizes: Regular and Plus

Sold per box

SE393

Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)
SE393	312-1219	Uncorded	Regular	200
SE918	312-1221	Uncorded	Plus	200
SE917	312-1223	Corded	Regular	200
SE919	312-1224	Corded	Plus	200

E-A-R™ PUSH-INS™ EARPLUGS

- Easy fit with no roll down required
- E.A.R.form™ yellow foam tip for ultimate comfort
- Blue stem allows for hygienic insertion and removal
- CSA Class AL
- NRR 28 dB

Sold per box

SAJ575

SAJ489

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAJ489	318-1002	Uncorded	200
SAJ575	318-1003	Corded	200
METAL DETECTABLE			
SAP857	318-3000	Corded	200

1100 FOAM EARPLUGS

- Individually packaged for convenience
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane foam offers superior comfort
- NRR 29 dB, CSA Z94.2 Class AL
- Bright orange for visibility

Sold per box

SI762

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SI762	1100	Uncorded	200
SAG359	1110	Corded	100

SKULL SCREWS™ EARPLUGS

- Easy grip for clean insertion
- Look of metal, soft feel of foam
- The screw "threads" help achieve an optimum noise seal
- NRR 30, CSA Class AL

Sold per box

SAP424

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAP424	P1300	Uncorded	120
SAP425	P1301	Corded	120

E-A-R™ E-Z-FIT™

COMFORTABLE FIT FOR SMALLER EAR CANALS!

- Low pressure, soft smooth polyurethane foam is easy to roll and self-adjusting for increased user comfort, with no full feeling in the ear
- Bell-shaped design with a wide flange allows for easy insertion and removal
- Designed to fit medium and small ear canals with increased comfort
- Safe and non-irritating to the ear canal
- Laboratory tested NRR 28 dB
- Available one pair per poly bag uncorded or with breakaway cord
- CSA Z94.2 + CSA Class AL

Sold per box

SH114

SH115

Model No.	Mfg. No.	Description	NRR dB	Qty/Box (Pairs)
SH114	312-1208	Uncorded	28	200
SH115	312-1222	Corded	28	200

E-A-R™ SOFTOUCH™ EARPLUGS

SAFETY NEVER FELT THIS GOOD

- Made of specially formulated foam for added softness
- Once the plugs are in the ear canals, the comfort lasts
- Pistol-grip handle gives fingertip control and eliminates dirt transfer for better hygiene
- SofTouch™ plugs require no roll-down
- Tapered cones slide in-and-out of the ears quickly, easily and fit correctly
- Soft seal helps provide an impressive NRR of 31 dB
- Ideal choice for most noisy environments

Sold per box

SAS462

SAS461

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAS461	318-4000	Uncorded	200
SAS462	318-4001	Corded	200

GLIDE™ FOAM EAR PLUGS

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- Cord can be attached at any desired length
- 100% PVC-free, like all Moldex products and packaging, for a greener alternative
- NRR 30 dB

Sold per box

SEH047

SEH048

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SEH047	6940	Uncorded	100
SEH048	6945	Corded	100

E-A-RSOFT™ FX™ SHAPED EARPLUGS

- Made of a custom polyurethane formulation for slow recovery and increased softness in the ear canal
- CSA Class AL
- NRR 33 dB

Sold per box

SAH585

SAH854

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAH584	312-1260	Corded	200
SAH585	312-1261	Uncorded	200

NO-TOUCH™ FOAM EAR PLUGS

- Hands off the foam
- Softness and comfort of a foam earplug without the hassle of rolling it down
- LiveWire™ stem for the ultimate in comfort and convenience
- Ensures hygiene and ensures solid insertion of the foam
- Available with new LiveWire™ cord for a high-octane look and convenient storage
- Noise jamming protection NRR 29 dB
- CSA Class AL

Sold per box

SAK146

SAK145

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK145	P2000	Uncorded	100
SAK146	P2001	Corded	100

SPARKPLUGS® MULTI-COLOURED FOAM EARPLUGS

- Different colours in every package
- Fun coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- NRR 33 dB

Sold per box

SAG838

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAG838	6604	Uncorded	200
SAG839	6654	Corded	100
SED129	6615	Corded, metal detectable	100

PURA-FIT® FOAM EARPLUGS

- Longer length for easy fitting and removal
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- Bright green colour as a symbol of Moldex® quality
- NRR 33 dB

Sold per box

SR831



Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SR831	6800	Uncorded	200
SAG837	6900	Corded	100

LS-400 LEIGHT® SOURCE EARPLUG DISPENSERS

Honeywell HOWARD LEIGHT

Model No.	Description
SA0205	LS-400 Leight® Source Earplug Dispenser

BULK REFILLS — Sold per Bag

Model No.	Description	NRR db	Pairs /Refill	Qty /Case
SA0206	Matrix™ Orange No-Roll Single-Use Earplugs	29	200	10
SA0209	Max® Single-Use Earplugs	33	200	10
SA0210	Max Lite® Single-Use Earplugs	30	200	10
SA0211	Laser Lite® Single-Use Earplugs	32	200	10
SA0212	MultiMax® Single-Use Earplugs	31	200	10

LS-500 LEIGHT® SOURCE EARPLUG DISPENSERS

Honeywell HOWARD LEIGHT

Model No.	Description
SAK347	LS-500 Leight® Source Earplug Dispenser

BULK REFILLS — Sold per box

Model No.	Description	NRR db	Pairs /Refill	Qty /Case
SAF828	Max® Single-Use Earplugs	33	500	4
SAK343	Max Lite® Single-Use Earplugs	30	500	4
SAF827	Laser Lite® Single-Use Earplugs	32	500	4
SAK346	Multi Max® Single-Use Earplugs	31	500	4

ONE TOUCH™ EARPLUG DISPENSERS

- Patented "No Waste Funnel" allows users to reuse base and dispenser
- Can be used as a table top or wall mounted
- Easy access for the user from all sides
- NRR 33 dB

3M E-A-R

Model No.	Mfg. No.	Description
SDP096	391-0000	One Touch™ Pro Dispenser

BULK REFILLS — Sold per Bottle

Model No.	Mfg. No.	Description	Size	Pairs /Refill
SAP387	391-1001	Classic™	One Size	500
SAH873	391-1004	Yellow Neons™	Regular	500
SAH874	391-1005	Yellow Neons™	Large	400
SAI104	391-1010	Blasts™	Regular	500
SFU681	391-1012	E-A-Rsoft™	One Size	500
SFU682	391-1100	1100	One Size	500

PLUGSTATION® EARPLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB

MOLDEX

Model No.	Mfg. No.	Description	Pairs /Dispenser
SE924	6644	SparkPlugs®, Uncorded	250
SE925	6645	SparkPlugs®, Uncorded	500
SDL452	6881	Metal Detectable SparkPlugs®, Corded	150
SDL453	6880	SparkPlugs®, Corded	150
SE847	6844	Pura-Fit®, Uncorded	250
SF624	6845	Pura-Fit®, Uncorded	500
SDL454	6882	Pura-Fit®, Corded	150
SAK439	6648	Camo Plugs®, Uncorded	500

Reusable Earplugs

AIR SOFT® EARPLUGS

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection – highest attenuation in multiple-use
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 27 dB, CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	Qty/Box (Pairs)
POLYBAGS			
SD582	DPAS-1	Uncorded	100
SD583	DPAS-30R	Corded, Red Vinyl	100
SD584	DPAS-30W	Corded, White Nylon	100
REUSABLE CASE			
SD585	AS-1	Uncorded	50
SD586	AS-30R	Corded, Red Vinyl	50
SD587	AS-30W	Corded, White Nylon	50

SMARTFIT® EARPLUGS

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack® storage case
- NRR 25 dB, CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	Qty /Box (Pairs)
SAK348	SMF-30	Corded	100

TRUSTFIT™ POD EARPLUG

- TrustFit™ Pod push-in foam earplugs can be reused
- Dimpled foam tip with ergonomic stem are easy to fully insert and remove
- Foam earplugs should be cleaned between each use and prior to re-insertion
- Soiled earplugs should be wiped clean with a moist cloth
- Do not use solutions, disinfectants, or chemicals as they may degrade the foam
- Replace earplugs every 5 days, or if foam tip is not soft and pliable, if it is damaged or detached from stem
- NRR dB: 28
- Size: One-Size
- Certification(s): CSA Class AL

Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SFQ518	TRUSTFITPOD-1	Uncorded	100
SFQ517	TRUSTFITPOD-1	Corded	100

FUSION® EARPLUGS

- Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety
- NRR 27 dB, CSA Class AL

Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK349	FUS30-HP	Regular, HearPack™	100
SAK350	FUS30S-HP	Small, HearPack™	100

QUIET® EARPLUGS

- Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- NRR 26 dB, CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK351	QD1	Uncorded, Polybag	100
SE359	QD30	Poly Cord, Polybag	100

E-A-R™ ULTRAFIT™ PREMOLDED REUSABLE EARPLUGS

- Patented triple flange design to fit a wide variety of ear canal sizes
- Washable, promotes worker hygiene
- Breakaway cord protects in case of machine entanglement
- Model **SH113** has a metal detectable steel ball securely positioned in the stem and non-food blue for visual detectability in the food processing industry
- Rating: NRR 25 dB



Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
W/O CARRYING CASE			
SE920	340-4003	Uncorded	100
SE405	340-4004	Corded	100
METAL DETECTABLE			
SH113	340-4007	Corded	100
W/ CARRYING CASE			**Sold per Pair**
SH111	340-4001	Uncorded	50
SH112	340-4002	Corded	50

EXPRESS™ POD PLUGS™

THE EASIEST EARPLUG TO USE!

- Quick, clean and hygienic
- Laboratory tested NRR 25 dB
- Reusable or disposable for cost-effective hearing protection
- Simple to clean and comes in a handy, resealable pack for easy storage
- Dispenser package in uncorded and corded blue grips or assorted colour grips (red, yellow, green, blue, purple) with matching cords
- Colour: Yellow
- CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	NRR dB	Qty/Box (Pairs)
UNCORDED				
SH116	321-2100	Blue Grips	25	100
SH117	321-2200	Assorted Colour Grips	25	100
CORDED				
SH118	311-1114	Blue Grips	25	100
SH119	311-1115	Assorted Colour Grips	25	100

ROCKETS® REUSABLE EARPLUGS

- Easy grip handle allows for easy insertion
- Air bubble in the tip provides cushioned comfort
- Can be washed and reused
- Each pair comes with a Pocket-Pak® carrying case to store plugs between uses
- Slips easily into the pocket
- NRR 27 dB

Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAN317	6400	Uncorded	50
SAN318	6405	Vinyl Corded	50

E-A-R™ ULTRAFIT™ 27 EARPLUGS

- Innovative pistol grip shape designed to give wearers improved fingertip control
- Patented new polymer formulation now provides highest NRR of any premoulded earplug at 27 dB
- Comfortable and reusable
- CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAP858	340-8001	Uncorded	100
SAP859	340-8002	Corded	100

GLIDE® TRIO REUSABLE EARPLUGS

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- Cord can be attached at any desired length
- 100% PVC-free
- NRR 27 dB

Sold per box

Model No.	Mfg. No.	Qty/Box (Pairs)
SEH046	6445	50

TRI-FLANGE™ PLUGS

- Customized comfort – reusable value
- Soft, pliable flanges conform to the shape of your ear canal for a custom fit
- Afterglow stem allows for quick clean insertion
- Available with new LiveWire™ cord for a high-octane look and convenient storage
- Also available with a new cloth cord
- Noise jamming protection NRR 26 dB
- CSA Class AL

Sold per box



Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAK437	P3000	Corded	100
SAK438	P3001	With cloth cord	100

PERCAP® FOLDABLE 3-POSITION BANDED EARPLUGS

- Super soft pods rest outside the ear canal opening
- Ideal for workers who do not like to put earplugs in their ears
- Wear over the head, under the chin or behind the neck
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear
- NRR 21 dB

Sold per box



Model No.	Mfg. No.	Description	Qty /Box
SAO692	PERCAP	Ear band	10
SAO744	PCAP100	Replacement pods	50

QUIET BANDS

- Ergonomic design keeps the pads suspended so they don't become contaminated
- Available in three different plug styles:
  - **QB1® HYG** Inner-aural protection has the highest NRR 27 dB rating
  - **QB2® HYG** Supra-aural protection has an NRR 25 dB rating
  - **QB3® HYG** Semi-aural and designed for moderate hearing protection with a NRR 23 dB rating



Honeywell
HOWARD LEIGHT

One free pair of replacement pods included with each Quiet Band.

Model No.	Mfg. No.	Description
SN615	QB1HYG	QB1® HYG Inner-Aural 27 dB
SN616	QB2HYG	QB2® HYG Supra-Aural 25 dB
SN281	QB3HYG	QB3® HYG Semi-Aural 23 dB
REPLACEMENT PODS		
SN617	QB100HYG	QB1® HYG 1 pair per pkg
SN618	QB200HYG	QB2® HYG 1 pair per pkg
SN279	QB300HYG	QB3® HYG 1 pair per pkg

3M™ HEARING BANDS

3M EA·R

E-A-RFLEX™ PREMOLDED TIPS

- Highest protection available in a semi-insert hearing protector
- Comfortable, effective, lightweight alternative to earmuffs
- Dermatologically safe plugs are non-irritating
- Band helps prevent loss and is ideal for intermittent use
- NRR 24 dB
- CSA Class AL

E-A-Rflex

SH124

Model No.	Mfg. No.	Description
SH124	350-1100	Premolded Tips

SH124

E-A-Rflex™
Premolded Tips

E-A-RFLEX™

- Soft, E-A-Rform™ foam tips
- Pivoting tips for optimum fit
- Hi-Viz band
- Dermatologically safe plugs are non-irritating
- NRR 28 dB - Higher than any semi-aural product available

Model No.	Mfg. No.	Description
SAK169	320-1000	Foam tips
SAK170	320-1001	Replacement tips, 5 pairs

SAK169
SAK170

E-A-Rflex™
Foam Tips

E-A-R CAPS®

- Non-invasive, comfortable hearing protection
- No hinged band
- Dermatologically safe plugs are non-irritating
- Band helps prevent loss and is ideal for intermittent use
- NRR 17 dB

Model No.	Mfg. No.	Description
SR852	321-2101	Foam caps
SH126	321-2103	Replacement caps, 5 pairs

SR852
SH126

E-A-R Caps™
Foam Caps

3M™ E-A-R™ SWERVE™ BANDED HEARING PROTECTORS

- Ultimate banded hearing protector
- Adjustable comfort, excellent attenuation
- Exceptional ergonomics with unmatched performance
- Contoured design that typically floats around the neck
- NRR 28 dB (E-A-Rflex™ 28 tips)
- Durable lightweight band that rebounds well for frequent use

3M EA·R

Model No.	Mfg No.	Description
SAR645	322-2000	Ear band
SAK170	320-1001	Replacement pods, 5 pairs

JAZZ BAND® HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-free
- Higher NRR 25 dB
- Includes an extra pair of pods

MOLDEX

Model No.	Mfg. No.	Description
SE922	6506	Jazz Band® w/ cord and replacement pods
SE923	6504	Replacement pods, 5 pairs and 1 cord per bag

EARPLUG TRAYS

- Clear acrylic earplug dispenser tray holds a standard box of earplugs
- Front section catches spills and protects the corrugated dispenser
- Dimensions: 10 5/8" H x 10 5/8" W x 10 5/8" D
- Use on table top or wall mount

Model No. SED049
Mfg. No. PD228E

BRADY®

LARGE CAPACITY EARPLUG DISPENSERS

- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable earplugs and can be wall or table mounted
- Dimensions: 13" H x 12" W x 8" D

Model No. SED051
Mfg. No. PD439G

BRADY®

THUNDER® EARMUFFS

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Hearband	26
SAK151	1010929	T2, Over-Head Hearband	28
SA0694	1011601	T1H, Cap Mount	23

VIKING® EARMUFFS

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Headband straps for multiple-position wear
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SAK153	1010925	V1, Multi-Position Headband	25
SAK154	1010926	V2, Multi-Position Headband	27
SAK155	1010927	V3, Multi-Position Headband	29

LEIGHTNING® EARMUFFS

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Hearband	25
SAK149	1010924	L3, Over-Head Hearband	30

LEIGHTNING® HIGH VISIBILITY EARMUFFS

- Bright green earcups provide additional visibility and contrast on the job
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SAO695	1013941	Over-Head	30
SAO696	1013942	Foldable	27

LEIGHTNING® EARMUFFS

- Easy storage when not in use
- Exremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection against marginal noise or intermittent exposure
- Makes cushion replacement quick and easy
- LON can be worn with welding shields, hardhats and other PPE
- Robust design withstands demanding use, especially in tough environments

SAO690

SAO697

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Style	NRR dB
SAO690	1013460	LON Neckband	22
SAO697	1013461	LOF Foldable	23

CLARITY® EARMUFFS

- Patented Sound Management Technology™ (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Hygiene kits available

SAK157
C1

SAK159
C3

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SAK157	1011142	C1, Over-Head Headband	20
SAK159	1011146	C3, Over-Head Headband	27

MACH™ 1 EARMUFFS

- Economical choice for basic hearing protection
- Adjusts to fit any head size
- Dielectric, super lightweight construction

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	NRR dB
SAK156	1010421	18

IMPACT® PRO INDUSTRIAL EARMUFFS

- Amplifies ambient sound to safe 82 dB - response technology revert to passive hearing protector when noise reaches 82 dB
- All-in-one up and down, on/off and volume control
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Sound amplification allows wearers to hear important communication -alarms/warning signals, co-workers' voices
- Snap-in ear cushions make replacement quick and easy
- Features 3.5mm audio jack and cable for connection to personal devices
- Hygiene kit available
- CSA Class: AL

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Style	NRR dB
SFU874	1030943	Headband	30

THUNDER® T1H EARMUFF

- New design allows for attachment of North Face shield visors for complete integrated protection on the job
- Easily and securely attaches earmuffs to several models of North Hard Hats
- Higher attenuation rating than North Mustang and Hornet cap-mounted earmuffs
- Simply press down on the fork to snap earmuffs into place
- Sleek design; lower profile cups attract less dirt for better hygiene
- Easy height adjustment provides a better fit for greater wearer comfort
- Ear cups snap in place during use and swing back when not in use
- CSA Class: A

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Style	NRR dB
SFU603	1030943	Cap Mount	23

INTRUDER EARMUFF

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Colour: Black/White
- Hygiene kits available
- CSA Class A

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description
SAH731	EM7206-HL	Cap Mount

MX-5 EARMUFF

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Glossy surface for easy cleaning and longer wear
- CSA Class AL

MOLDEX

Model No.	Mfg. No.	Description	NRR dB
SDK993	6120	Headband	27
SDK995	6125	Hygiene Kit	-

NOISE BLOCKING QM24+

- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design. Weighing only 6 oz
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description
154-1205	QM24+	Headband

MX-6 EARMUFF

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Exclusive waffled cup foam for superior NRR protection
- CSA Class AL

MOLDEX

Model No.	Mfg. No.	Description	NRR dB
SDK994	6130	Headband	30
SDK996	6135	Hygiene Kit	-

HOWARD LEIGHT™ SYNC® WIRELESS EARMUFF

- Highest passive attenuation
- Easy push button connectivity pair with mobile device via Bluetooth®
- Volume control buttons
- Flashing colored lights to indicate different settings
- Robust boom mic, for rugged industrial use
- Boom mic with windsock, for voice clarity in high noise environments
- USB charging cable & wall charger included (full length of charge time is 5 hours)
- Lithium Ion battery built in with 12+ hours of battery life while streaming
- CSA Class: AL

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SFU875	1030945	Headband	25
SFU876	1015280	Hygiene Kit	-

SYNC™ RADIO HI-VISIBILITY EARMUFFS

- Limits sound radio volume to 82 dB
- Bright green ear cups and reflective headband provide high visibility
- Built-in AM/FM radio provides high sounds quality, excellent stereo reception
- AUX input jack for connection to MP3 players or other audio devices (includes 3.5 mm connection cable)
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- 140-hour battery life from 2 AA batteries (included)
- Hygiene kits available

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Description	NRR dB
SEI616	1030390	Headband, Hi-Vis	25

3M™ PELTOR™ OPTIME™ 95 SERIES EARMUFFS

- Comfort engineered for continuous daily use
- Slim tapered dome for use with hardhat and face protection equipment
- Ultra light with liquid/foam filled ear cushions
- Exclusively engineered for the computer industry
- Also suitable for technical training schools, printing facilities, textile industries and home power equipment use
- CSA Class A (**SC176**, **SC177**), Class B (**SC175**, **SAG847**)
- Colour: White

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC175	H6A/V	Headband	21	5.8
SC176	H6B/V	Neckband	21	5.3
SC177	H6P3E/V	Cap Mount	21	6.9
SAG847	H6F/V	Foldable	21	6.5

3M™ PELTOR™ OPTIME™ 98 SERIES EARMUFFS

- Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure
- Pressure equalization air openings, quickly ensure the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment
- CSA Class A
- Colour: Yellow
- Hygiene kits available

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC172	H9A	Headband	25	5.1
SC173	H9P3E	Cap Mount	23	6.2

PTL™, PUSH-TO-LISTEN EARMUFFS

THE ONLY MUFF THAT LETS WORKERS LISTEN SAFELY WITHOUT REMOVING THEIR EARMUFFS

- With the touch of a button, hear co-workers more clearly
- Padded, wide headband with four-point steel suspension improves hold with less pressure
- On/Off listening button with fingertip control
- Patented liquid and foam-filled cushions for optimum seal and comfort
- Pivoting ear cups tilt to easily fit most facial profiles
- Push-to-listen feature in one ear cup only, other cup is standard protective style
- CSA Class A
- Hygiene kits available

Model No.	Mfg. No.	Description	NRR dB
SAM366	H7A-PTL	Headband	26
SAM367	H7P3E-PTL	Cap Mount	25

3M™ PELTOR™ OPTIME™ 101 SERIES EARMUFFS

- Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green
- Hygiene kits available

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC165	H7A	Headband	27	7.8
SC166	H7B	Neckband	26	7.2
SC167	H7P3E	Cap Mount	24	8.8

3M™ PELTOR™ OPTIME™ 105 SERIES EARMUFFS

- Dual cup ultra high attenuating hearing protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure
- Ear cushions are easily replaceable with a simple press-and-snap function
- The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability
- CSA Class AL
- Colour: Black with red trim
- Hygiene kits available

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC161	H10A	Headband	30	9.3
SC162	H10B	Neckband	29	8.8
SC163	H10P3E	Cap Mount	27	10.4

3M™ PELTOR™ HIGH VISIBILITY OVER-THE-HEAD EARMUFFS

- High visibility, international orange colour for easy identification
- Comfortable for continuous use
- Broad ear cushions with combined liquid and foam filling gives the sealing advantages of the liquid ring and good comfort of the foam ring in warm and cold conditions
- Especially suitable for forestry and airport environments
- CSA Class A
- Hygiene kits available

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC169	H31A	Headband	24	7.2
SC170	H31P3E	Cap Mount	23	8.3

3M™ PELTOR™ X SERIES EARMUFFS

- The X-Series earmuffs are 3M's latest advancement in hearing conservation
- This low-profile earmuff is designed for protection against low-level industrial noise and other loud sounds
- Earcup pivot points tilt for optimum comfort and efficiency
- Hygiene kit available
- CSA Class A

Model No.	Mfg. No.	Description	NRR dB
SEJ034	X1A	Peltor™ X1, Over-Head Headband	22
SEJ035	X2A	Peltor™ X2, Over-Head Headband	24
SEJ036	X3A	Peltor™ X3,Over-Head Headband	28
SEJ037	X4A	Peltor™ X4, Over-Head Headband	27
SEJ038	X5A	Peltor™ X5, Over-Head Headband	31
SEJ039	X1P3E	Peltor™ X1P, Cap Mount	21
SEJ040	X2P3E	Peltor™ X2P, Cap Mount	24
SEJ041	X3P3E	Peltor™ X3P, Cap Mount	25
SEJ042	X4P3E	Peltor™ X4P, Cap Mount	25
SEJ043	X5P3E	Peltor™ X5P, Cap Mount	31

TACTICALPRO™

FOLDING INDUSTRIAL AND PROFESSIONAL SHOOTER ELECTRONIC AMBIENT LISTENING HEADSET

- When clear ambient sound and voice recognition is required in your noisy environment, rely on the latest line of electronic headsets from Peltor™
- Designed with a unique frequency response that amplifies signals, voices and warning sirens while at the same time instantaneously suppressing dangerous impulse noises
- Perfect choice for a wide variety of applications including: gun ranges, forklift drivers, airport ground personnel, maintenance mechanics and hearing-impaired workers
- Hygiene kits available

BLACK FOLDING HEADBANDS

- Audio input jack
- Two AA batteries for 270 hours of operation
- **SAK591**: NRR 26 dB, CSA Class A
- **SAK592**: NRR 25 dB, CSA Class A

TACTICAL 6 SLIM LINE

- Electronic headset
- Individual cup volume control
- Four AAA batteries for 200 hours of operation
- NRR 20 dB, CSA Class B
- Colour: Grey

SED671
Tactical 6

Model No.	Mfg. No.	Description	NRR dB
SAK591	MT15H7FSV	Headband	26
SAK592	MT15H7BSV	Neckband	25
SED671	MT15H67FB-01	Tactical 6	20
SAK700	88009-00000	Rechargeable Ni-MH Battery Pack Kit	-

HT SERIES

LISTEN-ONLY HEADSETS DESIGNED FOR USE WITH VHF/ UHF PERSONAL STEREOS OR VOICE PAGE SYSTEMS

Peltor® listen-only headsets come with a variety of connector plugs and will fit most portable stereos, UHF/VHF two-way radios, CD players, FM radios and voice page systems. In addition to offering high quality audio these headsets also provide excellent noise attenuation.

FEATURES:

- Stereo or mono versions
- Stereo versions available with or without output limiter (82 dBA)
- Three headband configurations available: over-the-head, neckband or hard hat mount
- Excellent protection
- Lightweight design
- Soft, liquid and foam cushions for excellent seal and low pressure
- 2.5mm - 3.5mm speaker plugs sold separately
- Hygiene kit available

PELTOR™

Model No.	Mfg. No.	Description	NRR dB
HN384	HTM79A	Headband Mono	25
HN385	HTB79A	Headband Stereo	25
HN386	HTM79B	Neckband Mono	24
HN387	HTM79P3E	Cap Mount Mono	23

3M™ PELTOR™ WORKTUNES™ HEADSETS WITH BUILT-IN AM/FM RADIO

- Audio output to ear cup
- Audio input jack for MP3 players
- 3.5 mm cable for external audio devices
- NRR 26 dB, CSA Class A

Model No. SED673
Mfg. No. WTD2600

PELTOR™

XLS, CSA CLASS A

- The XLS has been specifically designed to offer quality, comfort and protection at an affordable price
- The space age plastic provides rugged durability in harsh environments
- May be adjusted to six different positions
- Extra wide headband provides secure fit
- Hygiene kits available

MSA

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN234	10061535	Cap Mount	22	6

EXC, CSA CLASS A

- Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection
- Two point mounting system ensures pressure is distributed evenly around the cushion
- Press-and-snap function makes it easy to replace ear cushion
- Contoured sealing ring feature provides the best possible seal
- Also suitable for dielectric applications
- Hygiene kits available

MSA

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN237	10061230	Cap Mount	24	7.6

EARMUFFS FOR V-GARD® HARDHATS

MSA

Model No.	Mfg No.	Description	NRR dB
SEL083	10087439	Left/Right White Helmet Mounted Ear Muffs	21
SEK032	10087429	Left/Right Blue Helmet Mounted Ear Muffs	25
SEL102	10087422	Left/Right Yellow Helmet Mounted Ear Muffs	28

SOUND DETECTORS SD-200

- Compact, lightweight and user friendly
- LED Alert screen provides a quick visual reference of sound levels
- Provides average sound pressure level and delivers a steadier reading in environments such as manufacturing facilities or machine shops where noise levels are often highly variable

Temperature ranges:
- Operating temperature: 32°F to 104°F (0°C to 40°C)
- Relative humidity: 0%- 90%, non-condensing

Specifications:
- Size: 6.5" x 2.4" x 0.9" / 16.5 cm x 6.1 cm x 2.3 cm
- Weight: 4.4 oz (125 g) approx.
- Battery: Lithium polymer (1000 mAh), rechargeable
- Run-time: 50+ hours without LEDs activated
- Low battery indicator

Measurements:
- Sound Pressure Level (SPL), Average value (LEQ /LAVG), LED Alert (with Hearing Protection icon), Maximum value (MAX), Minimum value (MIN), Run-Time, Overload (OL), and Under-Range (UR)
- Linearity range: 45 to 130 dB (Dynamic Range)
- Weighting: A or C
- Exchange Rate (ER): 3 dB or 5 dB
- LED Alert Levels:
  Green LED Flashes when noise measurements are between 80 to 85 dB
  Yellow LED Flashes when noise measurements are between 85 to 105 dB
  Red LED Flashes when noise measurements are above 105 dB

Model No.	Mfg. No.	Description
IA848	SD-200	Sound Detector

REED SOUND LEVEL METER/DATA LOGGERS

- Measuring Range: Low: 30 to 90 dB; Med: 50 to 110 dB; High: 70 to 130 dB Auto: 30 to 130 db
- Dynamic Range: 60 dB • Accuracy: ±1.4 dB • Resolution: 0.1 dB
- Sample Rate: Digital: 0.5 sec. Analog: 50 mS
- Frequency Range: 20 Hz to 8 kHz
- Frequency Weighting: A and C
- Microphone: 1/2" electret condenser
- Power Supply: 4 x AAA batteries
- Meets IEC 61672-1 Class 2 requirements
- Records up to 64 000 datapoints (1 MB)
- 60 dB dynamic space in each range • Real time clock and calendar
- Fast/slow time weighting • Min/Max function • USB Interface
- Analog digital bar graph • Backlit LCD display
- Tripod mount design for long-term monitoring
- Includes windscreen, USB cable, Windows software, batteries and hard carrying case

Model No.	Mfg. No.	Description
IB749	R8080	Sound Level Meter/Data Logger

SOUND LEVEL METERS

- Dual range measurement (Hi/Lo)
- A and C frequency weighting
- Large, easy-to-read LCD display
- Electret condenser microphone for high accuracy and longterm stability
- AC/DC output signal for use with dataloggers
- Data Hold, Max Hold functions and low battery indication
- Meets IEC651 Type 2 requirements
- Measuring range: Low: 35 to 100 dB; High: 65 to 135 dB (A and C)
- Includes carrying case and battery

Model No.	Mfg. No.	Description
HX387	R8050	Sound Level Meter

NOISE INDICATOR BADGES NI-100

- Designed to alert users when noises in an area reach potentially hazardous levels
- Small size and lightweight design make it ideal for workers in a variety of industries
- Clips to clothing using LED light to offer real-time noise detection
- **Red flashing LED**: Indicates noise levels are above 85 dBA and hearing protection may be required
- **Green flashing LED**: Indicates noise levels are below 85 dBA and hearing protection may not be necessary
- Rechargeable lithium polymer battery operates up to 200 hours between charges

Model No.	Mfg. No.	Description
IA849	NI-100	Noise Indicator Badge

DATALOGGING SOUND LEVEL METERS

- IEC651 Type II
- 32-80, 50-100, 80-130 dB level ranges
- Autoranging from 30 to 130 dB
- Dynamic range of 50 dB
- 0.1 dB resolution
- Frequency range: 31.5 Hz to 8 kHz
- Accuracy of ± 1.5 dB (ref 94 dB @ 1 kHz)
- 32 000 record data logger
- 4-digit backlit display
- Clock and bar graph displays
- Auto power off
- AC and DC output
- Max/Min function
- Includes calibration screwdriver, windscreen, RS232 cable, Windows® datalogging software, battery, manual and carrying case

HN408

IA153

MODEL HN408
- Wind shield ball for sound level microphones
- Compatible with **IA153**, **HN404, HN405, HX311** and **IA154**
- Size: 65 mm dia.

Model No.	Mfg. No.	Description
IA153	C-322	Datalogging Sound Level Meter
HN408	SB-01	Wind Shield Ball

SOUND CALIBRATORS

- Two outputs levels 94 dB and 114 dB (at 1 kHz)
- Diecasting aluminum alloy housing case
- Two 9 V batteries
- Size: 50 mm dia. x 82 mm

Model No. IA661
Mfg. No. R8090

MOTOROLA BUSINESS TWO-WAY RADIOS

These radios are designed for heavy-duty, everyday industrial use. Environments such as construction, manufacturing and retail, along with many others, require this type of radio in order to function efficiently and productively.

MOTOROLA SOLUTIONS
Business Radio Reseller

CLS SERIES™ 4-CHANNEL 1 W

- Up to 8 km range, 200 000 sq. ft. or 15 floors
- 1 watt UHF transmit power
- 2 frequencies
- Up to 4-channel operation
- 121 interference eliminator with 83 digital and 38 analog codes
- LCD display with battery meter, signal strength indicator
- VibraCall® alert feature
- Call Alert button with 3 call tones
- Double pin accessory jack
- Compatible with XTN Series audio accessories
- VOX – Voice activated with select audio accessories

INCLUDED ACCESSORIES:

- Lithium ion battery, up to 12 hours battery life
- 3-hr drop-in charger
- Swivel holster
- Industry Canada Licence required

Model No. HX166
Mfg. No. CLS1413

MOTOROLA SOLUTIONS
Business Radio Reseller

RMU SERIES™ 4-CHANNEL 2 W

- 2 watt UHF provides coverage up to 250 000 sq.ft./20 floors
- Up to 4 channels operation
- Operates on two UHF frequencies (IC license required)
- 219 PL/DPL codes, including six customizable codes
- Channel Announcement with Voice Alias
- Meets military 810 C, D, E, F, G and IP54/55 specifications
- Antimicrobial protection
- Two programmable buttons give quick 1-touch access to features; Advanced features via Customer Programming Software (CPS)
- Single unit drop in charger provides charging and battery level status via tri-colour LED
- Easy cloning with single unit charger cloning cable or multi-unit charger (sold separately)
- Weighing 8.6 oz. with battery
- 2-pin accessory plug

INCLUDED ACCESSORIES:

- 2100 mAh 3.7 V lithium ion rechargeable battery
- Standard drop in charging tray w/ wall adaptor
- Swivel belt holster with 3.5" spring clip
- Quick reference leaflet and RF safety booklet

Model No. SEI689
Mfg. No. RMU2043

MOTOROLA SOLUTIONS
Business Radio Reseller

RDX SERIES™ MULTI-CHANNEL 4 W

- 39 analog and 83 digital interference eliminator codes
- Designed to IP-55 and MIL-SPEC specifications
- 3 voice-inversion scramble settings to minimize eavesdropping
- Channel scan with selectable scan list
- 3 audible call tones
- 2-pin accessory plug (compatible with XTN/CLS Series)
- VOX (hands-free use with accessories) with 3 sensitivity levels
- Tri-colour LED with Transmit, Receive and Low Battery indication
- Up to 4-watt power (2 W low power setting)
- 18.5 hrs. battery life (4 W, 5/5/90, battery save enabled)
- Pre-programmed channels/code combinations
- Programmable direct input frequency
- Bandwidth: 438-470 MHz

INCLUDED ACCESSORIES:

- 2400 mAh Li-ion rechargeable battery
- 12-hour drop-in charging tray with wall adaptor
- Spring belt clip
- User's guide, safety leaflet and Canadian license application form

MOTOROLA SOLUTIONS
Business Radio Reseller

SAR570
ADDITIONAL FEATURES:

- Up to 10 channels
- Two programmable buttons
- Auto-scan

SAR571
ADDITIONAL FEATURES:

- Up to 16 channels with aliasing (up to 8 characters)
- Repeater capable
- Battery gauge
- Signal strength indicator
- Keypad lock
- Five programmable buttons
- iVOX

Model No.	Mfg. No.	Description
SAR570	RDU4103	4 W, 10 channels
SAR571	RDU4163D	4 W, 16 channels

TALKABOUT® T400 FRS/GMRS TWO-WAY RADIOS

- Perfect for outdoor excursions as well as life's everyday adventures
- Features 22 channels, each with 121 Privacy codes
- Built-in flashlight
- iVOX/VOX Hands-free
- 11 weather channels (7 NOAA) with alert feature
- Other key features include dual power, 20 call tones, Quiet Talk, Eco Smart, Scan, Talk Confirmation Mode, low battery alert, batter meter, battery save, keypad lock, auto squelch, time-out timer, and channel buys
- Output watts: 2 W
- Radio band type: FRS/GMRS
- Range: 56.327 km
- No. of channels: 22
- Bandwidth: 462 - 467 MHz

Model No. SDN656
Mfg. No. T400

MOTOROLA SOLUTIONS
Business Radio Reseller

MOTOROLA RECREATIONAL TALKABOUT® RADIOS

These radios are designed to provide affordable and dependable communication, ideal for outdoor light-usage or included in an emergency preparedness kit. Our radios work in remote areas, are rugged and convenient to use and provide instant access without using up your cell phone minutes.

MOTOROLA SOLUTIONS
Business Radio Reseller

MEGAPHONES

- Features pistol grip and trigger for 1-hand operation
- Includes piercing siren sound for emergency situations
- 25-W peak, 15 W RMS power output
- Requires eight "C" batteries (not included)

ZENITH® Safety Products

Model No.	Range	Dimensions L" x H"	Wt. lbs.
SEE894	1 mile	15 x 9	2

REPLACEMENT BATTERIES

Model No.	Description	Qty /Pkg.
XB874	Replacement "C" battery	12

T200 TWO-WAY TALKABOUT® RADIOS

- T200 package contains: 2 x T200 Radios, 1 x Y Cable Charging Adaptor with Dual Micro-USB Connectors, 2 x Belt Clips, 2 x (AA) NiMH Rechargeable Battery Packs, User Guide
- Range of up to 32kms under favorable conditions
- 22 Channels, each with 121 privacy codes
- 20 call tones
- Low Battery Alert
- Keypad & Talk Confirmation Tone
- Low Battery Meter
- Backlit display
- Monitor
- Single Pin Accessory Connector
- Radio Band Type: FRS/GMRS/UHF

Model No. SFU791
Mfg. No. T200

MOTOROLA SOLUTIONS
Business Radio Reseller

SONIC BLAST SAFETY HORN WITH PLASTIC TRUMPET

- Specially formulated non-flammable propellant that has an ultra-low global warming potential (GWP)
- High impact white plastic trumpet
- Provides a 120 dB sound level at 10'
- The 5 oz. Sonic Blast horn provides up to 56 blasts per can

Model No. SFV118
Mfg. No. FSB5

REFILLS

Model No. SFV119
Mfg. No. FSB5R

FALCON SIGNAL HORNS

SONIC BLAST MINI SIGNAL HORN WITH VELCRO® STRAP

- Specially formulated non-flammable propellant that has an ultra-low global warming potential (GWP)
- High impact white plastic trumpet
- Provides a 112 dB sound level at 10'
- The 1 oz. Sonic Blast horn provides up to 12 blasts per can

Model No. SFV120
Mfg. No. FSB1V

FALCON SIGNAL HORNS

Working & communicating at heights?

See page 94 for our tethered radio holsters.

NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps
- Qty/Box: 50

Sold per Box
Model No. SAS499

ZENITH® Safety Products

FACE MASKS

- 3-ply non-woven polypropylene construction
- Adjustable nose clip provides a custom fit
- Latex-free
- Colour: Blue
- Qty/Pkg.: 50

Sold per Package
Model No. SDN589

ZENITH® Safety Products

N95 PARTICULATE FLAT FOLD RESPIRATORS

- Low breathing resistance for increased wearer comfort
- Adjustable plastic nose clip and soft foam nosepiece provide a custom fit
- Medium/large
- Certification: NIOSH N95

Sold per Box

SDN711

SDN712

ZENITH® Safety Products

Model No.	Description	Qty /Box
SDN711	Without valve	20
SDN712	With valve	12

N95 PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- **SAS498** comes with exhalation valve for reduced humidity build up
- NIOSH approved N95

Sold per Box

SAS497

SAS498

ZENITH® Safety Products

Model No.	Description	Qty /Box
SAS497	Without valve	20
SAS498	With valve	12

P100 PARTICULATE RESPIRATORS

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Cup style
- Medium/Large
- Certification: NIOSH P100
- Qty/Box: 5

Sold per Package
Model No. SDN714

ZENITH® Safety Products

N100 PARTICULATE RESPIRATORS

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Cup style
- Medium/Large
- Certification: NIOSH N100
- Qty/Box: 5

Sold per Box
Model No. SDN713

ZENITH® Safety Products

8200 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Lightweight construction enhances comfort and wear time
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- NIOSH approved N95
- **20 respirators per box**

Sold per Box

Model No. SAQ777
Mfg. No. 8200

8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- **10 respirators per box**

Sold per Box

Model No. SE261
Mfg. No. 8511N95

8110S & 8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment - no staples to irritate the user's face
- NIOSH approved N95
- **20 respirators per box**

Sold per Box

SE260

Model No.	Mfg. No.	Size
SAM402	8110S	Small
SE260	8210	Regular

9105 & 9105S N95 V-FLEX™ PARTICULATE RESPIRATORS

- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Elastic headband
- Model **SED599** fits small faces
- NIOSH approved N95
- **50 respirators per box**

Sold per Box

SED600

Model No.	Mfg. No.	Size
SED599	9105S	Small
SED600	9105	Regular

8210 PLUS N95 PARTICULATE RESPIRATORS

- Advanced electret media
- Two braided straps with staple free attachment
- Adjustable nose clip with soft nose foam
- NIOSH approved N95
- **20 respirators per box**

Sold per Box

Model No. SAQ778
Mfg. No. 8210PLUS

9210+ & 9211+ N95 AURA™ PARTICULATE RESPIRATORS

- Three-panel respirator
- Soft, conformable nose clip
- Lightweight, collapse-resistant design
- Cool Flow™ exhalation valve on model **SR616**
- NIOSH approved N95

Sold per Box

SEJ983

Model No.	Mfg. No.	Description	Qty /Box
SEJ983	9210+	Without valve	20
SR616	9211+	With valve	10

8210V N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit an reduce fogging
- Welded strap attachment – no staples to irritate the user's face
- NIOSH approved N95
- **10 respirators per box**

Sold per Box

Model No. SEF203
Mfg. No. 8210V

Use a dispenser to keep your respirators clean and organized.

Please see page 47.

8212 & 8214 N95 PARTICULATE RESPIRATORS

- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Fits easily under a welding hood
- Adjustable straps
- Comfortable foam face seal
- Flame resistant as per ASTM D2859-96 testing
- NIOSH approved N95
- **10 respirators per box**

Sold per Box

Model No.	Mfg. No.	Description
SE262	8212	N95
SE883	8214	N95 w/Nuisance Level Organic Vapour Relief

8515 N95 WELDING PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Welding web and black valve
- Lightweight construction
- Braided comfort straps
- NIOSH approved N95
- **10 respirators per box**

Sold per Box
Model No. SAO788
Mfg. No. 8515

8233 N100 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip
- Lightweight construction
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved N100
- **1 respirator per bag**

Sold per Bag
Model No. SE268
Mfg. No. 8233

8512 N95 WELDING PARTICULATE RESPIRATORS

- Designed for applications in which metal fumes may be present
- Lightweight construction
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Adjustable straps
- NIOSH approved N95
- **10 respirators per box**

Sold per Box
Model No. SAJ443
Mfg. No. 8512

8246 & 8247 R95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Constructed with carbon filter material for nuisance level vapour relief
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Lightweight construction
- NIOSH approved R95
- **20 respirators per box**

Sold per Box

SE263

SE264

Model No.	Mfg. No.	Description
SE263	8246	R95 w/Nuisance Level Acid Gas Relief
SE264	8247	R95 w/Nuisance Level Organic Vapour Relief

8271, 8576 & 8577 P95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Lightweight construction
- Braided comfort straps
- NIOSH approved P95
- **10 respirators per box**

Sold per Box

SE267

Model No.	Mfg. No.	Description
SE267	8271	P95
SE265	8576	P95 w/ Nuisance Level Acid Gas Relief
SE266	8577	P95 w/ Nuisance Level Organic Vapour Relief

8293 P100 PARTICULATE RESPIRATORS

- Lightweight construction
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved P100
- **1 respirator per bag**

Sold per Bag
Model No. 142-8293
Mfg. No. 8293

1200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Softspun® lining gives added comfort and durability
- NIOSH approved N95
- Size: Medium/Large
- **20 respirators per box**

Sold per Box

Model No. SAQ182
Mfg. No. 1200N95



MOLDEX PVC FREE

2400 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- Size: Medium/Large
- **10 respirators per bag**

Sold per Bag

Model No. SE852
Mfg. No. 2400N95



MOLDEX PVC FREE

2200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Meets heat and flame resistance in accordance with ANSI/ISEA 110.2003 section 7.11.1
- NIOSH approved N95
- **20 respirators per box**

Sold per Box



PVC FREE

MOLDEX

Model No.	Mfg. No.	Description	Colour
SE451	2200N95	Medium/Large	White
SE452	2201N95	Small	White
SE848	2207N95	Low Profile	White
SAQ183	2200N95HV	Medium/Large	High-Visibility

2500 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps to filter nuisance levels of acid gas irritants (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- Size: Medium/Large
- **10 respirators per bag**

Sold per Bag

Model No. SE853
Mfg. No. 2500N95

MOLDEX PVC FREE

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Soft foam nose cushion
- Available in three sizes to fit most faces
- NIOSH approved N95
- **10 respirators per box**

Sold per Box

SE849

MOLDEX PVC FREE

Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Low Profile

2700 N95 PARTICULATE RESPIRATORS

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- NIOSH approved N95
- **10 respirators per box**

Sold per Box

SJ902

MOLDEX PVC FREE

Model No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small

2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- **10 respirators per box**

SJ904

RESPIRATOR LOCKER®

- Handy personal supply with hygienic storage
- Separate chamber stores respirator-in-use during breaks
- **4 respirators per locker**

Sold per Box

MOLDEX PVC FREE

Model No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small
RESPIRATOR LOCKER®		**Sold per Locker**
SAG158	2850	Medium/Large

AIRWAVE™ RESPIRATORS

- Exclusive easy-breathing wave design
- FlexFit™ comfort wave flexes with you
- Dura-Mesh® shell adds lasting durability

Sold per Box

SEE281

N95 RESPIRATORS

- Less resistance, better breathability
- Cool inside, without a valve
- Ideal where unvalved respirators are preferred
- **10 respirators per box**

SEK887

N95 RESPIRATORS + NUISANCE ORGANIC VAPOURS

- Smart Strap particulate respirator plus nuisance organic vapors
- Less resistance, better breathability
- Cool inside, without a valve
- Ideal where unvalved respirators are preferred
- Less cost than valved respirators
- Longer wear means less cost
- **8 respirators per box**

N100 RESPIRATORS

- 99.97% efficient against non-oil based particulates
- FlexFit design moves easily with your face and stays in place
- Dura-Mesh® shell resists collapsing in heat and humidity
- Ventex® valve lets the hot air out faster so workers breathe easier and stay cooler
- Foam face cushion for added comfort and no pressure points
- Softspun® lining for increased comfort and durability
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- Metal-free
- **5 respirators per box**

SDL006

Model No.	Mfg. No.	Description	Straps	Certification
N95				
SEE821	4200	Medium/Large	Standard	NIOSH N95
SEE822	4201	Small	Standard	NIOSH N95
SEI529	4600N95	Medium/Large	Adjustable*	NIOSH N95
SEI530	4601N95	Small	Adjustable*	NIOSH N95
N95 + NUISANCE ORGANIC VAPOURS				
SEK887	4800	Medium/Large	Adjustable*	NIOSH N95
N100				
SDL006	4700N100	Medium/Large	Adjustable*	NIOSH N100

*SmartStrap® allows the Airwave to hang from neck when not in use

SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

- Solid black colour stays cleaner looking longer to prevent premature disposal
- HandyStrap® with buckle
- Stretch cloth strap feels cool and comfortable against the skin
- Contoured nose bridge with soft foam nose cushion
- NIOSH approved N95 or R95

Sold per Box

SAM858

Model No.	Mfg. No.	Size	Type	Qty /Box
SAM858	M2600N95	Medium/Large	N95	15
SAM859	M2601N95	Small	N95	15
RESPIRATORS WITH VENTEX® VALVE				
SAM860	M2700N95	Medium/Large	N95	10
SAM861	M2701N95	Small	N95	10
SAM862	M2740R95	Medium/Large	R95	10
SAM863	M2741R95	Small	R95	10

2310/2315 N99 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge and soft foam nose cushion
- **SAG155** has adjustable cloth straps for a more comfortable fit
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N99
- **10 respirators per bag**

Sold per Bag

SAG155

Model No.	Mfg. No.	Description
SE854	2310N99	Standard Straps
SAG155	2315N99	Adjustable Straps

2730 N100 PARTICULATE RESPIRATORS

- Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam face cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N100
- **5 respirators per box**

Sold per Box

SAG149

Model No.	Mfg. No.	Description
SAG149	2730N100	Medium/Large
SAG150	2731N100	Small

2740 R95 PARTICULATE RESPIRATORS

- Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved R95
- **10 respirators per box**

Sold per Box



SAF825

Model No.	Mfg. No.	Description
SAF825	2740R95	Medium/Large
SAF826	2741R95	Small

2360 P100 PARTICULATE RESPIRATORS

- Adjustable straps allow a snug, comfortable fit
- Molded nose bridge with face foam cushion
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved P100
- Size: Medium/Large
- **5 respirators per box**

Sold per Box

Model No. SAI323
Mfg. No. 2360P100

SAI323

ONEFIT™ MOLDED CUP PARTICULATE RESPIRATORS

- Universal, one-size design
- Fits most face sizes and shapes
- Provides outstanding respiratory protection
- NIOSH approved N95

Sold per Box

Honeywell NORTH

Model No.	Mfg. No	Description	Qty /Box
SAQ180	14110444	Without exhalation valve	20
SAQ181	14110445	With exhalation valve	10

SAF-T-FIT® PLUS N1105 PARTICULATE RESPIRATORS

- Economical respiratory protection
- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- NIOSH approved N95
- **20 respirators per box**

Sold per Box

Honeywell NORTH

Model No.	Mfg. No.	Size
SAM235	14110387	Small
SAM236	14110388	Medium/Large
SAM237	14110389	X-Large

SAF-T-FIT® PLUS N1125 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- **20 respirators per box**

Sold per Box

Honeywell NORTH

Model No.	Mfg. No.	Size
SAM241	14110393	Small
SAM242	14110394	Medium/Large
SAM243	14110395	X-Large

NUISANCE DUST MASKS

- Suitable for nuisance dusts such as animal dander or pollen
- This mask is not NIOSH approved
- **50 masks per box**

Sold per Box

Model No. SAM286
Mfg. No. 14110094CC

Honeywell NORTH

4200 SERIES LIMITED USE RESPIRATORS

- Reusable face piece with easy to replace disposable filters
- A perfect compromise between comfort, protection and value
- Soft face piece seal
- Built-in exhalation valve
- Face piece design prevents filters from collapsing
- Adjustable harness
- Welding version features a stainless steel mesh cover to catch sparks and slag
- Both versions are shipped with N95 filters, but R95 replacement filters are available for environments where oil may be present

SAG360

Honeywell NORTH

SAG363

Model No.	Mfg. No.	Description	Size
SAG360	4200S	Standard	Small
SAG361	4200M	Standard	Medium
SAG362	4200L	Standard	Large
SAG363	4200SW	Welding	Small
SAG364	4200MW	Welding	Medium
SAG365	4200LW	Welding	Large

REPLACEMENT FILTERS

Model No.	Mfg. No.	Description	Qty /Box
SAG366	42N95	N95	20
SAM585	42R95	R95	20

SAF-T-FIT® PLUS P1135 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider ranger of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved P95
- **10 respirators per box**

Sold per Box

Honeywell NORTH

Model No.	Mfg. No.	Size
SAM255	14110428	Medium/Large
SAM256	14110429	X-Large

RESPIRATOR DISPENSERS

- Convenient clear acrylic dispenser has a unique cut-out design that allows you to reach in the opening to easily remove even the last respirator
- Fits any disposable respirator model
- Holds more than 30 respirators
- Dimensions: 6" W x 6" D x 12 1/2" H

Model No. SAM878
Mfg. No. M420

BRADY®

Respirators sold separately

MAINTENANCE-FREE PAINT SPRAY/PESTICIDE RESPIRATORS

- Offers workers greater comfort, convenience and performance
- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- Low profile organic vapour cartridges for a wider field of vision and greater comfort while wearing glasses or goggles
- Easy-to-install prefilter is approved for paint spray, pesticides and particulites
- Packaged with one pair of P95 prefilters and one pair of prefilter retainers
- NIOSH approved

Model No.	Mfg. No.	Size
SE884	51P71	Small
SE406	52P71	Medium
SE885	53P71	Large

MAINTENANCE-FREE GAS & VAPOUR RESPIRATORS

- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- Low profile organic vapour cartridges for a wider field of vision and greater comfort while wearing glasses or goggles
- NIOSH/MSHA approved

Model No.	Mfg. No.	Size
ORGANIC VAPOUR		
SI937	5101	Small
SI938	5201	Medium
SI939	5301	Large
ORGANIC VAPOUR/ACID GAS		
SI940	5103	Small
SI941	5203	Medium
SI942	5303	Large

6000 SERIES HALF FACEPIEC LOW-MAINTENANCE RESPIRATORS

- Soft, thermoplastic facepiece is extremely comfortable and easy to adjust
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Includes reclosable storage bag
- NIOSH/MSHA approved

Model No.	Mfg. No.	Size
SE886	6100	Small
SE887	6200	Medium
SE888	6300	Large

REPLACEMENTS PARTS — **Sold per Package**

Model No.	Mfg. No.	Description	Qty /Pkg.
SR188	6893	Inhalation Valves	40
SAI579	6889	Exhalation Valves	10
SAI583	6281	Head Harness	5
SR190	6895	Inhalation Gaskets	20

6500 SERIES HALF FACEPIECE RESPIRATORS

- Provides comfort and stability with a soft but firm silicone faceseal
- Resilient material extends product life
- Maintains its shape in high heat environments
- Overmolded, low-profile design simplifies cleaning and maintenance with fewer parts and crevices, and provides a wide field of view
- Valve cover design directs exhaled breath and moisture downwards, and facilitates a positive pressure seal check
- Cool Flow™ exhalation valve enhances comfort by reducing heat and moisture, and allows for easier breathing
- Adjustable head harness assembly provides optimum fit and comfort with a three-size adjustable head cradle
- Long-lasting polyester spandex straps
- Optional quick-latch drop-down mechanism allows for easy on and off as workers move in and out of contaminated areas – no need to remove your hard hat or faceshield
- NIOSH approved

Model No.	Mfg. No.	Size
SEJ779	6501	Small
SEJ780	6502	Medium
SEJ781	6503	Large
W/QUICK-LATCH DROP-DOWN FEATURE		
SEJ782	6501QL	Small
SEJ783	6502QL	Medium
SEJ784	6503QL	Large

7500 SERIES REUSABLE HALF FACEPIECE RESPIRATORS

- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce pressure points on the face
- Dual-mode head harness, option of wearing in traditional or drop-down mode
- Cool Flow™ exhalation valve helps reduce heat and moisture build-up for easier breathing
- NIOSH approved

Model No.	Mfg. No.	Size
SAG264	7501	Small
SAG265	7502	Medium
SAG266	7503	Large

REPLACEMENT PARTS — Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI636	7582	Inhalation Valves	10
SAI637	7583	Exhalation Valves	10
SAI635	7581	Head Harness	5
SAI638	7586	Cartridge Filter Holders	5

6000 SERIES FULL FACEPIECE RESPIRATORS

- Lightweight, well balanced, low maintenance facepiece provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick an easy cleaning
- Cool Flow™ exhalation valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- Lens with integrated optical correction limits distortion as you look from side to side
- Wide field of vision provides excellent visibility
- NIOSH approved

Model No.	Mfg. No.	Size
SE889	6700	Small
SE890	6800	Medium
SE891	6900	Large

ACCESSORIES — Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI578	6878	Spectacle Kit	1
SI946	6885	Clear Lens Covers	25
SI947	6886	Tinted Lens Covers	25

REPLACEMENT PARTS — Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI579	6889	Exhalation Valves	10
SAN499	6864/37000	Centre Adapter Assembly	1
SR188	6893	Inhalation Valves	40
SAI581	6894	Nosecup Assembly	1
SR190	6895	Inhalation Gaskets	20
SR189	6897	Head Harness Assembly	1
SAI584	6898	Lens Assembly	1
SAI585	6899	Lens Frame Kit	1

7800 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece with large face shield for excellent visibility
- Versatile - use with particulate filters, gas/vapour cartridges, supplied air systems or Powered Air Purifying Respirators (PAPR)
- Double-flap face seal
- Cool Flow™ exhalation valve helps make breathing easier
- Speaking diaphragm for easy, clear communications
- Scratch-resistant polycarbonate lens
- Six adjustable straps
- NIOSH approved

SG535

Cartridge not included

Model No.	Mfg. No.	Size
SG534	7800S(S)	Small
SG535	7800S(M)	Medium
SG536	7800S(L)	Large

REPLACEMENT PARTS — Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI640	7282	Inhalation Valves	50
SAI641	7283	Exhalation Valves	10
SAI639	701	Cartridge Filter Adapters	2
SR190	6895	Inhalation Gaskets	20
SAI642	7884	Lens	1
SAI643	7885	Frame Kit for Lens	1
SAI644	7887	Gaskets for Inhalation Valves	2
SAF820	7893S	Head Strap Assembly	1

ACCESSORIES — Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
SAI645	7894	Spectacle Kit	1
SI948	7899-25	Clear Lens Covers	25
SI949	7986	Tinted Lens Covers	25

ULTIMATE FX FF-400 SERIES FULL FACEPIECE RESPIRATORS

- Engineered for maximum comfort, durability, and visibility
- Provides rugged flexibility in extreme environments while still delivering superior comfort
- The only respirator with Scotchgard™ Protector for easier cleaning and maintenance
- Clow Flow™ valve for easier breathing and cool, dry comfort
- Features soft yet durable silicone faceseal and head harness
- Long-lasting head harness – straps pulled over one million times in durability testing
- Large lens for superior peripheral vision
- Low profile bayonet cartridge attachments, designed for improved balance and better weight distribution
- NIOSH approved

SEB184

Model No.	Mfg. No.	Size
SEB184	FF-401	Small
SEB185	FF-402	Medium
SEB186	FF-403	Large

ACCESSORIES		Description	Qty/Pkg.
SDS857	FF-400-15	Standard Lens Covers	25
SED319	FF-400-17	Semi-Permanent Lens Cover	5
SDP385	FF-400-25	Nylon Storage Bag	1

6000 SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

Sold per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg
	Organic Vapours w/Service Life Indicator Organic Vapours	Organic Vapours Organic Vapours	**SDS613** **SE892**	6001i 6001	2 2
	Acid Gas	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Sulfide	**SE893**	6002	2
	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide	**SE894**	6003	2
	Ammonia/ Methylamine	Ammonia/Methylamine	**SE895**	6004	2
	Formaldahyde	Formaldehyde and certain organic vapours	**SE896**	6005	2
	Multi-Gas/ Vapour	Organic Vapours/Chlorine/Chlorine Dioxide/ Hydrogen Chloride/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/Ammonia/ Methylamine/Formaldehyde	**SE897**	6006	2
	Mercury Vapour/ Chlorine Gas	Mercury Vapour/Chlorine or Sulfur Dioxide	**SDL115**	6009S	2
	N95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	**SE913**	5N11	10
	P95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	**SE914**	5P71	10
	Prefilter Retainer	For use with SE913 or SE914	**SE915**	501	1
	Prefilter Adapter	For use with SE913 or SE914	**SEH649**	603	2

6000 SERIES COMBINATION GAS/VAPOUR/P100 FILTER RESPIRATOR CARTRIDGES

Sold per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg.
	Organic Vapours/P100 w/Service Life Indicator Organic Vapours/P100	Organic Vapours/Permanently pre-attached P100 prefilter* Organic Vapours/Permanently pre-attached P100 prefilter*	**SDS614** **SE899**	60921i 60921	2 2
	Acid Gas/P100	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide/Permanently pre-attached P100 prefilter*	**SE900**	60922	2
	Organic Vapour/Acid Gas/P100	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/ Hydrogen Sulfide/Permanently pre-attached P100 prefilter*	**SE901**	60923	2
	Ammonia/Methylamine/P100	Ammonia/Methylamine/Permanently pre-attached P100 prefilter*	**SE902**	60924	2
	Formaldehyde/P100	Formaldehyde and certain organic vapours with P100 particulate filter*	**SE903**	60925	2
	Multi-Gas/Vapour/P100	Organic Vapours/Chlorine/ Chlorine Dioxide/Hydrogen Chloride/Ammonia/ Methylamine/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/ Formaldehyde/Permanently pre-attached P100 prefilter*	**SE904**	60926	2
	Mercury Vapour/Chlorine/P100	Mercury Vapour/Chlorine or Sulfur Dioxide/Permanently pre-attached P100 prefilter*	**SDL116**	60929S	2

*At least 99.97% efficient against solid and liquid aerosols including oils

2000 SERIES RESPIRATOR PREFILTERS

- Light weight and easy to breathe through
- Suited for a wide range of oil and non-oil based particulate contaminants

Sold per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.
	P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations	**SE906**	2071	2
	P95 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Aluminum smelting, glass etching, chemical manufacturing	**SE907**	2076	2
	P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting	**SE908**	2078	2
	P100 Filter	Welding, pharmaceutical manufacturing	**SE909**	2091	2
	P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting	**SE910**	2096	2
	P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing	**SE911**	2097	2

2200 SERIES RESPIRATOR PREFILTERS

- Features 3M™ advanced electret filter media making it easier to breathe
- Suited for a wide range of oil and non-oil based particulate contaminants

Sold per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.
	P100 Advanced Filter	Welding, Pharmaceutical Manufacturing	**SEI738**	2291	2
	P100 Advanced Filter w/ Nuisance Level Acid Gas	Utility Operations, Chemical Manufacturing, Aluminum Smelting	**SEI739**	2296	2
	P100 Advanced Filter w/ Nuisance Level Organic Vapour Relief	Welding, Metal Foundry, Chemical Manufacturing, Undercoating Operations, Pharmaceutical Manufacturing	**SEI740**	2297	2
	Prefilter Adaptor	Filter adaptor for use with 2000 and 2200 series filters	**SE916**	502	1

7093 P100 RESPIRATOR PARTICULATE FILTERS

- Unique, spring-loaded filter cover design simplifies negative pressure user seal checks
- Swept-back design provides enhanced field of view and greater comfort

Sold per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.
	P100 Hard Shell Filter	Welding, pharmaceutical manufacturing	**SE912**	7093	2
	P100 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Welding, metal pouring, abatement OSHA substance specific particle exposures, pharmaceuticals chemical manufacturing, undercoating	**SAQ696**	7093C	2

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material withhigh chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200˚ field vision
- Can be adapted to Honeywell PAPR or supplied air to offer flexibility in the workplace

Honeywell NORTH

Cartridges sold separately

Model No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large

5500 SERIES LOW MAINTENANCE HALF-MASK RESPIRATORS

- Non-allergenic thermoplastic elastomer for comfort and fit
- Contoured sealing flange eliminates discomfort
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- Latex-free straps stretch and move with the worker while providing optimum support
- Can be adapted to Honeywell PAPR or supplied air to offer flexibility in the workplace

Honeywell NORTH

Model No.	Mfg. No.	Size
SM890	550030S	Small
SM891	550030M	Medium
SM892	550030L	Large

RU8500 SERIES HALF MASKS

- Silicone facepiece is soft and flexible to provide workers with a comfortable fit for hours of use
- Speech diaphragm offers better speech clarity for improved communications
- Dual sealing flange provides excellent facepiece seal
- Woven straps retain shape for secure fit and better comfort; straps are easy to adjust with no excess slack
- Standard industrial exhalation valve cover
- Compatible with Honeywell N-Series cartridges, filters, and cartridge/filter combinations
- NIOSH approved

Honeywell NORTH

SFE051

SFE054

SFE057

Model No.	Mfg. No.	Size	Colour
SFE051	RU85001S	Small	Royal Blue
SFE052	RU85001M	Medium	Royal Blue
SFE053	RU85001L	Large	Royal Blue
SFE054	RU85002S	Small	Light Green
SFE055	RU85002M	Medium	Light Green
SFE056	RU85002L	Large	Light Green
SFE057	RU85003S	Small	Lilac
SFE058	RU85003M	Medium	Lilac
SFE059	RU85003L	Large	Lilac

7600 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean and resists distortion
- Protects the wearer's eyes and face against irritating gases, vapours and flying objects
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Speaking diaphragm makes communication easy
- Five-strap harness provides an effective and comfortable facepiece to face seal
- Hard-coated polycarbonate lens provides over 200˚ field vision
- Can be adapted to Honeywell PAPR or supplied air to offer flexibility in the workplace

Honeywell NORTH

Cartridges sold separately

Model No.	Mfg. No.	Size
STANDARD		
SM893	760008AS	Small
SI777	760008A	Medium/Large
WITH WELDING ADAPTOR		
SEN150	760008ASW	Small
SEN151	760008AW	Medium/Large

7700 SERIES HALF-MASK RESPIRATORS

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion, ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- Can be adapted to Honeywell PAPR or supplied air to offer flexibility in the workplace

Honeywell NORTH



Cartridges sold separately

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large

RU8800 HALF-MASK RESPIRATORS

Triple flange design = superior fit, comfort and protection. The RU8800 is our top-of-the-line half-mask respirator. Made of soft silicone, it is extremely comfortable, flexible and durable.

- A triple flange fits a wide variety of facial types and provides the ultimate in comfort and superior fit
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Lateral placement of exhalation valve and cartridge ports enhances field of vision
- Cradle suspension with four-point floating yoke eliminates pressure points to enhance comfort

Honeywell NORTH

Cartridges sold separately

Model No.	Mfg. No.	Size
SFU942	RU88001S	Small
SFU943	RU88001ML	Medium/Large

RU6500 SERIES FULL FACEPIECE RESPIRATORS

Honeywell NORTH

- Wide viewing area for distortion-free visibility and optical clarity
- Polycarbonate lens with 200° field of vision
- Silicone nose cup provides excellent facepiece seal and offers a soft, comfortable fit ideal for all day use
- Enhanced head harness offers quick and easy adjustments
- Deep threaded cartridge connector virtually eliminates accidental disconnections and worker exposure to contaminants
- Facepiece material: Silicone
- Can be adapted to Honeywell PAPR or supplied air to offer flexibility in the workplace
- Certification: NIOSH

Model No.	Mfg. No.	Size	Head Harness
SDN448	RU65001S	Small	5-pt Strap
SDN449	RU65001M	Medium	5-pt Strap
SDN450	RU65001L	Large	5-pt Strap
SDN451	RU65002S	Small	Mesh Headnet
SDN452	RU65002M	Medium	Mesh Headnet
SDN453	RU65002L	Large	Mesh Headnet

SDN448

SDN451

BACKPACK ADAPTERS

- Backpack adapter allows users to locate cartridges and filters out of the work zone
- Is easily adaptable to Honeywell North® half mask air purifying respirators and 7600 & 5400 full face piece respirators
- Attaches to the facepiece cartridge connector
- Ideal for tight or highly heated work places
- Like an extension cord for cartridges

Model No. SAO679
Mfg. No. BP1002

Honeywell NORTH

*** Shown here with half mask and cartridges (sold separately)**

7900 MOUTHBIT ESCAPE RESPIRATORS

- Easy to use, emergency escape mouthpiece respirators
- Disposable, no need for a maintenance program

Honeywell NORTH

Model No.	Mfg. No.	NIOSH Approved For (Escape Only)
SM898	7902	Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide
SM899	7904	Ammonia

PARTICULATE PREFILTERS & ACCESSORIES

Sold per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.
	N95 Filter	N95 Particulate Filter	**SM915**	7506N95	10
	N95 Filter Assembly	Includes: N95 Particulate Filter, Filter Cover, and Filter Holder	**SM907**	7531N95	2
	N99 Filter	N99 Particulate Filter	**SM916**	7506N99	10
	N99 Filter Assembly	Includes: N99 Particulate Filter, Filter Cover, and Filter Holder	**SM909**	7531N99	2
	P100 Filter	P100 Particulate Filter	**SM914**	75FFP100	2
	Hard Shell P100 Filter	P100 Particulate Filter	**SM913**	7580P100	2
	Filter Adaptor	For Use With N Series Cartridges and SM907, SM909 or SM914 Filters	**SM917**	N750035	1
	Filter Retainer	For SM915 and SM916 filters when used directly on facepiece	**SEK140**	N750037	2
	Shower Cap	For SM913 Hardshell P100 filter	**SM919**	N750029	1
	Filter Retainer Assembly	For use with SM915 and SM916 filters	**SEI517**	N750036	1

N SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision

Honeywell NORTH

Sold per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	**SEI595**	75SCL	2
	Organic Vapour	Organic Vapours	**SEI596**	N75001L	2
	Acid Gas	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde	**SEI597**	N75002L	2
	Organic Vapour and Acid Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	**SEI598**	N75003L	2
	Ammonia / Methylamine	Ammonia, Methylamine	**SEI599**	N75004L	2
	Mercury Vapour / Chlorine with Mercury ESLI (End of Service Life Indicator)	Mercury Vapour, Chlorine Gas	**SEI600**	N750052L	2

N SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision

Honeywell NORTH

Sold per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter	**SEI601**	75SCP100L	2
	Organic Vapour w/P100 Filter	Organic Vapours, P100 Particulate Filter	**SEI602**	7581P100L	2
	Acid Gas w/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, P100 Particulate Filter	**SEI603**	7582P100L	2
	Organic Vapour and Acid Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, P100 Particulate Filter	**SEI604**	7583P100L	2
	Ammonia / Methylamine w/P100 Filter	Ammonia, Methylamine, P100 Particulate Filter	**SEI605**	7584P100L	2
	Mercury Vapour / Chlorine with Mercury ESLI w/P100 Filter	Mercury Vapour, Chlorine Gas, P100 Particulate Filter	**SEI606**	75852P100L	2

7000/9000 SERIES RESPIRATORS

- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
- Ultra lightweight, durable, and economical

7000 HALF-MASK RESPIRATORS

- Low profile, angled cartridge placement for wider field of vision
- Easy mount bayonet cartridge/filter attachment
- Adjustable head harness for a custom fit
- Contoured neck buckles for comfort and quick attachment
- Compact, fits under welding helmets
- Wide flange fits more facial shapes comfortably
- Attached exhale cover for easy inspection

Model No.	Mfg. No.	Size
SEC563	7001	Small
SEC564	7002	Medium
SEC565	7003	Large

9000 FULL FACEPIECE RESPIRATORS

- Lightweight facepiece weighs less than 12.7 oz.
- Stand away head harness for easy donning
- Over-molded buckles for secure strap attachment with one finger strap release
- Panoramic lens with peripheral vision side panels is scratch resistant and includes a tear away lens protector
- Integrated exhale area with attached cover has fewer parts for simple maintenance and inspection

Model No.	Mfg. No.	Size
SEC567	9001	Small
SEC568	9002	Medium
SEC569	9003	Large

PRE-ASSEMBLED PAINT/SPRAY PESTICIDE 7000 HALF-MASK RESPIRATORS

- Size: Medium
- Includes 7000 half-mask respirator, organic vapour cartridges, N95 Prefilters and prefilter retainers

Model No. SEC566
Mfg. No. 7112

REPLACEMENT FACESHIELD PROTECTORS FOR 9000 FULL FACEPIECE RESPIRATORS

Model No. SEC574
Mfg. No. 0093

7000/9000 SERIES GAS/VAPOUR CARTRIDGES

Sold per Package

	Description	Model No.	Mfg. No.	Qty /Pkg.
	Organic vapour cartridge	**SEC576**	7100	2
	Acid Gas cartridge	**SEC575**	7200	2
	Organic vapour/acid gas cartridge	**SEC577**	7300	2
	Multi-gas/vapour smart cartridge	**SEC578**	7600	2

7000/9000 SERIES PARTICULATE FILTERS & RETAINERS

Sold per Package

	Description	Model No.	Mfg. No.	Qty /Pkg.
	N95 Prefilter	**SEC570**	8910	10
	P100 Prefilter	**SEC571**	7940	2
	Prefilter Retainer	**SEC572**	7020	2
	Piggyback Adapter	**SEC573**	7920	2

ADVANTAGE® 200 LS HALF FACEPIECE RESPIRATORS

MSA

- Clear blue facepiece subtracts 25% of the weight and adds noticeable softness to give workers more comfort and stability than ever
- AnthroCurve™ sealing surface, which instantly conforms to each wearer's unique facial characteristics
- The unmatched fit and comfort start with a soft, pliable combination of rubber and plastic that provides a virtually customized fit
- Patented MultiFlex® system equalizes pressure on the face-seal area while delivering exceptional stability

Model No.	Mfg. No.	Size
2-PIECE NECK STRAP		
SAG058	815696	Small
SAG059	815692	Medium
SAG060	815700	Large

Model No.	Mfg. No.	Size
SINGLE NECK STRAP		
SAG061	815448	Small
SAG062	815444	Medium
SAG063	815452	Large

ADVANTAGE® 3000 FULL FACEPIECE RESPIRATORS

MSA

- Full-face respirator features a wraparound lens combined with a soft, pliable silicone facepiece
- For the utmost in convenience, Advantage® 3000 uses the same cartridges and filters as the Advantage® 200 LS respirator
- Lower breathing resistance; includes a standard nosecup that reduces fogging in low temperatures or high humidity conditions
- Scratch-resistant coating has been engineered to be optically correct, giving you superior visibility and peripheral vision
- Pre-adjustable straps for a consistent fit, time after time
- Choose between standard rubber harness or Advantage® harness that dons like a catcher's mask
- Cover lenses available

Model No.	Mfg. No.	Size
RUBBER HEAD HARNESS		
SAG064	10028996	Small
SAG065	10028995	Medium
SAG066	10028997	Large

Model No.	Mfg. No.	Size
ADVANTAGE® HEAD HARNESS		
SAM909	10031340	Small
SAM910	10031309	Medium
SAM911	10031341	Large

ADVANTAGE GAS/VAPOUR RESPIRATOR CARTRIDGES

MSA

- Lightweight, low-profile performance
- Fits MSA Advantage® respirators

Sold per Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG094	815355	Organic Vapours	Organic Vapours	2
	SAG096	815356	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)	2
	SAG098	815357	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Chloride/Hydrogen/Sulfide (Escape Only)	2
	SAG102	815359	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide (Escape Only)/Formaldehyde/Hydrogen Fluoride	2
	SAG100	815358	Ammonia/Methylamine	Ammonia/Methylamine	2
	SAG105	815361	Mercury Vapour/Chlorine Gas	Mercury Vapour/Chlorine Gas	2

ADVANTAGE COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

MSA

- Lightweight, low-profile performance
- Fits MSA Advantage® respirators
- Combines gas/vapour protection with a permanently attached P100 filter

Sold per Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG095	815362	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	2
	SAG097	815363	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)/Permanently Preattached P100 Filter	2
	SAG099	815364	Organic Vapours/Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only) Permanently Preattached P100 Filter	2
	SAG103	815366	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)/Formaldehyde/Hydrogen Fluoride Permanently Preattached P100 Filter	2
	SAG101	815365	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2
	SAG106	815368	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	2

ADVANTAGE RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

MSA

- For use with Advantage® respirators and cartridges

Sold per Package

Filters	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG107	815369	P100 Hard Shell Filter	99.97% Efficiency Against Patriculate Aerosols	2
	SAG108	816357	N95 Prefilter	95% Efficiency Against Non-Oil Patriculate Aerosols	10
	SAG110	815392	N95 Prefilter Retainer	Use with N95 Filter	2
	SAG109	815397	R95 Prefilter	95% Efficiency Against Patriculate Aerosols	2
	SAG111	815401	R95 Prefilter Retainer	Use with R95 Prefilter	2

FLEXI-FILTER® RESPIRATOR FILTERS

- Low profile flexible filters fit well under a welding hood or with other personal protection equipment
- Great balance and weight distribution for maintaining a good face seal
- Swept-back design provides improved vision and comfort

Sold per Package

Filters	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG112	818342	P100	99.97% Efficiency Against Patriculate Aerosols	2
	SAG113	818343	P100 w/Nuisance Level Organic Vapour & Ozone Relief	99.97% Efficiency Against Patriculate Aerosols	2
	SAG114	818344	P100 w/Nuisance Level Acid Gas Relief	99.97% Efficiency Against Patriculate Aerosols	2
	SAG116	818346	N95	95% Efficiency Against Non-Oil Patriculate Aerosols	2
	SAG117	818347	N95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Non-Oil Patriculate Aerosols	2
	SAG120	818354	P95	95% Efficiency Against Patriculate Aerosols	2
	SAG121	818355	P95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Patriculate Aerosols	2

COMFO CLASSIC® HALF FACEPIECE RESPIRATORS

- Comfo Classic® respirators feature SoftFeel® facepiece material, which is an MSA-exclusive formulation that improves pliability and softness
- Unique face seal design gives wearers an exceptional fit
- NIOSH approved

Model No.	Mfg. No.	Size
SOFTFEEL® HYCAR™ RUBBER		
SAG070	808075	Small
SAG071	808074	Medium
SAG072	808076	Large
SOFTFEEL® SILICONE		
SAG073	808072	Small
SAG074	808071	Medium
SAG075	808073	Large

COMFO® GAS/VAPOUR RESPIRATOR CARTRIDGES

Sold per Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG124	464031	Organic Vapours	Organic Vapours	1
	SAG127	464032	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)	1
	SAG129	464046	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)	1
	SAG134	492790	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	1
	SAG132	464033	Ammonia/Methylamine	Ammonia/Methylamine	1

COMFO® COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

- Combines gas/vapour protection with a permanently attached P100 filter

Sold per Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG125	815178	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	1
	SAG128	815179	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only) Permanently Preattached P100 Filter	1
	SAG130	815180	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only) Permanently Preattached P100 Filter	1
	SAG135	815182	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide (Escape Only)/Formaldehyde/Hydrogen Fluoride Permanently Preattached P100 Filter	1
	SAG133	815181	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	1
	SAG138	815185	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	1

COMFO® RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

- For use with Comfo® respirators and cartridges

Sold per Package

Filters	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
	SAG142	816661	N95 Prefilter	95% Efficiency Against Non-Oil Patriculate Aerosols	10
	SAG144	489353	N95 Prefilter Retainer	Use with N95 Prefilter	1
	SAG143	816287	R95 Prefilter	95% Efficiency Against Patriculate Aerosols	2
	SAG145	489219	R95 Prefilter Retainer	Use with R95 Prefilter	1

JACKSON SAFETY* AIRMAX ELITE* PAPR WITH BH3*

- BH3* Air welding helmet features variable auto-darkening filter with Balder Technology
- The Balder Technology provides superior optical viewing clarity from any angle along with largest ADF viewing area of 3.78"? x 2.70"
- Variable ADF with grind mode, with adjustable shades 6-8 (grind) and 9-13 via external knob
- Flame-retardant face seal around welding helmet protects against sparks
- Lightweight blower with advanced control system to maintain constant air flow rate throughout the charge of the battery
- Audible and vibrating alarms signal welder when need for new filter or battery change. Blower unit display also provides visual status of the battery charge and level of filter clogging.
- Three-layer filter provides NIOSH approved HE filtration from particulate contaminants. The pre-filter extends the operating life of the main filter by capturing coarse particles. The spark arrester helps protect the main filter from damage by sparks and welding spatter
- Flame-retardant breathing hose is protected against sparks and flexes with the welder during use
- Rechargeable lithium ion battery is the newest battery technology that provides 8 hours of power.
- Smart Battery Charger indicates when charging and when complete without overcharging the battery
- Adjustable belt accommodates personal sizing from 25" to 62"
- Battery Type: Lithium Ion

JACKSON* SAFETY Brand

POWERED AIR PURIFYING RESPIRATOR ASSEMBLY

Model No.	Mfg. No.	Description	Battery Type
SDN572	40839	Jackson Safety* Airmax Elite* PAPR	Lithium Ion

BLOWER

Model No.	Mfg. No.	Description
SDN574	40880	Blower Unit Kit

REPLACEMENT BATTERY & CHARGER

Model No.	Mfg. No.	Description
SDN584	40864	Battery Life: 8 Hours
SDN585	40863	Charging Time: 2 Hours

ACCESSORIES

Model No.	Mfg. No.	Description
SDN573	40840	Headpiece
SDN575	40885	Grand GDS ADF
SDN576	40884	Helmet Shell
SDN577	40887	Flexi Face Seal (2 pack)
SDN578	40882	Replacement headgear
SDN579	40881	Sweatband (2 pack)
SDN580	40879	Blower Unit
SDN581	40878	HE Filter (6 pack)
SDN582	40876	Filter Cover and Spark Arrestor
SDN583	40877	Pre-Filter (10 pack)
SDN586	40846	Breathing Hose 36 1/2" long
SDN587	40841	Waist Belt (25" to 62")
SDN588	41345	Airflow Indicator

3M™ POWERED AIR RESPIRATORS

- High efficiency particulate respiratory protection system for welders
- Welding helmet 9100-Air with auto-darkening filter offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one
- SideWindows: Shade 5 side filters that increase peripheral vision
- Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution
- Selectable shades 5, 8-13 and Shade 3 light state; grinding and tack modes
- 5-position sensitivity control
- Adjustable recovery delay
- Solar panel
- Storage bag, do-rag and starter kit included
- Meets ANSI Z87.1 and approved to CSA Z94.3 for eye and face protection
- Approved for use in all stick, MIG and TIG applications
- Breathing tube is SG-30W
- Offers assigned protection factor (APF) of 25 when used as a NIOSH-approved system

3M



Model No.	Mfg. No.	Lens Type	Viewing Area L" x W"	Battery Life Time (hrs)	Solar Cell
SDM014	35-1101-10SW-CA	V	1.8 x 3.7	2800	Yes
SDM016	35-1101-30SW-CA	V	2.8 x 4.2	2000	Yes

REPLACEMENT FILTERS & CARTRIDGES

Model No.	Mfg. No.	Description
SAN357	15-0009-99X02	2-pack Adflo™ Spark Arrestor
SAN358	15-0099-99X06	6-pack Adflo™ Prefilter
SAN359	15-0099-99X12	12-pack Adflo™ Prefilter
SAN361	15-0299-99X06	1-pack Adflo™ HE Particle Filter
SAN360	15-0299-99X02	2-pack Adflo™ HE Particle Filter
SAN362	15-0299-99X36	36-pack Adflo™ HE Particle Filter
SAN363	15-0499-99X02	2-pack Adflo™ OV/SD/CL/HC Cartridge
SAN364	15-0499-99X06	6-pack Adflo™ OV/SD/CL/HC Cartridge

R60 AIRMAX WELDING POWERED AIR PURIFYING RESPIRATORS (PAPR)

- Powered air purifying respirator offers affordable protection from harmful contaminants while you weld
- Features a W40 series variable auto-darkening filter, adjustable shade 9-13 with light shade 4
- Flame resistant face-seal protects against sparks
- Lightweight blower unit mounts on adjustable waist belt
- Audible alarm signals user when battery charge or new filter is required
- Flame resistant breathing hose
- Lightweight lithium ion battery provides eight hours of power
- NIOSH approved HE filtration from particulate contaminants

JACKSON* SAFETY Brand

Model No.	Mfg. No.	Description
SED529	12993	R60 Airmax PAPR
SED532	13043	ADF Protective Plates (5 Fronts, 2 Backs)
SED535	13051	Replacement Battery
SED536	13053	Replacement HE Filter

Other replacement parts are available

ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Model No. JA984

GERMIPHENE®

RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Model No. SEE383

ZENITH® Safety Products

HONEYWELL FIT TEST KITS

IRRITANT SMOKE FIT TEST KITS

- Facilitates testing required under CSA standard Z94.4-02
- Includes: Six irritant smoke tubes (15 tests/tube), aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case

Note: The irritant smoke test protocol requires that the test be conducted in a well-ventilated area. The use of a tent or hood is prohibited and will not comply with OSHA regulations.

Misuse of these products may result in serious injury or death.

Honeywell NORTH

Model No.	Mfg. No.	Description
SAM213	140090	Irritant Smoke Fit Test Kit
SAQ164	140038	Replacement Tubes, Irritant Smoke (6/box)

RESPIRATOR CLEANING WIPES

Used to clean elastomeric facepiece respirators. 8" x 10" towelettes are alcohol-free and will not damage the facepiece materials. Individually packaged. 100 per box.

Sold per Box.
Model No. SAI530
Mfg. No. 504

3M

FIT TEST KITS

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection and CSA Standard Z94-4
- A fast, easy method for performing qualitative fit testing
- Can be used with any particulate respirator or any gas and vapour respirator with a particulate filter
- Helps satisfy respiratory program requirements
- Can be used during respirator training programs
- Convenient, reliable, and economical to use
- Determines employee's taste threshold to fit test solution
- Allows exercises to be performed in a test atmosphere

3M

QUALITATIVE FIT TEST KIT WITH SWEET TESTING SOLUTION

Model No. SAK078
Mfg. No. FT-10

FT-30 QUALITATIVE FIT TEST KIT WITH BITTER TESTING SOLUTION

Model No. SAK085
Mfg. No. FT-30

ALTAIR® MAINTENANCE-FREE SINGLE-GAS DETECTORS

- Factory-calibrated detector with warranted two-year service life (1080 alarm minutes)
- Sensor options for CO, H_2S, and O_2
- Maintenance-free; no sensor or battery change necessary
- Easy bump check and built-in calibration feature
- Event recorder stores last 25 events automatically in instrument memory
- MSA Link™ software-ready
- High capacity battery
- Rated to IP67 for dust and water ingress
- Weight: 4 oz.

Model No.	Mfg. No.	Description
HX989	10092521	H_2S
SA0781	10092522	CO
HX990	10092523	O_2

HX989

ALTAIR® 4X MULTIGAS DETECTORS

- Dependable multigas detector for LEL, CO, H_2S and O_2
- Large buttons and bright display enable quick and easy operation, even when wearing gloves
- Withstands extreme impacts with rugged polycarbonate housing
- Laser-welded sensor housings eliminate opportunities for leaks
- End-of-sensor-life warning gives advance notice to user, reducing service outages
- If a user becomes disabled due to unforeseen hazards, MotionAlert feature will activate after 30 seconds
- InstantAlert feature enables users to manually alert others of a potentially hazardous situation with the push of a button
- MSA Link™ software-ready
- Full three-year warranty supports the entire instrument, including the sensors and battery
- Lithium-polymer battery charges in less than 4 hours

Model No.	Mfg. No.	Description	Colour
HX991	10107602	LEL, CO, H_2S, O_2	Charcoal
HZ164	10107603	LEL, CO, H_2S, O_2	Phosphorescent
HZ165	10110443	LEL, CO, O_2	Charcoal
HZ167	10110445	LEL, CO, O_2	Phosphorescent
HZ166	10110444	LEL, O_2	Charcoal
HZ168	10110446	LEL, O_2	Phosphorescent

HX991

HZ164

HZ198

ACCESSORIES

Model No.	Mfg. No.	Description
HZ200	10152669	ALTAIR® Pump Probe 50'
HZ201	467895	Fixed Flow Regulator
HZ202	10048280	Calibration Testing Gas
HZ203	10153103	ALTAIR® Pump Probe 10'
HZ204	10153104	ALTAIR® Pump Probe 25'
HZ198	10128630	Galaxy® GX2 Automated Test System

GALAXY® GX2 MULTI-UNIT CHARGER FOR ALTAIR 4X

- The multi-unit tray charger provides charging for 1-4 Altair 4X Detectors
- Additional units may be purchased and added on simply by connecting to the other charging module
- This unit can also be used as a stand alone charging station without being connected to the GX2 Test Station

Model No. HZ212
Mfg. No. 10127422

HZ212

ALTAIR® 4X REPLACEMENT SENSORS

Model No.	Mfg. No.	Hazard
HZ238	10106722	Ex Combustible (LEL)
HZ241	10106729	O_2
HZ242	10106725	CO/H_2S
HZ246	10121213	CO/H_2S-LC Hydrogen Sulfide (Low Concentration)
HZ244	10121214	H_2S/CO H_2 RES Carbon Monoxide (Hydrogen-Resistant)
HZ248	10121215	H_2S/SO_2 Sulfur Dioxide
HZ249	10121217	CO/NO_2 Nitrogen Dioxide

INDOOR AIR QUALITY METERS

- Air quality meter
- Simultaneously monitors carbon dioxide (CO_2), relative humidity and temperature dew point and wet-bulb temperatures can also be displayed
- High resolution LCD with backlight display
- Displays STEL readings (short-term exposure limit) over a 15-minute period and TWA readings (Time-weighted average) over a period of 8 hours
- Maximum, minimum and average functions
- Audible warning alarm of excessive CO_2 concentrations
- RS-232 serial interface

CO_2 Range:	0 to 5,000 ppm
Resolution:	1 ppm
Accuracy:	±5% rdg. ±50 ppm
Temperature Range:	-10 to 60°C (14 to 140°F)
Resolution:	0.1°C/°F
Accuracy:	±0.6°C (±0.9°F)
Humidity Range:	0 to 99.9% RH
Resolution:	0.1% RH
Accuracy:	±3% RH @ 25°C (10 to 90% RH), ±5% RH <10% & >90%
Dew Point Range:	-73.4 to 60°C
Wet Bulb Range:	-13.3 to 60°C
Response Time:	30 seconds
Power Supply:	4 x "AA" alkaline batteries
Battery Life:	24 hours

Model No. IA645
Mfg. No. R9900

REED

COMBUSTIBLE GAS DETECTORS

- Following is a partial list of the more common gases detected: natural gas; propane; butane; methane; acetone; alcohol; ammonia; steam; carbon monoxide; gasoline; jet fuel; hydrogen sulfide; smoke; industrial solvents; lacquer thinner; naphtha
- Audible and visible alarms
- Low power semi-conductor sensor
- Includes: Soft carrying case and batteries

Sensitivity:	50 ppm methane
Warm-up Time:	Approx. 5 minutes
Response Time:	< 2 seconds
Alarm Limit:	At 10% LEL for methane
Power Supply:	3 x "C" batteries
Battery Life:	8 hours of continuous use
Probe Length:	16"

Model No. IA394
Mfg. No. GD-3300

REED

COMBUSTIBLE GAS DETECTORS

- Sensitivity thumbwheel aids in pinpointing leak location
- Sensitivity: 10 ppm useable sensitivity (methane)
- Audible alarm: variable speed ticking sound
- Visual alarm: 10 ultra-bright LED's
- Patented solid state plug-in sensor (5-year typical life)
- 20" flexible probe for hard-to-reach locations
- Operational status LEDs in English and international symbols
- 30-hour battery life with easily replaced "C" cells
- Warm-up time: Automatic, self-check, 10 sec. to operational condition
- Safety ratings: Intrinsically safe for use in Class 1, Div. 1, Groups A, B, C and D, UL listed, CE Mark

Model No. HM816
Mfg. No. 19-7083

BACHARACH
The Measurable Difference

CARBON MONOXIDE METER W/TEMPERATURE

- Large LCD dual display shows both carbon monoxide (CO) and temperature measurements
- Adjustable alarm limits
- Low Level battery indicator
- Auto power off
- Automatic zero point adjustment
- Max/Data hold functions
- Stabilized electrochemical CO specific sensor, thermistor temp sensor
- **Includes:** batteries and soft carrying case

Temperature Range:	4°F to 158°F (-20°C to 70°C)
Resolution:	1 ppm, 0.1°F
Accuracy:	±0.8°C (±1.5°F)
Battery Life:	200 hrs.
Measuring Range:	1 - 1000 ppm
CO Accuracy:	5 ppm ±
CO Reading Accuracy:	15% ±
Weight:	0.5 lbs

Model No. IB731
Mfg. No. R9400

REED

AIR QUALITY METERS

- Measures CO_2, CO, O_2, humidity and temperature
- Non-dispersive infrared CO_2 sensor
- Galvanic cell CO and O_2 sensors
- Precision capacitance humidity sensor
- Records readings from three probes simultaneously
- Audible alarm setpoint
- Temperature is measured in °C or °F
- Easy to read LCD with backlight
- Data hold and Max/Min record
- Real time data logger with integral 2GB SD memory card (optional)
- RS-232 and USB computer interface
- Auto or manual power off
- **Includes:** humidity probe, CO probe, CO_2 probe, O_2 probe, and hard carrying case

REED

CO_2 Range:	0 to 4000 ppm
Resolution:	1 ppm
Accuracy:	±40 ppm (<1000 ppm), ±5% (>1000 ppm
CO Range:	0 to 1000 ppm
Resolution:	1 ppm
Accuracy:	±(5% + 2 ppm)
O_2 Range:	0 – 30% O_2
Resolution:	0.1% O_2
Accuracy:	±(1% + 0.2% O_2)
Alarm Threshold:	<18.0% O_2
Humidity Range:	5 to 95% RH
Resolution:	0.1% RH
Accuracy:	>70%RH: ±(3% rdg + 1%RH); <70%RH: ±3%RH
Temperature Range:	0 to 50.0°C (32 to 122.0°F)
Resolution:	0.1°C/°F
Accuracy:	±0.8°C (±1.5°F)
Dew Point Temp. Range:	-25.3 to 48.9°C (-13.5 to 120.1°F)
Wet Bulb Temp. Range:	-21.6 to 50°C (-6.9 to 122.1°F)
Power Supply:	6 x 1.5V UM3/AA batteries
Dimensions:	177 x 68 x 45 mm; RH Probe: 197 mm L;
CO & O_2 Probe:	150 x 38 x 38 mm; CO_2 Probe: 190 x 38 x 28 mm
Weight:	350 g

Model No. IA800
Mfg. No. SD-9901

8" PLASTIC COM-PAX-IAL BLOWERS

- 1/3 HP, 115 V motor
- Lightweight, corrosion, UV and chemical resistant polyethylene housing offers a superior design with durable construction
- Integrated carry handle is molded into the blower
- Compact, super quiet unit
- Features a polypropylene nine blade fan, a steel/powder coated grill
- Bottom enclosure ensures safe and convenient storage of electrical components
- Designed to work separately or with canister and ducting
- Explosion proof models feature statically conductive ducting
- Quick-connect clipping system allows tool-free attachment of canister to input side for powerful extraction or output side for ventilation
- Electric, explosion-proof single-phase motor includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous

EA494

Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.
EA494	9533-C	w/o Canister	831	709	506	17
EA495	9533-15C	w/Canister & 15' Ducting	831	709	506	33
EA496	9533-25C	w/Canister & 25' Ducting	831	709	506	38
EXPLOSION-PROOF						
EA497	9538	w/o Canister	900	650	625	20
EA498	9538-15	w/Canister & 15' Ducting	900	650	625	37
EA499	9538-25	w/Canister & 25' Ducting	900	650	625	44

8" AC METAL AXIAL BLOWERS

- 1/3 HP, 3 A, 115 V motor
- Lightweight, compact unit offers the highest output available from an 8" axial blower
- Tough steel construction with a durable grill, convenient carry handle and rubber feet
- Design with canister allows ducting to collapse into a built-in canister for easy storage, and can be stored vertically to use a minimum amount of space
- Designed to work separately or with canister and ducting
- Explosion proof models feature statically conductive ducting
- The explosion proof blower has an explosion-proof single phase motor with a NEMA rated 115 V plug for use with an explosion proof socket (sold separately), meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G
- Certified to C22.2 No.113 standard by cETL

BB140

Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.
BB139	9513	w/o Canister	1275	661	582	19
BB140	9514	w/ Canister & 15' Ducting	1275	661	582	32
BB141	9514-25	w/Canister & 25' Ducting	1275	661	582	46
EXPLOSION-PROOF						
BB142	9513-05	w/o Canister	890	825	770	31
BB143	9514-05	w/Canister & 15' Ducting	890	825	770	49
EA500	9514-06	w/Canister & 25' Ducting	890	825	770	57

MANHOLE LID LIFTERS

- Toughest manhole covers are easy to move with this one-piece lifter
- Features a long all-steel handle that provides the leverage necessary to fit the heaviest manhole lids
- For safe storage, the alloy steel hook recesses and locks into the pole
- Rubber grips on the handle and foot prevent slips, and cadmium plating fights rust
- 42" long, 9 lbs.

Model No. BB204
Mfg. No. 9401-20

"AIR BAG" BLOWER SYSTEMS

- 8" and 12" blower system with 15' duct built into a heavy duty bag
- Zippered ends allow blower use without removing from bag
- Super quiet, lightweight
- Polypropylene nine blade fan
- Carry handle with molded-in 2-speed switch
- Steel/powder coated housing and grills
- Unique bag with openings for plug/cord, inlet outlet
- Both carrying handle and shoulder strap allows for easy transportation
- Single-ply lightweight vinyl/polyester, PVC coated duct is heat resistant to 150°F
- Non-collapsible retractable design
- 20' AWG cord with NEMA 5-15 P 125 V plug
- 3300 max. RPM (loaded at 120 V, 60 Hz)

8"

- 1/4 HP 115 V AC single phase motor
- Weight: 25 lbs.
- Dimensions: 27" L x 15" W x 12" H
- Flow rate: 760 CFM

Model No. EA380
Mfg. No. 9535-08

12"

- 1/2 HP 115 V AC single phase motor
- Weight: 35 lbs.
- Dimensions: 28" L x 16" W x 14" H
- Flow rate: 1840 CFM

Model No. EA381
Mfg. No. 9535-12

DUCTING

- Lightweight, retractable and designed for maximum air handling capabilities
- Built for dual direction flow with minimum friction loss
- Vinyl and polyester materials
- Single-ply
- Heat resistant up to 150°F
- Retractable, non-collapsible design
- Class 1 hard drawn spring steel wire helix
- Meets ASTM 227 specs

Model No.	Mfg. No.	Coating	Diameter"	Length'
DUCTINGS				
BB164	9500-15	PVC	8	15
BB166	9500-25	PVC	8	25
STORAGE CANISTER				
EA492	9500-55	-	8	-

Note: Other sizes available upon request. * Statically conductive available. Call for information.

8" CENTRIFUGAL BLOWERS

- Designed with tough polyethylene housing, metal safe guards and a steel fan
- Two 8" ports offer positive ventilation or fume extraction
- Metal base with feet, offering greater stability
- Electric motor is cage-enclosed for protection
- Built-in carry handle for increased portability
- Explosion proof models offer an intrinsically safe motor and NEMA rated plug with explosion proof socket (included). ABS housing provides non-sparking safety. Meets Class I, Divisions 1 and 2, Group D, Class II Divisions 1 & 2, Groups F & G

BB148

Model No.	Mfg. No.	Description	Motor	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.
BB148	9504	Standard	1/3 HP, 6 A/115 V	1066	839	745	38
BB152	9504-50	High Output	3/4 HP, 12 A/115 V	1750	1100	900	45
BB150	9503	Explosion Proof	3/4 HP, 12 A/115 V	1570	1100	900	76

CONFINED SPACE RESCUE SYSTEMS

- DBI Sala has an extensive line of rescue and retrieval systems to suit your confined space entry and rescue needs
- High-quality, rugged systems meet applicable industry standards, and can be customized to suit your needs
- Ease-of-use ensures you have the ability to handle a crisis simply, flawlessly, and immediately
- Made from quality materials strong enough to endure rough handling and exposure to the elements
- Systems are adjustable and adaptable to extreme environments and uneven terrain
- Modular design allows you to add to the system over time
- Portable systems are easy to transport, set-up, and store

3M | DBI SALA PROTECTA Fall Protection

DAVIT ARM SYSTEM COMPONENTS

ADVANCED ADJUSTABLE OFFSET DAVIT MAST

- Adjustable length of Davit ensures lifelines are always centred over confined space
- Combine with up to two lower mast extensions to increase anchorage height

Model No.	Mfg. No.	Description
SEB442	8518001	Davit Mast, 11 1/2" - 27 1/2" Adjustable Offset
SEE775	8518006	Davit Mast, 23 1/2" - 42 1/2" Adjustable Offset
SEE776	8518509	Mast Extension, 21"
SEE777	8518002	Mast Extension, 33"
SEE778	8518003	Mast Extension, 45"
SEE779	8518004	Mast Extension, 57"

SEB442

3M DBI SALA Fall Protection

ADVANCED PORTABLE BASES

- Work with a variety of advanced davit arm and mast extensions
- Ideal when you need to move and access various confined space areas
- Lightweight, easy to transport, set-up, and use

Model No.	Mfg. No.	Description
SEE780	8518005	For 27 1/2" Maximum Offset Davit Mast
SEE781	8518008	For 42 1/2" Maximum Offset Davit Mast

SEE780

ADVANCED PERMANENT FIXED BASES

- Works with a variety of advanced davit arm and mast extensions
- Fixed bases are ideal for work areas where frequent set-up and tear-down is required
- Base can be permanently installed to an existing structure

Model No.	Mfg. No.	Description	Material	Mounts to
SEJ393	8516190	Floor Mount	Zinc Plated	Concrete or Steel
SEJ394	8510316	Floor Mount	Steel	Concrete or Steel
SEJ395	8512831	Center Mount	Zinc Plated	Steel, Welding, or Bolting
SEJ396	8518348	Wall Mount	Stainless Steel	Concrete or Steel
SEJ397	8510109	Core Mount	Zinc Plated	Concrete or Steel
SEJ398	8515162	Deck Mount	Zinc Plated	Flooring

SEJ393

ADVANCED 5-PIECE HOIST SYSTEM

- Davit arm and base system includes adjustable offset upper mast, 33" lightweight lower mast, and 3-piece lightweight base
- Includes winch mounting bracket
- Winch and self-retracting lifelines sold separately

SEB441

3M DBI SALA Fall Protection

Model No.	Mfg. No.	Description
SEB441	8300009	5-Piece System with 27 1/2" Maximum Offset Davit Mast
SEE782	8518040	5-Piece System with 42 1/2" Maximum Offset Davit Mast

PRO™ CONFINED SPACE SYSTEMS

- Complete confined space systems
- Easily transportable
- Can be set-up by one worker
- All kits include 8' aluminum tripod, 50' galvanized winch, pulley for confined space entry, quick-mount bracket, and Rebel™ 50' galvanized self retracting lifeline
- Tripod features locking legs, simple adjustment, quick-mount mechanical device bracket, skid resistant tread plate soles on feet, and safety chain to prevent movement

3M PROTECTA Fall Protection

Model No.	Mfg. No.	Additional Inclusions
SEL080	8308052	-
SEL081	8308051	Class A Harness w/Pass-Thru Buckles
SEL082	8308053	Tripod Carrying Bag and Class A Harness w/Pass-Thru Buckles

BANTAMLIFT™ DAVIT SYSTEMS

Honeywell NORTH

ANCHORAGE CONNECTORS & DAVITS

- Ideal for applications where a temporary anchorage is required
- Assemble and disassemble quickly with the ability to transport from site to site
- Built tough to provide a safe and secure anchorage for confined space entry, exit, rescue and/or suspension work
- Components are made of strong aluminum alloy (except for the bases)
- Rated for working loads up to 450 lbs. (204.5 kg)
- Provide a proof-tested 5000 lbs. (2273 kg) anchor (in most configurations) or at least a 2:1 safety factor when used with approved fall arrest devices
- Booms reach up to 48" (122 cm)
- Various masts to meet your requirements
- Comply with current OSHA requirements for confined space entry and egress

SAK565

SAK562

SAK564

Sold Separately

Model No.	Mfg. No.	Description	Application
SAK562	FP6660/00	Davit Fixed Base	General Purpose Base
SAK563	FP6663/00	Portable Davit Base for Davit System	Where Temporary Anchorage is Required
SAK564	FP6670/24	Davit mast 12" to 24"	Standard Davit Mast
SAK565	FP6680/24	Davit boom 12" to 24"	Standard Boom

INNOVA™ XTIRPA™ CONFINED SPACE RESCUE SYSTEMS

- Versatile system can be configured to meet many confined space/ rescue applications
- Made of lightweight aluminum composite
- Maximum capacity of 4200 lbs.
- Ergonomic design allows this system to be easily transported and installed by one person; set-up within five minutes for one person
- Easy storage - No vehicle modifications required
- Corrosion resistant, durable system is built to last
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

Davit Arm (SAQ158)

Mast (SAQ159)

Base (SAQ161)

DAVIT ARMS

- Fall protection and retrieval davit arm will facilitate your access to underground chambers and any other confined space
- Equipped with a 5000 lbs. anchor point
- Capacity is 360 lbs. when used with a mast system, and 420 lbs. when used with a manhole guard: safety factor of 10:1
- Weighs just 23 lbs.
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

XTIRPA

Innova
Produits de Services Public - Public Utility Products inc.

MASTS

- Designed to be used in conjunction with davit arm (**SAQ158**) and fits all of the permanent or mobile adapters
- Made of aircraft industry aluminum and is very light and durable
- Weighing only 22 lbs., the unit can be used in confined spaces where a versatile and reliable rescue entry/retrieval system is needed

MANHOLE GUARDS

- Portable barricades have an integrated mast for use with davit arms
- Can be transformed very quickly into a confined space rescue, entry/retrieval system
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

Model No.	Mfg. No.	Description
SEC112	IN-2210	Davit Arm
SAQ159	IN-2003	Mast
SAQ160	IN-2013	Stainless Steel Wall Base
SAQ161	IN-2005	Stainless Steel Base
SAQ157	IN-2001	Manhole Guard

ALUMINUM TRIPODS

- Lightweight and portable
- Ideal for manhole entry and retrieval applications
- Easily set-up by one worker
- Adjustable locking legs
- Will span a 5' diameter hole

SEB437

3M | DBI SALA® Fall Protection

Model No.	Mfg. No.	Description
SEB437	8000014	7' (2.1 m) Aluminum Tripod

SALALIFT™ II WINCHES

- Work support and rescue winch is lightweight and easy to use
- Manually operated by simply rotating the handle to raise or lower personnel
- Incorporates a quick-mount bracket which mates with all DBI Sala® support structures
- Housing made of durable heat treated cast aluminum
- Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable

SEB445

3M | DBI SALA® Fall Protection

Model No.	Mfg. No.	Description
SEB445	8102060	60' (18 m) x 1/4" (6.25 mm) Galvanized Cable

SEALED-BLOK™ SELF-RETRACTING LIFELINES - RETRIEVAL/BRACKET

30' Sealed Blok™ self-retracting lifeline that features a retrieval bracket and swivelling snap hook with impact indicator

- 3-way emergency retrieval system
- New sealed design keeps the critical working components free of dirt, grease, water and chemicals
- Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary "dropped objects protection" attachment point
- Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware
- Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. for added safety
- Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
- Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
- Certified to CSA standard Z259.2.2, Type 3 RSRL

Model No. SEB341
Mfg. No. 3400853C

3M | DBI SALA Fall Protection

MILLER TRIPODS

The Miller tripod is the anchorage connector for typical confined space and rescue systems.

- Lightweight, high-strength aluminum construction
- Adjustable legs with integral push pins, ideal for uneven surfaces
- Safety chain and tripod feet with rubber skid pads and serrated edge prevent slippage in icy conditions
- Independent leg locking feature holds legs securely in place
- Withstands up to 5000 lbs. (22 kN) of vertical pull
- Available with reflective tape
- Available in 7' (2 m)

Honeywell MILLER

Model No.	Mfg. No.	Description
SAK436	51/7FT	7' (2 m) High-Strength Aluminum Tripod

Note: Available in 9' (2.7 m) upon request.

MANHANDLER® HOISTS/WINCHES

- Compact, durable steel construction
- Smooth, controlled winding action
- Effortless lifting and lowering with 5:1 gear ratio
- Anti-backlash crank handle braking system prevents freewheeling
- Digital indicating system which counts drum turns in order to determine maintenance periodicity
- Built-in mounting bracket
- 3/16" galvanized steel cable
- 350 lbs. (1.6 kN) working capacity

SAR489

Honeywell MILLER

Model No.	Mfg. No.	Description
SAR489	8442-Z7/65FT	ManHandler® Hoist w/ 65 ft. 3/16" Galvanized Steel Cable
SAR490	8442-Z7/100FT	ManHandler® Hoist w/ 100 ft. 3/16" Galvanized Steel Cable

SEALED-BLOK™ SELF-RETRACTING LIFELINE W/RETRIEVAL WINCH

- This sealed SRL incorporate a revolutionary patented concept that separates all dynamic components from foreign elements such as grease, moisture and dirt, ensuring your SRL is always operating at peak efficiency, no matter how dirty or damp your environment
- Incorporates a self contained bi-directional retrieval winch suitable for raising and lowering personnel in emergency rescue/retrieval situations
- Winch drive incorporates an overload device thus reducing the possibility of injury should the worker become entangled during retrieval
- Input crank handle brake will prevent movement of the load if the operator accidentally released the handle during raising/lowering
- In the event of a fall, the self adjusting disk brake will stop the fall and limit the arresting forces imposed on the worker to 900 lbs. or less
- Incorporates a quick-mount bracket that enables the user to attach it to a DBI/SALA support structure (tripod, davit arm, etc.) with ease
- Swiveling anchorage loop to prevent twisting of lifeline
- Self-locking swivel snap hook with impact indicator
- Reserve lifeline retention system for added safety
- 50 ft. 3/16" galvanized steel wire rope for durability
- Stainless steel and cast aluminum housing for corrosion resistance

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	Description
SEN426	3400923C	15 m (50') Sealed SRL
SEH133	8301000	15 m (50') Sealed SRL w/7' Tripod

ADVANCED DIGITAL SERIES WINCHES

- Performs both descent and retrieval functions
- Removable aluminum crank handle
- Utilizes both 9:1 and 4:1 drives
- Capable of average speeds from 4 m/min (13 ft/min) up to 9 m/min (30 ft/min)
- Manually operated by simply rotating the handle to raise or lower personnel
- Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable

Model No. SEJ417
Mfg. No. 8518560

3M | DBI SALA Fall Protection

CONFINED SPACE RESCUE KITS

- Ready-to-use combination of North equipment for rescue, entry/egress
- 7' portable tripod with safety chain around legs
- 3-way self-retracting lifeline with cast aluminum housing – 50' stainless steel cable 3/16"
- Capacity: 310 lbs. (140 kg)
- Kit includes: Tripod, 3-Way SRL, Mounting Bracket, and Carrying Bag
- Workload winch and winch mounting bracket sold separately

Honeywell NORTH

Model No.	Mfg. No.	Description
SN130	FP66/415SR	Confined Space Kit
SA0558	FP2/715SR	Retrieval Winch
SAH548	FP6610/15	Winch Mounting Bracket

THE ABC'S OF FALL PROTECTION

A typical Person Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage connector, body support, and connecting device, when used together, form a complete system for maximum worker protection. But don't forget about another required component of any fall protection program – descent, rescue, and retrieval of a fallen worker.

3M | DBI SALA PROTECTA Fall Protection

Anchorages are a secure point of attachment. They must be able to hold fast under more than a ton of force generated in a fall.

Body support harnesses distribute fall forces over the upper thighs, pelvis, chest, and shoulders. They provide a connection point on the worker for the PFAS.

Connectors such as shock absorbing lanyards or self retracting lifelines connect a workers harness to the anchorage.

Descent and rescue devices are used to retrieve an injured worker or lower him to the ground.

FULL BODY HARNESS APPLICATIONS

CSA STANDARD Z259.10 DIVIDES HARNESSES IN TO 5 CLASSES:

CLASS A

PERSONAL FALL ARREST

Class A full body harnesses are designed to support the body during and after the arrest of a fall.

CLASS D

SUSPENSION AND CONTROLLED DESCENT

Class D full body harnesses are designed for suspension or controlled descent from a height.

CLASS E

LIMITED ACCESS (EVACUATION)

Class E full body harnesses are designed to support a worker in a position that reduces the worker's profile during passage through a limited access area.

CLASS L (LADDER)

LADDER CLIMBING

Class L full body harnesses are designed for use with fall restrict systems involving the use of a fall arrester that travels on a vertical lifeline or rail.

CLASS P

WORK POSITIONING

Class P full body harnesses are designed to position a worker during a work operation.

EXOFIT™ NEX HARNESSES

- The newest, most advanced harnesses in the industry
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt, and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles provide one-handed operation for fast, easy donning
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- Tech-Lite™ aluminum D-Rings offer a higher level of security and comfort
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Molded lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10

SEB594

SER747

3M

DBI SALA Fall Protection

Model No.	Mfg. No.	D-Rings	Hip Pad and Body Belt	Size	CSA Class
SEB598	1113001C	Back	No	Small	A
SEB599	1113004C	Back	No	Medium	A
SEB600	1113007C	Back	No	Large	A
SEB601	1113010C	Back	No	X-Large	A
SEB602	1113013C	Back	No	2X-Large	A
SEB592	1113121C	Back and Side	Yes	Small	A, P
SEB593	1113124C	Back and Side	Yes	Medium	A, P
SEB594	1113127C	Back and Side	Yes	Large	A, P
SEB596	1113130C	Back and Side	Yes	X-Large	A, P
SER747	1113151C	Back, Front, and Side	Yes	Small	A, D, L, P
SER746	1113154C	Back, Front, and Side	Yes	Medium	A, D, L, P
SEP881	1113157C	Back, Front, and Side	Yes	Large	A, D, L, P
SEP879	1113160C	Back, Front, and Side	Yes	X-Large	A, D, L, P

Object at Heights -
Protect yourself and others!
pages 92 - 94

EXOFIT™ NEX ROPE ACCESS & RESCUE HARNESS

- Ideal for professionals performing rescue and emergency services, industrial rope access and rigging, wind energy and tower maintenance, as well as arborist activities
- Combines specialized designs, components and hardware to optimize rope rescue and industrial rope access work
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles provide one-handed operation
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place
- Tech-Lite™ aluminum D-Rings
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- Molded lanyard keepers prevent dangerous entanglements
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- i-Safe™ enabled providing the ability to track inspections, control inventory and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10

SES066

3M

DBI SALA Fall Protection

Model No.	Mfg. No.	Size	CSA Class
SES066	1113345C	Small	A,D,L,P
SEP874	1113346C	Medium	A,D,L,P
SER775	1113347C	Large	A,D,L,P
SER779	1113348C	X-Large	A,D,L,P

EXOFIT™ XP HARNESSES

- Soft, lightweight webbing is strong, but not stiff or coarse
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation for fast, easy donning
- Complete 5-point adjustment with easy-grip end tabs
- Removable padding is easily cleaned in the washing machine
- Breathable 3D mesh lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Integrated lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Reflective piping enhances visibility in low-light conditions
- i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs. (190 kg)
- Certified to CSA standard Z259.10

SEB415

3M

DBI SALA Fall Protection

Model No.	Mfg. No.	D-Rings	Size	CSA Class
SEB414	1110100C	Back	Small	A
SEB415	1110101C	Back	Medium	A
SEB416	1110102C	Back	Large	A
SEB417	1110103C	Back	X-Large	A

EXOFIT™ FULL BODY HARNESSES

- Constructed from abrasion-resistant anti-tear ballistic nylon, for twice the endurance of standard nylon or polyester
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation for fast, easy donning
- Complete 5-point adjustment with easy-grip end tabs
- Shoulder, leg, and hip padding is built-in so it can't slip
- Breathable lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Reflective piping enhances visibility in low-light conditions
- i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10

Fall Protection

Model No.	Mfg. No.	D-Rings	Size	CSA Class
SEB393	1107975C	Back	Small	A
SEB394	1107976C	Back	Medium	A
SEB395	1107977C	Back	Large	A
SEB396	1107981C	Back	X-Large	A
SEB410	1108600C	Back, Front and Side	Small	A, D, L, P
SEB411	1108601C	Back, Front and Side	Medium	A, D, L, P
SEB412	1108602C	Back, Front and Side	Large	A, D, L, P
SEB413	1108606C	Back, Front and Side	X-Large	A, D, L, P

SEB396

SEB413

DELTA™ HARNESSES

- Patented triangular no-tangle design creates a frame that allows the harness to fall into place when donned
- Repel™ webbing is water repellent to reduce the attraction of mold and dirt, and has more abrasion resistance
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Vest style harnesses are the most universal, and are used across a wide variety of industries
- Construction style harnesses have excellent tool-carrying capability, a sewn in hip pad, and a removable body belt
- Cross-over style harnesses have a front-mounted D-ring, making them ideal for ladder climbing and rescue applications
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10

Fall Protection

SEB399 (Front)

SEB399 (Back)

SEB391

SEB402

Order No.	Mfg. No.	D-Rings	Leg Connections	Size	CSA Class
VEST					
SEB391	1110600C	Back	Quick-Connect	Universal	A
SEB406	1102000C	Back	Tongue Buckle	Universal	A
SEB403	1103321C	Back	Pass-Thru	Universal	A
SEB401	1102008C	Back and Side	Tongue Buckle	Universal	A, P
SEB392	1110602C	Back and Shoulder	Quick-Connect	Universal	A, E
SEB409	1101254C	Back and Shoulder	Tongue Buckle	Universal	A, E
SEP796	1102090C	Back and Front	Quick-Connect	Universal	A, D, L
CONSTRUCTION					
SEB397	1102201C	Back and Side	Tongue Buckle	Small	A, P
SEB398	1101654C	Back and Side	Tongue Buckle	Medium	A, P
SEB399	1101655C	Back and Side	Tongue Buckle	Large	A, P
SEB400	1101656C	Back and Side	Tongue Buckle	X-Large	A, P
SEB418	1102526C	Back	Tongue Buckle	Universal	A
CROSS-OVER					
SEB402	1102010C	Back and Front	Pass-Thru	Universal	A, D, L
SEB405	1103270C	Back, Front and Side	Pass-Thru	Universal	A, D, L, P

PRO™ HARNESSES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard when not in use, to prevent accidental entanglements
- Built-in impact indicators allow for easy inspection
- Weight capacity: 420 lbs. (190 kg)
- Certified to CSA standard Z259.10

3M | PROTECTA Fall Protection

Model No	Mfg. No.	Style	D-Rings	Leg Connections	Additional Features	Size*	CSA Class
SEB363	1191201C	Vest - Standard	Back	Pass-Thru	-	Medium/Large	A
SEB366	1191237C	Vest - Standard	Back	Tongue Buckle	-	Medium/Large	A
SEB369	1191253C	Vest - Standard	Back	Quick-Connect	Back, Shoulder, and Leg Padding	Medium/Large	A
SEB360	1191209C	Construction	Back and Side	Tongue Buckle	Hip Pad and Belt	Medium/Large	A, P
SEC036	1191257C	Retrieval	Back and Shoulder	Quick-Connect	Back, Shoulder, and Leg Padding	Medium/Large	A, E

*Small and X-Large sizes are also available

SEB360 SEB366 SEB369

FIRST™ HARNESSES

- Fundamental fall protection with exceptional value
- One adjustable dorsal D-Ring
- Supple back plaque
- 1.75" wide polyester web for durability
- Zinc-plated stamped steel hardware
- Pass-thru leg and chest closures
- Universal size
- Weight capacity: 310 lbs. (141 kg)
- Certified to CSA standard Z259.10



3M | PROTECTA Fall Protection

Model No.	Mfg. No.	D-Rings	Description	CSA Class
SEB371	AB17510C	Back	3-Point Adjustment	A
SEB372	AB17530C	Back	5-Point Adjustment	A

PRO™ WELDERS HARNESSES

- Heat and flame resistant webbing made from modacrylic over Kevlar and polyester
- High durability and resistance to abrasion
- Alloy steel connectors and D-rings
- Specifically designed for welding applications to provide char resistance
- Lightweight design to improve comfort
- Web and lanyard storage keepers reduce potential entanglement hazards
- Char temperature: 700°F
- Pass-thru chest connectors
- Weight capacity: 420 lbs. (190 kg)
- Certified to CSA standard Z259.10
- Size: Medium/Large*

3M | PROTECTA Fall Protection

Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SEJ400	1191379C	Back	Pass-Thru	A
SEJ403	1191381C	Back and Side	Pass-Thru	A, P
SEJ406	1191389C	Back/Front/Shoulder	Pass-Thru	A, D, E
SEJ409	1191383C	Back	Tongue Buckle	A
SEJ412	1191385C	Back and Side	Tongue Buckle	A, P
SEJ415	1191392C	Back/Front/Shoulder	Tongue Buckle	A, D, E

*Small and X-Large available on request

SUSPENSION TRAUMA SAFETY STRAPS

- They are deployed when needed, hook together in seconds, and let a suspended worker stand up in harness, relieving downward pressure
- You can quickly attach them to most harness brands right in the field
- Compact, lightweight design stays out of your way
- Weight capacity: 310 lbs. (141 kg)
- Priced per pair

Model No. SEB436
Mfg. No. 9501403C

3M | DBI SALA Fall Protection

MILLER AIRCORE™ HARNESSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

SEJ644

SEJ647

Model No.	Mfg. No.	D-Rings	Leg Connections	Additional Features	CSA Class
STEEL HARDWARE					
SEJ642	AC-TB/UGN	Back	Tongue Buckle	-	A
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P
SEJ644	AC-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P
SEJ645	AC-QC/UGN	Back	Quick Connect	-	A
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	-	A, P
SEJ647	AC-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P
ALUMINUM HARDWARE					
SEJ648	ACA-TB/UGN	Back	Tongue Buckle	-	A
SEJ649	ACA-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P
SEJ650	ACA-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P
SEJ651	ACA-QC/UGN	Back	Quick Connect	-	A
SEJ652	ACA-QC-D/UGN	Back and Side	Quick Connect	-	A, P
SEJ653	ACA-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P

MILLER REVOLUTION™ HARNESSES

- Donning made easy with two-sided Dualtech™ webbing with contrasting colours and textures
- Easy, one-hand cam buckle adjustment/release allows simultaneous adjustment of shoulder straps
- Web finials clip-on design safely organises webbing after proper adjustment
- ErgoArmor™ semi-flexible back shield minimises impact from sharp/heavy snap hooks and self-retracting lifelines
- PivotLink™ hip connections unique rotary design provides greater comfort in bending/mobility
- Integrated pack encapsulates labels minimising damage and loss
- Integrated accessory system wih modular attachment design provides connection points for belts/tools/accessories
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

SAN124

Model No.	Mfg No.	D-Rings	Leg Connections	Removable Belt	CSA Class
SAN124	RDT-QC/UBKC	Back	Quick-Connect	No	A
SAN125	RDT-TB/UBKC	Back	Tongue Buckle	No	A
SAN126	RDT-QC-B/UBKC	Back	Quick-Connect	Yes	A
SAN128	RDT-QC-DP/UBKC	Back, Side	Quick-Connect	No	A, P
SAN129	RDT-TB-DP/UBKC	Back, Side	Tongue Buckle	No	A, P
SAN130	RDT-QC-BDP/UBKC	Back, Side	Quick-Connect	Yes	A, P
SAN131	RDT-TB-BDP/UBKC	Back, Side	Tongue Buckle	Yes	A, P

MILLER REVOLUTION™ HARNESS ACCESSORIES

SAN143

SAN135

SAN133

SAN142

Model No.	Mfg. No.	Description
ACCESSORIES		
SAN133	RIA-T2	Cell Phone/Jobsite Radio Holder w/Snap-On Connector
SAN135	RIA-T4	Open Bolt and Bull Pin Bag w/Quick Release Tool Snap
SAN137	RIA-T6	2-Pocket Nail and Tool Pouch
SAN138	RIA-T7	Large Multi Pouch Tool Bag w/2 Steel Hammer Loops
OPTIONAL PADDING		
SAN142	RIA-P1	Shoulder/Leg Pads (2/pack)
SAN143	RIA-P2	Seat Pad
BELTS (FITS SIZES 32" TO 54")		
SAN146	RIA-B1	Belt w/PivotLink™ Attachments, 5-Accessory Connectors
SAN147	RIA-B2	Padded belt w/PivotLink™ Attachments, 5-Accessory Connectors

Note: Inquire about individual accessories.

SAN137

SAN138

MILLER ULTRA HARNESSES

- The new line of Ultra Harnesses is designed with patented DuraFlex® stretchable webbing that provides greater comfort, increases productivity and improves safety
- In addition, the DuraFlex® Python™ Ultra Harness also features cushioned tubular webbing in the shoulder straps to minimize possible discomfort around the neck and shoulders when required to wear a tool belt
- Comfort-touch back D-ring pad is designed with woven, breathable material for greater comfort; orients harness for quick tangle-free donning
- Sleek, quick-connect buckles for chest and leg straps for easy donning and feature a dual-tab release mechanism to prevent accidental opening
- Friction shoulder strap buckles stay firmly in place
- Universal fit
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

SAK309

SAK308

Model No.	Mfg. No.	D-Rings	CSA Class	Additional Features
DURAFLEX® ULTRA HARNESSES				
SAK309	E650QC/UGN	Back	A	-
SAK310	E650-7QC/UGN	Back and Side	A, P	-
SAK311	E650-77QC/UGN	Back and Side	A, P	Body Belt
DURAFLEX® PYTHON™ ULTRA HARNESSES				
SAK142	P950QC/UGN	Back	A	-
SAK307	P950-7QC/UGN	Back and Side	A, P	-
SAK308	P950-77QC/UGN	Back and Side	A, P	Body Belt

HP™ HIGH PERFORMANCE HARNESSES

- Durable, lightweight nylon webbing
- Bright colours make the HP™ harnesses readily visible and easy to inspect
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- All harnesses include sub pelvic strap
- Universal fit (available in other sizes upon request)
- Available in blue polyester webbing for greater chemical resistance
- Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature
SAP484	650T/UGK	Back	Friction	Mating	Mating	A	Belt Loops
SAP485	650T4/UGK	Back	Friction	Tongue Buckle	Mating	A	Belt Loops
SAP486	650T7/UGK	Back and Side	Friction	Mating	Mating	A, P	Belt Loops
SAP488	650T76/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops, 6" CoolMax Back Pad/ Tool Belt and CoolMax Shoulder Pads

NON-STRETCH HARNESSES

- Non-stretch nylon webbing is lightweight and durable
- Bright yellow colour makes it visible and easy to inspect
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- Most harnesses include sub pelvic strap
- Universal fit unless specified (other sizes available upon request)
- Also available in polyester webbing for greater chemical resistance
- Colour: Yellow
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature
SC965	650/UYK	Back	Friction	Mating	Mating	A	Belt Loops
SC967	650-3/UYK	Back and Shoulder	Friction	Mating	Mating	A, E	Belt Loops
SC961	650-4/UYK	Back	Friction	Tongue Buckle	Mating	A	Belt Loops

DURAFLEX® STRETCHABLE HARNESSES

- Allows greater freedom of movement and offer improved comfort and overall safety
- Synthetic elastomer webbing stretches with the worker for maximum comfort
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Labelling includes inspection tag and space for personal identification
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

SC975

Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SC973	E650/UGN	Back	Friction	Mating	Mating	A
SC975	E650-4/UGN	Back	Friction	Tongue Buckle	Mating	A

DURAFLEX® PYTHON™ HARNESSES

- Shoulder straps are constructed of soft, cushioned tubular webbing
- Lower torso straps are constructed of specially-formulated DuraFlex® stretchable webbing
- Leg straps are constructed of lightweight, non-stretch webbing
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

SAH526

Model No.	Mfg. No.	D-Ring	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SAH525	P950/UGN	Back	Friction	Mating	Mating	A
SAH526	P950-4/UGN	Back	Friction	Tongue Buckle	Mating	A
SAH527	P950-7/UGN	Back and Side	Friction	Mating	Mating	A, P
SAH528	P950-58/UGN	Back and Side	Friction	Tongue Buckle	Mating	A, P

TITAN™ CONTRACTOR'S HARNESSES

- Full-body harnesses made from lightweight durable polyester webbing for all-day comfort and dependability
- Fully adjustable design
- Sliding back D-ring
- Sub-pelvic strap
- Universal fit (other sizes available upon request)
- Colour: Orange
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SN064	T4000/UAK	Back	Mating	Mating	Mating	A
SN065	T4007/UAK	Back and Side	Mating	Mating	Mating	A, P
SN066	T4500/UAK	Back	Mating	Tongue Buckle	Mating	A
SN067	T4507/UAK	Back and Side	Mating	Tongue Buckle	Mating	A, P

T-FLEX TITAN™ STRETCHABLE HARNESSES

- Durable, stretch polyester webbing construction for improved comfort and greater mobility
- Fully adjustable design for maximum comfort
- Non-slip chest strap assures proper fit
- Sub-pelvic strap for added safety and support
- Mating shoulder and chest strap buckles stay firmly in place
- Pull-free lanyard rings for added convenience
- Sliding back D-ring and pad ensure correct back D-ring position
- Universal fit
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Honeywell MILLER

SAK297

SAK299

SAK300

Model No.	Mfg. No.	D-Rings	Chest Connections	CSA Class
SAK297	TF4000/UAK	Back	Mating	A
SAK298	TF4500/UAK	Back	Tongue Buckle	A
SAK299	TF4007/UAK	Back and Side	Mating	A,P
SAK300	TF4507/UAK	Back and Side	Tongue Buckle	A,P

WELDER'S HARNESSES

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features one back D-ring, friction shoulder straps and mating leg and chest connections
- Contrasting webbing colours make inspection easier
- Includes unique, durable Lexan® labeling with inspection grid for easy tracking
- Universal fit (other sizes available upon request)
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No. SAK325
Mfg. No. 850K/UBL

Honeywell MILLER

SAK325

MILLER REVOLUTION™ ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller Revolution Harness (see page 497)
- Kevlar®/Nomex® Miller DualTech™ webbing - patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- Webbing offers the durability and FR properties of Kevlar® on the outer side, with softer FR Nomex® on the inside of the webbing for greater comfort
- Webbing assures arc protection and durability that eclipses any nylon webbing
- PivotLink™ design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- Leather insulators under all metal hardware offer additional protection for the worker
- Kevlar® web loop on the back pad allows for a "metal-less" connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- All Miller Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Weight capacity: 400 lbs. (181.4 kg)
- Meets stringent ASTM F887-05 arc-flash standards
- Certified to CSA standard Z259.10

Honeywell MILLER

Model No.	Mfg No.	Leg Connections	CSA Class
SAR473	RKNAR-QC/UBK	Quick-Connect	A
SAR474	RKNAR-TB/UBK	Tongue Buckle	A

Note: Other styles available upon request

RELIEF STEP™ SAFETY DEVICES

- Allows the user to "stand up" in their harness, permitting the ability to move and flex leg muscles
- Provides support and enhances blood circulation until rescue
- Small and lightweight, can be attached to any brand of full-body harness
- Utilizing two devices per harness (one for each leg/foot) is recommended to assure greater user comfort

Model No. SAK162
Mfg. No. 9909X/12

Honeywell MILLER

RITE-ON™ HARNESSES

Designed with two things in mind: Simplicity and Comfort. It's constructed to shape around the user with ease. The harnesses are engineered with a lumbar support to make the donning of a harness a breeze. The comfort pad also eliminates the tangling of the straps which are common with traditional harnesses. The bayonet style connectors allow users to connect their chest and legs straps in a single action.

RITE-ON™ HARNESSES

- Integrated back and shoulder pad – Conforms to the wearers' shape to provide all-day comfort
- Fast-action bayonet style connectors – Allow quick and easy donning
- Extended D-ring option – Makes lanyard connection easier and safer
- Sweat wicking pad fabric – Keeps wearers comfortable in hot conditions
- Tangle-free pad design – Harness keeps its shape between use, aiding quick and easy donning
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Universal size with full adjustability – One size fits most
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No.	Mfg. No.	D-Rings	CSA Class
SAK490	FP81F/1DBA	Back	A
SA0631	FP81F/1EDBA	Extended-back	A
SA0632	FP81F/3DDA	Back and Side	A, P
SA0633	FP81F/3EDDA	Extended-back and Side	A, P
SA0634	FP81F/4DLA	Back, Side and Front	A, P, L
SA0635	FP81F/4EDLA	Extended-back, Side and Front	A, P, L

SAK490

RITE-ON™ II HARNESSES

- Designed for more simplicity and comfort, this series is constructed to shape around the user with ease
- Open cell foam padding wicks sweat away from the body, keeping workers cool and dry throughout the day, and improving productivity
- Integral back and shoulder pad eliminates tangling of the harness's straps
- Lumbar pad decreases back injuries
- Removable 11" comfort leg pad reduces of pinch point and strain while in work position
- Quick-connect buckles allow easy, single action secure connection
- Protective label pouch makes identification and inspection easier
- Fall arrest indicator makes it easier for a worker to identify if a large load has been applied to the harness
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No.	Mfg. No.	D-Rings	Belted	Size	CSA Class
SEA288	FP81T/1DBASM	Back	No	Small/Medium	A
SEA287	FP81T/1DBALXL	Back	No	Large/X-Large	A
SEA290	FP81T/1EDBASM	Extended-back	No	Small/Medium	A
SEA289	FP81T/1EDBALXL	Extended-back	No	Large/X-Large	A
SEA296	FP81V/6D3ASM	Back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E
SEA295	FP81V/6D3ALXL	Back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E
SEA298	FP81V/6ED3ASM	Extended-back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E
SEA297	FP81V/6ED3ALXL	Extended-back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E

SEA295

SEA289

VEST-STYLE UNIVERSAL HARNESSES

- Adjustable shoulder straps and chest strap can be positioned in the optimum location for the user, eliminating the need for stretchable webbing
- Proven polyester webbing provides added UV protection and chemical resistance
- Sub-pelvic strap adds comfort and helps distribute the forces generated in a fall
- Universal fit (X-Large available upon request)
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No.	Mfg. No.	D-rings	Leg Connections	CSA Class	Special Feature
SN128	FP759/1DP	Back	Quick-Connect	A	-
SN129	FP759/1DGP	Back	Tongue Buckle	A	-

SN128

TREND-X CROSS-CHEST HARNESSES

- Lightweight, slip-on convenience and form fitting comfort
- No chest strap means comfort and mobility are enhanced while allowing access to breast pockets
- D-Stop strap in the back helps keep you in the harness in case of a fall
- Polyester webbing
- Universal sizing
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

SAO543

Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SAH757	FP721/1DP	Back	Quick-Connect	A
SAO543	FP722/2DP	Back and Front	Quick-Connect	A, D, L
SAO562	FP722/4DP	Back, Front and Side	Quick-Connect	A, P, D, L

VEST-STYLE HARNESSES

- Lightweight comfort and durability
- Tough nylon webbing and forged hardware for long-term wear and safety
- Sub-pelvic strap to help evenly distribute the forces generated in a fall
- Pass-thru leg and chest straps
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

SN089

Model No.	Mfg. No.	D-Rings	Size	CSA Class
SAJ266	FP700/1DS	Back	Small	A
SN088	FP700/1DM	Back	Medium	A
SN089	FP700/1DL	Back	Large	A
SN090	FP700/1DXL	Back	X-Large	A
SAJ268	FP700/1EDS	Extended-back	Small	A
SN091	FP700/1EDM	Extended-back	Medium	A
SN092	FP700/1EDL	Extended-back	Large	A
SN093	FP700/1EDXL	Extended-back	X-Large	A

HEAVY-DUTY HARNESSES

- Back and side D-rings with 2" polyester webbing, extra wide for strength and wearer comfort
- Features an integrated back and shoulder pad which conforms to the wearer's shape to provide all-day comfort
- Integrated 440-lb rated, Soft-Pak lanyard – Permanently attached lanyard ensures that both lanyard and harness are correctly rated to 440 lbs.
- Tongue and buckle leg straps – Provide faster and easier donning and adjustment
- Universal size with full adjustability – One size fits most
- Weight capacity: 440 lbs. (200 kg)
- Certified to CSA standard Z259.10

Model No.	Mfg. No.	D-Rings	CSA Class
SAO636	FP80K/3DYQ320	Extended back and Side	A, P

DURABILT HARNESSES

- Basic lightweight universal harness for everyday use
- User friendly, cost effective
- Polyester webbing for greater resistance to chemicals
- Universal style, one size fits most
- ISO 9001 manufacturing facility
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

SAH533

SAH762

Model No.	Mfg. No.	D-Rings	Leg Connections	Size	CSA Class
SAH533	FPD698/1DP	Back	Pass-thru	Universal	A
SAH535	FPD698/1DPXL	Back	Pass-thru	XL	A
SAH534	FPD698/1DGP	Back	Tongue Buckle	Universal	A
SAH536	FPD698/1DGPXL	Back	Tongue Buckle	XL	A
SAH762	FPD698/3DGP	Back and Side	Tongue Buckle	Universal	A, P
SAH764	FPD698/3DGPXL	Back and Side	Tongue Buckle	XL	A, P

ACCESSORIES

Model No.	Mfg. No.	Description
SAR472	FB780L	Leg or Shoulder Pad w/Hook & Loop Enclosure

TECHNACURV™ FULL BODY HARNESSES

- Curvilinear comfort system
- Viscoelastic shoulder padding does not have memory and will not break down over time, offering superior comfort throughout the life of the harness
- Sorbtek™ fabric on shoulder and sub-pelvic pads
- Soft, flexible webbing allows the harness to move with you as you work for increased comfort
- Secure-Fit™ buckle designed to ease donning, doffing, and adjustment with single-hand operation
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-12

TechnaCurv™ Back Pad

Secure-Fit™ Buckle

Model No.	Mfg. No.	Style	D-Ring(s)	Chest Connections	Leg Connections	Pads	CSA Class
SAM096	10041517	Vest	Back	Qwik-Fit™	Qwik-Fit™	—	A
SAM098	10041591	Vest	Back	Qwik-Fit™	Tongue Buckle	—	A
SAM100	10041595	Vest	Back and Side	Qwik-Fit™	Tongue Buckle	—	A, P
SAM102	10041599	Vest	Back	Qwik-Fit™	Tongue Buckle	Shoulder	A
SAM103	10041601	Pullover	Back	—	Tongue Buckle	Shoulder	A
SAM104	10041603	Vest	Back and Side	Qwik-Fit™	Tongue Buckle	Shoulder	A, P
SAM106	10041607	Vest	Back, Front and Side	Qwik-Fit™	Tongue Buckle	—	A, D, P
SAM108	10041611	Vest	Back, Front and Side	Qwik-Fit™	Tongue Buckle	Shoulder	A, D, P
SAM110	10041615	Vest	Back, Front and Side	Qwik-Fit™	Secure-Fit™	Shoulder, Sub-Pelvic	A, D, P
SAM111	10041617	Pullover	Back, Front and Side	—	Secure-Fit™	Shoulder, Sub-Pelvic	A, D, P

WORKMAN™ HARNESSES

- Economical
- Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Web retainer collars to keep excess webbing neat
- Easy to don and adjust
- Qwik-Fit™ chest strap
- Certified to CSA standard Z259.10-12

SAP167

Model No.	Mfg. No.	Size	D-Rings	CSA Class
TONGUE BUCKLE LEG STRAPS				
SAP206	10072486	X-Small	Back	A
SAP167	10072487	Standard	Back	A
SAP168	10072491	Standard	Back and Side	A, D, P
SAP207	10072488	X-Large	Back	A
SAP208	10072489	2X-Large	Back	A
QWIK-FIT™ LEG STRAPS				
SAP202	10072478	X-Small	Back	A
SAP203	10072479	Standard	Back	A
SAP166	10072483	Standard	Back and Side	A, D, P
SAP204	10072480	X-Large	Back	A
SAP205	10072481	2X-Large	Back	A

GRAVITY™ VEST STYLE HARNESSES

- Back D-ring ensures the user is in an upright position, eliminating the need for shoulder D-rings and a spreader bar for confined space applications
- Available in nylon or polyester
- Qwik-Fit™ leg buckles and chest straps
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-12

SAM391

Model No.	Mfg. No.	Webbing	CSA Class
SAM391	SSH30420060	Nylon	A
SAM392	SSH30430064	Polyester	A

TITAN II CONSTRUCTION & GENERAL MAINTENANCE FALL PROTECTION KITS

- One full body universal sized harness with tongue buckle leg straps (**SN066**)
- One 6' (1.8 m) tubular shock-absorbing lanyard (**SN069**)
- One 6' (1.8 m) cross arm strap
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4

Model No. SR532
Mfg. No. TCK4500/U/6FTC

TITAN READYROOFER® FALL PROTECTION KITS

LIGHTWEIGHT, FULL-BODY HARNESS

- Fully adjustable, non-stretch harness
- Certified to CSA standard Z259.10, Class A

SHOCK-ABSORBING LANYARD

- 3' (0.9 m) polyester web lanyard with integral shock absorber and two locking snap hooks
- Certified to CSA standard Z259.11, Class E4

COMPACT TRAILING ROPE GRAB

- Lightweight, easy-to-use design with hands-free operation
- Durable, corrosion-resistant, stainless steel construction
- Attaches anywhere on the lifeline
- Certified to CSA standard Z259.2.5-12

HIGH-STRENGTH ROPE LIFELINE

- 5/8" (16 mm) diameter copolymer construction with loop and locking snap hook
- 9300-lb tensile strength, treated to combat ultraviolet rays

VERSATILE, REUSABLE ROOF ANCHOR W/ATTACHMENT D-RING

- Easily installs on steep-pitched or flat surface roofs
- Reusable roof anchor

WATER-PROOF CONTAINER

- 5 gallon bucket
- Ideal for equipment storage

Model No.	Mfg. No.	Description
SAK303	BRFK25/25FTC	25' (7.6 m) Rope Lifeline
SAK304	BRFK50/50FTC	50' (15 m) Rope Lifeline

HARNESS/LANYARD KITS

- Harness with permanently attached decelerator energy absorbing lanyard
- Harness certified to CSA standard Z259.10, Class A,P
- Lanyard certified to CSA standard Z259.11, Class E4

Model No.	Mfg. No.	Anchorage Connection	Lanyard Length'	Harness Size
SAH769	FPDCOMB01/4	Double Locking Snap Hook	4	Universal
SAH771	FPDCOMB01/6	Double Locking Snap Hook	6	Universal
SAH772	FPDCOMB01XL/6	Double Locking Snap Hook	6	X-Large
SAH540	FPDCOMB02/4	Double Locking Rebar Hook	4	Universal
SAH542	FPDCOMB02/6	Double Locking Rebar Hook	6	Universal
SAH543	FPDCOMB02XL/6	Double Locking Rebar Hook	6	X-Large

SAH540

AERIAL FALL PROTECTION KITS

- Polyester full body harness
- Permanently attached polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4

SAH777

Model No.	Mfg No.	Lanyard Length'	Harness Size
SAH777	FPDKIT1/4	4	Universal
SAH778	FPDKIT1XL/4	4	X-Large
SAH780	FPDKIT1XL/6	6	X-Large

CONSTRUCTION FALL PROTECTION KITS

- Polyester full body universal harness
- Polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4

SAH794

Model No.	Mfg No.	Lanyard Length'
SAH794	FPDKIT2/4	4
SAH797	FPDKIT2/6	6

SCAFFOLDING/FORMING FALL PROTECTION KITS

- Polyester full body universal harness
- Polyester decelerator energy absorbing lanyard with double locking snap hook and 2 1/2" stamped scaffolding hook
- Carrying bag included
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4

SAJ339

Model No.	Mfg No.	Lanyard Length'	Harness Size
SAJ339	FPDKIT3/4	4	Universal
SAJ340	FPDKIT3XL/4	4	X-Large
SAJ341	FPDKIT3/6	6	Universal
SAJ342	FPDKIT3XL/6	6	X-Large

ROOFER'S FALL PROTECTION KITS

- Lightweight universal harness
- Soft pack energy absorbing lanyard and rope grab, permanently attached
- Three-strand copolymer 5/8" (16 mm) rope
- One roof bracket
- One carabiner connector
- Ten 4" (100 mm) Ardox spiral nails
- Durabilt storage bucket
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4

SAJ347

Model No.	Mfg No.	Rope Length'
SAJ347	FPD90/25	25
SAJ348	FPD90/50	50

COMPLIANCE IN A CAN™ FALL PROTECTION KITS

- A complete CSA compliant fall protection system in one handy container
- Harnesses are certified to CSA standard Z259.10, Class A
- Lanyards are certified to CSA standard Z259.11, Class E4

Fall Protection

Model No.	Mfg. No.	Kit Contains
SEB356	2199825	Vest style harness with pass-thru connections Reusable Roof Anchor, 50' x 5/8" polyester/polypropylene lifeline 2' shock absorbing lanyard
SEB357	2199820	Vest style harness with pass-thru connections 6' shock absorbing lanyard with 2 locking snap hooks

EZ-STOP™ SHOCK ABSORBING LANYARDS

- Features the lightest, smallest , and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10™ Vectran® energy management material for reduced weight and bulk
- Vectran® is a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11, Class E4

Fall Protection

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEJ418	1246012C	3	One	Snap Hook	Snap Hook
SEJ419	1246017C	4	One	Snap Hook	Snap Hook
SEJ420	1246011C	6	One	Snap Hook	Snap Hook
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook
SEJ422	1246022C	6	Two	Snap Hook	Snap Hooks
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks
SEJ424	1246195C	6	Two, Elastic	Snap Hook	Rebar Hooks
SEJ480*	1246193C	6	Two, Elastic	Snap Hook	Rebar Hooks

*Made with lightweight aluminum snap and rebar hooks

CONSTRUCTION ROOFER'S KIT

- Reusable roof anchor installs to sloped or flat wood and metal decking roofs, resists corrosion, includes a hinged design with D-Ring
- Durable and lightweight corrosion resistant rope grab with attached 2ft shock absorber; includes a built in gravity latch for added security
- 50ft polyester/polypropylene 5/8" lifeline with Snap hook at one end, sewn termination at the other end
- Kit specifications: 100% durable and lightweight polyester, vest style 5-point harness
- Harness Capacity: 310 lbs.
- Harness Size: Universal
- Harness approval: CSA
- Roof Anchor Capacity: 310 lbs.
- Roof Anchor Approval: ANSI
- Rope Grab Capacity: 310 lbs.
- Rope Grab Approval: CSA
- Lifeline Approval : CSA

Model No. SDT008
Mfg. No. 2199910

Fall Protection

SHOCKWAVE™ 2 LANYARDS

- Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements
- Stays out of your way when not in use, avoiding trips and snags
- Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

Fall Protection

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connections
STANDARD LANYARDS				
SEB868	1244306C	One	Snap Hook	Snap Hook
SEB869	1242450C	Two	Snap Hook	Snap Hooks
NOMEX/KEVLAR ARC FLASH RATED LANYARDS				
SEP841	1244610C	One	Snap Hook	Snap Hook

For our selection of personal gas detectors, see page 60

PRO™ PACK SHOCK ABSORBING LANYARDS

- Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11

SEB384

SEB872

3M PROTECTA Fall Protection

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	CSA Class
SEB871	1341004C	4	One	Snap Hook	Snap Hook	E4
SEB872	1341001C	6	One	Snap Hook	Snap Hook	E4
SEB384	1340125C	6	One	Snap Hook	Gate Hook	E4
SEF153	1340180C	6	Two	Snap Hook	Gate Hooks	E4
SES801	1360180C	6	Two	Snap Hook	Gate Hooks	E6

WEB ADJUSTABLE POSITIONING LANYARD

- 6 ft. (1.8m) adjustable single-leg lanyard
- Ideal for work positioning or restraint
- Abrasion resistant polyester webbing
- Built-in wear indicator
- User friendly self locking snap hooks at each end
- Equipped with i-Safe™
- CSA standard Z259.11, Class B

3M DBI SALA Fall Protection for Tools

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connection
SEP822	1231016C	One	Snap Hook	Snap Hook

MILLER HYBRID VINYL COATED ENERGY ABSORBING LANYARDS

- Weight capacity: 100 - 386 lbs (45 - 175 kg)
- Eliminates the need to carry two types of lanyards in stock
- The only lanyard that is fully compliant with both CSA E4 and E6 classifications
- One lanyard solution eliminates the risk of error and increases safety
- Smallest and lightest design possible
- Aluminum hardware
- Type: Shock-absorbing
- Material: Polyester
- Shock Absorber Type: Pack

Honeywell MILLER

SFM479

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connection	Length'
SFM480	HL-VC6FTSLS	1	Snap Hook	Rebar Hook	6
SFM479	HL-VC6FTDLR	2	Snap Hook	Rebar Hook	6

MILLER HYBRID BACKBITER® ENERGY ABSORBING LANYARDS

- Weight capacity: 100 - 386 lbs (45 - 175 kg)
- Eliminates the need to carry two types of lanyards in stock
- The only lanyard that is fully compliant with both CSA E4 and E6 classifications
- One lanyard solution eliminates the risk of error and increases safety
- Smallest and lightest design possible
- Steel hardware
- Type: Shock-absorbing
- No. of Legs: 1
- Harness Connection: Snap Hook
- Anchorage Connection: Snap Hook
- Material: Polyester
- Shock Absorber Type: Pack

Model No. SFM483
Mfg. No. HL-B6FTSL

Honeywell MILLER

PRO-STOP™ SHOCK ABSORBING LANYARDS

- Tubular web shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11, Class E4

3M PROTECTA Fall Protection

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEB875	1340240C	6	Two	Snap Hook	Snap Hooks

PRO™ SHOCK ABSORBING LANYARD FOR HOT WORK USE

- Lightweight user friendly design
- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar® cover
- Energy absorbing design limits fall arrest forces
- User friendly self locking snap hooks at each end
- Impact indicator
- CSA standard Z259.11, Class E4

SDP386

3M PROTECTA Fall Protection

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connection
SDP386	1340129C	6	One	Snap Hook	Rebar Hook
SDP387	1340131C	4	One	Snap Hook	Rebar Hook
SDP388	1340186C	4	Two	Snap Hook	Rebar Hook

MILLER HYBRID SOFSTOP® ENERGY ABSORBING LANYARDS

- Weight capacity: 100 - 386 lbs (45 - 175 kg)
- Eliminates the need to carry two types of lanyards in stock
- The only lanyard that is fully compliant with both CSA E4 and E6 classifications
- One lanyard solution eliminates the risk of error and increases safety
- Smallest and lightest design possible
- Steel hardware
- Type: Shock-absorbing
- Material: Polyester
- Shock Absorber Type: Pack

Honeywell MILLER

SFM481

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connection	Length'
SFM481	HL-6FTSLS	1	Snap Hook	Snap Hook	6
SFM482	HL-4FTSLS	1	Snap Hook	Snap Hook	4

For our complete line of harnesses, see pages 66 to 76

MILLER MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Special woven shock-absorbing inner core reduces fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- Locking snap hook harness connection
- Certified to CSA standard Z259.11, Class E4

SC984

SC980

Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SC980	216WLS-Z7/4FTYLC	4	One	Locking Snap Hook
SEI549	216WLS-Z7/5FTYLC	5	One	Locking Snap Hook
SC982	216WLS-Z7/6FTYLC	6	One	Locking Snap Hook
SC983	216WLS-Z7/8FTYLC	8	One	Locking Snap Hook
SC984	219WRS-Z7/4FTYLC	4	One	Locking Rebar Hook
SC985	219WRS-Z7/5FTYLC	5	One	Locking Rebar Hook
SC986	219WRS-Z7/6FTYLC	6	One	Locking Rebar Hook
SC987	219WR-Z/8C	8	One	Locking Rebar Hook
SAH529	231WRS-Z7/6FTYLC	6	Two	Locking Rebar Hooks

MILLER MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARDS

Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:

- Unique stretchable design offers greater manoeuvrability and safety
- Integral bright red core makes visual inspection easier and more reliable
- Locking snap hook harness connection
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

SAH532

Model No.	Mfg. No.	No. of Legs	Anchorage Connections
SAH530	216M-Z7/6FTGNC	One	Locking Snap Hook
SAH531	219M-Z7/6FTGNC	One	Locking Rebar Hook
SAH532	231M-Z7/6FTGNC	Two	Locking Rebar Hooks

MILLER SOFSTOP® SHOCK-ABSORBING LANYARDS

- Features the versatile Miller SofStop® shock absorber pack
- Specially-woven inner core smoothly expands to reduce fall arrest forces
- Locking snap hook connection
- Certified to CSA standard Z259.11, Class E4

SA036

Model No.	Mfg. No.	Length'	Material
SA036	913WS-Z/4C	4	Webbing
SA037	913WLS-Z7/5FTYLC	5	Webbing
SA038	913WLS-Z7/6FTYLC	6	Webbing

TITAN II TIE-BACK LANYARDS

- Pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector
- Special polyester webbing (9800 lbs.) for greater abrasion resistance
- Forged sliding D-ring for ease of use
- Pack type shock-absorber that keeps fall forces at or below 900 lbs.
- Locking snap hook harness connection
- Auto-locking carabiner anchorage connectors
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

SAK301

Model No.	Mfg. No.	No. of legs
SAK301	T6111TB-Z7/6FTAFC	One
SAK302	T6121TB-Z7/6FTAFC	Two

TITAN II SHOCK-ABSORBING LANYARDS

- Made of lightweight, durable polyester webbing
- **Tubular built-in core** lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- **Pack-type style** includes the shock absorber pack that expands to reduce fall forces while a back-up safety strap deploys
- Length: 6'
- Locking snap hook harness connection
- Certified to CSA standard Z259.11, Class E4

Model No.	Mfg. No.	No. of Legs	Shock-Absorber Type	Anchorage Connections
SN069	T5111-Z7/6FTAFC	One	Tubular Built-In Core	Locking Snap Hook
SN070	T5112-Z7/6FTAFC	One	Tubular Built-In Core	Locking Rebar Hook
SN071	T5121-Z/6C	Two	Tubular Built-In Core	Locking Snap Hooks
SN072	T5122-Z7/6FTAFC	Two	Tubular Built-In Core	Locking Rebar Hooks
SN073	T6111-Z7/6FTAFC	One	Pack-Type	Locking Snap Hook
SN074	T6121-Z/6C	Two	Pack-Type	Locking Snap Hooks
SN075	T6122-Z7/6FTAFC	Two	Pack-Type	Locking Rebar Hooks

SN069


SN074

BACKBITER® TIE-BACK LANYARDS

- Made with the Miller 5K snap hook (gate load capacity of 5000 lbs.), which is designed especially for wrapping around objects and snapping back onto the lanyard
- Offers a solution to the common, yet unsafe, practice of workers wrapping a regular lanyard around their anchor point
- All models come with the SofStop® shock absorber
- Harness connects with a locking snap hook
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

Model No.	Mfg. No.	Description	Colour
SH005	913B/6FTGNC	Nylon	Green
SH007	913BD/6FTBLC	Polyester	Blue

WELDER'S SHOCK-ABSORBING LANYARDS

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features Sofstop® shock-absorber and two locking snap hooks
- Contrasting webbing colours make inspection easier
- Length: 6'
- Certifified to CSA standard Z259.11, Class E4

Model No. SAK326
Mfg. No. 913K-Z76FTBLC

ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- Also available with choke-off loop upon request
- Locking snap hook harness connection
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

Model No.	Mfg. No.	Style	Anchorage Connections
SAR475	216MK-Z7/6FTBKC	Manyard II	Locking Snap Hooks
SAR476	219MK-Z7/6FTBKC	Manyard II	Locking Rebar Hook
SAR477	913K-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking Snap Hooks
SAR478	913KR-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking Rebar Hook

DECELERATOR ENERGY-ABSORBING LANYARDS

- Simple design – Limits complexity and keeps down cost
- Proven performance – Effectively limits maximum arrest force to less than 900 lbs.
- Flagging system – Even partial deployment causes a flag to become visible, indicating that the lanyard has been subjected to a fall equivalent load and should be withdrawn from service
- Nylon webbing – Offers superior resistance to abrasion and alkaline chemicals
- Two-leg lanyards available – Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11, Class E4

Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SN107	FP28822/4	4	One	Snap Hook
SN108	FP28822/6	6	One	Snap Hook
SN109	FP28829/4	4	One	Rebar/Ladder Hook
SN110	FP28829/6	6	One	Rebar/Ladder Hook
SN111	FP289299/4	4	Two	Rebar/Ladder Hook
SN112	FP289299/6	6	Two	Rebar/Ladder Hook

SOFT PAK ENERGY-ABSORBING LANYARDS

- Shock-absorbing design – Proven over years of service, the Soft Pak effectively limits maximum arrest force to less than 900 lbs.
- Easily visible deployment – The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Two-leg lanyards available – Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11, Class E4



Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SN113	FP26322/6	6	One	Snap Hook
SAK515	FP2562GG/6	6	Two	Scaffold Hooks

DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard Z259.11, class E4

Model No.	Mfg. No.	Length'	Number of Legs	Anchorage Connections
CONTINUOUS WEB				
SAK520	FPD26311/4	4	One	Double Locking Snap Hook
SAK521	FPD26311/6	6	One	Double Locking Snap Hook
DECELERATOR				
SAH537	FPD29811/4	4	One	Double Locking Snap Hook
SAH750	FPD29811/6	6	One	Double Locking Snap Hook
SAH761	FPD29819/6	6	One	Double Locking Rebar Hook
SAK524	FPD2981G/4	4	One	Scaffolding Hook
SAK525	FPD2981G/6	6	One	Scaffolding Hook
DOUBLE-LEG DECELERATOR				
SAK526	FPD299111/4	4	Two	Double Locking Snap Hooks
SAK527	FPD299111/6	6	Two	Double Locking Snap Hooks
SAK528	FPD2991GG/4	4	Two	Scaffolding Hooks
SAK529	FPD2991GG/6	6	Two	Scaffolding Hooks

FP5K™ TIE-BACK SHOCK-ABSORBING LANYARDS

- Uses the FP5K™ carabiner, a new tie-back lanyard connector with a 5000-lb gate strength and a 1" gate opening, as well as a HL2000 snap hook with a 3/4" gate opening
- Available in web or cable version, 6' length (6' adjustable length on web version)
- Web version utilizes Monster-Edge™ webbing with increased abrasion resistance
- Utilises the Sure-Stop™ shock absorber
- Available in both single and twin-leg configurations
- Locking snap hook harness connection
- Carabiner anchorage connections
- Certified to CSA standard Z259.11-05, Class E4

Model No.	Mfg. No.	Number of Legs
NYLON WEB		
SAM459	10047084	One
SAM460	10047085	Two
CABLE		
SAM461	10047086	One
SAM462	10047087	Two

FP DIAMOND™ SHOCK-ABSORBING LANYARDS

- Available in a single or twin-leg configuration
- Durable polyester sheath for increased abrasion and UV resistance
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Anchorage Connections	Length'
SAM463	10023932	One	Snap Hook	6
SAM464	10023970	Two	Snap Hooks	6
SAM465	10023971	Two	Rebar Hooks	6
SAM466	10023936	One	Snap Hook	5
SAM467	10023937	Two	Snap Hooks	5

SURE-STOP™ SHOCK-ABSORBING LANYARDS

- Uses a tear tape design
- 1" nylon webbing
- Available in single or twin-leg configurations
- Locking snap hook connections
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Length'
SAM471	SWL4068704LS	One	4
SAM473	SWL40400206LS	Two	6

WORKMAN™ ENERGY-ABSORBING LANYARDS

- Lightweight with a low-profile body
- Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Choice of single-leg or twin-leg configuration
- Choice of adjustable or tie-back configuration
- Certified to CSA standard Z259.11-05, Class E4

Model No.	Mfg. No.	Number of Legs	Special Features	Length'
SAP195	10072472	One	Tie-Back	6
SAP196	10072474	One	Adjustable	6
SAP197	10072475	Two	Adjustable	6

ARCSAFE™ SHOCK-ABSORBING LANYARDS

- Nylon webbing
- Adjustable in length from 4' to 6'
- Sewn loop on shock absorber end
- Locking snap hook connections
- SEI-certified to the requirement of the ASTM F887-05 standard for electrical arc flash protection up to 40 cal/cm²

Model No.	Mfg. No.	Number of Legs
SAP198	10060139	One
SAP199	10060140	Two

NANO-LOK™ EDGE SELF-RETRACTING LIFELINES

- Specifically designed for foot level tie-off and sharp edge applications
- Uses an innovative combination of lifeline material, energy absorption, and harness connection to reduce forces on both the worker and the sharp edge, allowing you to effectively defeat gravity, every time
- Connector and integrated, backpack-style energy absorber work together to limit forces to protect against sharp edges
- Backpack design stays tight to the harness and evenly disperses the units weight
- The direct-to harness connection provides 360° of rotation and leaves the D-ring open for rescue or other equipment
- Tough and flexible 3/16" galvanized cable lifeline provides maximum range of motion, durability, and cut resistance
- Durable, lightweight, impact resistant thermoplastic housing
- Certified to CSA standard Z259.2.2, Type 1 SRL

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	No. of Legs	Anchorage Connection
SEJ600	3500217	1	Snap Hook
SEJ601	3500218	1	Swivel Snap Hook
SEJ607	3500251	1	Rebar Hook
SEJ604	3500221	1	Aluminum Carabiner
SEJ608	3500232	2	Snap Hooks
SEJ609	3500233	2	Swivel Snap Hooks
SEJ615	3500250	2	Rebar Hooks
SEJ614	3500238	2	Aluminum Rebar Locking Hooks

NANO-LOK™ SELF-RETRACTING LIFELINES

- Automatic quick-activating arrestor stops a falling worker within inches; replaces lanyard and improves safety
- 6' retractable lifeline provides continuous fall protection without restrictions – keeps lifeline out of worker's way, reducing dragging, snagging, and trip falls
- Extremely compact and lightweight; at just 1.6 lbs. this unit is 15% lighter and 30% smaller than other units in its class
- 420-lb. weight capacity – higher capacity for operator and tools
- Integrated shock absorber provides a visual indication of a fall
- Anchorage connectors install to web, leaving dorsal D-ring open for other equipment or rescue
- Swiveling anchorage loop eliminates lifeline twisting for smoother operation
- Wide variety of configurations provides complete jobsite versatility and flexibility
- Twin-leg configurations replace twin-leg lanyards and provide 100% tie-off continuous fall protection and improved mobility
- Certified to CSA standard Z259.2.2, Type 1 SRL

SEE928

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connection
SEE926	3101242	1	Cab Mount Stainless Steel Bracket	Steel Swivel Snap Hook
SEE927	3101233	1	Single Leg Connector	Steel Snap Hook
SEE928	3101258	1	Single Leg Connector	Steel Swivel Snap Hook
SEE929	3101230	1	Single Leg Connector	Aluminum Carabiner
SEE930	3101286	2	Twin Leg Connector	Steel Rebar Hooks
SEE931	3101283	2	Twin Leg Connector	Aluminum Rebar Hooks

TALON™ WEB SELF-RETRACTING LIFELINE

- 8' (2.4 m) nylon web self-retracting lifeline
- Extremely lightweight design, under 3 lbs. (1.3 kg)
- Direct harness attachment option
- Built-in anchorage connector
- Greater freedom of movement without compromising safety
- Certified to CSA standard Z259.2.2, Type 1 SRL

Model No. SEB337
Mfg. No. 3101001C

SEB337

3M | DBI SALA Fall Protection

REBEL™ WEB SELF-RETRACTING LIFELINES

- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Swivel carabiner anchorage connection
- Certified to CSA standard Z259.2.2

SEB349

3M | PROTECTA Fall Protection

Model No.	Mfg. No.	Length'	Harness Connection	Lifeline
TYPE 1				
SDP278	3100406	6	Snap Hook	Web
SDP279	3100407	6	Swivel Snap Hook	Web
SEB349	3100429	10	Swivel Snap Hook	Web
TYPE 2				
SEB350	3590502	20	Rebar Hook	Web
SEE717	3590502	33	Swivel Snap Hook	Galvanized Cable
SEE718	3590552	50	Swivel Snap Hook	Galvanized Cable

ULTRA-LOK™ SELF-RETRACTING LIFELINES

- Galvanized wire rope lifeline
- Maximum durability with minimal weight
- Stainless steel working components for corrosion resistance
- Durable polyurethane housing and aluminum side plates
- Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4 kN) or less
- Smooth performance
- Swivel snap hook harness connection and steel hook anchorage connection
- Certified to CSA standard Z259.2.2, Type 2 SRL

SEB345

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	Length'
SEB347	3504433C	20
SEB345	3504430C	30
SEB348	3504450C	50

REBEL™ SELF RETRACTING LIFELINE - LEADING EDGE

- Designed for leading edge applications
- Rugged and extremely lightweight thermoplastic housing
- Stackable housing design
- Built-in carrying handle
- 20 ft. (6.1 m) 7/32" (5.5 mm) galvanized steel cable lifeline
- Internal and external energy absorption systems
- Swiveling self-locking snap hook with impact indicator
- Reserve lifeline system
- Swiveling anchorage point
- Side lifeline exit with ergonomic handle
- High strength, corrosion resistant components
- Self-locking anchorage carabiner
- CSA Standard Z259.2.2, Type 2 SRL

3M | PROTECTA Fall Protection

Model No.	Mfg. No.	Harness Connection	Anchorage Connection
SES695	3590541	Hook	Steel Carabiner

MINILITE™ FALL LIMITERS

- Lightweight, compact design
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- Arrests free falls within inches
- Fits in the palm of your hand
- Provides the best overall value when compared with competitive units
- High-impact protective outer cover
- Prominent reflective labeling
- Available with a variety of integral anchorage connectors
- Length: 11'
- Certified to CSA standard Z259.2.2, Type 1 SRL

SG987

Model No.	Mfg. No.	Anchorage Connection
SG987	FL11-3-Z7/11FT	Carabiner and Swivel Shackle
SG988	FL11-Z7/11FT	Not Included
SG989	FL11-1-Z7/11FT	Carabiner

MILLER SCORPION™ PERSONAL FALL LIMITERS

- Greater versatility through dual operation:
  - For use as a personal fall limiter or as a traditional retractable lifeline (utilizing a variety of anchorage connectors)
- Small, lightweight design: 2.9 lbs. (1.3 kg)
- Quick-activating, high-strength stainless steel braking system - arrests free falls within inches
- No annual factory recertification required
- Visual load indicator - indicates when the unit must be removed from service
- Variety of integral anchorage connectors available
- 400-lb. (181.4 kg) capacity models available upon request
- Locking snap hook harness connection
- Length: 9'
- Certified to CSA standard Z259.2.2, Type 1 SRL

SAK314

Model No.	Mfg. No.	Anchorage Connection
SAK314	PFL-4-Z7/9FT	Carabiner and Swivel Shackle

BLACK RHINO™ SELF-RETRACTING LIFELINES

- Repairable; no annual factory recertification required
- Ideal for concrete construction, welding, steel erection and warehouse applications
- Quick-activating, high-strength stainless steel braking system
- Variety of integral anchorage connectors available
- Integral load indicator - indicates when the unit must be removed from service
- Extended service life - corrosion-resistant stainless steel and aluminum components
- Integral internal shock absorber - consistently reduces fall forces
- Length: 9'
- Certified to CSA standard Z259.2.2, Type 1 SRL

Model No.	Mfg. No.	Harness Connection	Anchorage Connection
SAK313	CFL-5-Z7/9FT	Locking Swivel Snap Hook	Locking Swivel Rebar Hook
SEJ641	CFL-4-Z7/9FT	Locking Swivel Snap Hook	Swivel Carabiner

MILLER TURBOLITE™ & TWIN TURBO™ PERSONAL FALL LIMITERS

- First affordable alternative to shock-absorbing lanyards
- Compact and lightweight PFL, workers will no longer need to "switch-out" equipment to maintain a safe fall distance
- Extremely compact and lightweight
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- Quick-activating, high-strength stainless steel braking system
- Twin-Turbo™ models feature a G2 connector and 2 legs for 100% tie off
- Certified to CSA standard Z259.2.2, Type 1 SRL

SAR481 SEJ630

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
TURBOLITE™				
SAR481	MFL-1-Z7/6FT	6	Steel Carabiner	Locking Snap Hook
SAR482	MFL-3-Z7/6FT	6	None	Locking Snap Hook
SAR483	MFL-11-Z7/6FT	6	Aluminum Carabiner	Aluminum Locking Snap Hook
SEJ629	MFL-12-Z7/6FT	6	Aluminum Carabiner	Aluminum Locking Rebar Hook
SEJ633	MFL-1-Z7/9FT	9	Steel Carabiner	Locking Snap Hook
SEJ634	MFL-5-Z7/9FT	9	None	Swivel Snap Hook
SEJ635	MFL-11-Z7/9FT	9	Aluminum Carabiner	Aluminum Locking Snap Hook
SEJ636	MFL-12-Z7/9FT	9	Aluminum Carabiner	Aluminum Locking Rebar Hook
TWIN TURBO™*				
SEJ630	MFLC-3-Z7/6FT	6	G2 Connector	Locking Snap Hooks
SEJ631	MFLC-4-Z7/6FT	6	G2 Connector	Locking Rebar Hooks
SEJ632	MFLC-12-Z7/6FT	6	G2 Connector	Aluminum Locking Rebar Hooks

* Also available in 9' length

MILLER FALCON™ SELF-RETRACTING LIFELINES

Pound for pound the strongest, most durable retractable lifeline available.

- Corrosion-resistant stainless steel and aluminum internal components
- Lightest composite unit on the market
- Smooth, quiet operation; engineered spring retraction tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed molded handle on the 50' unit provides support and leverage
- Dual swivels (unit top and snap hook) included on all models to prevent lifeline from twisting
- Improved load indicator on the snap hook identifies when the unit needs to be removed from service
- Maximum Working Load: 310 lbs. (148 kg)
- Swivel snap hook harness connection and swivel carabiner anchorage connection
- Certified to CSA standard Z259.2.2, Type 2 SRL

SAK316

LIFETIME HOUSING GUARANTEE*

Nearly indestructible, high impact-resistant nylon housing withstands the harsh rigors for the toughest applications.

* When used under typical working conditions

Model No.	Mfg. No.	Length'
SAK316	MP20G-Z7/20FT	20
SAK317	MP50G-Z7/50FT	50

MILLER MIGHTYLITE™ SELF-RETRACTING LIFELINES

Perfect solution for an array of construction, industrial, warehouse, utility, telecommunications, agriculture, mining and confined space applications.

- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- Carabiner and tagline included
- Locking snap hook harness connection and carabiner anchorage connection
- Length: 20'
- Rated to 310 lbs. (140.6 kg) capacity
- Certified to CSA standard Z259.2.2, Type 2 SRL

SD002

Model No.	Mfg. No.	Lifeline
SD001	RL20P-Z7/20FT	1" Polyester Webbing
SD002	RL20G-Z7/20FT	3/16" Galvanized Cable
SD003	RL20SS-Z7/20FT	3/16" Stainless Steel Cable

DURALITE II SELF-RETRACTING LIFELINES

- 20' in length
- Lightweight alternative to SRL's equipped with heavy metallic housings or internal mechanisms
- Made with a tough polymer housing
- 3/4" (20 mm) Dyneema®/polyester webbing
- Variety of connectors available
- Ideal for a vast variety of applications
- Locking snap hook harness connection
- Length: 20'
- Certified to CSA standard Z259.2.2, Type 2 SRL

Model No. SAJ444
Mfg. No. FP1/306W

DURALITE III SELF-RETRACTING LIFELINES

- This lightweight unit, weighing 2.4 lbs. (1.1 kg), is a favourite of workers using a telescopic pole or a first-man-up system
- One of the few CSA Type 1 units on the market that is serviceable, reducing cost of ownership
- Superior braking system – Unit will sense the worker has fallen and lock up only when required; the unit will not lock up when the worker is travelling to or away from the anchor
- Dyneema®/polyester webbing is up to 15 times stronger than quality steel and up to 40% stronger than aramid fibres, both on weight-for-weight basis
- Load indicator built into snap hook reveals when fall has occurred allowing the worker to quickly see if the unit requires servicing
- Swiveling anchor prevents the webbing from twisting and tangling
- Locking snap hook harness connection
- Carabiner sold separately
- Certified to CSA standard Z259.2.2

SAO680

Model No.	Mfg. No.	Length'	Life Line	CSA Type
SAO680	FP1/303W	10	3/4" (20 mm) Webbing	Type 1
SAP408	FP1/304W	12	3/4" (20 mm) Webbing w/Shock Absorber	Type 2

MILLER MIGHTEVAC™ SELF-RETRACTING LIFELINES

- Combines the MightyLite self-retracting lifeline series with a quick-activating retrieval mechanism for emergency evacuation
- 20% lighter than competitive models
- Provides quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 feet per minute)
- Durable, field-tested construction
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Galvanized wire rope lifeline
- Locking snap hook harness connection and carabiner anchorage connection
- Also available with stainless steel wire rope and Kevlar® rope upon request
- 310 lbs. weight capacity
- Certified to CSA standard Z259.2.2, Type 3 RSRL

SAH522

Model No.	Mfg. No.	Length'
W/O MOUNTING BRACKET		
SAH519	MR50G-Z7/50FT	50
SAH520	MR100G-Z7/100FT	100
SAH521	MR130G-Z7/130FT	130
W/MOUNTING BRACKET		
SAH522	MR50GB-Z7/50FT	50
SAH523	MR100GB-Z7/100FT	100
SAH524	MR130GB-Z7/130FT	130

SELF-RETRACTING LIFELINES

- Corrosion-resistant alloy housing
- Stainless steel cables, ideal for the food industry and environments involving chemicals
- Load indicator triggers to show the unit has been subjected to a severe force
- High corrosion resistance and high strength
- Lifeline retracts under light tension
- Easy to use and install
- 3/16" (5 mm) stainless cable with swivel load-indicating snap hook
- Snap hook harness connection
- Length: 50'
- Certified to CSA standard Z259.2.2, type 2 SRL

Model No. SAO556
Mfg. No. FP2/315S

DYNA-LOCK® SELF-RETRACTING LIFELINES

- Fast-acting fall arresters that limit free-fall distance, deceleration distance and fall arrest forces while allowing user freedom of movement
- 4.5' per second locking speed
- Built-in shock absorber
- 3 independent braking mechanisms prevent freezing in icy or corrosive conditions
- Certified to CSA standard Z259.2.2-98, Type 2 SRL

SAM506

Model No.	Mfg. No.	Lifeline	Length'
DYNA-LOCK® SRL WITH HL2000 SNAP HOOK			
SAM506	10006470	Galvanized Wire Rope	30
SAM507	10006468	Galvanized Wire Rope	50
SAM508	10006466	Galvanized Wire Rope	70
SAM509	10006464	Galvanized Wire Rope	95
SAM510	10006447	Dyna-Lock® Nylon Web	20
BACKPACKER™ SRL WITH RL20 DOUBLE LOCKING SMALL SNAP HOOK			
SAM511	10006446	Dyna-Lock® Nylon Web	20

ANCHORAGE CONNECTING CARABINERS

- Zinc plated, 5000-lb.anchorage point
- Easy one-hand operation
- Self-locking
- 3/4" gate opening
- Meets OSHA 1926 and ANSI SZ359 standards

Model No. SEB926
Mfg. No. 2000112

3M | DBI SALA Fall Protection

CABLE TIE-OFF ADAPTORS

- 1/4" coated galvanized cable
- Lightweight and extremely durable
- Stands up to harsh environments
- Snap hook at one end, O-ring at the other
- Length: 6'

Model No. SEB470
Mfg. No. AJ408CG-6

3M | DBI SALA Fall Protection

CONCRETE DETENT ANCHORS

- Reusable detent pin assembly allows a user to tie-off anywhere a socket is pre-installed with a push of a button
- Lightweight and portable
- Socket can be installed vertically or overhead into a concrete wall, floor, or ceiling
- Rugged, corrosion resistant stainless steel

Model No. SEJ623
Mfg. No. 2101004C

3M | DBI SALA Fall Protection

D-RING ANCHORAGE PLATES

- Can be bolted or welded to a structure, offering a compact, reliable connection point
- Two 1/2" diameter attachment holes
- Cadmium plated steel D-ring
- 304 stainless steel anchorage plate
- Plate size: 1/4" x 2" x 4 1/2"

Model No. SEB449
Mfg. No. 2101639

3M | DBI SALA Fall Protection

SAFLOK™ MINING ANCHORS

- Designed to be used with friction rock bolts in a variety of mining applications
- The hybrid swivel anchor is designed to stay in one spot, while the bolt anchor offers the flexibility to move from location to location
- Durable, lightweight, and easy to install

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	Description	Bolt Width mm
SEJ619	2100153	Bolt Anchor w/Swivel O-Ring	39
SEJ620	2100154	Bolt Anchor w/Swivel O-Ring	47
SEJ621	2100155	Hybrid Swivel Anchor	39
SEJ622	2100156	Hybrid Swivel Anchor	47

SAFLOK™ CARABINERS

- Steel carabiners
- Self locking/closing
- 3600-lb. gate

SEH168

SEE719

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	Gate Opening"
SEH168	2000117	11/16
SEE719	2000113	1 3/16

TIE-OFF ADAPTORS

- Pass-thru style polyester web tie-off adaptor

3M | DBI SALA Fall Protection

Model No.	Mfg. No.	Length'
SEB389	1003000C	3
SEB390	1003006C	6

CONCRETE D-RING ANCHORS

- Reusable D-ring assembly
- Rugged design for harsh environments
- Safe "hook-up" indicator notifies user of proper installation
- Install into 11/16" or 3/4" holes - only standard drill bits needed

Model No. SEB438
Mfg. No. 2104568

3M | DBI SALA Fall Protection

RAILDOG® RAIL ANCHORS

- Provides user with a mobile anchor point for a wide range of railway or crane applications
- Stainless steel construction for high strength and corrosion resistance
- Lightweight, compact and portable
- Quick and easy to install – no tools required

Model No. SEJ624
Mfg. No. AJ703A

3M | PROTECTA Fall Protection

ROOF ANCHORS

- 5000-lb anchorage point can be reused
- Forged alloy D-ring
- Painted steel construction
- Total weight: 3 lbs.

Model No. SEB388
Mfg. No. AJ730A

3M | PROTECTA Fall Protection

FIXED BEAM ANCHORS

- Installs in seconds to the beam structure in any orientation
- Final tightening using a built-in adjustment handle
- Fits up to 1 1/2" thick beam flange, 2 1/2" to 12" wide

Model No. SEE808
Mfg. No. 2100159



GLYDER™ II SLIDING BEAM ANCHORS

- Wear pads eliminate metal-to-metal contact, for smooth operation
- Easy installation
- Dual beam grip adjustment prevents twisting and turning
- Extremely light weight at only 3.7 lbs.
- User capacity of 420 lbs.
- Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick

Model No. SEB435
Mfg. No. 2104701

FREESTANDING COUNTERWEIGHT ANCHORS

- Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker

Model No. SEE809
Mfg. No. 7200439

DOOR/WINDOW JAMB ANCHORS

- Fits door or window sizes ranging from 21 1/2" to 51 1/2" in width
- Non-penetrating design ensures no damage to structure
- Fast and easy installation with built-in adjustment knob – no tools or drilling are required
- Lightweight and extremely portable design

Model No. SEJ618
Mfg. No. 2100080

LAD-SAF™ ROPE GRABS

- Mobile design automatically follows users for hands-free operation
- Detachable design can be attached or removed anywhere along lifeline
- Inertia and cam locking systems for safety and to prevent "panic-grab"
- For use on 5/8" (16mm) polyester/polypropylene rope lifeline
- Use with 3' shock absorbing lanyard

Model No. SEB433
Mfg. No. 5000335C



BEAM TROLLEY ANCHORAGE CONNECTORS

- Installs easily and quickly overhead with no tools necessary at ends or midpoint on beams
- Non-corrosive double-shielded wheel bearings provide smooth and effortless operation
- Trolley guards protect the wheels from damage and keep the beam ahead of the trolley clear of debris
- Provides added maneuverability, improved safety, and increased productivity
- Fits flat or tapered beam flanges 3" to 8" wide, and up to 11/16" thick

Model No. SEJ617
Mfg. No. 2103143C

ROPE LIFELINES

- 30' lifeline
- 5/8" diameter
- Snap hook at one end
- Features additional abrasion and UV resistance, for added durability, longevity, and safety

Model No. SEC130
Mfg. No. 1202754C

COBRA™ ROPE GRABS

- Constructed of high impact resistant steel
- Operates in automatic or manual mode
- Can be used on approved horizontal rope systems
- Can be removed and reattached to rope at any point during traverse
- Designed for use with nylon or polyester rope
- Accommodates 5/8" (16 mm) rope
- Total weight: 1.75 lbs. (0.79 kg)
- Certified to CSA standard Z259.2.1

SEB386

Model No.	Mfg. No.	Description
SEB385	AC202C	Rope Grab
SEB386	AC202C-SA2	Rope Grab with Built-In 2' (0.61 m) Shock Absorber and Lanyard

ROPE LIFELINES

- 16 mm (5/8") diameter, polyester sheath with polypropylene core
- Tensile strength: 2540 kg (5600 lbs.)
- Zinc plated stamped steel hook
- Net weight: 5.6 lbs. (25 kg)

SEB381

Model No.	Mfg. No.	Length'
SEB381	SSR100-50	50
SEB382	SSR100-100	100

ANCHORAGE CONNECTORS

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.

REBAR HOOK ANCHORS

- Facilitates anchoring to scaffolding, pipe or angle iron
- Features a locking rebar hook
- 400-lb. maximum capacity

Model No.	Mfg. No.	Description
SD538	485-Z7/221NYLC	w/Shock Absorber
SD008	480-Z7/19INGN	w/o Shock Absorber

CROSS-ARM STRAPS

- Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- 400-lb. maximum capacity

Model No.	Mfg. No.	Length'	Description
SD009	8183/6FTGN	6	Standard
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar
SAR480	8185K/6FTBK	6	Arc-Rated Kevlar

BEAM TROLLEYS

- Steel anchor point that can be attached to horizontal I-beams
- Adjustable beam trolley slides along with the worker to provide maximum mobility
- 400-lb. maximum capacity

Model No.	Mfg. No.	Description	Beam Width"
SD010	9065/BK	Beam Trolley	3 to 4 1/2
SAK435	9065-1	Adapter Kit for SD010	3 to 8 1/2

BEAM CLAMPS

- Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams
- Swivel attachment ring prevents twisting of the worker's connecting device
- 400-lb. maximum capacity

Model No.	Mfg. No.	Max Beam Width"
SD006	450	9
SD007	455	12 1/2

D-BOLT PERMANENT ANCHORAGE CONNECTORS

- 1/2" diameter D-bolt anchor
- One-piece unit with lockwasher and nut
- 400-lb. maximum capacity

Model No. SD005
Mfg. No. 415

Honeywell MILLER

ANCHORAGE CONNECTORS

A variety of wrap around anchorage connectors and other connectors for beams will suit most applications. All anchorage connectors have a minimum breaking strength of 22 kN (5000 lbs.), unless otherwise stated.

Honeywell NORTH

PASS-THROUGH WEB ANCHOR SLINGS

- 2" heavy-duty nylon web
- Small D-ring passes through large D-ring to form a loop around the anchorage point

SAK491

Model No.	Mfg. No.	Length'
SAK491	FP03/4	4
SN136	FP03/6	6

BOLT-ON D-RING ANCHORAGE CONNECTORS

- Gate opening of 4 1/4" (10.8 cm)
- Reduces roll-out possibilities
- Mounting hardware required

Model No. SAK492
Mfg. No. FP3730

SPECTRA® WEB ANCHOR SLINGS

- Made of revolutionary Spectra® webbing for lightweight, small size, and exceptional strength
- 1" web can be used without additional protective materials in concrete forming

SAJ446

Model No.	Mfg. No.	Length'
SAK501	FP242/2	2
SAK502	FP242/3	3
SAJ445	FP242/4	4
SA0629	FP242/5	5
SAJ446	FP242/6	6

CABLE ANCHOR SLINGS

- 1/4" (6.35 mm) galvanized steel cable
- Swaged eyes at each end
- PVC coated against corrosion



SN137

Model No.	Mfg. No.	Length'
SN137	FP02/3	3
SN138	FP02/6	6

MILLER ROPE GRABS & VERTICAL LIFELINES

Miller rope grabs move easily up and down vertical lifelines to provide continuous fall protection. Trailing models offer complete hands-free operation for increased productivity. In the event of a fall, Miller rope grabs lock quickly.

- Compact design; corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Certified to CSA standard Z259.2.1

SAK318

Model No.	Mfg. No.	Description
SAK318	8175/C	Stainless Steel Trailing Rope Grab For Use With 5/8" (16 mm) Rope

Note: Locking snap hook – 3/4" (19 mm) gate opening.

VERTICAL LIFELINES

Model No.	Mfg. No.	Description
SC996	300C/25FTBL	25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner
SC998	300L-2/25FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'
SC999	300L-5/50FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 50'

CARABINERS

- Twist-lock gates
- 400-lb. (181.4 kg) maximum capacity.

Model No.	Mfg. No.	Material	Gate Opening "
SAK327	17D-1	Steel	1
SAK328	17D-2-Z7/	Aluminum	1
SAK330	18D-1	Steel	2
SAK331	18D-2-Z7/	Aluminum	2 1/4

CARABINERS

- Made of steel
- Auto-locking
- 1" (25 mm) gate opening

Model No. SEB610
Mfg. No. FP88

CARRYING BAGS

- Convenient carrying bag with North logo

Model No. SAH539
Mfg. No. FPD1011

LIFTING YOKES & SPREADER BARS

- To be used with the harness equipped with shoulder D-rings for confined space rescue
- Nylon webbing

Model No. SAR485
Mfg. No. FP4017B

ROPE GRABS & VERTICAL LIFELINES

Rope grab and lifeline combinations still provide some of the most cost-effective solutions for fall protection needs. North offers you the widest assortment of rope implements in the market ranging from automatic rope grabs to rope adjusters.

- Constructed from quality, corrosion-resistant materials for long service life
- Match the device with the lifeline product that most suits your needs
- Certified to CSA standard Z259.2.1

SAG159

Model No.	Mfg. No.	Description
AUTOMATIC ROPE GRAB		
SN114	FP541	Automatic Panic Lock - Rope Grab
SAG159	FP542	Automatic Panic Lock with 2' Lanyard, Energy Absorber with Snap Hook

VERTICAL LIFELINES

Model No.	Mfg. No.	Description	Composition	Tensile Strength
SN118	FP16E/PS50	5/8" (16 mm) 3-Strand, 50'	Copolymer Blend	8100 lbs. (3680 kg)
SN119	FP16E/PS100	5/8" (16 mm) 3-Strand, 100'	Copolymer Blend	8100 lbs. (3680 kg)
SEC449	195R-5/100FTWH	5/8" (16 mm) Non-Shock Absorbing Rope, 100'	Polyester	12 570 lbs. (5700 kg)

POINTGUARD™ ANCHORAGE STRAPS

- Durable polyester webbing is economical, quick and easy to install
- When anchorage connector is no longer needed, simply cut strap and throw away
- Available in two models:
  - Residential construction (3' length)
  - Concrete construction (4' length, includes protective sheath)
- 400-lb. (182 kg) capacity

SAM476

Model No.	Mfg. No.	Type	Anchorage Connector	Length'
SAM476	10042792	Residential	D-Ring	3
SAM477	10042793	Residential	Web Loop	3
SAM478	10042794	Concrete	D-Ring	4
SAM479	10042795	Concrete	Web Loop	4

FP STRYDER BEAM ANCHORS

- Easy, single hand installation
- Lightweight 4.5 lbs. unit
- Low friction wear pads with Teflon® allows the anchor to glide effortlessly along the beam flange
- Integral load indicator alerts the user if the unit has been exposed to a fall
- Versatile design allows for mounting overhead or at worker's feet
- Easy to use, push-button adjustment with 1/4" adjustment intervals
- Fits beam flange widths from 14" to 23.5"
- 400-lb work capacity

Model No.	Mfg. No.	Fits Beams"
SA0684	10051961XL	14 to 23.5

BOSUN CHAIRS

- Best method to sit suspended for long durations
- Padded seat ensures comfort during use
- Adjustable web assembly ensures security
- Designed to be used in conjunction with full body harnesses
- Bosun chair, attached to D-ring, will keep the user in upright position
- 5" x 16 1/2" padded seat, black nylon straps, 2 carabiners

Model No. SAM399
Mfg. No. SSH3505017

ANCHORAGE STRAPS

- D-ring on one end and a sewn loop on the other end
- Length: 5'

SAM474

Model No.	Mfg. No.	Material
SAM474	505282	Nylon
SAM475	505298	Polyester

D-PLATE ANCHORAGE CONNECTORS

- Provides permanent anchorage point
- Bolts to beams or columns

SAM483

Model No.	Mfg. No.	Material
SAM483	506632	Zinc-Plated Steel
SAM484	506672	Anodized Aluminum Back-Plate

CARABINERS

ALL CARABINERS HAVE A MINIMUM BREAKING STRENGTH OF 5000 LBS.

- 2" (50 mm) gate opening
- Auto-locking
- Steel

Model No. SAM502
Mfg. No. 506308

- 2.1" (52 mm) gate opening
- Auto-locking
- Steel

Model No. SAM503
Mfg. No. SRCC734G

- 7/8" (22 mm) gate opening
- Auto-locking
- Aluminum

Model No. SAM499
Mfg. No. 506259

- 1" (25 mm) gate opening
- Auto-locking
- Steel

Model No. SAM500
Mfg. No. SRCC643

- 1.2" (32 mm) gate opening
- Auto-locking
- Steel

Model No. SAM501
Mfg. No. SRCC642

SQUIDS® TOOL LANYARDS

- Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product

SEE100


SEE103

SEE104

Model No.	Mfg. No.	Colour	Length"	Anchorage Connection	Tool Connection
SEE100	19008	Lime	28-35	Locking Carabiner	Adjustable Barrel Lock
TEP213	19002	Black	35-42	Carabiner	Adjustable Barrel Lock
SEE102	19003	Lime	35-42	Carabiner	Adjustable Barrel Lock
SEE103	19022	Black	35-42	Carabiner	Carabiner
SEE104	19023	Lime	35-42	Carabiner	Carabiner
SEJ654	19009	Lime	35-42	Triple Locking Carabiner	Adjustable Barrel Lock
SEJ655	19007	Lime	35-42	Screw-LockCarabiner	Adjustable Barrel Lock

ARSENAL CANVAS TOOL BUCKETS

- High wall, heavy-duty construction
- Molded plastic top ring
- Interior pocket
- 12.5" diameter
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site

SEE106 Optional Safety Top not included

SEE107

SEE109 Optional Safety Top

Model No.	Mfg. No.	Description
MOLDED PLASTIC BASE		
SEE107	14433	15" H Bucket w/Rope Handle
SEE108	14443	15" H Bucket w/Rope Handle and Swivel Snap Hook
LEATHER REINFORCED BASE		
SEE105	14430	17"H Bucket w/Rope Handle
SEE106	14440	17"H Bucket w/Rope Handle and Swivel Snap Hook
SEE109	14438	Optional Safety Top

SQUIDS® 3770 TAPE MEASURE TRAP

- 1200D and 600D polyester main material
- Hook and loop straps secure tape measure inside trap for safe and easy tethering
- Zinc-plated cast alloy D-Ring
- Maximum safe working capacity: 2 lbs.
- Third party tested using a 2:1 safety factor
- Length: 4-1/5"
- Capacity: 2 lbs.

Model No. SDN854
Mfg. No. 19770

SQUIDS® HARD HAT LANYARDS

- Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Buckle connecting lanyards feature a double lock plastic buckle that attaches to your fall protection
- Maximum safe working capacity: 2 lbs. (0.9 kg)
- Third party tested using a 2:1 safety factor
- Hard hat not included

SQUIDS® 3150 & 3155 STANDARD LANYARDS

- High-stretch elastic material allows workers to move their head freely

SQUIDS® 3157 & 3158 COIL LANYARDS

- Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion

Model No.	Mfg. No.	Colour	Connection Type
STANDARD LANYARDS			
SED573	19150	Lime	Buckle
SED574	19155	Lime	Clamp
COIL LANYARDS			
SDL089	19156	Black	Buckle
SDL090	19157	Lime	Buckle
SDL091	19158	Black	Clamp
SDL092	19159	Lime	Clamp

SQUIDS® 3001 RETRACTABLE TOOL LANYARDS

- Self-setting pawls set desired lanyard length up to 48"
- ABS thermoplastic housing for ultimate durability
- Nickel-plated swiveling top ring for 360 degree rotation
- Stainless steel carabiners for corrosion resistance
- Stretch cord surrounded by tubular nylon webbing
- Adjustable barrel lock for tool attachment
- Technora cord for ultimate strength and durability
- Modular quick connecting buckle for exchanging multiple tools
- Patented design
- Max. Length: 48"
- Capacity: 2 lbs.

Model No. SEM787
Mfg. No. 19301

SQUIDS® 3115 WRIST TOOL LANYARD

- Polyester webbing cuff secures to wrist
- Ribbed pull cord
- Adjustable barrel lock for tool attachment
- Length: 7 1/2"
- Capacity: 2 lbs.
- Colour: Black

SDM009

Model No.	Mfg. No.	Wrist Size
SDM009	19042	5" - 7"
SDM010	19052	7" - 8-1/2"

SQUIDS® 3700 WEB TOOL TAILS

- Web Tool Tails™ provide retrofit attachment points to a variety of tools and equipment up to 2lbs (0.90kg) using Squids® Tool Traps™
- Ultra strength nylon webbing
- Fully enclosed plated D-ring for secure attachment
- High tensile strength nylon thread
- Web catch with double stitch for more durable stopping point
- Third party tested using a 2:1 safety factor
- Maximum safe working capacity: 2 lbs.

SEM765

SEM767

Model No.	Mfg. No.	Length"	Colour
SEM765		3-1/2	Black
SEM767		5-1/2	Black

PACK OF 5

Model No.	Mfg. No.	Colour
SEL094	19701	Black/Orange

SQUIDS® 3780 POWER TOOL TRAP

- 1000D nylon with water resistant backing
- Two hook and loop straps secure battery boot to drill battery for safe and easy tethering
- Nickel-plated cast iron D-Ring
- Third party tested using a 2:1 safety factor
- Maximum safe working capacity: 6 lbs.
- Will fit cordless power tool batteries up to: 3.5" L x 2.75" W x 2.5" H (9 cm x 7 cm x 6.5 cm)

SDN853

Model No.	Mfg. No.	Size	Length"
SDN852	19782	Small	3-1/2
SDN853	19784	Large	5

ARSENAL® 5528 TOPPED PARTS POUCH

- 20 oz. water resistant canvas
- Trap door closure for safety and security
- Patented nickel-plated storm drain
- 2 exterior nickel-plated D-rings for tool lanyard attachment
- 2 exterior tool loops
- Capacity: 20 lbs.
- Colour: Black

Model No. SDM011
Mfg. No. 13628

ARSENAL® 5725 TOPPED BOLT BAG

- Topped bolt bag with loop design: Wide body and one-handed cinch-up top for keeping gear safe and secure
- 16 oz canvas
- Patented nickel-plated storm drain
- Nickel-plated rivets
- 2 exterior tool loops
- Third-party certified to a 4:1 safety factor
- Maximum safe working capacity: 25 lbs. (12 kg)
- 10" (25 cm) L x 5"(13 cm) W x 9" (23 cm) H

Model No. TEP530
Mfg. No. 14425

D-RING ATTACHMENTS

- Used with Quick Wrap Tape to create instant attachment points on tools

SDP316

Fall Protection for Tools

Model No.	Mfg. No.	Dimensions"	Capacity lbs.
SDP315	1500003	0.5 x 2.25	2
SDP316	1500007	1 x 3.5	5

QUICK WRAP TAPE

- Made from a self-fusing silicone rubber capable of creating instant connection points for nearly any tool in a matter of seconds when used with a Python Safety D-Ring or Tool Cinch Attachment Point
- Conforms to the shape of whatever it is applied to, making it ideal for even the most irregular shaped tools
- Temperature range of -65°F to 500°F (-54°C to 260°C)

SDP324

Fall Protection for Tools

Model No.	Mfg. No.	Dimensions"	Colour
SDP324	1500035	1 x 108	Blue
SDP326	1500044	1 x 108	Yellow

HOOK2LOOP BUNGEE TETHERS

- Bungee tether features a locking carabiner with screw locks that prevent accidental opens
- 5/8" tubular webbing, built from strong materials to last longer in harsh work environments

SDP327

Fall Protection for Tools

Model No.	Mfg. No.	Capacity lbs.	Length" Relaxed	Length" Stretched
SDP327	1500047	10	32	47
SDP328	1500049	35	31	52

ADJUSTABLE RADIO HOLSTERS W/CLIP2LOOP COIL & MICRO D-RING

- Adjusts to the size of virtually any portable radio, cell phone or camera
- D-Ring connection point
- Can be used from a belt or harness
- Ergonomic quick-cinch ergonomic cord lock
- Capacity: 2 lbs.

Model No. SDP343
Mfg. No. 1500089

Fall Protection for Tools

TOOL CINCHES

- Medium duty attachment point features a unique cinch design that allows users to quickly secure even the most difficult to tether tools, and continue their work

SDP318

Fall Protection for Tools

Model No.	Mfg. No.	Capacity lbs.	Stabilization Wing
SDP318	1500011	35	None
SDP319	1500013	35	1
SDP320	1500015	35	2
SDP321	1500017	80	2

D-RING ATTACHMENTS W/CORD

- Easily cinches to tools weighing under 5 lbs., creating an instant attachment point for many tools
- Simply pass the loop end of the D-ring cord through a pre-drilled hole or closed handle to create an instant attachment point on your tool

Model No. SDP317
Mfg. No. 1500009

Fall Protection for Tools

COIL TETHERS

- Tool and equipment tethers

Fall Protection for Tools

Model No.	Mfg. No.	Description	Capacity lbs.	Length" Relaxed	Length" Stretched
SDP333*	1500059	Clip2Clip	2	1.75	24
SDP334	1500060	Clip2Loop	2	7	34
SDP335	1500061	Hard Hat	2	4	34
SDP336	1500063	Hook2Hook	5	4	62
SDP337	1500067	Trigger2Trigger	5	1.75	24

*Non-conductive vinyl coil

SMALL PARTS POUCHES - CANVAS BLACK

- Innovative self-closure system makes it nearly impossible for objects to fall out
- Can be used from a belt or harness
- Made from 18 oz. duck canvas
- Length: 7-1/4"
- Capacity: 1.5 lbs.

Model No. SDP355
Mfg. No. 1500119

Fall Protection for Tools

BOUFFANT CAPS

NON-WOVEN

- Non-woven polypropylene
- Elasticized band for an optimum fit
- 100% latex-free

SEC376

Model No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100
SEN410	X-Large 24"	Blue	100

LINT-FREE

- Lint-free, lightweight non-woven material
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free

SEC380

Model No.	Size	Qty /Pkg.
SEC379	Medium 18"	100
SEC380	Large 21"	100

HAIR NETS

- Fine nylon mesh
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free

SEC373

Model No.	Size	Qty /Pkg.
SEC372	Medium 18"	100
SEC373	Large 21"	100
SEC374	X-Large 24"	100

BEARD NETS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- Covers beard and mustache
- One size fits all
- Colour: White
- 100% latex-free

SEC384

Model No.	Colour	Description	Qty /Pkg.
SEC383	White	One string behind head	100
SEC384	White	Two string, behind ears	100

FINE MESH NYLON HAIRNETS

- Latex-free

SDM174

Model No.	Size"	Colour	Qty /Pkg.
SDM174	18	White	100
SDM175	21	White	100
SDM176	24	White	100

LIGHTWEIGHT NYLON HAIRNETS

- Light weight netting
- Latex free

SDK998

Model No.	Size"	Colour	Qty /Pkg.
SDK998	22	Brown	144
SDK999	22	White	144
SDM177	28	Brown	144

HEAVYWEIGHT POLYESTER HAIRNETS

- Latex free

SDN057



Model No.	Size"	Colour	Qty /Pkg.
SDN057	18	White	100
SDN058	18	Brown	100
SDM172	21	White	100
SDM173	24	White	100

PLEATED BOUFFANT CAPS

- Pleated spunbond polypropylene with elastic band located within the fabric for added comfort
- Latex-free

SDM162



Model No.	Size"	Colour	Qty /Pkg.
SDM162	19	White	100
SDM163	21	White	100
SDM164	24	White	100
SDM165	21	Blue	100
SDM166	24	Blue	100

BOUFFANT CAPS

- Elasticized band for an optimum fit
- 100% latex-free
- Material: Polypropylene

Model No.	Size"	Colour	Qty /Pkg.
SDL062	21	White	100
SDL063	24	White	100
SDL065	19	Blue	100
SDL066	21	Blue	100
SDL067	24	Blue	100
SDM167	19	Green	100
SDM168	21	Green	100
SDM169	24	Green	100
SDL070	21	Red	100
SDL071	24	Red	100
SDM170	21	Yellow	100
SDM171	24	Yellow	100

DISPOSABLE HOODS

- Spunbond polypropylene hood covers your head and beard, leaving only your eyes and nose exposed
- Latex-free
- Size: One size fits all

Model No.	Colour	Qty /Bag
SDM178	White	100

BEARD COVERS

- Spunbond polypropylene beard covers
- Latex-free
- Size: 19"

Model No.	Colour	Qty /Bag
SDM179	White	100
SDM180	Blue	100

POLYESTER MESH BEARD NETS

- Latex-free
- Size: One size fits all

Model No.	Colour	Qty /Bag
SDM181	White	100
SDM182	Brown	100

SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: White

Model No.	Description	Size	Qty /Pkg.
SEC385	Regular sole	Large	100
SEC386	Regular sole	X-Large	100
SEC387	Skid-free sole	Large	100
SEC388	Skid-free sole	X-Large	100

NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: Blue

Model No.	Description	Size	Qty /Pkg.
SEC389	Regular sole	Large	100
SEC390	Regular sole	X-Large	100
SEC391	Skid-free sole	X-Large	100

SHOE COVERS

- 100% polyethylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- No seams are ideal for protection from liquids
- Colour: Blue

Model No.	Size	Qty /Pkg.
SEL089	Large	100

CAST POLYETHYLENE "CPE" EMBOSSED SHOE COVERS

- Shoe covers help prevent unwanted dust, dirt, and grime from being tracked into sensitive work areas
- Cast polyethylene with textured tread
- 100% latex free

Model No.	Size	Colour	Qty /Bag
SDM191	Large	White	100
SDM192	X-Large	White	100
SDM194	X-Large	Blue	100

POLYETHYLENE BOOT COVERS

- 16" clear 100% polyethylene boot cover with elastic top
- 100% latex free

Model No.	Size	Colour	Qty /Pkg.
SDM195	X-Large	Clear	50
SDM196	2X-Large	Clear	50

POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- Elastic at both ends
- 100/bag

Sold per Package

SEK350

SFU586

Model No.	Length"	Colour
SEK350	16	White
SFU586	18	Blue

NYLON MESH SLEEVES

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold in pairs

Model No. SAM210

LIGHTWEIGHT VINYL SLEEVES

- Elastic cuffs
- 100% latex free
- Length: 18"
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Sold per 12 pairs

Model No.	Mfg. No.	Colour
SDL002	DSWV-18	White
SDL001	DSBV-18	Blue

POLYPROPYLENE SLEEVES

- Made of a breathable microporous material that is more comfortable to wear over the course of a work shift
- 100% latex free
- 28 grams per square meter
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Meets or Exceeds Class 100 Clean Room Standards
- 200/bag

Model No.	Mfg. No.	Length"	Colour
SDM161	DSPP-18-200	18	White

COTTON SLEEVES

- Knitted on both ends prevents debris from entering the sleeve
- Single ply
- Length: 8"
- Colour: Beige
- Sold individually

Model No. SAQ743

TUBE STYLE COTTON SLEEVES

- Made wide for a better fit and greater comfort
- Length: 24"
- Colour: Beige
- Sold in pairs

Model No. SAL755
Mfg. No. S-24-WIDE

COTTON SLEEVES

- Elastic at both ends
- Length: 18"
- Colour: White
- 10 /Pkg.

Model No. SAL705
Mfg. No. 440030

FLAME RESISTANT PVC/POLYESTER SLEEVES

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold in pairs

Model No.	Mfg. No.	Description
SAL703	440040	Regular, 0.35 mm
SAL704	440050	Heavy-duty, 0.45 mm

For disposable gloves, see pages 161-164

KEVLAR/COTTON BLEND SLEEVE

- Kevlar and cotton fibres are blended together making a softer more comfortable sleeve
- Abrasion resistant and ANSI level 2 cut protection
- Double ply
- Thumbhole structure allows sleeves to be tucked into gloves and provides added protection to the palm

Honeywell

Model No.	Mfg. No.	Length"
WITHOUT THUMB HOLE		
SDN373	KVS44-2-18	18
WITH THUMB HOLE		
SDN372	KVS44-2-18TH	18

DISPOSABLE APRONS

- Convenient dispenser boxed aprons
- 100% virgin polyethylene
- 2-mil thickness
- 100% latex free
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Size: 28" W x 46" L
- Colour: White
- Qty/Box: 100

Model No. SDM183
Mfg. No. DAP2.0-28X46-D

COAT APRONS

- Blue cast polyethylene apron with thumb hole sleeves and waist ties
- 100% latex free
- 4.5-mil +/- .5-mil thickness
- Colour: Blue
- Qty/Bag: 10

Model No.	Mfg. No.	Size W" x L"
SDM184	CPE-LG-PE	35 x 45
SDM185	CPE-XL-PE	35 x 48

LIGHTWEIGHT VINYL APRONS

- Bib style
- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: length 36" x 45"
- Thickness: 0.20mm
- Colour: Blue

Model No. SEE888

ZENITH® Safety Products

KEVLAR® SLEEVES

- Tube style sleeves
- Resists burns, abrasions and cuts
- Available with or without thumb hole
- Available in both double ply and single ply, wide and regular fit
- Other sizes available
- Colour: Yellow
- Sold in pairs

JOMAC CANADA

Model No.	Mfg. No.	Description	Length"
WITHOUT THUMB HOLE			
SAL745	SK-10	Double ply, regular fit	10
SAL746	SK-10-WIDE	Double ply, wide fit	10
SAL747	SK-14-1PLY-WIDE	Single ply, wide fit	14
SAL748	SK-14	Double ply, regular fit	14
SAL749	SK-14-WIDE	Double ply, wide fit	14
SAL750	SK-18	Double ply, regular fit	18
SAL751	SK-18-WIDE	Double ply, wide fit	18
SAL753	SK-24	Double ply, regular fit	24
SAL754	SK-24-WIDE	Double ply, wide fit	24
WITH THUMB HOLE			
SAL738	SK-10H	Double ply, regular fit	10
SAL739	SK-10H-WIDE	Double ply, wide fit	10
SAL740	SK-14H-1PLY-WIDE	Single ply, wide fit	14
SAL741	SK-14H-WIDE	Double ply, wide fit	14
SAL742	SK-18H-1PLY-WIDE	Single ply, wide fit	18
SAL743	SK-18H	Double ply, regular fit	18
SAL744	SK-18H-WIDE	Double ply, wide fit	18

ARMGUARDS

- Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®, a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer than typical protective wear
- Compatible with most gloves
- Ambidextrous
- Length: 9"
- Sold individually

HexArmor® the science of safety.

Model No.	Mfg. No.	Size
SAM145	AG10009S-S	Small
SAM146	AG10009S-M	Medium
SAM147	AG10009S-L	Large
SAM148	AG10009S-XL	X-Large

POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- This bib-style apron is 35" x 46" with waist ties
- 100/pkg.

Sold per Package
Model No. SEK351

ZENITH® Safety Products

COTTON CANVAS APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Dimensions: 29" x 36"
- Fabric weight: 10 oz.
- Colour: Natural

Model No. SEE852

DENIM APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Includes one chest pocket and three waist pockets
- Dimensions: 28" x 38"
- Fabric weight: 10 oz.
- Colour: Blue

Model No. SEE851

LIGHTWEIGHT POLYURETHANE APRONS

- Bib-style apron
- Length 48" x width 35"
- 0.45 mm thick
- Colour: Yellow

Model No. SAL666

NITRILE ON POLYESTER APRONS

- Heavy-duty bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Black

Model No. SAL664
Mfg. No. 440100

PVC APRONS

- Green PVC apron with string ties and belly patch
- 20-mil thickness
- 36" W x 50" L

Model No. SDM186
Mfg. No. DAV20-36X50

HEAVY-DUTY HYCAR APRONS

- Heavy-duty hycar aprons protect workers in even the most demanding food or chemical processing environments
- Four grommets and string ties
- Reinforced with 65/35 cotton/polyester blend backing

Model No.	Mfg. No.	Size W"	x	L"	Colour
14 OZ. MEDIUM WEIGHT					
SDM187	AP-WH-45MT	36	x	45	White
SDM188	AP-WH-48MT	36	x	48	White
16 OZ. HEAVY WEIGHT					
SDM189	AP-YH-45HT	36	x	45	Yellow

BONING APRONS

- Boning apron with adjustable buckle strap
- Hemp with PVC coating on both sides
- To be worn under an apron
- 3/8" thick
- Size: 12" W x 18" L
- Colour: White
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food

Model No. SDM190
Mfg. No. AP-BON-APN

FLAME RESISTANT NEOPRENE ON POLYESTER APRONS

- Bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Yellow

Model No. SAL663
Mfg. No. 440090

FLAME RESISTANT PVC ON POLYESTER APRONS

- Bib-style apron
- Heavy-duty features oil resistant and fire retardant material
- Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- Length 48" x width 36"
- Accepted for use in Canadian food processing facilities
- Colour: Yellow

Model No.	Mfg. No.	Description	Thickness mm
SAL660	440060	Regular	0.35
SAL661	440070	Oil/Fire retardant	0.35
SAL662	440075	Oil/Fire retardant w/reinforced belly	0.45

ISOLATION GOWN WITH TIES

- Lightweight gown offers the highest levels of protection in lab and medical environments
- Polypropylene
- Special breathable materials that provide greater comfort while still protecting workers from hazards
- Latex-free

Model No.	Mfg. No.	Size	Colour	Qty /Case
SDM160	DGIH-XL-Y	X-Large	Yellow	50

SPUNBOUND POLYPROPYLENE LAB COAT

- Lightweight lab coat offers the highest levels of protection in lab and medical environments
- Collar, 3 pockets, elastic wrists, 4 front snaps and special breathable materials that provide greater comfort while still protecting workers from hazards
- 40 grams
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- 30 per case

Model No.	Mfg. No.	Size	Colour
SDM153	DLWH-MD	Medium	White
SDM154	DLWH-LG	Large	White
SDM155	DLWH-XL	X-Large	White
SDM156	DLWH-2X	2X-Large	White
SDM157	DLWH-3X	3X-Large	White
SDM158	DLWH-4X	4X-Large	White
SDM159	DLWH-5X	5X-Large	White

For complete line of first aid supplies, see pages 257-272

SMS PROTECTIVE CLOTHING

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against dry particles and water-based liquids in work environments with hazardous or non-hazardous contaminants
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd^2 (60 grams)

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.

ZENITH® Safety Products

Description	Model No.	Size	Qty /Case
COVERALLS	WHITE		
Zipper front w/storm flap collar and 1 breast pocket	SEC829	Medium	25
	SEC830	Large	25
	SEC831	X-Large	25
	SEC832	2X-Large	25
	SEC833	3X-Large	25
	SEC834	4X-Large	25
Zipper front w/storm flap, elastic wrist and ankles and 1 breast pocket	SEC835	Medium	25
	SEC836	Large	25
	SEC837	X-Large	25
	SEC838	2X-Large	25
	SEC839	3X-Large	25
	SEC840	4X-Large	25
HOODED COVERALLS	WHITE		
Zipper front w/storm flap, attached hood, elastic wrists and ankles and 1 breast pocket	SEC841	Medium	25
	SEC842	Large	25
	SEC843	X-Large	25
	SEC844	2X-Large	25
	SEC845	3X-Large	25
	SEC846	4X-Large	25
	NAVY		
	SEC847	Medium	25
	SEC848	Large	25
	SEC849	X-Large	25
	SEC850	2X-Large	25
	SEC851	3X-Large	25
	SEC852	4X-Large	25
LAB COATS	WHITE		
Snaps 2 pockets, collar	SEC853	Medium	30
	SEC854	Large	30
	SEC855	X-Large	30
	SEC856	2X-Large	30
SMOCKS	WHITE		
Attached ties	SEC857	Large	50
	SEC858	X-Large	50
	SEC859	2X-Large	50

SEC829

SEC835

SEC841

SEC847

SEC853

SEC857

POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrist, ankle and hood
- 50 coveralls/case

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.

ZENITH® Safety Products

STANDARD

- Front zipper for optimum fit
- 1.6 oz/m^2 fabric
- Dark blue

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m^2 fabric
- Light blue

Model No.	Size
STANDARD COVERALLS	
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large
PREMIUM COVERALLS	
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large

SEK356

SEK370

MICROPOROUS PROTECTIVE CLOTHING

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd^2 (63 grams)
- Colour: White

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.

ZENITH® Safety Products

Description	Model No.	Size	Qty /Case
COVERALLS			
Zipper front w/storm flap, elastic wrists and ankles	**SEC807**	Small	25
	SEC808	Medium	25
	SEC809	Large	25
	SEC810	X-Large	25
	SEC811	2X-Large	25
	SEC812	3X-Large	25
	SEC813	4X-Large	25
HOODED COVERALLS			
Zipper front w/storm flap, attached hood, elastic wrists and ankles	**SEC814**	Small	25
	SEC815	Medium	25
	SEC816	Large	25
	SEC817	X-Large	25
	SEC818	2X-Large	25
	SEC819	3X-Large	25
	SEC820	4X-Large	25
LAB COATS			
Snaps 2 pockets, collar	**SEC821**	Small	30
	SEC822	Medium	30
	SEC823	Large	30
	SEC824	X-Large	30
	SEC825	2X-Large	30
	SEC826	3X-Large	30
	SEC827	4X-Large	30
APRONS			
Sewn ties	**SEC828**	28" x 36" Long	100

SEC807

SEC814

SEC821

SEC828

SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles, water based liquids and dust
- Elastic wrist, ankle and hood
- Front zipper for optimum fit
- 1.85 oz/m^2 fabric
- Royal blue

ZENITH® Safety Products

Model No.	Size
SEK363	Medium
SEK364	Large
SEK365	X-Large
SEK366	2X-Large
SEK367	3X-Large
SEK368	4X-Large
SEK369	5X-Large

See pages 138-139 for welding clothing

TYVEK® 400 PROTECTIVE CLOTHING

- Serged seams

Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.

SAV192

SAV174

SAV176

SAV183

SAV190

	Model No.	Mfg. No.	Size	Qty /Case
SHIRT Snap front	**SAV183**	TY303S-S	Small	50
	SAV182	TY303S-M	Medium	50
	SAV181	TY303S-L	Large	50
	SAV184	TY303S-XL	X-Large	50
	SAV178	TY303S-2XL	2X-Large	50
	SAV179	TY303S-3XL	3X-Large	50
	SAV180	TY303S-4XL	4X-Large	50
PANTS Elastic waist	**SAV190**	TY350S-S	Small	50
	SAV189	TY350S-M	Medium	50
	SAV188	TY350S-L	Large	50
	SAV191	TY350S-XL	X-Large	50
	SAV185	TY350S-2XL	2X-Large	50
	SAV186	TY350S-3XL	3X-Large	50
	SAV187	TY350S-4XL	4X-Large	50
PULLOVER HOOD Pullover, elasticized face opening, covers shoulders	**SAV193**	TY657S	One-Size	100
LAB COAT Snaps 2 pockets, collar	**SAV174**	TY212S-S	Small	30
	SAV173	TY212S-M	Medium	30
	SAV172	TY212S-L	Large	30
	SAV175	TY212S-XL	X-Large	30
	SAV169	TY212S-2XL	2X-Large	30
	SAV170	TY212S-3XL	3X-Large	30
	SAV171	TY212S-4XL	4X-Large	30
APRON Sewn ties	**SAV176**	TY273B	28" x 36" Long	100
SLEEVES Elastic at both ends	**SAV192**	TY500S	18" Long	100 pairs
SHOE/BOOT COVER Elastic top	**SA174**	TY450S-LG	8 1/4" High, O/S, pr.	100 pairs
	SA173	TY454S-WH	17" High, O/S, pr.	50 pairs

TYVEK® 800 J COVERALLS

- New limited-use Type 3 chemical protective garment that combines resistance to pressurized jets of low-concentration, water-based, inorganic chemicals with protection, durability and freedom of movement
- Designed for work in very humid applications requiring chemical, liquid and/or oil protection
- Good for use in industrial cleaning, petrochemical installations, sewage and maintenance
- Protects against Sodium Hydroxide (50%), Bleach (15%) and Sulfuric Acid (30%)
- Seams are both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress
- Additional taping of cuffs, ankles, hood and zipper flap required to achieve Type 3 liquid tightness
- Chemical protective clothing, category III, Type 3-B, 4-B, 5-B and 6-B
- Colour: White

Model No.	Mfg. No.	Size	Qty /Case
SFQ731	TJ198TWHSM0025PI	Small	25
SFQ732	TJ198TWHMD0025PI	Medium	25
SFQ733	TJ198TWHLG0025PI	Large	25
SFQ734	TJ198TWHXL0025PI	X-Large	25
SFQ735	TJ198TWH2X0025PI	2X-Large	25
SFQ736	TJ198TWH3X0025PI	3X-Large	25

TYVEK® 400 COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Colour: White

Sold per Unit

Applications:
General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.

	Model No.	Mfg. No.	Size	Qty /Case
COVERALLS Serged seams, collar, front zipper closure	**SAS028**	TY120S-M	Medium	25
	SAS029	TY120S-L	Large	25
	SAS030	TY120S-XL	X-Large	25
	SAS031	TY120S-2XL	2X-Large	25
	SAS032	TY120S-3XL	3X-Large	25
	SAS033	TY120S-4XL	4X-Large	25
COVERALLS Serged seams, collar, front zipper closure, elastic wrists and ankles 	**SAS035**	TY125S-M	Medium	25
	SAS036	TY125S-L	Large	25
	SAS037	TY125S-XL	X-Large	25
	SAS038	TY125S-2XL	2X-Large	25
	SAS039	TY125S-3XL	3X-Large	25
	SAS040	TY125S-4XL	4X-Large	25
HOODED COVERALLS Serged seams, attached hood, front zipper closure, elastic wrists and ankles	**SAS042**	TY127S-M	Medium	25
	SAS043	TY127S-L	Large	25
	SAS044	TY127S-XL	X-Large	25
	SAS045	TY127S-2XL	2X-Large	25
	SAS046	TY127S-3XL	3X-Large	25
	SAS047	TY127S-4XL	4X-Large	25
HOODED COVERALL w/BOOTS Zipper front, attached hood, boots and elastic wrists	**SAV166**	TY122S-M	Medium	25
	SAV165	TY122S-L	Large	25
	SAV168	TY122S-XL	X-Large	25
	SAV162	TY122S-2XL	2X-Large	25
	SAV163	TY122S-3XL	3X-Large	25
	SAV164	TY122S-4XL	4X-Large	25

TYVEK® 400 D COVERALLS

- The ideal balance of protection, durability, and comfort for workers
- Unique zoned garment designed specifically for composite manufacturing applications
- Front zone features Tyvek® fabric to provide excellent durability and an inherent barrier to fine particles
- Rear zone features ProShield® fabric to help increase breathability for reduced heat stress and advanced worker comfort
- Comfort fit design helps to enable a greater range of movement while providing a more tailored fit
- Thumb loops keep the sleeves in place while donning gloves or reaching
- Respirator-fit hood with elastic around the face opening
- Longer zipper extends to chin for complete coverage of the neck area
- Unique outside serged seams provide better liquid mist holdout

Model No.	Mfg. No.	Size	Qty /Case
SEH058	TD127-M	Medium	25
SEH059	TD127-L	Large	25
SEH060	TD127-XL	X-Large	25
SEH061	TD127-2X	2X-Large	25
SEH062	TD127-3X	3X-Large	25
SEH063	TD127-4X	4X-Large	25

PROSHIELD® 10 COVERALLS

- Soft, breathable, comfortable and lightweight spunbond meltblown spunbond (SMS) material
- Feature a proprietary comfort fit design that is specially engineered for enhanced worker range of motion and durability in use
- Provides protection from dirt, grime, and non-hazardous dry particles

Sold per Unit

Applications: Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination

	Model No.	Mfg. No.	Description	Qty /Case
COVERALL Zipper front, elastic wrists and ankles	**SEJ892**	PB125SBU-MD	Medium, Blue	25
	SEJ893	PB125SBU-LG	Large, Blue	25
	SEJ894	PB125SBU-XL	X-Large, Blue	25
	SEJ895	PB125SBU-2X	2X-Large, Blue	25
	SEJ896	PB125SBU-3X	3X-Large, Blue	25
	SEJ897	PB125SBU-3X	4X-Large, Blue	25
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	**SEJ899**	PB127SBU-MD	Medium, Blue	25
	SEJ900	PB127SBU-LG	Large, Blue	25
	SEJ901	PB127SBU-XL	X-Large, Blue	25
	SEJ902	PB127SBU-2X	2X-Large, Blue	25
	SEJ903	PB127SBU-3X	3X-Large, Blue	25
	SEJ904	PB127SBU-4X	4X-Large, Blue	25
LAB COAT Snaps 2 pockets, collar	**SDL501**	PB212SBUMD003000	Medium, Blue	30
	SDL502	PB212SBULG003000	Large, Blue	30
	SDL503	PB212SBUXL003000	X-Large, Blue	30
	SDL504	PB212SBU2X003000	2X-Large, Blue	30
	SDL505	PB212SBU3X003000	3X-Large, Blue	30

PROSHIELD® 60 COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White

Sold per Unit

Applications: Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications

	Model No.	Mfg. No.	Size	Qty /Case
COVERALL Zipper front, collar	**SN880**	NG120S-S	Small	25
	SN881	NG120S-M	Medium	25
	SN882	NG120S-L	Large	25
	SN883	NG120S-XL	X-Large	25
	SN884	NG120S-2XL	2X-Large	25
	SN885	NG120S-3XL	3X-Large	25
	SN886	NG120S-4XL	4X-Large	25
COVERALL Zipper front, elastic wrists and ankles	**SN887**	NG125S-S	Small	25
	SN888	NG125S-M	Medium	25
	SN889	NG125S-L	Large	25
	SN890	NG125S-XL	X-Large	25
	SN891	NG125S-2XL	2X-Large	25
	SN892	NG125S-3XL	3X-Large	25
	SN893	NG125S-4XL	4X-Large	25
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	**SN894**	NG127S-S	Small	25
	SN895	NG127S-M	Medium	25
	SN896	NG127S-L	Large	25
	SN897	NG127S-XL	X-Large	25
	SN898	NG127S-2XL	2X-Large	25
	SN899	NG127S-3XL	3X-Large	25
	SN900	NG127S-4XL	4X-Large	25

TYCHEM® 2000 COVERALLS

- Polyethylene-coated Tyvek® fabric
- Flexible, durable and lightweight
- Light liquid splash protection
- Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- Colour: Yellow for high visibility

Sold per Unit

SAV113

	Model No.	Mfg. No.	Description	Qty /Case
HOODED COVERALL Zipper front, elastic wrists, attached boots	**SAV091**	QC122SYL-MD	Medium	12
	SAV090	QC122SYL-LG	Large	12
	SAV093	QC122SYL-XL	X-Large	12
	SAV087	QC122SYL-2XL	2X-Large	12
HOODED COVERALL Zipper front, elastic wrists and ankles	**SAV113**	QC127SYL-MD	Medium	12
	SAV112	QC127SYL-LG	Large	12
	SAV115	QC127SYL-XL	X-Large	12
	SAV109	QC127SYL-2XL	2X-Large	12

TYCHEM® 4000 COVERALLS

- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White

Sold per Unit

SA194

Applications:
Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents

	Model No.	Mfg. No.	Description	Qty /Case
COVERALL Bound seams, collar, front zipper, storm flap, elastic wrists and ankles	**SAS056**	SL125B-M	Medium	12
	SAS057	SL125B-L	Large	12
	SAS058	SL125B-XL	X-Large	12
	SAS059	SL125B-2XL	2X-Large	12
	SAS060	SL125B-3XL	3X-Large	12
	SAS061	SL125B-4XL	4X-Large	12
HOODED COVERALL Bound seams, attached hood, front zipper, storm flap, elastic wrists and ankles	**SA194**	SL127B-M	Medium	12
	SA193	SL127B-L	Large	12
	SA196	SL127B-XL	X-Large	12
	SC252	SL127B-2XL	2X-Large	12
	SC253	SL127B-3XL	3X-Large	12
	SC254	SL127B-4XL	4X-Large	12

TYCHEM® 6000 COVERALLS

- A proprietary barrier laminated to a Tyvek® substrate
- Strong and lightweight, with broad chemical barrier
- Used for protection from chemical warfare agents
- Widely used by military first responders for weapons of mass destruction situations
- Taped seams, attached hood (respirator fit), front zipper closure, storm flap, elastic wrists and attached socks
- Colour: Grey
- Available in sizes small to 4X-Large

Applications: Because Tychem® F garments are only available with respiratory fit hood, storm flap and taped seams, these garments are intended for domestic preparedness situations where the potential for exposure to chemical warfare agents exists. When the hazard assessment consists of potential for exposure to the FBI's Toxic Industrial Chemicals most likely to be used in a terrorist threat, we suggest consideration of Tychem® CPF 3 or higher protection since permeation data is available on a much broader spectrum of chemicals including chemical warfare agents

SAS200

Model No.	Mfg. No.	Size	Qty /Case
SAS200	TF169T-M	Medium	6
SAS201	TF169T-L	Large	6
SAS202	TF169T-XL	X-Large	6
SAS203	TF169T-2XL	2X-Large	6

CHEMMAX™ 1 COVERALLS

- Offers quality and durability at an economical price
- Constructed with a unique polyethylene barrier film and a continuous filament polypropylene non-woven
- Bars many harmful contaminants from penetrating to inner clothing
- Bound seams for added protection
- Ideal for manufacturing, environmental clean-up or chemical handling

Sold per Unit

	Model No.	Mfg. No.	Size	Qty /Case
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	**SAR003**	C1B428-S	Small	25
	SAR004	C1B428-M	Medium	25
	SAR005	C1B428-L	Large	25
	SAR006	C1B428-XL	X-Large	25
	SAR007	C1B428-2XL	2X-Large	25
	SAR008	C1B428-3XL	3X-Large	25
	SAR009	C1B428-4XL	4X-Large	25

SAR003

CHEMMAX™ 3 COVERALLS

- Durable and lightweight, provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants
- Multi-layer film is applied to a heavy polypropylene non-woven for increased strength and durability
- Barrier film is significantly softer than other products on the market, resulting in a quiet, more comfortable garment
- Material has its roots in NATO shelter fabrics, and is backed up by chemical warfare test data (not surrogates)
- Sealed seams for maximum protection
- Ideal for industrial environments, emergency responders and law enforcement

Sold per Unit

	Model No.	Mfg. No.	Size	Qty /Case
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	**SEB994**	C3T132-S	Small	6
	SEB995	C3T132-M	Medium	6
	SEB996	C3T132-L	Large	6
	SEB997	C3T132-XL	X-Large	6
	SEB998	C3T132-2XL	2X-Large	6

SEB994

PYROLON PLUS II® COVERALLS

FLAME RETARDANT FABRIC

- Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- Water and oil repellency
- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilites
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue

Sold per Unit

	Model No.	Mfg. No.	Size	Qty /Case
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	**SN346**	7428-SB	Small	25
	SN347	7428-MB	Medium	25
	SN348	7428-LB	Large	25
	SN349	7428-XLB	X-Large	25
	SN350	7428-2XLB	2X-Large	25

SN346

KLEENGUARD* A20 COVERALLS

- Breathable, Particle Protection Apparel
- Patented Microforce* barrier SMS fabric
- Coveralls have patented Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides12% more chest room and 6% longer body length
- Seamless front for more protection
- Zipper flap, elastic back
- NFPA 99 compliant antistatic material
- Available in 3X and 4X sizes

Sold per Unit

Applications: Laboratories, remediation, decontamination modesty garment, pesticides and heavy dust environments.

SAQ362

	Model No.	Mfg. No.	Size	Colour	Qty /Case
COVERALLS					
Zipper front	SAQ362	58532	Medium	Denim Blue	24
	SAQ363	58533	Large	Denim Blue	24
	SAQ364	58534	X-Large	Denim Blue	24
	SAQ365	58535	2X-Large	Denim Blue	24
Zipper front, elastic back, wrists and ankles	SAQ368	58502	Medium	Denim Blue	24
	SAQ369	58503	Large	Denim Blue	24
	SAQ370	58504	X-Large	Denim Blue	24
	SAQ371	58505	2X-Large	Denim Blue	24
LAB COAT					
Snap front chest and hip pocket	SAQ755	10019	Medium	White	25
	SAQ756	10029	Large	White	25
	SAQ757	10039	X-Large	White	25

KLEENGUARD* A40 COVERALLS

- Liquid and particle protection
- Breathable microporous film laminate
- Passes ASTM F1670 testing for penetration of blood and body fluids
- Meets ANSI/ISEA 101-1996 sizing standard
- NFPA 99 compliant antistatic material

Sold per Unit

Applications: Fiberglass manufacturing, tank cleaning, utilities, liquid handling, pressure washing, and maintenance/general manufacturing.

SAQ759

	Model No.	Mfg. No.	Size	Colour	Qty /Case
Zipper front	SAQ759	44302	Medium	White	25
	SAQ760	44303	Large	White	25
	SAQ761	44304	X-Large	White	25
	SAQ762	44305	2X-Large	White	25
	SAQ763	44306	3X-Large	White	25
	SAQ764	44307	4X-Large	White	25
Zipper front w/ 1" flap, elastic back, wrists, ankles and hood	SAQ771	44322	Medium	White	25
	SAQ772	44323	Large	White	25
	SAQ773	44324	X-Large	White	25
	SAQ774	44325	2X-Large	White	25
	SAQ775	44326	3X-Large	White	25
	SAQ776	44327	4X-Large	White	25

KLEENGUARD* A60 COVERALLS

- Bloodborne pathogen and chemical splash protection apparel
- Patented 3-layer fabric construction: middle layer of microporous film allows heat and sweat vapour to escape, yet protects against many dry particulates and liquids, even under pressure
- Outer layer - cloth like, yet tough and abrasion-resistant spunbond polypropylene
- Coveralls have patented Reflex design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Resistant to many liquid and dry particulate chemicals
- Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens

Sold per Unit

Applications: Emergency medical response, crime scene clean-up, embalming/forensics, tank cleaning, fiberglass manufacturing, animal research.

SAQ425

	Model No.	Mfg. No.	Size	Colour	Qty /Case
Zipper front, storm flap, elastic back, wrists, ankle and hood	SAQ424	45022	Medium	Denim Blue	24
	SAQ425	45023	Large	Denim Blue	24
	SAQ426	45024	X-Large	Denim Blue	24
	SAQ427	45025	2X-Large	Denim Blue	24
	SAQ428	45026	3X-Large	Denim Blue	20
	SAQ429	45027	4X-Large	Denim Blue	20

RZ100 RAIN SUITS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams

ZENITH® Safety Products

Model No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large

RZ200 LONG COATS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PCV material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically welded seams

ZENITH® Safety Products

Model No.	Size
SEH085	Small
SEH086	Medium
SEH087	Large
SEH088	X-Large
SEH089	2X-Large
SEH090	3X-Large
SEH091	4X-Large

RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

ZENITH® Safety Products

Model No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large

RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick Hi-Viz lime-yellow dual layer laminated PVC/Polyester
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02, Class 3, Level 2 requirements

ZENITH® Safety Products

Model No.	Size
SEH113	Small
SEH114	Medium
SEH115	Large
SEH116	X-Large
SEH117	2X-Large
SEH118	3X-Large
SEH119	4X-Large

RZ PONCHOS

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all

ZENITH® Safety Products

Model No.	Colour
SEH121	Yellow

RZ500 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles

ZENITH® Safety Products

Model No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large

RZ600 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles

ZENITH® Safety Products

Model No.	Size
SEH106	Small
SEH107	Medium
SEH108	Large
SEH109	X-Large
SEH110	2X-Large
SEH111	3X-Large
SEH112	4X-Large

HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10 000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- Micro welded seams
- ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- Certification: CSA Z96-09 Class 1, Level FR

JACKETS

- Large detachable hood to cover hard hat
- Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

BIB PANTS

- Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs

VIKING®

Fluo Orange Model No.	Mfg. No.	Fluo Green Model No.	Mfg. No.	Size
JACKETS				
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large
SDP057	6055FRJO-XL	SDP071	6055FRJG-XL	X-Large
SDP058	6055FRJO-2XL	SDP072	6055FRJG-2XL	2X-Large
SDP059	6055FRJO-3XL	SDP073	6055FRJG-3XL	3X-Large
BIB PANTS				
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large
SDP065	6055FRPO-2XL	SDP079	6055FRPG-2XL	2X-Large
SDP066	6055FRPO-3XL	SDP080	6055FRPG-3XL	3X-Large

OPEN ROAD FR PVC RAIN SUITS

- Entry level incidental flame contact protective garment
- Good splash protection and chemical resistance due to sandwich construction
- 0.35 mm FR treated PVC/polyester material
- Micro welded seams to prevent leaking through the garment
- Ideal for low risk hazard, FR required job sites
- Tested in accordance with test method CAN/CGSB-4.2 No.27.10 & ASTM D6413 flame resistance, self extinguishing for momentary contact with open flame
- 2" yellow prism reflective tape
- Generous sizing for comfort and freedom of movement
- Welded seams for durability and waterproofness
- ESR nylon snap closure systems
- Cotton corduroy collar on jacket
- Removable hood included
- Bib pants with adjustable waist panel and ESR suspenders
- Colour: Orange
- Certification: CSA Z96-09 Class 1, Level FR

VIKING®

Model No.	Mfg. No.	Size
SDP048	2110FR-S	Small
SDP049	2110FR-M	Medium
SDP050	2110FR-L	Large
SDP051	2110FR-XL	X-Large
SDP052	2110FR-2XL	2X-Large
SDP053	2110FR-3XL	3X-Large

MINER 49ER MINING SUITS

- Heavy risk chemical splash protection
- Heat and flame incidental contact protection
- High abrasion contact protection
- Heavy duty neoprene with nylon/PU backing
- 100% waterproof
- Seams are heat sealed and taped
- Resistant to acids, chemicals, oils and solvents
- Excellent puncture, tear and abrasion resistance
- Generous sizing for working ease
- Ideal for petro chemical processing, mining, oil and gas
- 2" reflective tape strategically placed front and back

JACKETS

- Durable nickel plated brass buttons
- D Ring slot on back (also provides venting)

BIB PANTS

- Heavy duty elastic suspenders
- Double bib design with inner pouch and pen holder

VIKING®

Model No.	Mfg. No.	Size
JACKETS		
SDP035	5200J-S	Small
SDP036	5200J-M	Medium
SDP037	5200J-L	Large
SDP038	5200J-XL	X-Large
SDP039	5200J-2XL	2X-Large
SDP040	5200J-3XL	3X-Large
BIB PANTS		
SDP041	5200P-S	Small
SDP042	5200P-M	Medium
SDP043	5200P-L	Large
SDP044	5200P-XL	X-Large
SDP045	5200P-2XL	2X-Large
SDP046	5200P-3XL	3X-Large
HOOD		
SDP047	5212	-

TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release

ZENITH® Safety Products

Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" reflective stripes offer maximum nighttime visibility
- Front hook and loop enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.	Colour	Size
SEB698	Orange	Medium
SEB699	Orange	Large
SEB700	Orange	X-Large
SEB701	Orange	2X-Large
SEB702	Lime-Yellow	Medium
SEB703	Lime-Yellow	Large
SEB704	Lime-Yellow	X-Large
SEB705	Lime-Yellow	2X-Large

SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top hook and loop sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No. Orange	Lime-Yellow	Size
SEF101	SEK232	Medium
SEF102	SEK233	Large
SEF103	SEK234	X-Large
SEF104	SEK235	2X-Large

TRAFFIC SAFETY VESTS

- Soft mesh polyester material
- 4" reflective stripes
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest strap for ID badge, cell, or radio
- Meets CSA Class 2, Level 2 requirements

VIKING®

Model No.	Size
SEK051	Small/Medium
SEI378	Large/X-Large
SEK052	2X-Large/3X-Large

TRAFFIC SAFETY VESTS

- Breathable solid polyester material
- 2" reflective material on 4" contrasting tape
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest straps for ID badge, cell, or radio
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

VIKING®

Model No.	Mfg. No.	Colour	Size
SDL041	61350-S/M	High Visibility Orange	Small/Medium
SEI377	61350-L/XL	High Visibility Orange	Large/X-Large
SEJ804	61350-2XL/3XL	High Visibility Orange	2X-Large/3X-Large
SDP431	61350-S/M	High Visibility Lime Green	Small/Medium
SEI715	61350-L/XL	High Visibility Lime Green	Large/X-Large
SDP432	61350-2XL/3XL	High Visibility Lime Green	2X-Large/3X-Large

SURVEYOR FR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty 300 denier Trilobal rip-stop polyester with PU material gives superior abrasion, punctures, rip and snag resistance
- Multi pen/marker/chalk and small ruler pockets
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Survey tape dispenser pockets with brass grommets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- 8 large hook and loop sealed storage pockets
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

High Visibility Orange Model No.	Mfg. No	Size
SDP470	3995FR0-S	Small
SDP471	3995FR0-M	Medium
SDP472	3995FR0-L	Large
SDP473	3995FR0-XL	X-Large
SDP474	3995FR0-2XL	2X-Large
SDP475	3995FR0-3XL	3X-Large

FIRE RETARDANT SAFETY VEST

- 5-point hook and loop tear away design
- Four front pockets
- Safety D-ring access slot
- Machine washable
- Lightweight hi visibility garment with incidental flame and convective heat protection
- Strong, breathable, FR treated premium polyester material
- 2" reflective stripes
- High Visibility Orange
- CSA Z96 Class 2, Level FR and ASTM F2302-08 Heat and Flame resistant

Model No.	Mfg. No.	Size
SDP389	6136FR-S/M	Small/Medium
SDP390	6136FR-L/XL	Large/X-Large
SDP391	6136FR-2XL/3XL	2X-Large/3X-Large

FIRE RETARDANT ANTI-STATIC SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture , rip and snag resistance
- Anti-static feature provides protection to workers likely exposed to the risk of explosive atmospheres
- 4 large hook and loop sealed outer storage pockets
- Multi pen/marker/chalk and small ruler pocket
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Four inner storage pockets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant and EN1149-5 standard for electrostatic dissipative clothing in ATEX environments

Model No.	Mfg. No.	Size
SDP494	3995AFR-S	Small
SDP495	3995AFR-M	Medium
SDP496	3995AFR-L	Large
SDP497	3995AFR-XL	X-Large
SDP498	3995AFR-2XL	2X-Large
SDP499	3995AFR-3XL	3X-Large

SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Mesh underarm cooling ventilation panels
- Dual chest straps for ID badge, cell, or radio
- Hook and loop sealed pocket
- Safety D ring slot access
- 8 hook and loop sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets on lower front pockets
- Long ruler slot pocket
- Brass snaps and grommets
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

High Visibility Lime-Green Model No.	Mfg. No.	High Visibility Orange Model No.	Mfg. No	Size
SDP456	6165G-S	SDP449	6165O-S	Small
SDP457	6165G-M	SDP450	6165O-M	Medium
SDP458	6165G-L	SDP451	6165O-L	Large
SDP459	6165G-XL	SDP452	6165O-XL	X-Large
SDP460	6165G-2XL	SDP453	6165O-2XL	2X-Large
SDP461	6165G-3XL	SDP454	6165O-3XL	3X-Large

FIRE RETARDANT SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- 100% FR Treated Cotton for comfort and durability
- Mesh underarm cooling ventilation panels
- Hook and loop sealed pocket
- Safety D ring slot access
- 8 hook and loop sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets on lower front pockets
- Long ruler slot pocket
- Large zippered pocket across back
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant

Model No.	Mfg. No.	Size
SDP463	6165FR-S	Small
SDP464	6165FR-M	Medium
SDP465	6165FR-L	Large
SDP466	6165FR-XL	X-Large
SDP467	6165FR-2XL	2X-Large
SDP468	6165FR-3XL	3X-Large

FIRE RETARDANT SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture , rip and snag resistance
- Multi pen/marker/chalk and small ruler pocket
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Four inner storage pockets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- 4 large hook and loop sealed outer storage pockets
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant

Model No.	Mfg. No.	Size
SDP482	3995FR-S	Small
SDP483	3995FR-M	Medium
SDP484	3995FR-L	Large
SDP485	3995FR-XL	X-Large
SDP486	3995FR-2XL	2X-Large
SDP487	3995FR-3XL	3X-Large

FIRE RETARDANT WINTER SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture , rip and snag resistance
- Insulated vest provides warmth without the restriction of sleeves
- FR Treated inner lining
- Dual chest straps for ID badge, cell, or radio
- Cell/radio pouch pocket
- Two front slash pockets
- Four inner storage pockets
- Heavy duty zipper with storm flap for weather protection
- 125GSM ThermoMAXX® Insulation rated up to -300˚C / -220˚F
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Convective Heat and Flame Resistant

Model No.	Mfg. No.	Size
SDP488	3995FRW-S	Small
SDP489	3995FRW-M	Medium
SDP490	3995FRW-L	Large
SDP491	3995FRW-XL	X-Large
SDP492	3995FRW-2XL	2X-Large
SDP493	3995FRW-3XL	3X-Large

SAFETY T-SHIRT

- UPF (Ultraviolet Protection Factor) of 50+ Blocks 98% of UV Radiation
- 2" reflective material on 4" contrasting tape
- Cotton inner layer for comfort and breathability
- Dual chest straps for ID badge, cell, or radio
- Hook and loop sealed pocket on left side of chest
- CSA Z96 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

High Visibility Lime-Green Model No.	Mfg. No.	Orange High Visibility Model No.	Mfg. No	Size
SHORT SLEEVE				
SDP407	6000G-M	**SDP402**	60000-M	Medium
SDP408	6000G-L	**SDP403**	60000-L	Large
SDP409	6000G-XL	**SDP404**	60000-XL	X-Large
SDP410	6000G-2XL	**SDP405**	60000-2XL	2X-Large
SDP411	6000G-3XL	**SDP406**	60000-3XL	3X-Large
LONG SLEEVE				
SDP397	6015G-M	**SDP392**	60150-M	Medium
SDP398	6015G-L	**SDP393**	60150-L	Large
SDP399	6015G-XL	**SDP394**	60150-XL	X-Large
SDP400	6015G-2XL	**SDP395**	60150-2XL	2X-Large
SDP401	6015G-3XL	**SDP396**	60150-3XL	3X-Large

SAFETY JACKET

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- Ultimate Arctic LITE liner can also be worn by itself for protection up to -200˚C/-40˚F
- Insulated detachable hood
- Double sewn, taped and heat sealed seams
- 2" reflective material on 4" contrasting tape
- Rated to -30°C/22°F
- CSA Z96 Class 2, Level 2

Model No.	Mfg. No.	Size
SDP412	6410JG-S	Small
SDP413	6410JG-M	Medium
SDP414	6410JG-L	Large
SDP415	6410JG-XL	X-Large
SDP416	6410JG-2XL	2X-Large
SDP417	6410JG-3XL	3X-Large

PREMIUM POLYESTER T-SHIRTS

- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

Model No. Lime-Yellow	Orange	Size
SEF109	**SEL243**	Medium
SEF110	**SEL244**	Large
SEF111	**SEL245**	X-Large
SEF112	**SEL246**	2X-Large

SAFETY FLEECE HOODIE

- 2" Vi-Brance® reflective tape in 4" WCB/Worksafe/DOT configuration
- Thermal protective layer with ANSI compliant visibility protection
- Premium knitted polyester fleece for warmth and breathability
- Anti pill, warm 260 gm polyester quick dry
- Taffeta lined sleeves
- Tear away detachable hood
- Warm full size hood with drawstring adjustors
- Dual chest straps for ID badge/cell/radio
- Two front storage pockets
- Cell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

High Visibility Lime-Green Model No.	Mfg. No.	High Visibility Orange Model No.	Mfg. No	Size
SDP424	6420JG-S	**SDN679**	6420J0-S	Small
SDP425	6420JG-M	**SDN680**	6420J0-M	Medium
SDP426	6420JG-L	**SDN681**	6420J0-L	Large
SDP427	6420JG-XL	**SDN682**	6420J0-XL	X-Large
SDP428	6420JG-2XL	**SDN683**	6420J0-2XL	2X-Large
SDP429	6420JG-3XL	**SDN684**	6420J0-3XL	3X-Large

SAFETY PARKA

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- Adjustable hook and loop wrist with double cuff to seal out rain and wind
- Insulated detachable hood
- Heavy duty tooth zipper with storm flap for weather protection
- Warm & comfortable fleece collar
- Rated to -50°C/58°F
- Two large front pockets with velcro flap closure, one inner chest pocket
- Insulated 34" long parka for added warmth
- 2" reflective material on 4" contrasting tape
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 3 Level 2

Model No.	Mfg. No.	Size
SDP418	6450JG-S	Small
SDP419	6450JG-M	Medium
SDP420	6450JG-L	Large
SDP421	6450JG-XL	X-Large
SDP422	6450JG-2XL	2X-Large
SDP423	6450JG-3XL	3X-Large

HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10 000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- Micro welded seams
- ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- Certification: CSA Z96-09 Class 1, Level FR

JACKETS

- Large detachable hood to cover hard hat
- Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

BIB PANTS

- Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs

Fluo Orange Model No.	Mfg. No.	Fluo Green Model No.	Mfg. No.	Size
JACKETS				
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large
SDP057	6055FRJO-XL	SDP071	6055FRJG-XL	X-Large
SDP058	6055FRJO-2XL	SDP072	6055FRJG-2XL	2X-Large
SDP059	6055FRJO-3XL	SDP073	6055FRJG-3XL	3X-Large
BIB PANTS				
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large
SDP065	6055FRPO-2XL	SDP079	6055FRPG-2XL	2X-Large
SDP066	6055FRPO-3XL	SDP080	6055FRPG-3XL	3X-Large

JOURNEYMAN 3-IN-1 SAFETY JACKETS

- 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
- Premium 300 Denier Ripstop polyester material gives good abrasion, puncture, rip, and snag resistance
- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements

Hood sold separately

SEF133

SFI910

Orange Model No.	Mfg. No.	Lime-Yellow Model No.	Mfg. No.	Size
JACKETS				
SEF133	6400JO-S	SEF140	6400JG-S	Small
SEF134	6400JO-M	SEF141	6400JG-M	Medium
SEF135	6400JO-L	SEF142	6400JG-L	Large
SEF136	6400JO-XL	SEF143	6400JG-XL	X-Large
SEF137	6400JO-2XL	SEF144	6400JG-2XL	2X-Large
SEF138	6400JO-3XL	SEF145	6400JG-3XL	3X-Large
SEF139	6400JO-4XL	SEF146	6400JG-4XL	4X-Large
BIB PANTS				
SFI910	6400PO-S	SFI917	6400PG-S	Small
SFI911	6400PO-M	SFI918	6400PG-M	Medium
SFI912	6400PO-L	SFI919	6400PG-L	Large
SFI913	6400PO-XL	SFI920	6400PG-XL	X-Large
SFI914	6400PO-2XL	SFI921	6400PG-2XL	2X-Large
SFI915	6400PO-3XL	SFI922	6400PG-3XL	3X-Large
SFI916	6400PO-4XL	SFI923	6400PG-4XL	4X-Large
HOOD				
SEJ952	6330HO	SEJ953	6330HG	-

TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Hook and loop closure permits optimal fit
- Available in various lengths

Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19

HIGH VISIBILITY GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72

Sold per Pair

ZENITH® Safety Products

Model No.	Size	Colour
SED428	Large	Fluorescent Yellow
SEK237	Large	Fluorescent Orange

SUPERIOR QUALITY HIGH-VIZ GRAIN COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Full leather-tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120

Sold per Pair

ZENITH® Safety Products

Model No.	Size	Colour
SEK239	Large	High Visibility Green
SEK242	Large	High Visibility Orange

LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control™ technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others

Honeywell HOWARD LEIGHT

Model No.	Mfg. No.	Style	NRR dB
SA0695	1013941	Over-Head	30
SA0696	1013942	Foldable	27

GLOWEAR® POWER-CAP™

- Two ultra-bright LEDs in the brim, and two additional LEDs concealed under brim (C.U.B. Technology™) deliver hands-free illumination in dark work spaces
- Choose two brim LEDs for illumination up to 50', two C.U.B. LEDs for close-up tasks, or all four for maximum visibility
- On/Off switch located conveniently under brim
- Four long-life lithium batteries (included) provide more than 30 hours of continuous light, and are easily replaceable
- Available with or without GloWear® logo
- One size

ergodyne WORK GEAR

Model No.	Mfg. No.	Colour
SEC725	23272	Black
SEC727	23270	Lime-Yellow

HIGH VISIBILITY KNITTED TOQUES

- 100% acrylic knitted toques with silver retro reflective stripe
- One size

THERMO-HEAT™

Model No.	Mfg. No.	Colour
SDP616	10701125HVO	High-Visibility Orange
SDP617	10701125HLG	High-Visibility Lime-Green

RETRO-REFLECTIVE ADHESIVE STRIPS

- High-visibility, excellent for night workers
- 360° strip has a curved shape to fit the helmet
- 7 strips per sheet

ERB® Safety Products for LIFE.

Model No.	Colour
SAX903	High-Visibility Lime
SAX904	High-Visibility Orange
SAX905	Silver

MEN'S SOLID RIP STOP SHIRT

- 4.25 oz. stretch poplin rip stop, 65% polyester / 35% cotton
- Pre-cure durable press with soil release and wickable finish
- Seven-button front, including button at neck
- 2-piece, lined, banded, topstitched collar with sewn-in stays
- Two button-thru functional flapped pockets with angled bartacks, sewn-down pencil stall on left pocket
- Center front pocket
- Separate two-piece yolk
- Straight hem with side vents

Model No. Navy	Mfg. No.	Model No. Charcoal	Mfg. No.	Size
SHORT SLEEVE				
SEU272	SY60NV-SS-M	**SEU236**	SY60CH-SS-M	Medium
SEU271	SY60NV-SS-L	**SEU235**	SY60CH-SS-L	Large
SEU274	SY60NV-SS-XL	**SEU238**	SY60CH-SS-XL	X-Large
SEU275	SY60NV-SS-XXL	**SEU239**	SY60CH-SS-XXL	2X-Large
LONG SLEEVE				
SEU221	SY50NV-RG-M	**SEU185**	SY50CH-RG-M	Medium
SEU220	SY50NV-RG-L	**SEU184**	SY50CH-RG-L	Large
SEU223	SY50NV-RG-XL	**SEU187**	SY50CH-RG-XL	X-Large
SEU224	SY50NV-RG-XXL	**SEU188**	SY50CH-RG-XXL	2X-Large

Note: Other sizes available, call us today.
Also available in light blue, khaki, black & grey.

COVERALLS

- 7.5-oz. twill, 65 % polyester/35 % cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- Hemmed sleeves

Model No. Navy	Mfg. No.	Model No. Green	Mfg. No.	Size
SEE208	CT10NV38	**SEE220**	CT10SG38	38
SEE209	CT10NV40	**SEE221**	CT10SG40	40
SEE210	CT10NV42	**SEE222**	CT10SG42	42
SEE211	CT10NV44	**SEE223**	CT10SG44	44
SEE212	CT10NV46	**SEE224**	CT10SG46	46
SEE213	CT10NV48	**SEE225**	CT10SG48	48

Note: Other sizes available, call us today

LAB COATS

- 5-oz. performance blend poplin, 80 % polyester/20 % combed cotton
- One-piece, lined collar with notched lapel
- Non-yellowing UV buttons for long-lasting whiteness through industrial laundering process
- Left chest pocket with pencil stall and two lower pockets
- Side vent openings
- 41.5" back length on all sizes
- Colour: White

Model No.	Mfg. No.	Size
SEE253	KP14WH36	36
SEE254	KP14WH38	38
SEE255	KP14WH40	40
SEE256	KP14WH42	42
SEE257	KP14WH44	44

Note: Other sizes available, call us today. Also available in navy, light blue and grey.

PERFORMANCE SHOP PANTS

- Inseam: 37"
- First IL-friendly spandex fabric
- Full inseam gusset for added mobility
- Double-needle stitching
- Reinforced front pocket bags to help prevent common wear and tear
- Relaxed cut leg fits easily over work boots
- Invisible stretch waistband expands up to 3 additional inches for added comfort and mobility
- Wider and longer belt loops to accommodate a variety of work belts

Model No. Navy	Mfg. No.	Model No. Charcoal	Mfg. No.	Size
SDM069	PT2ANV-34-37U	**SDM058**	PT2ACH-34-37U	34
SDM070	PT2ANV-36-37U	**SDM059**	PT2ACH-36-37U	36
SDM071	PT2ANV-38-37U	**SDM060**	PT2ACH-38-37U	38
SDM072	PT2ANV-40-37U	**SDM061**	PT2ACH-40-37U	40
SDM073	PT2ANV-42-37U	**SDM062**	PT2ACH-42-37U	42

* Inseams are unhemmed. Hemmed pants are available, please call for more details.
Note: Other sizes available, call us today. Also available in black.

SHOP COATS

- 7.5-oz. twill, 65 % polyester/35 % cotton
- Five concealed grippers
- One-piece notch lapel
- Two chest pockets and two lower pockets
- Side vent openings and back vent
- 43.75" length (based on size 42)

Model No. Navy	Mfg. No. Charcoal	Model No.	Mfg. No.	Size
SEE232	KT30NV38	**SEZ849**	KT30CH38	38
SEE233	KT30NV40	**SEZ850**	KT30CH40	40
SEE234	KT30NV42	**SEZ851**	KT30CH42	42
SEE235	KT30NV44	**SEZ852**	KT30CH44	44
SEE236	KT30NV46	**SEZ853**	KT30CH46	46
SEE237	KT30NV48	**SEZ854**	KT30CH48	48

Note: Other sizes available, call us today. Also available in Postman Blue.

ENHANCED VISIBILITY COVERALLS

- 7.25 oz. twill, 65% polyester / 35% cotton
- 2-way brass zipper, gripper at top of zipper and lapel
- One piece topstitched, lay-flat collar
- Hemmed-sleeves with adjustable snap closures
- Utility pocket on left sleeve
- Two set-in front pockets, two patch hip and chest pockets, action back
- 2" yellow/silver/yellow (3M Scotchlite™ #9920) reflective striping
- Colour: Navy

Model No.	Mfg. No.	Size
SDH951	CT5CNV-RG-38	38
SDH952	CT5CNV-RG-40	40
SDH953	CT5CNV-RG-42	42
SDH954	CT5CNV-RG-44	44
SDH955	CT5CNV-RG-46	46
SDH956	CT5CNV-RG-48	48
SDH957	CT5CNV-RG-50	50

Note: Other sizes and specialty sizes are available, call today.
Also available in khaki and orange.

FLAME RESISTANT WELDING SHIRTS

- Material: 7 oz. 100% FR cotton shirt with 8.5 oz. Tuffweld lined sleeves
- 100% FR cotton sleeve lining: 60% FR rayon/40% aramid
- Protection: ATPV 7.7 calories/cm²
- Front snap closure
- Two piece lined collar with snap closure to secure collar in upright position
- One piece lined cuffs with protective insert and snap closure
- Sleeves lined with Tuffweld fabric
- Straight hem with side vents, front snap closure, two patch pockets with snap closure and pencil insert
- Sleeve pencil pocket

Model No.	Mfg. No.	Size
SDM078	SWW2SY-RG-M	Medium
SDM079	SWW2SY-RG-L	Large
SDM080	SWW2SY-RG-XL	X-Large
SDM081	SWW2SY-RG-XXL	2X-Large
SDM082	SWW2SY-RG-3XL	3X-Large

EXCEL FR® CLASSIC FIT PRE-WASHED DENIM JEANS

- Inseam: 37
- 14.75 oz. (500 g/m²) 100% pre-washed cotton denim
- Protection: ATPV 20.7 calories/cm² (HRC 2)
- Two-needle contrast stitch styling, with felled outseams and seatseam
- Classic fit and five jean style pockets
- One-piece waistband with button closure
- Two patches on spade shaped hip pockets
- Scoop front pockets with watch pocket on right side
- Zipper fly closure with non-conductive button at waist
- Traditional jean style back yoke
- Soft pre-wash comfort and look
- Meets NFPA 2112 & CGSB 155.20

Model No.	Mfg. No.	Size
SDD764	PEJ4DW-34-37U	34
SDD769	PEJ4DW-36-37U	36
SDD773	PEJ4DW-38-37U	38
SDD777	PEJ4DW-40-37U	40
SDD781	PEJ4DW-42-37U	42

*Inseams are unhemmed
Hemmed pants are available, please call for more details
Note: Other sizes available, call us today

CSA COMPLIANT 7 OZ. ULTRA SOFT® COVERALLS

- 88% cotton, 12% nylon
- Protection: ATPV 8.7 calories/cm²
- Mandarin, stand-up, 2-way safety collar
- Deep pleated action-back
- 2-way concealed Nomex® taped brass breakaway zipper, concealed snap at top of zipper and at neck
- Two topstitched patch chest pockets with flaps and concealed snap closures
- Two inset lower front pockets are topstitched and lined, side vent openings with snaps
- Two patch hip pockets with single concealed snap closures
- One patch pocket with pencil stall on left sleeve and one piece rule pocket on right leg
- Elastic waist inserts
- WestexUltra Soft® interior and exterior brand labeling
- 360° visibility with 3M 2" silver reflective
- Striping configuration meets CAN/CSA Z96-09 Class 3, Level 2 compliance
- Garment is 2112 compliant and UL certified

Model No.	Mfg. No.	Size
SDJ661	CTBBOR-RG-38	38
SDJ662	CTBBOR-RG-40	40
SDJ663	CTBBOR-RG-42	42
SDJ664	CTBBOR-RG-44	44
SDJ665	CTBBOR-RG-46	46
SDJ666	CTBBOR-RG-48	48

Note: Other sizes available, call us today

FLAME-RESISTANT COOL TOUCH® 2 BUTTON FRONT DELUXE SHIRTS

- 7.0 oz (235 g/m²) 45% Modacrylic/ 35% lyocell/ 15% polyamide-imide/ 5% aramid
- Gusset side seam to allow the garment to move with you instead of un-tucking itself
- Banded topstitched collar and two chest pockets with button flaps and sewn in pencil stall
- Top stitched cuffs with adjustable button closure and placket front with button closure
- Tailored sleeve placket and straight back yoke
- Colour: Navy
- Arc Rating: ATPV 10.1 calories/cm² (CAT 2)
- Meets NFPA 2112 & CGSB 155.20

Model No.	Mfg. No.	Size
SED628	SMU2NV-RG-S	Small
SED629	SMU2NV-RG-M	Medium
SED630	SMU2NV-RG-L	Large
SED631	SMU2NV-RG-XL	X-Large
SED632	SMU2NV-RG-XXL	2X-Large

Note: Other sizes available, call us today
Also available in Khaki and Light Blue

FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/ 15% polyamide-imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- Pockets: Two slack style front pockets, two set-in hip pockets, one left hip pocket with button closure, one left cargo pocket and one right leg utility pocket
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Length" (Inseam)
SED693	PMU2NV33	33	37
SED694	PMU2NV36	36	37
SED695	PMU2NV38	38	37
SED696	PMU2NV40	40	36
SED697	PMU2NV42	42	36
SED698	PMU2NV44	44	36

Note: Other sizes and specialty long sizes are available, call today
Also available in Khaki and Orange

FLAME-RESISTANT CLASSIC COVERALLS

- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck
- Hemmed sleeves
- Pockets: Two set-in front pockets, two patch hip pockets and one chest pocket
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2

Navy Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size
SED738	CEC2NV38	**SED196**	CEC2RB38	38
SED739	CEC2NV40	**SED197**	CEC2RB40	40
SED740	CEC2NV42	**SED198**	CEC2RB42	42
SED741	CEC2NV44	**SED199**	CEC2RB44	44
SED742	CEC2NV46	**SED200**	CEC2RB46	46
SED743	CEC2NV48	**SED201**	CEC2RB48	48
SED744	CEC2NV50	**SED202**	CEC2RB50	50

Note: Other colours, sizes and specialty long sizes are available, call today

FLAME-RESISTANT COOLTOUCH®2 PREMIUM COVERALLS

- Material: 7-oz. (235 g/m2) 48% Modacrylic/ 37% Lyocell/ 15% Para-aramid
- Protection: ATPV 9.0 calories/cm² (HRC 2)
- Mandarin, stand-up, two-way safety collar
- Deep pleated action-back
- Two-way concealed Nomex® taped brass breakaway zipper
- Two topstitched patch chest pockets
- Two inset lower front pockets and two patch hip pockets
- One sleeve pocket and one piece rule pocket on right leg
- Elastic waist inserts
- Side vent openings with snaps
- 360° visibility with front and back yellow/silver/yellow reflective striping –CSA Z96 Compliant
- Certification(s): Meets NFPA 2112 & CGSB 155.20

Grey Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size
SDM091	CMBCGY-RG-38	**SDM110**	CMBCRB-RG-38	38
SDM092	CMBCGY-RG-40	**SDM111**	CMBCRB-RG-40	40
SDM093	CMBCGY-RG-42	**SDM112**	CMBCRB-RG-42	42
SDM094	CMBCGY-RG-44	**SDM113**	CMBCRB-RG-44	44
SDM095	CMBCGY-RG-46	**SDM114**	CMBCRB-RG-46	46
SDM096	CMBCGY-RG-48	**SDM115**	CMBCRB-RG-48	48
SDM097	CMBCGY-RG-50	**SDM116**	CMBCRB-RG-50	50
SDM098	CMBCGY-RG-52	**SDM117**	CMBCRB-RG-52	52
SDM099	CMBCGY-RG-54	**SDM118**	CMBCRB-RG-54	54

FLAME-RESISTANT PREMIUM COVERALLS WITH REFLECTIVE TRIM

- 9-oz. Excel FR® ComforTouch® twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on sleeve cuff, at the top of zipper and at neck
- Elastic waist inserts
- Multiple pockets
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm², HRC 2

Model No.	Mfg. No.	Size
SED783	CLBTRB38	38
SED784	CLBTRB40	40
SED785	CLBTRB42	42
SED786	CLBTRB44	44
SED787	CLBTRB46	46
SED788	CLBTRB48	48
SED789	CLBTRB50	50
SED790	CLBTRB52	52
SED791	CLBTRB54	54

Note: Specialty sizes are available, call today

EXCEL FR® COMFORTOUCH® LINED BOMBER JACKETS

- Material: 7 oz. (235 g/m²) twill 88% cotton/12% nylon, water repellant
- Arc Rating: ATPV 30 calories/cm² (HRC3)
- Lining: 7 oz.(235 g/m²) 100% cotton
- Separating, heavy-duty Nomex taped brass zipper covered with two layer storm flap
- Two layer stand-up collar
- Two large external patch pockets and one inside chest pocket
- Deep-pleated action back
- Fully-tunneled elasticized waistband
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Meets Class 2/Level 2 of the CAN/CSA Z96-09 standard for high visibility safety apparel

Model No.	Mfg. No.	Size
SDM199	JLJCNV-RG-S	Small
SDM200	JLJCNV-RG-M	Medium
SDM201	JLJCNV-RG-L	Large
SDM202	JLJCNV-RG-XL	X-Large
SDM203	JLJCNV-RG-XXL	2X-Large
SDM204	JLJCNV-RG-3XL	3X-Large

FLAME RESISTANT PARKAS WITH CSA COMPLIANT REFLECTIVE STRIPING

- 7 oz., 88% cotton / 12% nylon, water-repellent
- Insulation package: 12 oz., lining - 100% cotton, insulation - 100% modacrylic
- Arc rating: ATPV 43.3 calories/cm²
- 2-way separating, heavy-duty Nomex® taped brass zipper covered with insulated storm flap and concealed snap closure
- Insulated stand-up collar
- Knit Nomex® storm cuffs with hook and loop suppression tabs
- Three large patch pockets with concealed snaps
- Deep-pleated action back
- Elastic inserts at waist
- 360° yellow/silver/yellow reflective striping
- Meets class 1 of CAN/CSA Z96-09 standard for high visibility safety

Model No.	Mfg. No.	Size
SDK087	JLPCNV-RG-S	Small
SDK086	JLPCNV-RG-M	Medium
SDK085	JLPCNV-RG-L	Large
SDK088	JLPCNV-RG-XL	X-Large
SDK089	JLPCNV-RG-XXL	2X-Large
SDK083	JLPCNV-RG-3XL	3X-Large

Note: Other sizes available, call us today

DELUXE INSULATED BIB OVERALLS WITH REFLECTIVE STRIPING

- Arc rating: ATPV 43.3 calories/cm² (HRC 4)
- EXCEL FR® ComforTouch® fabric
- Outershell– 7 oz. 88% cotton/12% nylon, water repellant, Insulation-12 oz. 2-layer Modacrylic®
- Will meet class 1 of CAN/CSA Z96-09 standard for high visibility safety apparel when paired with flame-resistant Bulwark parka with CSA compliant reflective striping (Mfg No. JLPCNV)
- 2-way extra heavy-duty Nomex® taped brass zipper
- Five large patch pockets, hip pocket with closure
- Reinforced double knees
- Full Nomex® taped brass ankle to hip brass zippers and concealed snap closures
- Elastic waist inserts
- Inside zipper guards on all zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping around leg calves

Model No.	Mfg. No.	Size
SDI066	BLCTNV-RG-S	Small
SDI065	BLCTNV-RG-M	Medium
SDI064	BLCTNV-RG-L	Large
SDI067	BLCTNV-RG-XL	X-Large
SDI068	BLCTNV-RG-XXL	2X-Large
SDI063	BLCTNV-RG-3XL	3X-Large

Note: Other sizes available, call us today
Also available in Royal Blue

TEMPEST TRI-ZONE OUTERWEAR

- High-tech Polyester/PVC shell and Taffeta/mesh lining

JACKETS

- Adjustable hook and loop wrists
- Safety reflective piping front and back
- 4 large pockets, 1 utility sleeve pocket,1 large interior pocket and 1 MP3 pocket
- New thicker 300 GSM non-pill deluxe fleece liner can be worn as a standalone jacket or along with outer shell for thermal protection down to -25°C

PANTS

- Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with hook and loop adjusters and removable suspenders
- Snap waist and zippered fly access

SDN755

SAL396

JACKETS

Red/Black Model No.	Mfg. No.	Black Model No.	Mfg. No.	Navy Model No.	Mfg. No.	Size
SDN755	858JBR-S	SDN743	858JB-S	SDN749	858JN-S	Small
SDN756	858JBR-M	SDN744	858JB-M	SDN750	858JN-M	Medium
SDN757	858JBR-L	SDN745	858JB-L	SDN751	858JN-L	Large
SDN758	858JBR-XL	SDN746	858JB-XL	SDN752	858JN-XL	X-Large
SDN759	858JBR-2XL	SDN747	858JB-2XL	SDN753	858JN-2XL	2X-Large
SDN760	858JBR-3XL	SDN748	858JB-3XL	SDN754	858JN-3XL	3X-Large

PANTS

Black Model No.	Mfg. No.	Size
SAL396	858PB-S	Small
SAL397	858PB-M	Medium
SAL398	858PB-L	Large
SAL399	858PB-XL	X-Large
SAL400	858PB-2XL	2X-Large
SAL401	858PB-3XL	3X-Large

6465 THERMAL JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Reflective accents help keep workers safe and visible
- Drawstring waist and adjustable cuffs
- Armortex™ reinforcements protect heavy wear zones
- Multiple pockets, including back document and front
- Colour: Black

Model No.	Mfg. No.	Size
SEB753	41103	Medium
SEB754	41104	Large
SEB755	41105	X-Large
SEB756	41106	2X-Large
SEB757	41107	3X-Large

6435 LONG SLEEVE THERMAL SHIRTS

- Ripped fit crew T-shirt in medium-weight wicking fabric for warmth
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Stretch fabric, brushed interior for warmth and comfort
- Moisture wicking treatments keep workers dry
- Thumb loops to keep sleeves in place and wind out
- Long tail design keeps you covered
- Colour: Black

Model No.	Mfg. No.	Size
SEC962	40203	Medium
SEC963	40204	Large
SEC964	40205	X-Large
SEC965	40206	2X-Large
SEC966	40207	3X-Large

TEMPEST CLASSIC OUTERWEAR

- High-tech Polyester/PVC shell and Taffeta/mesh lining

JACKETS

- Adjustable hem and wrists
- Safety reflective piping front and back
- Five large pockets, one large interior pocket and one MP3 pocket
- Underarm vent zips for breathability

PANTS

- Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with hook and loop adjusters
- Hook and loop adjusters at bottom of legs
- Snap waist and zippered fly access
- Articulated knees for mobility
- Full lining inside for comfort

SAL408

SAX012

JACKETS

Red/Charcoal Model No.	Mfg. No.	Blue/Charcoal Model No.	Mfg. No.	Navy /Charcoal Model No.	Mfg. No.	Size
SAL402	838CR-S	SAL408	838CB-S	SAL414	838CN-S	Small
SAL403	838CR-M	SAL409	838CB-M	SAL415	838CN-M	Medium
SAL404	838CR-L	SAL410	838CB-L	SAL416	838CN-L	Large
SAL405	838CR-XL	SAL411	838CB-XL	SAL417	838CN-XL	X-Large
SAL406	838CR-2XL	SAL412	838CB-2XL	SAL418	838CN-2XL	2X-Large
SAL407	838CR-3XL	SAL413	838CB-3XL	SAL419	838CN-3XL	3X-Large

PANTS

Model No.	Mfg. No.	Size
SAX012	838PZ-S	Small
SAX013	838PZ-M	Medium
SAX014	838PZ-L	Large
SAX015	838PZ-XL	X-Large
SAX016	838PZ-2XL	2X-Large
SAX017	838PZ-3XL	3X-Large

6470 THERMAL BIB PANTS

- Rugged 500D nylon outer shell provides protection
- Armortex™ reinforcement zones in heavy wear areas
- Several pockets including hip and chest
- Full length YKK® sippers on each leg for easy on/off
- Removable PE foam knee/shin pads
- Non-slip adjustable elastic straps
- Reflective accents help keep workers safe and seen
- Elastic side gatherings for extra comfort and better fit
- Straight leg design with inside elastic bottom, snap closure

Model No.	Mfg. No.	Size
SEI684	41203	Medium
SEI685	41204	Large
SEI686	41205	X-Large
SEI687	41206	2X-Large
SEI688	41207	3X-Large

6480 THERMAL PANTS

- Stretch fabric, brushed interior for warmth and comfort
- Moisture wicking treatments keep workers dry
- Stretch fabrics, flat seams and tagless waistband for comfort
- Anti-stink treatment helps workers remain unscented
- Colour: Black

Model No.	Mfg. No.	Size
SEC967	40803	Medium
SEC968	40804	Large
SEC969	40805	X-Large
SEC970	40806	2X-Large
SEC971	40807	3X-Large

WINTER LINERS

FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.

SAM455

SAM456

SAJ553

SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.
Model No. SAM455

MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.
Model No. SAM456

MILD COLD

Single twill layer with napped inside for mild cold.
Model No. SAJ553

ZENITH® Safety Products

6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size

Model No.	Mfg. No.	Description
SEE076	16810	Half Cap Style
SEE077	16815	Full Face Style

SEE076

SEE077

WINTER LINERS

- Inner pockets at ears can hold warming packs for extra warmth
- One size

Model No.	Mfg. No.	Style No.	Layers	Lining	Length
SEE069	16850	6850	2	Fleece	Chin
SEE070	16852	6852	2	Fleece	Shoulder
SEE065	16863	6863	3	Fleece	Chin
SEE066	16867	6867	3	Fleece	Shoulder
SEE067	16950	6950	3	Sherpa Fleece	Chin
SEE068	16952	6952	3	Sherpa Fleece	Shoulder

SEE070

SEE065

SEE068

BALACLAVAS

- Polyester stretch fleece keeps head and neck warm
- Long length
- One size

Model No. SEE075
Mfg. No. 16821

N-FERNO® 6823 WIND-PROOF HINGED BALACLAVA

- Fleece with wind-protectant fabric at most vulnerable places protects against a variety of elements
- Unique hinged design
- 3-panel construction with flat lock stitching for a comfortable "made just for you" fit
- Reflective accents help keep workers safe and seen
- Long length
- Material: Fleece
- Colour: Black
- Size: One Size

Model No. SEL893
Mfg. No. 16823

ARC FLASH PROTECTION COVERALLS

- Made from arc flash resistant material
- Full cut with set-in sleeves
- FR hook and pile front closure
- 30" inseam
- Expansion back
- 2-ply Nomex® wristlets
- Hook and pile cuff opening
- Colour: Navy blue
- 8 cal/cm2 ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959
- CE 0120 certified

SALISBURY by Honeywell

Model No.	Mfg. No.	Size
SED821	ACCA8BLM	Medium
SED822	ACCA8BLL	Large
SED823	ACCA8BLXL	X-Large
SED824	ACCA8BL2XL	2X-Large

Note: Other sizes and colours are available, call today

ARC FLASH PROTECTION COATS

- Made from arc flash resistant material
- Expansion back for added comfort
- Dual stage front closure with high temperature plastic zipper
- FR hook and pile storm flap
- Length: 32"
- Coats are intended to be used with Pro-Hoods®
- Colour: Grey
- 40 cal/cm² ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959
- CE 0120 certified

Model No.	Mfg. No.	Size
SED826	ACC4032GYS	Small
SED827	ACC4032GYM	Medium
SED828	ACC4032GYL	Large
SED829	ACC4032GYXL	X-Large
SED830	ACC4032GY2XL	2X-Large

Note: Other sizes and colours are available, call today

SALISBURY by Honeywell

ARC FLASH PROTECTION KITS

- 8 cal/cm² kits include: 8 cal/cm² coveralls, faceshield with bracket, hard hat, and storage bag, balaclava-style hood, safety glasses, all in one storage bag
- 40 cal/cm² kits include: 40 cal/cm² coat, 40 cal/cm² bib overalls, 40 cal/cm² Pro-Hood®, and safety glasses, all in one storage bag
- Assists in compliance with Canadian workplace standards CSA Z462 and CAN-ULC S801

SALISBURY by Honeywell

8 CAL/CM² KITS

Model No.	Mfg. No.	Coverall Size	Hazard Risk Category
SED838	SKCA8L-1200	Large	2
SED839	SKCA8XL-AS1200	X-Large	2
SED840	SKCA82XL-AS1200	2X-Large	2

40 CAL/CM² KITS

Model No.	Mfg. No.	Garments Size	Hazard Risk Category
SED843	SK40L	Large	4
SED844	SK40XL	X-Large	4
SED845	SK402XL	2X-Large	4

Note: Other sizes and colours available, call today

ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS

SALISBURY by Honeywell

- Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from FR materials
- Made from two layers of rib knit material
- Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm²

Caution: Arc flash hoods must be worn in combination with a faceshield in order to comply with the requirements of NFPA 70E

Model No. SED820
Mfg. No. AFHOOD10

PRO-HOOD® ARC FLASH PROTECTION HOODS

- Made from arc flash resistant material
- Arc rated 10" x 20" anti-fogging replaceable lens
- Slotted bracket
- One size fits all
- Colour: Grey
- Hard hat not included
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F2178 and NFPA standard 70E, and the flammability requirements for ASTM standard F1506
- CE 0120 certified

Model No. SED825
Mfg. No. FH40GY

Note: Other colours are available, call today

SALISBURY by Honeywell

ARC FLASH PROTECTION BIB OVERALLS

- Made from arc flash resistant material
- Integrated heavy-duty suspenders
- Relaxed cut for greater mobility
- 30" inseam
- Adjustable hook and pile waist straps
- Bib front for added protection
- Adjustable gussets on pant cuffs
- Colour: Grey
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F1506 and NFPA standard 70E
- CE 0120 certified

Model No.	Mfg. No.	Size
SED831	ACB4030GYS	Small
SED832	ACB4030GYM	Medium
SED833	ACB4030GYL	Large
SED834	ACB4030GYXL	X-Large
SED835	ACB4030GY2XL	2X-Large

Note: Other sizes and colours available, call today

SALISBURY by Honeywell

STORAGE BAGS

- Includes: Large storage bag for Salisbury's Pro-Wear® arc flash clothing, gloves, and other accessories
- 24" L x 12" D x 15" H

Model No. SED846
Mfg. No. SKBAG

SALISBURY by Honeywell

SAFETY KIT 40 CAL

- Includes: Lightweight coat, bib overalls, hood, hard hat, safety glasses, 2 storage bagswith lift front hood
- Total fabric weight of 11 oz/yd²
- Lighter fabric allows for added ease of movement
- Keeps user cooler longer than a standard HRC 4 suit
- Adjustable gussets on overall cuffs allow for a more comfortable fit
- Longer coat creates better body coverage
- Complies with NFPA 70E PPE Level 4
- Meets ASTM F1506-02A
- Meets ASTM F1959M/F1959M-99
- Arc rated for the life of the garment
- Heat attenuation factor of 93.20%, meaning garment is not only flame resistant, but resists 93.2% of the heat experienced in an arc flash
- 40 cal/cm² lift front hood with fabric shroud made from premium light weight fabric

SDM701

Model No.	Mfg. No.	Size
SDM701	SK40PLT-S-LFH40	Small
SDM702	SK40PLT-M-LFH40	Medium
SDM703	SK40PLT-L-LFH40	Large
SDM704	SK40PLT-XL-LFH40	X-Large
SDM705	SK40PLT-2XL-LFH40	2X-Large
SDM706	SK40PLT-3XL-LFH40	3X-Large

ARC FLASH PROTECTION FACESHIELDS

- Utilizes nanotechnology to provide a more transparent window for improved visibility
- Shield/window designed to be easily replaced without tools
- Absorbs >99.9% of harmful UV radiation
- 7 1/2" x 20" viewing area with extra light tint
- 0.06" thick
- Faceshield unit includes: Ventilation ribs that allow a natural convection air flow through the top of the faceshield to reduce fogging of the visor, lower CO_2 levels, and improve user comfort
- **SED815** comes with a dielectric hardhat; the faceshield stows in a balanced, compact position, centred over the top of the hard hat when not needed
- ATPV rating of 12 cal/cm²
- Meets current ANSI standard Z87.1, CSA, and tested to ASTM standard F2178 specifications
- To be used with Honeywell A79 and A89 hardhats

SED816

SED817

SALISBURY by Honeywell

Model No.	Mfg. No.	Description
SED816	AS1200	Unit w/Bracket
SED815	AS1200HAT	Unit w/Bracket and Hard Hat
SED817	AS1200FS	Replacement Faceshield

ARC FLASH 40 CAL LIFT FRONT HOODS

- Shield and chin guard offer an additional 45° of vertical view over standard hoods
- Vertical peripheral vision field increases by 109% which allows for a clearer view of surroundings
- Contoured lens naturally extends range of peripheral vision giving user a greater outward visibility and more access to natural light
- Allows for use of task lights to add much needed convenience lighting in dark work place
- Contains 60% less fabric weight than standard hoods which makes it lighter and more comfortable to wear
- Reduction in fabric allows for more natural head movement and eliminates the need for frequent hood adjustments due to shifts in the excess fabric
- Industrial design creates a natural ventilation system beneath the brim of the hard hat
- Ventilated bracket design allows carbon dioxide and heat to escape as it rises from the body

Model No. SDM700
Mfg. No. LFH40

SALISBURY by Honeywell

ARC FLASH PROTECTION FACESHIELDS

- Full face and neck protection
- Broader, deeper 4" headgear and chin protector, moulded from Noryl
- Available in dual crown ratchet headgear model or duel channel cap peak mounting bracket with chin protector
- High performance injection moulded, preformed optically correct propionate visor with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2

Honeywell FIBRE-METAL

Model No	Mfg. No	Description
SAP523	FM400DCAF25	Dual Crown Protective Mask and Visor
SAP524	FM70DCAF25E2	Dual Crown Protective Mask, Visor and Safety Cap

RUBBER INSULATING GLOVES

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903

Sold per Pair

SALISBURY by Honeywell

Black Model No.	Mfg. No.	Red Model No.	Mfg. No.	Size	Length"
SED847	E011B7	**SED856**	E011R7	7	11
SED849	E011B8	**SED858**	E011R8	8	11
SED850	E011B8.5	**SED859**	E011R8.5	8.5	11
SED851	E011B9	**SED860**	E011R9	9	11
SED852	E011B9.5	**SED861**	E011R9.5	9.5	11
SED853	E011B10	**SED862**	E011R10	10	11
SED854	E011B10.5	**SED863**	E011R10.5	10.5	11
SED855	E011B11	**SED864**	E011R11	11	11

LEATHER PROTECTOR GLOVES

- Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0

Sold per Pair

SALISBURY by Honeywell

Goatskin Model No.	Mfg. No.	Cowhide Model No.	Mfg. No.	Fits Insulating Glove Size
SED865	ILPG10/7	**SED871**	ILP10/7	7 & 7.5
SED866	ILPG10/8	**SED872**	ILP10/8	8 & 8.5
SED867	ILPG10/9	**SED873**	ILP10/9	9 & 9.5
SED868	ILPG10/10	**SED874**	ILP10/10	10 & 10.5
SED869	ILPG10/11	**SED875**	ILP10/11	11 & 11.5

Warning: Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves. Proper care of leather protectors is essential to user safety. Inspect the leather protectors when inspecting rubber gloves. Metal particles, imbedded wire, abrasive materials or any substance that could physically damage the rubber gloves must be removed from the protector before use.

FLAME RESISTANT ATTACHABLE TASK LIGHTS FOR FACESHIELDS

- Arc tested FR task light features a high intensity long lasting white LED lamp with an overall brightness of 35 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- High intensity illumination is very useful when working up close
- Waterproof to 10 ft/ 3 m
- Two AAA batteries provide 3-4 hours of high brightness

SALISBURY by Honeywell

Model No.	Mfg. No.	Description
SED818	FLKIT	Attachable Task Light and Clip

Note: The **SED816** hard hat can hold two task lights.
The **SED818** only contains one task light and one clip

PORTABLE GLOVE INFLATORS

Electrical insulating gloves must be inspected before each use.
Inspection is simplified by using a portable glove inflator such as the Salisbury G100 with adapter for Class 00 and 0, and smaller size gloves, patent pending.

- Simple, easy to use
- Provides a quality means of inspecting gloves in the field
- Glove is secured to the inflator using a nylon strap and fastened with hook and pile, or a rubber O-ring
- Inflation is accomplished by pumping the bellows of the inflator

Model No. SED957
Mfg. No. G100

SALISBURY by Honeywell

TEN-FOUR® GLOVE DUST

- A cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves
- The 5-oz. bottle easily fits in a pocket or glove bag

Model No. SED958
Mfg. No. 10-4

SALISBURY by Honeywell

GLOVE BAGS

- Constructed of heavy-duty canvas duck
- Double-stitched at stress points for extra durability
- Features a snap hook for hanging on work belts
- Tapered gussets with wide opening tops for easy insertion

Model No. SED877
Mfg. No. GB112

SALISBURY by Honeywell

Non-Sparking, Non-Magnetic Tools

Ampco non-sparking, non-magnetic, corrosion-resistant safety tools are FM approved. Made in the U.S.A. Backed by a limited lifetime warranty. Effectively limit sparking and meet OSHA's New Hazard Communication Standard stating that non-sparking tools are required with flammable liquids. Non-sparking tools for use in locations where flammable vapours and/or combustible residues are present. Non-sparking or intrinsically safe tools are also required and/or recommended by NFPA, MSHA and NIOSH. Ideal for petroleum, metalworking, paint finishing, and transportation applications. Also used in woodworking, fertilizer production, and grain handling where high levels of dust are prominent. The metals used to make Ampco Safety Tools are highly conductive and should be grounded if there is a risk for static sparks.

Non-sparking metal - High-strength for impact and torque applications. Brinell hardness is 200 to 350. Tensile strength is 95 000 to 150 000 PSI.

Beryllium Copper* Superior strength for impact and torque applications. Most effective material for tools with cutting edges or gripping teeth. Brinell hardness is 332 to 382. Tensile strength is up to 200 000 PSI.

* All models made from non-sparking metal, some contain beryllium copper where indicated.

WRECKING & PRYING BARS

Cast from a high-strength nickel-aluminum bronze.
Ideal for handling potentially flammable or hazardous items.

Model No.	Description	Bar"	Overall Length"	Wt. lbs.
TP417	Crow Bar	5/8 Hex.	18	1.9
TP418	Crow Bar	3/4 Hex.	24	3.8
TP420	Crow Bar	7/8 Hex.	36	7.2
TP421	Pinch Bar w/Bent Chisel Tip	3/4 Hex.	18	2.3
TP423	Pinch Bar w/Bent Chisel Tip	1 Hex.	36	8.7
TP424	Pry Bar w/Straight Chisel Tip	1 1/4	60	18.8

HAMMERS & MALLETS

Non-sparking metal construction, cast from a high strength nickel-aluminum bronze. Fibreglass handle for durability and vibration control.

Model No.	Description	Head Wt. lbs.	Face Dia."	Overall Length"
BB514	Curved-Claw Nail Hammer Smooth Striking Face	1.00	1	14
BB517	Curved-Claw Nail Hammer Smooth Striking Face	1.25	1	14
BB488	Ball Pein Hammer	1.00	1 1/4	14
BB489	Ball Pein Hammer	1.50	1 3/8	14
BB490	Ball Pein Hammer	2.00	1 1/4	14
BB498	Double-Face Engineer's Hammer	1.75	1 3/8	14
BB504	Double-Face Engineer's Hammer	2.75	1 1/2	15
WI941	Sledge Hammer	5.00	2	33
WI943	Sledge Hammer	10.00	2 3/8	33
WI944	Sledge Hammer	15.00	2 3/4	33
WI945	Sledge Hammer	18.00	3	33
WI953	Mallet	2.00	1 1/2	14
WI954	Mallet	4.00	2	15
WI955	Mallet	6.00	2 1/4	15
BB497	Bricklayer's Hammer	1.50	3/4	14

SAFETY FLANGE WEDGES

- Cast from high strength nickel-aluminium bronze

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"
TLV212	W-1	3 1/4	x	1/2	x	1/4
TLV213	W-2	3 1/4	x	3/4	x	1/2
TLV214	W-3	6	x	1	x	1/2
TLV215	W-4	6	x	1 1/2	x	3/4
TLV216	W-5	7	x	1 1/4	x	1/2

SHOVELS & SCOOPS

Non-sparking metal construction. One-piece blade, hollow-socket shovels and scoops. High strength and manageable weight allow for continuous and effective use. Long-handled models have fibreglass handles and D-handled models have fibreglass handles with a plastic grip bar.

Model No.	Blade Dim. W"	x	Handle H"	Overall Style	Length"
ROUND-POINT SHOVELS					
TP509	9	x	11 1/4	D	37
TP510	9	x	11 1/4	Long	56 1/2
SQUARE-POINT SHOVELS					
TP511	9	x	11	D	37
TP512	9	x	11	Long	58
SCOOP SHOVELS					
TP513	14	x	17	D	40
TP514	14	x	17	Long	60 1/2

FLOOR SCRAPERS

- Cast from a high strength nickel-aluminum bronze
- Fibreglass handle sold separately

Model No.	Description	Blade Dim. L"	x	W"	Overall Length"
TP480	Scraper, Short Blade	1 1/2	x	3	7
TP483	Scraper, Short Blade	1 1/2	x	6	6 3/4
TP485	Scraper, Long Blade	2 1/2	x	4	9
TP487	Scraper, Long Blade	2 1/4	x	6	8 1/2
TP489	Plain Floor Scraper	6 3/4	x	6	6 3/4
TP469	Fibreglass Handle for Floor Scraper		-		65

HAND SCRAPERS

- Cast from a high strength nickel-aluminum bronze
- Choose from a variety of models

Model No.	Description	Blade Dim. L"	x	W"	Overall Length"
TP474	Spray Booth Scraper	4	x	3	9 1/4
TP475	Pick and Scaler Scraper	2 1/4	x	3	17 3/4
TP476	Hand Styler Scraper w/Plastic Handle	3 3/4	x	3 3/4	19
TP477	Deck Scraper w/Single Blade and Handle	-		1 1/2	15
TP478	Deck Scraper w/Blade on Each End	-		7/8	7 7/8

COMBINATION WRENCHES

- 15° angle and 12-point box

Model No.	Size"	Length"
TX692	3/8	6 5/16
TX693	7/16	7 1/4
TX694	1/2	7 1/4
TX695	9/16	8 1/4
TX696	5/8	8 7/8
TX697	11/16	10 1/8
TX698	3/4	10 1/8
TX699	7/8	13 1/4
TX700	15/16	13 1/4
TX701	1	13 1/4
TX702	1 1/16	17
TX703	1 1/8	17
TX704	1 1/4	19 1/2
TX705	1 5/16	16 15/16
TX706	1 3/8	21 1/4
TX707	1 7/16	21 1/4
TX708	1 1/2	22
TX709	1 5/8	22

ADJUSTABLE WRENCHES

Model No.	Max Jaw Width"	Length"
TX679	15/16	6
TX680	1 1/8	8
TX681	1 5/16	10
TX682	1 1/2	12
TX683	1 11/16	15

ADJUSTABLE PIPE WRENCHES

- Cast from nickel-aluminum bronze (beryllium copper teeth)
- Available with aluminum handles

Model No.	Jaw Material	Handle Material	Max Jaw Width"	Length"
TX684	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	1 15/16	8
TX685	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 1/2	10
TX686	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 13/16	14
TX687	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	3 3/16	18
TX688	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	4 1/4	24
TLV206	Nickel-Aluminum Bronze	Aluminium	2 1/2	10
TLV208	Nickel-Aluminum Bronze	Aluminium	3 3/16	18
TLV209	Nickel-Aluminum Bronze	Aluminium	4 1/4	24

BUNG WRENCHES



Model No.	Description	a"	b"	c"
UQ924	For 3/4 and 2" Bungs	2	2	12
TX691	For 22 Different Bung Sizes	2 1/2	2 1/4	15

SCREWDRIVERS

- Shank made of beryllium copper



Model No.	Type	a"	b"	c"	Wt. lbs.
STANDARD					
TD625	-	1/8	6	9 1/2	0.12
TD613	-	5/16	3	6 1/2	0.14
TD614	-	5/16	6	10 1/8	0.3
TD615	-	3/8	8	13	0.5
TD616	-	3/8	12	17	0.64
PHILLIPS					
TD617	#1	-	3	6 1/2	0.12
TD618	#2	-	4	7 1/2	0.16
TD619	#3	-	6	10 1/8	0.3
TD620	#4	-	8	13	0.5
CABINET-TIP					
TD623	-	1/4	4	7 5/8	0.14
TD624	-	3/16	3 1/2	6 5/8	0.14
TD626	-	3/16	6	9 1/2	0.16
TD627	-	3/8	12	17	0.75

PUTTY KNIVES

- Made from nickel copper
- Use with volatile resins, paints, inks and other compounds
- Blade is riveted to wood handle

Model No.	Blade Width"	Blade Length"	O. A. Length"
PUTTY KNIVES - STIFF BLADE			
TX710	1 1/4	3 9/16	7 3/4
TX711	2	4	8
TX712	3 1/2	4 1/2	8 1/2
PUTTY KNIFE - FLEXIBLE BLADE			
TX713	3 1/2	4 1/2	8 1/2

PLIERS

- Cast from a high-strength nickel-aluminum bronze
- Cushion-grip handle provides powerful leverage, comfort and added safety



Model No.	Description	Jaw Width"	Overall Length"
TP452	Combination Slip-Joint Pliers	5/16	6 1/2
TP453	Combination Slip-Joint Pliers	1/2	8
TP454	Lineman's Pliers w/Side Cutter	5/8	8 1/2
TP455	Tongue and Groove Pliers, 6 Positions	1 1/2	10
TP456	Tongue and Groove Pliers, 6 Positions	2 1/8	12
TP457	Long-Nose Pliers w/Side Cutter, 1/8" Jaw Tip	1/3	7

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

SEB837

SEB838

SAF847

SAF848

SAF837

COMPRESSED GAS (9" DIAMETER CYLINDERS)

Model No.	Dimensions W"	x	D"	x	H"	Cylinder Capacity	Wt. lbs.
SAF837	44	x	30	x	74	10	210
SAF848*	88	x	30	x	74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W"	x	D"	x	H"	Cylinder Capacity	Wt. lbs.
SEB837*	30	x	17	x	37	2	70
SEB838*	17	x	17	x	69	2	85
SAF836	44	x	30	x	37	6	135
SAF847	44	x	30	x	74	12	270

*All-welded, fully assembled

ALUMINUM LPG CYLINDER LOCKER STORAGE

- Constructed of 100% welded aluminum, they won't rust, corrode or discolor
- Aluminum, expanded metal panels are the heaviest in the industry – 20% heavier than others – offering additional resistance to tampering
- Heavier gauge aluminum mesh and extruded (not bent) frame add rigidity
- Justrite® offers an exclusive solid aluminum roof panel that slants to the back to shed water and ice

Aluminum cylinder storage lockers are ideal for any facility using a forklift truck or welding equipment.

Sloped roof design sheds water and ice to the rear. Solid top reinforces stability.

Comes complete with warning and full/empty cylinder labels. Extruded framework provides superior strength.

Complies with NFPA 58 and OSHA 1910.110 or CSA-B149.2.

Heavy expanded aluminum for improved security. All-welded aluminum construction resists abusive outdoor elements – won't rust or discolor.

Easy to use rack positions cylinders securely and stores 20 and 33-lb. cylinders.

Designed to accept padlock (not included) to prevent unauthorized access.

Cylinders stay clear of ground with strong floor plate.

Pre-drilled hole at each corner for anchoring. Accepts 1/2"anchor maximum security and stability.

SAI577


SAI576


SAI575

SAI574


SAI573

JUSTRITE®

Model No.	Mfg. No.	Description	Cylinder Type	Capacity	Dimensions W"	x	H"	x	D"	Wt. lbs.
SAI573	23009	4-Cylinder Vertical	LPG	4 - 20 or 33-lb cylinders	30	x	33 1/2	x	32	79
SAI574	23010	8-Cylinder Vertical	LPG	8 - 20 or 33-lb cylinders	30	x	65	x	32	114
SAI575	23011	16-Cylinder Vertical	LPG	16 - 20 or 33-lb cylinders	60	x	65	x	32	211
SAI576	23006	10-Cylinder Vertical	Compressed Gas	Up to 10 comp. gas cylinders	30	x	65	x	32	102
SAI577	23007	20-Cylinder Vertical	Compressed Gas	Up to 20 comp. gas cylinders	60	x	65	x	32	187

GAS CYLINDER CARTS

- Choice of carts for a wide range of cylinder sizes and terrains



	Model No.	Base W" x D"	Wheel Type	Capacity	Weight lbs.
A	**ML413**	25 x 13	16" Dia. pneumatic	244 cu.ft. oxygen, 300 cu.ft.acetylene cylinders	55
B	**ML414**	12 x 10	10" Dia. semi-pneumatic	300 cu.ft. 9" Dia. cylinder	22
C	**ML415**	25 x 13	14" Dia. x 3" rubber	244 cu.ft. oxygen, 300 cu.ft. acetylene cylinders	55
D	**ML416**	12 x 18	10" Dia. semi-pneumatic	144 cu.ft. or 244 cu.ft. oxygen, 130 cu.ft. acetylene cylinders	27
E	**ML417**	19 x 10	10" Dia. semi-pneumatic	144 cu.ft. or 244 cu.ft. oxygen, 130 cu.ft. acetylene cylinders	30
F	**TTT455**	12 x 14	8" Dia. rubber semi-pneumatic	244 cu.ft. oxygen cylinder	30

MINI-MIG WELDING CARTS

MM-8 Series Cylinder Cart

- Designed to carry a variety of Mini-MIG, Inverters, and Plasma machines
- Dimensions: 18" W x 36" D x 17" H
- Weight: 48 lbs
- Cylinder capacity: 9 1/2"

Model No. ML419

KLETON

DUAL-CYLINDER DOLLIES

- Accommodates cylinders up to 12" in diameter, including a class 300 SCF industrial gas cylinder and a no. 5 acetylene cylinder
- Composite construction withstands extreme weather conditions
- Tough 16.5" diameter pneumatic wheels gives maneuverability on rough terrain
- 36" built-in tray holds tools, valves and torches
- Powder coat finish steel tool/supplies tray
- Handle offers maximum stability allowing for wrapping of hose equipment
- Rust, corrosion and spark resistant
- Will not dent, chip or scratch paint from cylinders
- Dimensions: 36.88" L x 23.5" W x 45" H
- Weight: 57 lbs.
- Load capacity: 500 lbs.

Model No. SAP856
Mfg. No. 7302-BK

ENPAC

UNIVERSAL MODULAR CYLINDER BRACKETS

- Design your own configuration
- Units link together to customize the amount of cylinders needed
- Attaches to any wall securely and easily
- Yellow polyethylene
- Accommodates 3" to 10" diameter cylinders
- Straps included
- Dimensions: 15.3" W x 3.3" D x 6.3" H
- Weight: 1 lbs.
- OSHA 29 CFR.1910 approved
- **Sold individually**

Model No. SED115
Mfg. No. 7216-YE

ENPAC

6-PACK CYLINDER RACKS

- Maximizes floor space
- Will not rust or corrode
- Suited for outdoor storage
- Forkliftable, crane liftable or optional black caster frame for mobility to go anywhere
- Sturdy retaining straps assure stable storage
- Optional black accessory strap can be added to bottom for extra security
- Molded-in cap holders to keep cylinder caps at hand
- Cylinder rack has a loading capacity of 1200 lbs.
- Optional black rack ramp attaches for easy manoeuvering of cylinders
- Handling capacity of 1000 lbs.
- Handles 3" to 10" diameter cylinders
- OSHA 29 CFR.1910 approved

ENPAC

Model No.	Mfg No.	Description	Dimensions L"	x	W"	x	H"	Wt. lbs.
SE967	7202-YE	Cylinder Rack	48	x	31	x	41	62
SE968	7204-BK	Caster Frame	33 1/2	x	31 1/2	x	4 1/2	50
SE969	7205-BK	Bottom Straps			-			1
SE970	7203-BK	Rack Ramp	46	x	20	x	6	21

24-OZ. FIBREGLASS LAVASHIELD™ WELDING BLANKETS

- 24-oz. black fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 1000 °F (538 °C)

Applications: Heavy-duty vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray.
General purpose drop cloth for protection against welding spatter.

Model No.	Dimensions'
NT896	6 x 6
NT821	6 x 8

30-OZ. FIBREGLASS LAVASHIELD™ WELDING BLANKETS

- 30-oz. gold fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 1000 °F (538 °C)

Applications: Heavy-duty drop cloth and vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray.

Model No.	Dimensions'
NT822	6 x 6
NT823	6 x 8

18-OZ. SILICA LAVASHIELD™ WELDING BLANKETS

- 18-oz. Sahara brown silica fabric
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 2192°F (1200°C)

Applications: General purpose drop cloth and vertical curtain protection against extremely high temperature sparks, molten splash, welding spatter and grinding spray.

Model No.	Dimensions'
NT824	3 x 3
NT825	6 x 6

WELDING BLANKETS

- Weldflex specially coated cloth, combination of aramid and silica fibres
- Treated to enhance shedding of molten metal splash generated by most severe welding or furnace operations
- Highly abrasion resistant, exceptional strength and durability, good heat resistance
- Soft, pliable and non-irritating
- Sheds welding spatter and molten metal up to 3000 °F on a 15°-20° incline
- Protects objects and machinery while welding

Model No.	Mfg. No.	Dimensions'
SF063	FB-020-0505	5 x 5
SF064	FB-020-0506	5 x 6
SF065	FB-020-0507	5 x 7
SF066	FB-020-0508	5 x 8
SF067	FB-020-0509	5 x 9
SF068	FB-020-0510	5 x 10

WILSON* WELD-O-GLASS WELDING BLANKETS

- 24-oz. black fibreglass, vermiculite coated
- Heavy-duty, general purpose welding blankets
- Provides protection from sparks, spatter and slag
- Temperature resistance: 1200 °F
- ANSI FM-4950 certified for use in vertical applications



Model No.	Mfg. No.	Dimensions'
146-3100	37595	3 x 3
146-1312	36302	6 x 6
146-1367	36318	6 x 8

FLAME PROTECTOR

- Made with flame-retardand Zoltek Pyron fibers
- Protects studs, walls, floors and other surfaces from sparks or flame
- Ideal for use with propane and MAPP gas torches
- Withstands temperatures up to 2500° F
- Includes brass eyelets for hanging from a stud or wall
- Size: 9" W x 12" L

Model No. BP918
Mfg. No. 31400



WILSON* WELDING UMBRELLAS

- Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Made of Rip-Stop vinyl which is water-resistant, fire-retardant and very tear-resistant

Model No.	Mfg. No.	Dimensions Dia' x H'
146-2050	36684	6.5 x 7



COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS

FRAMES

- Innovative COMBOframe combines high durability with extreme versatility
- Made with heavy-duty finished steel tubing and connects with spring-pins
- Assembles in less than five minutes, no tools required
- Adjustable to fit both 6' and 8'-wide welding screens
- Includes 360° swivel connectors that allow various configurations



LAVASHIELD™ CURTAINS

- Specially formulated 16-mil thick vinyl
- **NT832** and **NT833**: 25-mil thick cotton duck canvas
- Grommets every 12" interval
- Screen edges are hemmed with DuPont® Kevlar® stitching
- Resists to UV rays, flame and abrasion
- **Sold per panel**

Yellow

Orange



Green



Olive

SEB618

CURTAINS & FRAMES

Model No.	Dimensions W'	x	H'	Transparency	UV Resistance	Colour
NT888	6	x	6	High	Moderate	Yellow
NT889	8	x	6	High	Moderate	Yellow
NT890	6	x	6	High	Moderate	Orange
NT891	8	x	6	High	Moderate	Orange
NT892	6	x	6	Moderate	Moderate	Green
NT893	8	x	6	Moderate	Moderate	Green
NT894	6	x	6	Opaque	Maximum	Olive
NT895	8	x	6	Opaque	Maximum	Olive

CURTAINS ONLY

Model No.
NT826
NT827
NT828
NT829
NT830
NT831
NT832
NT833

FRAMES ONLY

Model No.	Description
NT834	Modular Frame, Adjustable Width 6' or 8'

OPTIONAL CASTERS

Model No.	Description
SEB618*	2" Rubber Caster with Brake

*Sold individually, two casters required per frame's foot

WILSON* WELDING SCREENS

- Comprised of 1" square steel tubing assembled with unique corner brackets for the toughest frame product available
- Minimizes frame wobble and sway
- Offer unique combination of strength, sturdiness and safety
- Orange Spectra see thru curtain filters 100% of far UV radiation and 100% of blue light
- Heavy-duty 14-mil vinyl film minimizes arc glare
- Custom sizes available
- **Sold per panel**


2 panels shown

Kimberly-Clark PROFESSIONAL*

Model No.	Mfg. No.	Dimensions W' x H'
CURTAINS & FRAMES		
TTV105	-	6 x 6
TTV106	-	8 x 6
TTV107	-	10 x 6
FRAME ONLY		
TTV099	36336	6 x 6
TTV100	36338	8 x 6
TTV101	36333	10 x 6
CURTAIN ONLY		
146-1280	36292	6 x 6
146-1340	36307	8 x 6
146-1510	36278	10 x 6

WELDSAFE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 9/16" thick
- Green rating > 33% post industrial material
- Colour: Black

3-YEAR WARRANTY

ANTI-FATIGUE MAT SPECIFICALLY DESIGNED FOR WELDING!



WEARWELL

Model No.	Dimensions W' x L'
NG181	2 x 3
NG182	3 x 5

FLEXIBLE FRAME GOGGLES

- Soft PVC frame seals out light leaks
- Choice of 2" x 4 1/4" fixed front or flip front design
- Comes complete with shade 5 lens

NT646

NT647

Model No.	Description
NT646	Fixed Front
NT647	Flip Front

CUP GOGGLES

- Rigid 2" (50 mm) round lens cup goggle
- Comes complete with shade 5 lens

Model No. NT648

V-MAXX™ GOGGLES

- Sleek wrap-around styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3

SAI907

Model No.	Mfg. No.	Description	Lens Tint
SAI907*	11250830	Indirect Vent, Black Frame and Headband	Shade 3.0
SAI908*	11250850	Indirect Vent, Black Frame and Headband	Shade 5.0
SAI905*	11250800	Direct Vent, Red Headband	Clear, Fog-ban®
SAI906	11250810	Indirect Vent, Black Neoprene Headband	Clear, Fog-ban®
SAI909	11250860	Goggle Covers, 10/pkg	-

* Elastic Headband

JACKSON SAFETY* V80 WILDCAT* GOGGLES

- Extreme heat resistance, will not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to help increase airflow
- Fits naturally to the contour of your face
- Lightweight and comfortable with a pivot headband that allows for optimal placement
- Meets ANSI standard Z87.1+ and compliant with CSA standard Z94.3

TTT946

TTT948

TTT950

Model No.	Mfg. No.	Lens Tint
TTT946	20525	Clear Anti-Fog
TTT947	20526	Smoke Anti-Fog
TTT948	20527	Amber Anti-Fog
TTT949	20528	Shade 3.0 Anti-Fog
TTT950	20529	Shade 5.0 Anti-Fog

JACKSON SAFETY* V90 SHIELD* GOGGLES

- Features the Monogoggle* XTR* with indirect ventilation and a polycarbonate shield for full face protection
- Shield detaches from the goggles
- Curved face shield conforms to shape of face offering added protection
- Can be used over most prescription eyeglasses
- Meets ANSI impact standard Z87.1+

TTT954

TTT955

Model No.	Mfg. No.	Lens Tint
TTT954	18629	Clear Anti-Fog
TTT955	18631	Shade 3.0 Anti-Fog
TTT956	18633	Shade 5.0 Anti-Fog

JACKSON SAFETY* WH40 SMARTIGER* BALDER* WELDING HELMETS

- Internal adjustable shade 9-13
- Internal adjustable sensitivity
- Aerodynamic shell designed for better fume deflection
- Solar-powered unit with two arc sensors
- Can be used for torch cutting
- Lightweight at 19.2 oz
- Auto-on ADF is always ready to weld
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- 5-year warranty

SEH126

SEH127

Model No.	Mfg. No.	Description
SEH126	37188	SmarTIGer* Balder* Black
SEH127	37187	SmarTIGer* Balder* Torch Dancer
SDL094	37247	External Safety Lens, 10/Pkg.
SDL095	37249	Internal Safety Lens, 10/Pkg.

JACKSON SAFETY* WH70 BH3* BALDER* WELDING HELMETS

- Superior angle of view
- Enhanced visibility and colour recognition
- Variable shade 9-13, adjustable sensitivity and opening time delays
- Solar-powered unit with two arc sensors
- Curved front cover plate offers reduced heat build-up, reflections and fogging
- Aerodynamic shell designed for better fume deflection
- Can be used for torch cutting
- Quick and easy replacement of safety plates
- Lightweight at 19.84 oz.
- Auto-on ADF is always ready to weld
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- 5-year warranty

SEH125

Model No.	Mfg. No.	Description
SEH125	37191	BH3* Black
SDL094	37247	External Safety Lens, 10/Pkg.
SDL096	37248	Internal Safety Lens, 10/Pkg.

JACKSON SAFETY* WH70 TRUESIGHT* II DIGITAL ADF WELDING HELMETS

DELIVERS BEST-IN-CLASS OPTICAL CLARITY BY INTRODUCING BALDER* TECHNOLOGY TO TRUESIGHT* II'S LARGE VIEWING AREA AND DIGITAL CONTROLS

- Optical classification 1/1/1/1 rating
- Variable shade from 5-8 and 9-13
- 3.25" x 4.00" viewing area
- Digital controls (Designed by welders for welders)
- Weld, grind and torch modes (3-N-1 welding helmet)
- Delay and sensitivity adjustments
- Four sensors and auto off
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- DIN rating EN379

SEC603

Model No.	Mfg No.	Description
SEC603	29371	HLX w/Truesight* II Digital ADF, Black
SEC604	30319	Truesight* II ADF Cartridge 4 1/2" x 5 1/4"
SEC605	30320	External Safety Lens
SEC606	30321	Internal Safety Lens

JACKSON SAFETY* WH30/WH40 ELEMENT* ADF WELDING HELMETS

- Lightweight shell weighs only 6 oz.
- Available in two different auto-darkening filters: ADF fixed shade 10 and ADF variable shade 9-13
- Two independent arc sensors
- Solar powered unit
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3

SEA769

Model No.	Mfg. No.	Description
WH30 ELEMENT*		
SEA770	23286	Welding Helmet-Fixed Shade 10 ADF, 4.33" x 3.54"
SEA772	23440	Replacement Cover Lens Kit - Includes 5 Front and 2 Rear Safety Plates
WH40 ELEMENT*		
SEA769	23282	Welding Helmet-Variable ADF, 4.33" x 3.54"
SEA771	29127	Replacement Cover Lens Kit - Includes 5 Front and 2 Rear Safety Plates

JACKSON SAFETY* WH10 PASSIVE WELDING HELMETS

- Narrow shell design is perfect for work in tight space
- Extended front increases throat protection against sparks, slag and other physical hazards
- Comes standard with cover plate and shade 10 polycarbonate filter plate
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3

SD617

PB193

Model No.	Mfg. No.	Description	Colour
HSL-2 HELMETS - 2" X 4 1/4"			
PB193	14982	Flip Front	Black
SD618	14983	Flip Front	Blue
HSL-100 HELMETS - 4 1/2" X 5 1/4"			
SD617	14975	Fixed Front	Black
SAN172	14976	Fixed Front	Blue

JACKSON SAFETY* WH40 INSIGHT* VARIABLE ADF WELDING HELMETS

- Get the high-level elements of a high-performance welding lens without the high price
- Offers an ADF with digital and multi-function controls for any welding job
- Sensitivity and delay adjustments
- Four independent sensors
- Easy-to-use digital controls
- Torch, grind and weld modes
- Variable shade: 9-13
- Viewing area: 3.93" x 2.36"
- Meets ANSI standard Z87.1 and compliant with CSA standard

Model No.	Mfg. No.	Description
SDP562	40710	HSL100 Black w/Insight* ADF
SDP563	40709	Insight* ADF Cartridge, 4.5" x 5.25"
SDP564	41594	Internal Lens, 10/Pkg.
SDP565	41589	Replacement Cover Lens Kit - 5 Front and 2 Rear Safety Plates

JACKSON SAFETY* ELEMENT* REPLACEMENT HEADGEARS

- Teeth are automatically disengaged during adjustment
- Compatible with Element* helmets only

Model No. SED982
Mfg. No. 23442

JACKSON SAFETY* WH40 NITRO* VARIABLE ADF WELDING HELMETS

- Offers welders outstanding features at an economical price point
- Variable shade 9-13, sensitivity and delay adjustments
- Lightweight – Only weighs 1 pound fully assembled
- Three independent sensors
- Solar powered
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3

SAS083

Model No.	Mfg. No.	Description
SAS083	21931	Nitro* Blue w/Nitro* ADF
SAS084	21947	Nitro* ADF Cartridge, 4.33" x 3.54"
SEA270	20696	370 Series Headgear
SEA573	22603	Replacement Cover Lens Kit - Includes 5 Front and 2 Rear Safety Plates
SAS086	21119	24-Pc. Back Cover Plate, 5/Bag

JACKSON SAFETY* AIRMAX ELITE* PAPR WITH BH3*

- BH3* Air welding helmet features variable auto-darkening filter with Balder Technology
- The Balder Technology provides superior optical viewing clarity from any angle along with largest ADF viewing area of 3.78" x 2.70"
- Variable ADF with grind mode, with adjustable shades 6-8 (grind) and 9-13 via external knob
- Lightweight blower with advanced control system to maintain constant air flow rate throughout the charge of the battery
- Audible and visual vibrating alarms signal welder when need for new filter or battery change
- Three-layer filter provides NIOSH approved HE filtration from particulate contaminants
- The pre-filter extends the operating life of the main filter by capturing coarse particles
- The spark arrester helps protect the main filter from damage by sparks and welding spatter
- Flame-retardant breathing hose is protected against sparks and flexes with the welder during use
- Rechargeable lithium ion battery is the newest battery technology that provides 8 hours of power
- Smart Battery Charger indicates when charging and when complete without overcharging the battery

SDN572

POWERED AIR PURIFYING RESPIRATOR ASSEMBLY

Model No.	Mfg. No.	Description	Battery Type
SDN572	40839	Jackson Safety* Airmax Elite* PAPR	Lithium Ion

BLOWER

Model No.	Mfg. No.	Description
SDN574	40880	Blower Unit Kit

REPLACEMENT BATTERY & CHARGER

Model No.	Mfg. No.	Description
SDN584	40864	Battery Life: 8 Hours
SDN585	40863	Charging Time: 2 Hours

ACCESSORIES

Model No.	Mfg. No.	Description
SDN581	40878	HE Filter (6 pack)
SDN582	40876	Filter Cover and Spark Arrestor
SDN583	40877	Pre-Filter (10 pack)

Other replacement parts are available

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Choice of 2" x 4 1/4" flip front or 4 1/2" x 5 1/4" wide vision fixed front
- Passive lens
- Material: Thermoplastic

NT645

NT687

Model No.	Description	Window Dimensions"
NT645	Flip Front	2 x 4 1/4
NT687	Fixed Front	4 1/2 x 5 1/4

JACKSON SAFETY* 370 SERIES REPLACEMENT HEADGEAR

- Removable comfort cradle is a pivoting head pad that conforms to any head size
- 3-position slider adjusts distance of the lens from your eyes for precise vision
- Crown strap adjustment allows the headgear to be raised or lowered for maximum comfort and performance
- Sweatband helps absorb perspiration
- Vertical lock-in eliminates helmet creeping
- Compatible with HaloX, Nitro*, Nexgen*, Master 3-N-1, Solera, Truesight*, Boss* 3-N-1 and Professional welding helmets

Model No. SEA270
Mfg. No. 20696

JACKSON SAFETY* WH20 860P LEATHER WELDING HELMETS

- Ideal for use in confined spaces
- Tough, pliable, breathable leather covering
- Flip-front glass holder, 2" x 4 1/4"
- Includes adjustable headgear

Model No. 141-1120
Mfg. No. 14531

JACKSON SAFETY* WH20 H500 FIBREGLASS HANDSHIELD

- For quick inspection, providing guidance and monitoring robotic welds
- Designed for high-heat applications
- Features fibreglass helmet with injection-molded plastic handle
- Fixed front, 5 1/4" x 4 1/4"
- Must purchase a filter prior to use
- Lens plates sold separately
- Meets ANSI standard Z87.1

Model No. SAN181
Mfg. No. 14967

JACKSON SAFETY* HELMET BAGS

- Made of heavy-duty denier fabric with drawstring closure
- Features hook and loop close front lens pocket and two side mesh tool pockets
- Fits all Jackson Safety* helmets

Model No. TTU304
Mfg. No. 18935

P550 WELDING HELMETS

- External controls enable welders to manually adjust their shade level
- Sensitivity Control prevents ADF from responding too soon or not at all to their arc flash
- Opening Delay function allows welders to adjust the time it takes to switch from dark to light
- Bright helmet color combinations, side panel designs add personalization, visibility in dark environments
- Shade level 4/9-13
- Grind mode shade 4
- Power by solar cells and two lithium batteries
- Application range: all electric arc welding processes
- Prohibited for overhead welding and laser/gas welding
- Complies with CSA standard Z94.3
- 2-year warranty

SED542

SED543

SED544

SED545

HELMETS

Model No.	Mfg. No.	Descritpion	Colour
SED542	1007.000	Unpainted (No Side Cover)	Black
SED543	1007.010	Reptile Side Cover	Black/Green
SED544	1007.020	Bulldog Side Cover	Black/White
SED545	1007.030	Tiger Side Cover	White/Black
SED546	5012.700	Replacement Auto-Darkening Filter	–

ACCESSORIES

Model No.	Mfg. No.	Description	Qty/Pkg.
COVER LENSES			
SAX006	5000.001	Inside Cover Lenses	5
SED552	5000.250	Front Cover Lenses	5
MAGNIFICATION LENSES			
SAX008	5000.050	1.00 Diopter	1
SAX009	5000.051	1.50 Diopter	1
SAX010	5000.052	2.00 Diopter	1
SAX011	5000.053	2.50 Diopter	1

E600 SERIES WELDING HELMETS

- Offers the widest range of shade levels available in an autodarkening welding helmet
- External controls enable welders to manually adjust their shade level without removing helmets
- Curved helmet design deflects smoke, particles, and other debris, and is ideal for overhead welding
- Sensitivity Control prevents ADF from responding too soon or not at all to their arc flash
- Opening Delay function allows welders to adjust the time it takes to switch from dark to light
- Sensor Slide allows the detection angle to be reduced from 120° to 60°
- Grind mode shade 4
- Powered by solar cells and two lithium batteries
- Approved for overhead welding
- Complies with CSA standard Z94.3

optrel®

e650

- Shade Level 4/9-13

Model No.	Mfg. No.	Description	Colour
SAX003	1006.300	e650 Helmet	Black Unpainted
SAX004	1006.310	e650 Helmet	Red
SAX005	5012.440	Replacement Auto-Darkening Filter	-

e684

- Adaptive shade autopilot automatically adjusts the shade level as one welds
- Third sensor detects changes in arc intensity and adjusts shade level accordingly
- Twilight ADF technology restores light more naturally, presenting a smoother transition to the eye
- High definition viewing
- True colour filter optimizes view of colours in true form
- Curved helmet optimized for overhead welding
- Shade Level : 4/5-13

Model No.	Mfg. No.	Description	Colour
SFI934	1006.500	e684 Helmet	Silver
SFU861	1006.501	e684 Helmet	Black
SFU862	1006.502	e684 Helmet	Dark Blue
SFI935	5012.480	Replacement Auto-Darkening Filter	-

SAM898

616-1570

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.
SAM897	5000.210	Front Cover Lenses	2
SAM898	5000.212	Front Cover Lenses	5
SAX006	5000.001	Inside Cover Lenses	5
SAX008	5000.050	Magnification Lens, 1.00 Diopter	1
SAX009	5000.051	Magnification Lens, 1.50 Diopter	1
SAX010	5000.052	Magnification Lens, 2.00 Diopter	1
SAX011	5000.053	Magnification Lens, 2.50 Diopter	1
616-1570	5003.250	Replacement Headgear	1

VEGAVIEW2.5 WELDING HELMETS

- Brightest view in light state and grind mode at shade level 2.5
- Shade level 2.5/8-12
- External infinite shade level adjustment enables welders to manually adjust their shade level from 8-12
- True colour filter optimizes view of colours in true form
- Sensitivity control prevents ADF from responding too soon or not at all to their arc flash
- Opening delay allows welders to adjust the time it takes to switch from dark to light
- Curved helmet optimized for overhead welding
- Meets CSA standard Z94.3
- 2-year warranty

SFI930

SFI931

optrel®

Model No.	Mfg. No.	Description	Colour
SFI930	1006.600	vegaview2.5 Helmet	Black Unpainted
SFI931	5012.470	Replacement Auto-Darkening Filter	-

ACCESSORIES

Model No.	Mfg. No.	Description	Qty/Pkg.
SAM898	5000.212	Front Cover Lenses	5
SAM901	5000.300	Inside Cover Lenses	5

HELMET ACCESSORIES

LEATHER NECK PROTECTORS

- Covers the entire lower neck and back regions of head
- Clips on to the rim of the helmet shell

optrel®

Model No.	Mfg. No.	Description
SAN049	4028.016	Fits all Optrel® helmets

LEATHER CHEST PROTECTORS

- Ensures the safety of welder's chest region
- Clip attachment grips the rim of helmet
- Provides secure fit while eliminating the need for hook and loop type attachments on shell

optrel®

Model No.	Mfg. No.	Description
SAN051	4028.015	Fits all Optrel® helmets

OTHER ACCESSORIES

- **Sweatbands** - For use with all Optrel® helmets
- **Helmet Back Pack** - Back-pack style

SAN046

SEK875

optrel®

Model No.	Mfg. No.	Description	Qty /Pkg.
SAN046	5004.073	Front Sweatbands	2
SDP288	5004.020	Back Sweatbands	2
SEK875	9410.043.00	Helmet Back Pack	1

SPEEDGLAS™ 100 SERIES VARIABLE AUTO-DARKENING FILTER WELDING HELMETS

- Provides outstanding optical clarity
- Three selectable sensitivity levels for reliable arc detection
- Light state shade 3
- 1.73" x 3.66" viewing area
- Available in women helmets which feature an ergonomic headband that accommodates smaller head sizes
- Stick, MIG and most TIG welding processes
- Ideal for hobby welders, farmers, as well as maintenance and construction workers
- Approved to CSA standard Z94.3 and meets the requirements of Z87.1 for Eye and Face Protection
- Approved for most Stick, MIG, and TIG applications greater than 10 amps

SEJ927

SEJ928

SEJ097

SEJ099

Model No.	Mfg. No.	Description	Colour	Shade
SEJ927*	07-0012-31BL	Helmet w/ADF Variable	Black	8 - 12
SEJ928	07-0012-31WP-CA	Helmet w/ADF Variable	Wild-N-Pink	8 - 12
SEJ097	07-0000-31	Cartridge Only, ADF 100V Variable	-	8 - 12

* Hardhat adapter included. (Hardhat sold separately)
Other graphic designs available, including NHL authorized logo helmets

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.
SAN353	04-0290-00	Inner Cover Plate	5
SEJ098	07-0200-51	Outside Protection Plate	10
SEJ099	07-0014-00NR	Hard Hat Adapter	1
SEJ117	07-0680-00	Magnifying Lens Holder	2

SPEEDGLAS™ SUPER LIGHT (SL) WELDING HELMETS

- 25% lighter than other Speedglas™ helmets
- Narrowest helmet, making it ideal for welding in very tight spaces
- Light state shade 3 with four sensitivity levels
- Speedglas™ SL filter offers automatic on/off switching for quick welding tasks
- Superb arc detection is ideal for specialty welding such as TIG
- 1.68" x 3.57" viewing area
- Weight: 13 oz. (including filter)

SAQ961

SAQ962

Model No.	Mfg. No.	Description	Shade
SAQ961	05-0013-41	Helmet w/ADF Variable	8 - 12
SAQ962	05-0000-41	Cartridge Only, ADF Variable	8 - 12

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.
SAN353	04-0290-00	Inner Cover Plate	5
SEJ100	05-0250-00	Outside Protection Plate	5
SEJ118	05-0680-00	Magnifying Lens Holder	1

SPEEDGLAS™ 9100 SERIES WELDING HELMETS

- Designed for optimal comfort and protection
- Head suspension changes not only how you wear the helmet, but also how you experience fit, stability and balance
- Smooth up-and-down pivot action that gently locks in the "up" position and the suspension keeps the helmet closer to user's head
- Light state shade 3 with five sensitivity levels
- Sensitivity adjustment allows for use with all Stick, MIG and TIG welding processes, with grinding and torch modes
- Feature a built-in mag plate holder and seven user selectable dark shades
- Available with shade 5 SideWindows to increase peripheral vision
- Filters available in different sizes, 9100V and 9100XX, 30% larger than any other Speedglas™
- Designed with the professional welder in mind
- Approved to CSA standard Z94.3

SEJ102

SEJ105

SEJ103

SEJ106

SEJ110

Model No.	Mfg. No.	Description	Viewing Area"	Shade
9100V				
SEJ101	06-0100-10	Helmet w/ADF Variable	1.8 x 3.7	5, 8 - 13
SEJ102	06-0100-10SW	Helmet w/SideWindows and ADF Variable	1.8 x 3.7	5, 8 - 13
SEJ103	06-0000-10	Cartridge Only, ADF Variable Shade	-	5, 8 - 13
9100XX				
SEJ104	06-0100-30	Helmet w/ADF Variable	2.8 x 4.2	5, 8 - 13
SEJ105	06-0100-30SW	Helmet w/SideWindows and ADF Variable	2.8 x 4.2	5, 8 - 13
SEJ106	06-0000-30	Cartridge Only, ADF Variable Shade	-	5, 8 - 13

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.	For Use W/Helmets
SEJ107	06-0200-10	Inside Protection Plate	5	9100V
SEJ108	06-0200-30	Inside Protection Plate	5	9100XX
SEJ109	06-0200-51	Outside Protection Plate	10	9100V, 9100XX
SEJ110	06-0014-00NR	Hard Hat Adapter	1	9100V, 9100XX
SEJ111	06-0400-51	Replacement Headgear	1	9100V, 9100XX

3M™ POWERED AIR RESPIRATORS

- High efficiency particulate respiratory protection system for welders
- Welding helmet 9100-Air with auto-darkening filter offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one
- SideWindows: Shade 5 side filters that increase peripheral vision
- Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution
- Selectable shades 5, 8-13 and Shade 3 light state; grinding and tack modes
- 5-position sensitivity control • Adjustable recovery delay • Solar panel
- Storage bag, do-rag and starter kit included
- Meets ANSI Z87.1 and approved to CSA Z94.3 for eye and face protection
- Approved for use in all stick, MIG and TIG applications
- Breathing tube is SG-30W
- Offers assigned protection factor (APF) of 25 when used as a NIOSH-approved system
- Lens Type: Variable
- PAPR Battery Life Time: Up to 12 Hours

SDM014

Model No.	Mfg. No.	Viewing Area L" x W"	ADF Battery Life Time (hrs)	Solar Cell
SDM014	35-1101-10SW-CA	1.8 x 3.7	2800	Yes
SDM016	35-1101-30SW-CA	2.84 x 4.2	2000	Yes

REPLACEMENT FILTERS & CARTRIDGES

Model No.	Mfg. No.	Description
SAN357	15-0009-99X02	2-pack Adflo™ Spark Arrestor
SAN358	15-0099-99X06	6-pack Adflo™ Prefilter
SAN359	15-0099-99X12	12-pack Adflo™ Prefilter
SAN360	15-0199-99X02	2-pack Adflo™ HE Particle Filter
SAN361	15-0199-99X06	6-pack Adflo™ HE Particle Filter
SAN362	15-0199-99X36	36-pack Adflo™ HE Particle Filter
SAN363	15-0399-99X02	2-pack Adflo™ OV/SD/CL/HC Cartridge
SAN364	15-0399-99X06	6-pack Adflo™ OV/SD/CL/HC Cartridge

SPEEDGLAS™ ACCESSORIES

- **Protective bag** used to help protect the Speedglas™ helmets assembly when not in use
- **Full hood** for use with Speedglas™ welding helmets to provide additional protection to the user from welding spark and spatter on the top portion of the head, neck and shoulders
- Hood is made of 75% FR cotton and 25% Kevlar synthetic fiber

Model No.	Mfg. No.	Description
SEJ119	06-0500-65	Protective Bag
SEE884	06-0700-83	Full Hood

SEJ119

SEE884

See pages 42-59 for respiratory protection

FILTER PLATE LENSES

- Provides ultimate protection against ultraviolet and infrared rays present during the welding process
- Attenuates varying proportions of ultraviolet, visible and infrared rays in conformance with industry standards
- Precision ground and edged to allow a proper and safe fit
- Optically correct and precisely shaded
- Hardened glass

SAN067

SAN083

SAN078

Model No.	Mfg. No.	Shade
2" x 4 1/4"		
SAN061	FS-1H-4	4
SAN062	FS-1H-5	5
SAN063	FS-1H-6	6
SAN064	FS-1H-7	7
SAN065	FS-1H-8	8
SAN066	FS-1H-9	9
SAN067	FS-1H-10	10
SAN068	FS-1H-11	11
SAN069	FS-1H-12	12
SAN070	FS-1H-13	13
SAN071	FS-1H-14	14

Model No.	Mfg. No.	Shade
4 1/2" x 5 1/4"		
SAN073	FS-5H-5	5
SAN074	FS-5H-6	6
SAN075	FS-5H-7	7
SAN076	FS-5H-8	8
SAN077	FS-5H-9	9
SAN078	FS-5H-10	10
SAN079	FS-5H-11	11
SAN080	FS-5H-12	12
SAN081	FS-5H-13	13
SAN082	FS-5H-14	14
50 MM		
SAN083	FL-5H-4	4
SAN084	FL-5H-5	5

MAGNIFYING LENSES

- Makes a welder's work easier and more comfortable
- Useful for precision welding jobs
- Offers optically balanced magnifications in 0.25 increments
- 2" x 4 1/4"

NT657

SAN100

Model No.	Diopter Strength
GLASS	
NT652	0.75
NT653	1.00
NT654	1.25
NT905	1.50
NT655	1.75
NT656	2.00
NT657	2.25
NT658	2.50
NT659	3.00

Model No.	Diopter Strength
PLASTIC	
SAN095	1.00
SAN096	1.25
SAN097	1.50
SAN098	1.75
SAN099	2.00
SAN100	2.25
SAN101	2.50

CLEAR COVER LENSES

- Polycarbonate lenses are for eye protection against light impact such as sparks and small particles
- Cast resin lenses are also for eye protection and are more resistant to heat, scratching and pitting
- Clear glass lenses are not impact resistant and are only for use against spatter

NT601

NT602

Model No.	Mfg. No.	Size
POLYCARBONATE		
NT601		2" x 4 1/4"
NT602		4 1/2" x 5 1/4"
CAST RESIN		
SAN055	PP-2	2" x 4 1/4"
SAN056	PP-4	4 1/2" x 5 1/4"
SAN057	PL-5	50 mm
CLEAR GLASS		
SAN058	GP-2	2" x 4 1/4"
SAN059	GP-4	4 1/2" x 5 1/4"

OMNI-VIEW® GOLD FILTER PLATES

- Made of breakage resistant polycarbonate
- Allows welder to see more in clearer and natural colours
- Gold coating reflects harmful infrared generated by an arc, keeping eyes cooler and more comfortable

SAN108

SAN120

Model No.	Mfg. No.	Shade
2" x 4 1/4"		
SAN106	FP2G-8	8
SAN107	FP2G-9	9
SAN108	FP2G-10	10
SAN109	FP2G-11	11
SAN110	FP2G-12	12

Model No.	Mfg. No.	Shade
4 1/2" x 5 1/4"		
SAN117	FP4G-8	8
SAN118	FP4G-9	9
SAN119	FP4G-10	10
SAN120	FP4G-11	11
SAN121	FP4G-12	12

MILLER®/HOBART® COMPATIBLE AUTO-CHANGE COVER LENSES

- Replacement lenses provide an effective and cost efficient method of protecting investment
- Made of 100% impact-resistant polycarbonate

Model No.	Mfg. No.	Type of Lens	Qty /Package	For Use with Helmets
TTU323	231410/770237	Inside/Outside	5	FS/XL/Xli/Xlix/Performance
TTU324	770240	Outside	5	XL/Xli
TTU325	770241	Outside	5	Xlix
TTU326	216327	Inside	5	Elite/Digital Elite
TTU327	216326	Outside	5	Elite/Digital Elite
TTU328	231410	Inside	5	Pro-Hobby
TTU329	231411	Outside	5	Pro-Hobby
TTU330	231921	Outside	5	Performance

Trademarks and trade names are the property of their respective owners

LAVA BROWN LEATHER JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame-resistant leather is made from durable side split cowhide
- Seams are double lockstitched
- Include full-sized pocket and multiple-snap adjustment cuffs
- Roll-up collar stops shooting spatter

Model No.	Size	Chest Measurements
TTU398	Medium	40-42"
TTU399	Large	44-46"
TTU400	X-Large	48-50"
TTU401	2X-Large	52-54"
TTU402	3X-Large	56-58"
TTU403	5X-Large	64-66"

LAVA BROWN LEATHER ACCESSORIES

- Designed to allow even weight distribution on the user to reduce fatigue
- Heat and flame-resistant leather is made from durable side split cowhide

Model No.	Size
A. SLEEVE	
TTU389	23" L, Pair
B. CAPE SLEEVES	
TTU407	Small
TTU405	Medium
TTU406	Large
TTU408	X-Large
TTU409	2X-Large
TTU410	3X-Large
C. BIBS	
TTU411	14" L
TTU412	20" L
D. SPLIT LEG APRONS & CHAPS	
TTU396	42" L
TTU397	48" L
TTU404	Chaps
E. WAIST APRONS	
TTU392	24" L
F. BIB APRONS	
TTU393	36" L
TTU394	42" L
TTU395	48" L
G. SPATS	
TTU390	6" L, Pair
TTU391	14" L, Pair

PROBAN WELDING JACKETS

COOL PROTECTION, COOL LOOK!

- Superior flame, heat and abrasion-resistant, select cowhide sleeves for heavy-duty protection
- 30" length jacket made of black 9-oz. Proban FR-7A flame-retardant cotton sateen for safety and cool comfort
- Five-snap closure front minimizes hot shooting spatter from entering
- Inside utility pocket for safety and convenience

Model No.	Size	Chest Measurements
TTV013	Medium	40-42"
TTV014	Large	44-46"
TTV015	X-Large	48-50"
TTV016	2X-Large	52-54"
TTV017	3X-Large	56-58"
TTV018	5X-Large	64-66"

GOLDEN BROWN LEATHER JACKETS

- Made of heat and abrasion-resistant select split cowhide
- Sewn with Kevlar® thread for added seam strength
- Roll-up collar with velcro closure and welted shoulder seams
- Reinforced double leather snap panel

Model No.	Size	Chest Measurements
TTU384	Medium	40-42"
TTU385	Large	44-46"
TTU386	X-Large	48-50"
TTU387	2X-Large	52-54"
TTU388	3X-Large	56-58"

FLAME RETARDANT CLOTHING

- Manufactured from flame-retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jackets include inside pocket and five snaps
- 9-oz. cape sleeves come with six snap fasteners for bib (sold separately)

Model No.	Size	Chest Measurements
JACKETS		
TTU998	Medium	40-42"
TTU999	Large	44-46"
TTV001	X-Large	48-50"
TTV002	2X-Large	52-54"
TTV003	3X-Large	56-58"
TTV004	5X-Large	64-66"
CAPE SLEEVES		
TTV005	Medium	40-42"
TTV006	Large	44-46"
TTV007	X-Large	48-50"
TTV008	2X-Large	52-54"
TTV009	3X-Large	56-58"
BIB & SLEEVES		
TTV010	20" Length Bib	-
TTV011	18" Long Sleeve, Pair	-
TTV012	23" Long Sleeve, Pair	-

WELDERS' CAPS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Pre-shrunk and presoftened lightweight fabric, flame retardant until washed
- Air cushioned front lining for comfort and sweat absorbency
- **Sold per package**

Assorted styles include:
Happy Hour, Paradise, Camo, and Wild.

Camo

Happy Hour | Paradise | Camo | Wild

Model No.	Diameter	Qty /Pkg.
ASSORTED		
NT838	7 1/8"	12
NT839	7 1/4"	12
NT840	7 3/8"	12
NT841	7 1/2"	12
NT842	7 5/8"	12
CAMO		
NT843	7 1/8"	12
NT844	7 1/4"	12
NT845	7 3/8"	12
NT846	7 1/2"	12
NT847	7 5/8"	12

HEADGEAR PADS & SWEATBANDS

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Velcro fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- **Sold per package of two**

Model No.	Description
620-3200V	Suspender Pads For Use With Hard Hats
SAM548	Sweatbands
620-3100V	Non-Suspender Pads For Use With Welding Helmets

WELDERS' DOORAGS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Pre-shrunk and pre-softened lightweight fabric, flame retardant until washed
- Air cushioned front lining for comfort and sweat absorbency
- Assorted styles
- One size fits all
- **Sold per package**

Wild

Camo

Happy Hour | Paradise | Camo | Wild

Model No.	Assorted Styles	Qty/ Pkg.
NT835	Camo, Wild, Happy Hour	12
NT836	Happy Hour, Paradise, Wild	12
NT837	Authentic Woodland Camo	12

COTTON WELDERS' BEANIES

- 100% flame resistant cotton
- Added protection under welding helmet
- Two colours (black and white)
- One size fits all
- Imprint available with minimum quantity

Model No. SEE845



WELDING KNEE PADS

- Made of heat-resistant leather
- Flexible non-skid cap designed to stand up to the everyday demands of the welding environment
- Ideal for welding as well as high heat applications such as smelters and foundries
- **Sold per pair**

Model No. SM777
Mfg. No. 6991-01Q

LEATHER KNEE PADS

- Tough abrasion-resistant leather for maximum protection and soft cushion back for comfort
- Elastic straps with velcro closures ensure a secure fit resistant to heat and fire
- Ideal for welders or any construction application such as concrete work
- **Sold per pair**

Model No. SAL218
Mfg. No. 6991

See pages 95-120 for our full line of clothing

WELDERS' DEERSKIN TIG GLOVES

- Premium split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Exceptionally soft finish
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 120

Sold per Pair

Model No.	Size
SM597	Small
SM598	Medium
SM599	Large
SM600	X-Large
SAP293	2X-Large

WELDERS' PIGSKIN TIG GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 120

Sold per Pair

Model No.	Size
SAN639	Small
SAN640	Medium
SAN641	Large
SAN642	X-Large

WELDERS' SOFTOUCH™ PIGSKIN TIG GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Extra long cuff offers wrist and forearm protection against heat
- 4" split pigskin cuff, seamless index finger
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
610-2008M	Medium
610-2008	Large

WELDERS' STANDARD QUALITY GLOVES

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

SAO130

SAO131

Model No.	Description	Size
SA0130	Gloves	Large
SA0131	One-Finger Mitt	Large

WELDERS' SUPERIOR QUALITY GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extends wear life
- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

SAO129

SAO128

Model No.	Description	Size
SA0128	Gloves	Large
SAP352	Gloves	X-Large
SA0129	One-Finger Mitt	Large

WELDERS' PREMIUM QUALITY GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extends wear life
- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
SAN635	Large

WELDERS' PREMIUM QUALITY FOAM LINED GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Full reinforced thumb strap extends wear life
- Cotton covered foam lining provides superior heat protection
- Welted seams at all critical points
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
SAN277	Large

WELDERS' COMFOFLEX™ PREMIUM QUALITY GLOVES

- Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- Kevlar® stitched welted seams
- 13 1/2" long with reinforced thumb
- Fully welted DuPont® Kevlar® stitched seams for higher seam strength and flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
610-0328	Large

WELDERS' COMFOFLEX™ PREMIUM LINED GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- Buck tan, heat resistant side split cowhide
- Outside double palm and thumb extends wear life
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

610-2000

Model No.	Description
610-2000	Welding Gloves
610-2178	One-Finger Mitts
610-2076	Pigskin Gloves

WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Reinforced thumb extends wear life
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
SAV008	Large
SEB930	X-Large

WELDERS' PREMIUM COWHIDE TIG GLOVES

- Premium grain cowhide leather construction
- Unparalleled fit and dexterity with exceptional durability
- Welted seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- Designed for precision welding applications
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
SDL992	Medium
SDL993	Large
SDL994	X-Large

WELDERS' HEAVY-DUTY GENERAL PURPOSE PREMIUM COWHIDE GLOVES

- Premium grain cowhide leather construction with split cowhide leather palm
- Unlined palm for increased comfort and dexterity
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life
- Fully welted DuPont® Kevlar® stitched seams for higher seam strength and flame resistance
- Case Qty: 72

Sold per Pair

Model No.	Size
SDL995	Medium
SDL996	Large
SDL997	X-Large

WELDERS' COMFOFLEX™ PEARL DEERSKIN GLOVES

- 14 1/2" incredibly soft, genuine North American deer hides
- Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Case Qty: 40

Sold per Pair

Model No.	Size
610-2850	Large

PREMIUM HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- **Sold individually**
- Case Qty: 144

Sold per Pad

Model No.	Description
SE549	Premium Hand Shield

FABRICATOR GLOVES

- High-dexterity glove designed exclusively for intricate fabrication of sheet metal, welding and bodywork
- 100% genuine leather construction
- Three heat-resistant cowhide panels on heel, inside, and outer edge of palm
- Fingertip reinforcements on index, middle and ring fingers
- Dual-layer leather knuckle band
- Plush, suede deerskin top and fingers
- Stretch Kevlar® protective wedge insert
- Oversize, easy-entry, hook and loop closure
- CE approved
- Case Qty: 120

Sold per Pair

Model No.	Mfg. No.	Size
SAN869	MFG-05-008	Small (8)
SAN870	MFG-05-009	Medium (9)
SAN871	MFG-05-010	Large (10)
SAN872	MFG-05-011	X-Large (11)
SAN873	MFG-05-012	2X-Large (12)

Check out our other Welding Safety products on pages 128-139

TERRY CLOTH GLOVES

SDP089

- 24 oz. heavyweight terry knit fabric provides abrasion and heat resistance
- Offers excellent insulation and allows heat to disperse rapidly
- Heat protection up to 390°F (200°C)
- Absorbs liquids and perspiration for added dexterity and comfort
- Ambidextrous design
- Fabric Weight: 24 oz.
- Material: Terry Cloth
- Lining: Unlined
- Case Qty: 120

Sold per Pair

Applications: Sharp metal handling, steel manufacturing, foundries, glass handling, heat and general industrial applications

ZENITH® Safety Products

Model No.	Cuff Style	Size
SDP089	Slip-On	Large
SDP090	Knit Wrist	Large

TERRY CLOTH LINED TWARON® GLOVES

SDP437

- 100% Twaron® shell with seamless terry cloth liner
- Flame and cut resistant, will not burn or melt
- Terry cloth liner provides added insulation and comfort
- Excellent protection and dexterity
- Heat protection up to 700°F (371°C)
- Fabric Weight: 32 oz.
- Material: Aramid
- Lining: Terry Cloth
- Cuff Style: Gauntlet/Knit Wrist
- Size: Large
- Case Qty: 72

Sold per Pair

Applications: Foundries, steel manufacturing, heat and general industrial applications

Model No. SDP437

ZENITH® Safety Products

HOT MILL GLOVES

- Top quality heavy cotton fabric construction
- Heavy cotton-lined palm provides superior heat resistance
- **SEF068** 32-oz. lined palm for increased heat protection
- 4" gauntlet cuff provides extra protection
- Case Qty: 120

Sold per Pair

Applications: Forging, foundries, plastic extrusions and other operations that require heat protection

SEF067

SEF068

ZENITH® Safety Products

Model No.	Description	Size
SEF067	24-oz. Yellow Palm	X-Large
SEF068	32-oz. Green Palm	X-Large

CHAR-GUARD™ HEAT-RESISTANT GLOVES

- Comfortable non-woven liner to provide flexibility and fit
- Superior tactile dexterity
- Non-slip grip
- Heat-resistant coating protects up to 500°F
- Can withstand multiple washings
- Black colour extends wearable life as it does not show dirt and grime easily
- Accepted for use in Canadian food processing facilities
- Case Qty: 12

Sold per Pair

Applications: Hot castings for intermittent heat, lab sampling with hot glassware or moldings, plastic molding, plant maintenance controls up to 500°F, food processing and service

SAP618

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size	Length"
SAP618	8814-07	7	14
SAP619	8814-08	8	14
SAP620	8814-09	9	14
SAP621	8814-10	10	14

CARBO-KING™ HEAT PROTECTIVE MITTS & GLOVES

- Special composition of aramid, glass and Preox® provides amazing heat protection
- For applications up to 900°F
- Fully melton-lined
- Lightweight and pliable
- Fabric does not fray like conventional fiberglass products
- Excellent direct heat resistance
- Case Qty: 24

Sold per Pair

Note: The degree of heat resistance a glove may offer is directly related to the duration of exposure and weight of the object being handled

SAP574

SAP573

SAP575

JOMAC CANADA

Model No.	Mfg. No.	Description	Size
SAP573	M340CA-L	Mitt	Large
SAP574	436CA-L	Glove	Large
SAP575	H-280-CA	Cover Mitt	Large

HEAT-RESISTANT LEATHER GLOVES

- Specially tanned split cowhide leather gloves are foam-insulated
- Provide HIGH HEAT protection for handling very hot metals and other hot handling jobs
- Leather is resistant to cuts and abrasions and remains flexible in high heat situations
- Made extra large for easy donning and removal
- Case Qty: 12

Sold per Pair

SA514

Model No.	Description
SA516	2" Cuff
SA514	5" Cuff

ALUMINIZED GLOVES

- Designed with a combination of heat-resistant palm and an aluminized back to deflect heat
- Fully aluminized style
- For extreme situations where temperatures are higher and molten splash and flame is present
- 14" overall length

Sold per Pair

SA507

Model No.	Description
SA509	Aluminized Back
SA510	Aluminized Back, One-Finger Mitt
SA507	Fully Aluminized
SA508	Fully Aluminized, Mitt

FELT-LINED KEVLAR® GLASS MITTS & GLOVES

- Protects up to 900°F
- Heavyweight Kevlar® blended with fiberglass material
- Fully lined
- Size: Large
- Colour: Yellow
- Case Qty: 12

Sold per Pair

SA505

JOMAC CANADA

Model No.	Mfg. No.	Description
SAK009	M340KGL	13" Mitt, Ambidextrous
SA505	M342KG	15" Mitt

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- Knit wrist
- Case Qty: 120

Sold per Pair

Applications: Clean room environments, quality control, electronics assembly and general manufacturing

SAX694

SAO164

ZENITH® Safety Products

Model No. Black	Size
SAX694	6
SAX695	7
SAX696	8
SAX697	9
SAX698	10
SAX699	11

Model No. White	Size
SA0161	6
SA0162	7
SA0163	8
SA0164	9
SA0165	10
SA0166	11

BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling

SBA613

ZENITH® Safety Products

Model No.	Size
SBA611	6
SBA612	7
SBA613	8
SBA614	9
SBA615	10
SBA616	11

HI-TECH ASSEMBLY PALM COATED GLOVES

- Seamless 13-gauge 100 % black nylon liner
- Abrasion, tear and small cut resistant
- Open back eliminates perspiration and offers superb user comfort
- Grey polyurethane-coated palm
- Anatomical shape facilitates movement
- Case Qty: 72

Sold per Pair

Applications: Car mechanics, handling of greasy parts, industrial assembly, precision mechanics

SA0087

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SA0085	B0500BS-06	6
SA0086	B0500BM-07	7
SA0087	B0500BL-08	8
SA0088	B0500BXL-09	9

PX130 GLOVES

- Lightweight and stretchable liner for an optimized fit and feel
- Good abrasion resistance thanks to the polyurethane coating on the palm
- Elasticated knitwrist cuff to ensure snug fit
- Excellent comfort and dexterity
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Gauge: 15
- Liner: Nylon
- Unlined
- Case Qty: 240

Sold per Pair

Applications: General handling, general maintenance, printing industry, handling of small/fine parts

SAL998

Marigold® Industrial

Model No.	Mfg. No.	Size
SDP581	1114396	6
SAL996	1114397	7
SAL997	1114398	8
SAL998	1114399	9
SAL999	1114400	10

HYFLEX® 11-600/11-601 GLOVES

- Light-duty polyurethane palm coating, knit nylon liner
- Silicone-free
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Electronics assembly and computer assembly

SAW968

SAW974

Ansell

Model No.	Mfg. No.	Size
11-600 (WHITE PALM, WHITE LINER)		
SAW968	1160011060	6
SAW969	1160011070	7
SAW970	1160011080	8
SAW971	1160011090	9
SAW972	1160011100	10
SAW973	1160011110	11
11-601 (GREY PALM, BLACK LINER)		
SAW974	107035	6
SAW975	107036	7
SAW976	107037	8
SAW977	107038	9
SAW978	110578	10

HYFLEX® 11-618 GLOVES

- Black polyurethane palm coated
- Ultra-light weight glove maximizing touch and precision for delicate handling operations
- Ideal for workers who need a higher level of touch and precision in dry or slightly oily applications
- Ultralight weight 18-gauge seamless liner enhances flexibility, tactility and handling efficiency
- The ultralight glove is just 0.8-mm thick in total, providing high dexterity with high abrasion resistance (Level 3)
- Silicone-free
- Case Qty: 144

Sold per Pair

Applications: Light assembly requiring high degree of precision, picking and lifting small pieces, finishing works

SEI717

Ansell

Model No.	Mfg. No.	Size
SEI717	112074	Small
SEI718	112075	Medium
SEI719	112076	Large
SEI720	112077	X-Large

ZX-1 PREMIUM NITRILE FOAM PALM COATED GLOVES

- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex 15-gauge shell for optimal dexterity
- Foam nitrile coating improves abrasion resistance
- Premium comfort and breathability reduces hand fatigue
- Knit wrist prevents dirt and debris form entering the glove
- Gauge: 15
- Liner: Nylon
- Unlined
- Case Qty: 144

Sold per Pair

Applications: Automotive, small parts handling, quality inspection, assembly and maintenance, manufacturing

SDP438

ZENITH® Safety Products

Model No.	Size
SDP438	6
SDP439	7
SDP440	8
SDP441	9
SDP442	10
SDP443	11

ZX-2 PREMIUM 3/4 NITRILE & NITRILE FOAM PALM COATED GLOVES

- Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- Premium comfort and breathability reduces hand fatigue
- Knit wrist prevents dirt and debris form entering the glove
- Gauge: 18
- Liner: Nylon
- Unlined
- Case Qty: 144

Sold per Pair

Applications: Automotive, small parts handling, assembly and maintenance, manufacturing, wet/oily applications

SDP444

ZENITH® Safety Products

Model No.	Size
SDP444	7
SDP445	8
SDP446	9
SDP447	10
SDP448	11

ZX-30° PREMIUM FOAM PVC PALM COATED ACRYLIC LINED GLOVES

- Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection as low as -50°C
- Uncoated back permits breathability and limits perspiration
- Exceptional comfort and fit
- Resists abrasions, cuts and punctures
- Gauge: 15 • Liner: Nylon
- Lining: Acrylic
- Case Qty: 72

Sold per Pair

Applications: Cold/outdoor environments, fishing industry, glass/wood handling, construction, general maintenance

SFQ727

ZENITH® Safety Products

Model No.	Size
SFQ726	Medium (8)
SFQ727	Large (9)
SFQ728	X-Large (10)
SFQ729	2X-Large (11)

HYFLEX® 11-800/11-801 GLOVES

- Light-duty foam nitrile palm coating
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Automotive assembly, handling small parts (especially where oil is present)

SAW962

Ansell

Model No.	Mfg. No.	Size
11-800 (GREY PALM, WHITE LINER)		
SAW921	103330	6
SAW922	103331	7
SAW923	103332	8
SAW924	103333	9
SAW925	103334	10
SAW926	103346	11

Model No.	Mfg. No.	Size
11-801 (BLACK PALM, GREY LINER)		
SAW962	103381	6
SAW963	103382	7
SAW964	103383	8
SAW965	103384	9
SAW966	103385	10
SAW967	103386	11

SAW921

HYFLEX® 11-840 GLOVES

- Lightweight, multi-purpose glove
- Enhanced dry grip and abrasion performance
- 20% more breathable than earlier formulations for cooler, drier hands
- ANSI Level 5 abrasion resistance
- Three times the abrasion performance of other lightweight knit-dipped gloves
- Form-fitting liner is snug, second-skin tailoring
- Matches the natural contours of the hand to create a more comfortable wearing experience
- Silicone free for product protection
- Thickness: 15-Gauge • Cuff: Knit wrist
- Colour: Gray • Liner: Nylon/spandex
- Coating: Nitrile foam • Case Qty: 144

Sold per Pair

Applications: Assembly of small & medium parts, feeding production lines, general handling, raw material reception, screwing & unscrewing parts

SDM676

Ansell

Model No.	Mfg. No.	Size
SDM676	113036	6
SDM677	113037	7
SDM678	113038	8
SDM679	113039	9
SDM680	113040	10
SDM681	113041	11

G40 NITRILE COATED GLOVES

Better oil and industrial grease grip than the previous G40 Nitrile Glove

- Silicone-free, nitrile foam coated
- Washable – maintains the EN388 ratings through at least five wash cycles
- Ecofriendly packaging – no separate insert, no printed bags, less waste
- EN 388 rating of 4131
- EN 420 dexterity level 5
- Color coded hem for sizing
- Case Qty: 60

Sold per Pair

Applications: Metal, glass and wood handling, automotive and aerospace assembly

Kimberly-Clark PROFESSIONAL®

SAQ349

Model No.	Mfg. No.	Size
SAQ347	40225	Small
SAQ348	40226	Medium
SAQ349	40227	Large
SAQ350	40228	X-Large
SAQ351	40229	2X-Large

SHOWA 377 GLOVES

- Thin dipped blue nitrile coated glove
- Black foam nitrile coated palm ensures excellent grip
- Elastic knit-wrist holds the glove firmly on the arm for enhanced fit
- Liquid resistant
- Launderable
- Case Qty: 72

Sold per Pair

Applications: Mechanical and automotive, constructions, machine assembly, handling oily objects, limited chemical splash and refineries

SEI864

Model No.	Mfg. No.	Size
SEI864	377-06	Small
SEI865	377-07	Medium
SEI866	377-08	Large
SEI867	377-09	X-Large
SEI868	377-10	2X-Large

ZORB-IT™ SPONGE NITRILE PALM COATED GLOVES

- Zorb-IT™'s unique, patent-pending "sponge nitrile" technology is changing the rules of what a flat-dip nitrile glove can be
- The sponge nitrile produces an extra-absorbent nitrile dip that conforms and adheres to the nylon shell like no other glove
- Beats the competition in laundering nearly three-to-one, and absorbs almost twice as much oil and grease while still delivering a sure grip
- Stands up to repeated washing with no shrinkage
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials
- Case Qty: 72

Sold per Pair

Applications: General maintenance, oily parts handling, automotive maintenance, and shipping and receiving

SAK966

Model No.	Mfg. No.	Size
SAK964	4550XS-06	X-Small
SAK965	4550S-07	Small
SAK966	4550M-08	Medium
SAK967	4550L-09	Large
SAK968	4550XL-10	X-Large

HYFLEX® 11-818 GLOVES

- A thin yet strong glove perfect for a variety of tasks
- The HyFlex® 11-818 provides the perfect balance between comfort and protection to the wearer
- The glove contains Ansell FORTIX™ technology, a patent-pending nitrile foam coating, which offers a level 4 abrasion resistance without compromising the breathability of the glove
- The ultra-thin palm coating provides a bare hand-like feel and a high level of grip to handle small and fine parts
- Thickness: 18-gauge
- Cuff : Knit wrist
- Colour: Blue
- Liner: Nylon/spandex
- Case Qty: 144

Sold per Pair

Applications: Assembly of dry parts, feeding the lines, fine mounting of small nuts and bolts, handling of small/fine parts, mounting & dismounting parts, screwing, unscrewing, ultra-fine mechanical applications

SDM259

Model No.	Mfg. No.	Size
SDM259	111714	7
SDM260	111715	8
SDM261	111716	9
SDM262	111717	10
SDM263	111718	11

LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless knitted nylon shell
- Resists abrasion, cuts and punctures
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Knit wrist
- Palm coating provides a cool comfortable fit
- Case Qty: 120

Sold per Pair

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling

SAM630

Model No.	Size
SAM629	6
SAM630	7
SAM631	8
SAM632	9
SAM633	10
SAM634	11

PREMIUM NITRILE PALM COATED GLOVES

- 15-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Fluorescent green shell and green coating offers maximum visibility
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

SEI854

Model No.	Size
SEI851	7
SEI852	8
SEI853	9
SEI854	10
SEI855	11

LIGHTWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Metal stamping, material handling, automotive assembly and small parts handling

SAO159

Model No.	Size
SA0157	7
SA0158	8
SA0159	9
SA0160	10
SAP355	11

BLACK NYLON NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Black liner with grey palm hides the dirt and extends life
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- Case Qty: 120

Sold per Pair

SAP933

ZENITH® Safety Products

Model No.	Size
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

NITRI-FLEX LITE® NITRILE PALM COATED GLOVES

- Seamless nylon knit gloves with a textured green nitrile palm coat
- Resist cuts, snags and abrasion with non slip grip
- Snug fitting knit wrist glove is extremely flexible
- Accepted for use in Canadian food processing facilities
- Case Qty: 72

Sold per Pair

Applications: Construction, general maintenance and shipping & receiving

SQ137

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SQ136	4500S-7	Small
SQ137	4500M-8	Medium
SQ138	4500L-9	Large
SQ139	4500XL-10	X-Large

MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Light to medium fabrication, material handling, automotive, and general maintenance

SAO150

ZENITH® Safety Products

Model No.	Size
SA0150	7
SA0151	8
SA0152	9
SA0153	10
SA0154	11

HYFLEX® 11-920 GLOVES

- Special nylon fine gauge liner
- Ansell Grip Technology™ nitrile coating on palm repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- Provides softness, comfort and breathability to the glove
- Ergonomic, natural fit
- Available in a wide range of sizes to protect more workers
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Engine and transmission assembly, handling machine parts free from shavings and sharp edges, handling small castings, gears and other abrasive edged parts, light metal fabrication and parts handling, light stamping in oily environments and product inspection

SAY772

Ansell

Model No.	Mfg. No.	Size
SAY772	104456	6
SAY773	104457	7
SAY774	104458	8
SAY775	104459	9
SAY776	104460	10
SAY777	104461	11

MEDIUMWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless knitted cotton shell
- Resists abrasion, cut and punctures
- Excellent dexterity and dry grip
- Open back 3/4 coating provides a cool comfortable fit
- Knit wrist prevents dirt and debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Metal stamping, material handling, automotive, small parts handling and general maintenance

SAM646

ZENITH® Safety Products

Model No.	Size
SAM646	7
SAM647	8
SAM648	9
SAM649	10

HYFLEX® 11-900 GLOVES

- Light-duty nitrile coating on palm, white knit nylon liner
- Excellent dry grip for applications involving small to medium sized parts
- Abrasion resistance
- Oil repellency, nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Automotive assembly and metal fabrication

SAW979

Ansell

Model No.	Mfg. No.	Size
SAW979	103347	6
SAW980	103348	7
SAW981	103349	8
SAW982	103350	9
SAW983	103351	10

HYLITE® 47-400 GLOVES

- Nitrile-coated, interlock knit-lined, medium-duty
- Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Assembly, inspection, medium-duty handling, light fabrication, shipping & receiving and maintenance

SAW984

Ansell

Model No.	Mfg. No.	Size
SAW984	103451	7
SAW985	103452	8
SAW986	103453	8.5
SAW987	103454	9
SAW988	103455	10

ACTIVARMR® 97-013 HI-VIZ™ GLOVES

- Medium-duty glove with exclusive nitrile/polyurethane coating provides excellent wet/dry grip
- Techcor® Knitting Technology offers enhanced protection from cuts and abrasions without sacrificing comfort or dexterity
- Contrast vivid orange colour and retroreflective logo increases visibility and safety
- 13 gauge liner offers comfort for all day wear; ergonomically designed to reduce hand fatigue
- Silicone-free
- Meets EN388 Level 2 for cut resistance
- Cuff style: Knit wrist
- Liner: Nylon
- Unlined
- Case Qty: 72

Sold per Pair

Applications: Handling abrasive or rugged materials, maintenance/repair, carpentry, assembly, heavy equipment operation, digging/trenchwork, general material handling

SDR731

Ansell

Model No.	Mfg. No.	Size
SDR731	114775	7
SDR732	114776	8
SDR733	114777	9
SDR734	114778	10
SDR735	114779	11

POWERFLEX® 80-100 GLOVES

- Natural rubber latex, crinkle finish • Soft seamless poly/cotton knit liner
- Superior wet and dry grip • Combination of cut, abrasion and puncture resistance
- Fully-coated thumb provides added protection in this high-risk area
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Ergonomically designed, unbelievable comfort
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 2 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: General maintenance, shipping and receiving, assembly, concrete and brick handling and lumber handling

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

SAY841

Ansell

Model No.	Mfg. No.	Size
SAY841	103496	6
SAY842	103497	7
SAY843	103498	8
SAY844	103499	9
SAY845	103500	10

NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 13-gauge seamless knitted polyester shell provides a comfortable fit
- Resists abrasion, cuts and punctures
- Crinkle finish coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove
- Gauge: 13 • Liner: Polyester
- Coating: Rubber Latex
- Lining: Unlined
- Case Qty: 120

Sold per Pair

Applications: Glass handling, construction, wood handling, automotive, masonry and general maintenance/manufacturing

SFM541

ZENITH® Safety Products

Model No.	Size
SFM541	Small (7)
SFM542	Medium (8)
SFM543	Large (9)
SFM544	X-Large (10)

ATLAS FIT® 300 COATED GLOVES

- Durable rubber coating
- Cotton/polyester lining provides extremely comfortable fit
- Rough textured gripping
- An elastic knit-wrist secures the glove above the wrist for comfort and prevents debris from entering the glove
- Launderable
- Case Qty: 144

Sold per Pair

Applications: Construction, landscaping, carpentry, floor tiling, maintenance, masonry, garbage collection, highway work, roofing, shipping and receiving

SAO815

SHOWA® Always Innovating. Never Imitating.

SAO819

Model No.	Mfg. No.	Size
BLUE		
SAO815	300-07	Small
SAO816	300-08	Medium
SAO817	300-09	Large
SAO818	300-10	X-Large
GREEN		
SAO819	310-XS	X-Small
SAO820	310-S	Small
SAI304	310-M	Medium
SAI305	310-L	Large
SAO823	310-XL	X-Large

SHOWA® 341 GLOVES

- High levels of flexibility and softness
- Engineered waterproof latex coating to palm and fingertips
- Elasticated wrist provides a secure and comfortable fit
- Breathable 13-gauge nylon/polyester liner
- Excellent dexterity and tactility
- Ergonomic design that replicates the natural curvature of a human hand helps to reduce fatigue
- Seamless for optimum comfort
- Antibacterial and anti-odour treatment
- Liner: Nylon • Unlined
- Case Qty: 144

Sold per Pair

Applications: Construction material, handling, general handling, light assembly, maintenance

SDP567

SHOWA® Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SDP567	341S-06	Small (6)
SDP568	341M-07	Medium (7)
SDP569	341L-08	Large (8)
SDP570	341XL-09	X-Large (9)

NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Palm coating provides a cool comfortable fit
- Textured coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Glass handling, construction, wood handling, masonry and general maintenance

SAL258

Model No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11

ZENITH® Safety Products

HI-VIZ NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit • Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- Case Qty: 60

Sold per Pair

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance

ZENITH® Safety Products

SEC799

Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11

NATURAL RUBBER LATEX PALM COATED CRINKLE FINISH GLOVES

ZENITH® Safety Products

- High density 100% cotton jersey lining
- Exceptional cut and abrasion resistance
- Superior comfort and flexibility
- Crinkle finish coating provides superior grip
- Safety cuff provides added protection • Size: 10
- Case Qty: 120

Sold per Pair

Applications: Glass handling, sheet metal handling and general handling of any sharp-edged materials

Model No. SAN435

SAN435

NATURAL RUBBER LATEX PALM COATED FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Palm coated
- Knit wrist
- Case Qty: 120

Sold per Pair

Applications: Glass handling, construction, wood handling, masonry and general maintenance

ZENITH® Safety Products

SAN434

Model No.	Size
SAN431	8
SAN432	9
SAN433	10
SAN434	11

SHOWA® 306 GLOVES

- Full foam latex coating coupled with an additional latex grip coating to the palm and fingertips
- Seamless 13-gauge nylon/polyester knitted liner
- Water repellent • Breathable coating technology
- Long lasting grip performance in wet and dry conditions
- Aerated foam latex provides cushioning from minor impacts
- Soft, comfortable fit
- Anatomical hand shape design helps prevent hand fatigue
- Liner: Nylon • Unlined • Case Qty: 144

Sold per Pair

Applications: Banksmen, handling construction materials, handling insulation, labouring, outdoor wet work, warehousing

SDP571

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SDP571	306S-06	Small (6)
SDP572	306M-07	Medium (7)
SDP573	306L-08	Large (8)
SDP574	306XL-09	X-Large (9)
SDP575	306XXL-10	2X-Large (10)

POWERFLEX® T° HI-VIZ YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm-coated crinkle finish
- Accepted for use in Canadian food processing facilities
- Case Qty: 72

Sold per Pair

Applications: Fishing industry, cold storage, winter transportation, unheated warehouses, yard and field work, freight handling

SEA278

Ansell

Model No.	Mfg. No.	Size
SEA278	103513	7
SEA279	103510	8
SEA280	103511	9
SEA281	103512	10
SEA282	103514	11

HYD-TUF® GLOVES

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities

SAW956

Ansell

HYD-TUF 52-547 GLOVES

- Driver's style, with cloth back and soft jersey lining
- Case Qty: 144

Sold per Pair

Model No.	Size
SAW956	9
SAW957	10

HYD-TUF 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Case Qty: 72

Sold per Pair

Model No.	Size
SEA275	9
SEA276	10

HYCRON® 27-805 GLOVES

- Heavy-duty nitrile coated
- Outwears standard heavy-duty leather palm gloves by 3 to 1
- Soft jersey knitting eliminates seams from the working areas for greater comfort
- Excellent dry grip and superior service when handling rough, abrasive materials
- Excellent resistance to snags, puncture, abrasions, cuts, grease and oils
- Fully coated, 2 1/2" safety cuff
- Size: 10
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Heavy-duty handling of castings, cores and fabricated metal, production handling of fabricated building materials (concrete block, brick, tile, lumber, drywall plywood)

Model No. SAY787
Mfg. No. 103478

Ansell

ATLAS THERMA FIT® 451 COATED GLOVES

- Crinkle finish natural rubber palm coating
- Warm fleece lined shell with a knit wrist
- Exceptional warmth as well as a snug fit for excellent dexterity
- Improved grip for wet and dry conditions
- Case Qty: 72

Sold per Pair

Applications: Sheet metal, metal stamping as well as glass manufacturers and glaziers, agricultural and general assembly applications

SAJ985

SHOWA
Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SAJ985	451S-07	Small
SAJ986	451M-08	Medium
SAJ987	451L-09	Large
SAJ988	451XL-10	X-Large

THE KNIT PICKER KPG® VINYL GLOVES

- Lightweight, breathable vinyl coating and textured finish for sure grip
- 100% cotton seam free knit liner
- Outwears cotton many times on straight abrasion
- Machine washable
- Case Qty: 72

Sold per Pair

Applications: Furniture manufacturing, automotive subassembly, general maintenance, inspection, packaging, shipping, receiving, light fabrication and general assembly

SC415

SC417

SHOWA
Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SLIP-ON		
SC414	960S-08	Small
SC415	960M-09	Medium
SA600	960L-10	Large
KNIT WRIST		
SC416	961S-08	Small
SC417	961M-09	Medium
SC418	961L-10	Large

HEAVYWEIGHT NITRILE COATED SAFETY CUFF GLOVES

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Safety cuff
- Full coating for maximum protection
- Palm coating provides a cool comfortable fit
- Case Qty: 120

Sold per Pair

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive

SAN446

SAN447

ZENITH® Safety Products

Model No.	Size
FULLY COATED	
SAN445	10
SAN446	11
PALM COATED	
SAN447	10
SAN448	11

HEAVYWEIGHT NITRILE FULLY COATED KNIT WRIST GLOVES

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Full coating
- Knit wrist prevents debris from entering the glove
- Case Qty: 120

Sold per Pair

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive

SAN443

ZENITH® Safety Products

Model No.	Size
SAN441	8
SAN442	9
SAN443	10
SAN444	11

VINYL IMPREGNATED GLOVES

- Stretch fit provides excellent dexterity
- Abrasion and water resistance
- Rough surface for a superior grip
- Colour: Red
- Case Qty: 300

Sold per Pair

Applications: Assembly work, bottling plants, warehousing, packaging, maintenance

SEF065

ZENITH® Safety Products

Model No.	Description
SEF065	Ladies
SEF066	Men's

NOTE: Cut-resistant gloves are extremely cut-resistant but not cut-proof. Do not subject to high-speed or highly serrated blades. Always disconnect power before cleaning or removing slicer blades.

POWERFLEX® 80-813

Ansell

- Combines high levels of flame resistance and cut protection
- ARC flash-hazard category 2, helps protect workers against electrical hazards
- Special, soft foam coating ensures a secure grip in wet, oily and dry environments
- Ergonomic design provides superior comfort, dexterity and flexibility
- Meets EN407 Level 4 resistance to flammability
- Meets ANSI/ISEA 105 Level 4, EN388 Level 5 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Equipment assembly, facility & machinery maintenance, heavy duty metal handling, heavy equipment maintenance

Model No.	Mfg. No.	Size
SEB814	103535	6
SEB815	103536	7
SEB816	103537	8
SEB817	103538	9
SEB818	103539	10
SEB819	103540	11

HYFLEX® 11-511

Ansell

- An unprecedented combination of cut resistance and dexterity with improved durability
- Lightweight and ergonomically designed with incredible cut protection and a relaxed fit
- Features Intercept Technology® yarn - developed by Ansell and DuPont which incorporates Kevlar® Stretch Armor Technology
- Extended cuff provides additional cut protection in the highly sensitive wrist area
- New foam nitrile formulation provides longer wear for increased durability
- Offers superior grip and tactility in light oil or dry environments, therefore providing sure grip of product and assurance when handling sharp objects and knives
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Door and wood framing, glass installation, knife handling, maintenance operations, paper slitting, sharp small part handling, sheet metal press and small part stamping

Model No.	Mfg. No.	Size
SEB171	1151111060	6
SEB172	1151111070	7
SEB173	1151111080	8
SEB174	1151111090	9
SEB175	1151111100	10
SEB176	1151111110	11

HPPE POLYURETHANE-COATED GLOVES

ZENITH® Safety Products

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 3 and 5 for cut resistance
- Accepted for use in Canadian Food Processing Facilities
- Case Qty: 144

Sold per Pair

Model No.	Size
LEVEL 3 CUT RESISTANCE	
SFV077	7
SFV078	8
SFV079	9
SFV080	10
SFV081	11
LEVEL 5 CUT RESISTANCE	
SEF166	7
SEF167	8
SEF168	9
SEF169	10
SEF170	11

SHOWA S-TEX 376 GLOVES

SHOWA. Always Innovating. Never Imitating.

- 3/4 coated nitrile with an additional coating of foam nitrile on the palm and fingertips
- Seamless 13 gauge Hagane Coil® knitted liner
- Protects from oils, grease and abrasion
- Long lasting grip performance in wet and oily conditions
- Manufactured using an ergonomically designed hand mold that replicates the natural curvature of the human hand
- Wrist protection
- Cuff: Knit
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144

Sold per Pair

Industries: Automotive, construction, manufacturing, steel and metals

Model No.	Mfg. No.	Size
SDL507	S-TEX376S-06	Small
SDL508	S-TEX376M-07	Medium
SDL509	S-TEX376L-08	Large
SDL510	S-TEX376XL-09	X-Large

HYFLEX® 11-501 GLOVES

Ansell

- Intercept Technology® yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

Model No.	Mfg. No.	Size
SAW951	103364	6
SAW952	103365	7
SAW953	103366	8
SAW954	103367	9
SAW955	103368	10

NITRILE COATED KEVLAR® GLOVES

ZENITH® Safety Products

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120

Sold per Pair

Applications: Component assembly, waste handling, automotive and metal handling

Model No.	Size
SEC137	7
SAP923	8
SAP924	9
SAP925	10
SAP926	11
SEC138	12

LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10 gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120

Sold per Pair

Applications: Material handling, automotive, glass handling and waste handling

Model No.	Size
SAP927	8
SAP928	9
SAP929	10
SAP930	11

HYFLEX® 11-435 GLOVES

- Eco-friendly, water-based polyurethane palm coating
- Enhanced dexterity and comfort
- Gray palm coat hides soil and provides long wear reducing overall replacement costs
- Cut-resistant liner has a unique combination of Dyneema®, Nylon, Lycra®, and glass fibre
- Ultra strong fibres provide extreme resistance to cuts and burrs
- Anti-static for improved safety in critical areas
- Silicone free
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 5 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Cutting small dry or lightly oiled parts, handling glass or metal sheets, handling sharp-edged objects, maintenance, pre-assembling, stamping

Model No.	Mfg. No.	Size
SDM670	111048	6
SDM671	111049	7
SDM672	111050	8
SDM673	111051	9
SDM674	111052	10
SDM675	111053	11

SHOWA® 430 GLOVES

- Forged with cut-resistant materials, Showa® 430 provides cutting edge resistance with a flexible, comfortable feel
- Constructed with a 10-gauge seamless knit liner and flat dipping into a proprietary sponge coating
- Flat-dipped bi-polymer
- Sponge palm coating
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Liner: HPPE
- Meets ANSI/ISEA 105 Level 4 for cut resistance
- Case Qty: 12

Sold per Pair

Applications: Glass & glazing, oily applications, bottling, small parts assembly

Model No.	Mfg. No.	Size
SDP576	430-07	7
SDP577	430-08	8
SDP578	430-09	9
SDP579	430-10	10
SDP580	430-11	11

ATLAS® GRIP KV300 GLOVES

- Offers outstanding dexterity, greater comfort with the added benefit of an ergonomic design
- Wrinkle finish flat dipped rubber, with a knit wrist and a 100% Kevlar® Aramid shell
- Cut-resistant glove is also breathable
- Colour: Blue
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 4 for cut resistance
- Case Qty: 12

Sold per Pair

Model No.	Mfg. No.	Size
SEC412	KV300-7	7
SEC413	KV300-8	8
SEC414	KV300-9	9
SEC415	KV300-10	10

VANTAGE® 70-765 GLOVES

- Premium longevity and cut protection through advanced technology
- 10-gauge medium weight knit with Kevlar® fibre
- Durable leather pad double-stitched, with Kevlar® fibre
- Reinforced thumb crotch
- Excellent abrasion resistance and long-lasting
- Puncture and snag protection all the way to fingertips while providing enhanced grip
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 36

Sold per Pair

Applications: Press, welding, handling heavy, oily metal pieces, oily, with sharp or irregular edged metal parts, heat protection

Model No.	Mfg. No.	Size
SAY665	104423	8
SAY666	104424	9
SAY667	104425	10
SAY668	104426	11

SALT & PEPPER KNIT WITH BLACK POLYURETHANE PALM GLOVES

- Breathable polyurethane palm coating
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: Black on salt & pepper
- Meets EN388 Level 3 for cut resistance
- Case Qty: 144

Sold per Pair

Model No.	Mfg. No.	Size
SAN298	Y9248-7S&P	7
SAN299	Y9248-8S&P	8
SAN300	Y9248-9S&P	9
SAN301	Y9248-10S&P	10

HYFLEX® 11-624 GLOVES

Ansell

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

Model No.	Mfg. No.	Size
SAW989	104777	6
SAW990	104778	7
SAW991	104779	8
SAW992	104780	9
SAW993	104781	10
SAW994	104782	11

HYFLEX® 11-510 GLOVES

Ansell

- Unique product design engineered for light to medium cut protection applications
- Designed to provide cut protection in applications where abrasion resistance and dexterity are a "must have"
- Protects hands from abrasion in the palm area as well as the back of the hand, giving workers more confidence when working in restrictive spaces
- Sure grip and protection
- Knitted with Kevlar® yarn from DuPont™, offers flexibility and comfort
- New ComfortFlex cuff provides additional protection as well as a soft feel around the sensitive wrist area
- Black foam nitrile ensures a sure grip in light oil and dry applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Carpentry, HVAC, pipefitting, final assembly, glass installation, maintenance operations, sheet metal press, small part stamping, small part handling, small scale stamping & assembly, and wiring

Model No.	Mfg. No.	Size
SEB165	103412	6
SEB166	103413	7
SEB167	103414	8
SEB168	103415	9
SEB169	103416	10
SEB170	103417	11

HY-FLEX® 11-518 GLOVES

Ansell

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fiber breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Case Qty: 144

Sold per Pair

Application: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring

Model No.	Mfg. No.	Size
SEI847	111708	Small
SEI848	111709	Medium
SEI849	111710	Large
SEI850	111711	X-Large

HYFLEX® 11-627 GLOVES

Ansell

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 3 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Automotive, metal, glass, aeronautics, white goods manufacturing

Model No.	Mfg. No.	Size
SAY080	1162711060	6
SAY081	1162711070	7
SAY082	1162711080	8
SAY083	1162711090	9
SAY084	1162711100	10

HPPE FOAM NITRILE-COATED GLOVES

ZENITH® Safety Products

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Accepted for use in Canadian Food Processing Facilities
- Gauge: 13
- Liner: HPPE
- Cut Resistance: EN 388 Level 3
- Coating: Foam Nitrile
- Case Qty: 144

Sold per Pair

Model No.	Size
SFU852	Small (7)
SFU853	Medium (8)
SFU854	Large (9)
SFU855	X-Large (10)
SFU856	2X-Large (11)

HPPE NITRILE-COATED GLOVES

ZENITH® Safety Products

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian Food Processing Facilities
- Case Qty: 144

Sold per Pair

Model No.	Size
SEB090	7
SEB091	8
SEB092	9
SEB093	10
SEB094	11

KEVLAR® STRING KNIT GLOVES WITH PVC DOTS

- 100% Kevlar®, 7 gauge string knit glove with PVC dots
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- PVC dots provide excellent grip and abrasion resistance
- Meets EN388 Level 3 for cut resistance
- Case Qty: 300

Sold per Pair

Applications: Metal, automotive, glass handling and handling of sharp objects

Model No.	Size
ONE SIDE DOTTED	
SFP796	Small (7)
SFP797	Medium (8)
SFP798	Large (9)
SFP799	X-Large (10)
BOTH SIDES DOTTED	
SFP800	Small (7)
SFP801	Medium (8)
SFP802	Large (9)
SFP803	X-Large (10)

SFP802

KEVLAR® STRING KNIT GLOVES

- 100% Kevlar®, 7 gauge string knit glove
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- Meets EN388 Level 3 for cut resistance
- Case Qty: 300

Sold per Pair

Applications: Metal, automotive, glass handling and handling of sharp objects

Model No.	Size
SFP792	Small (7)
SFP793	Medium (8)
SFP794	Large (9)
SFP795	X-Large (10)

ZORB-IT® ULTIMATE SPONGE NITRILE COATED GLOVES

- Ergo-design for maximum comfort
- Cut resistant stretch Aramid-Lycra® liner
- Sponge nitrile coating, flat dipped
- Sanitized®
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 3 for cut resistance
- Case Qty: 12

Sold per Pair

Applications: Mechanical and automotive industries, waste handling and recycling, metal handling

Model No.	Mfg. No.	Size
SAP755	4560XS-06	6
SAP756	4560S-07	7
SAP757	4560M-08	8
SAP758	4560L-09	9
SAP759	4560XL-10	10

JACKSON SAFETY* G60 PURPLE NITRILE* CUT RESISTANT GLOVES

- High level of cut resistance with enhanced dexterity, grip and comfort
- Ambidextrous and breathable with a flexible dotted palm for better grip
- Meets ANSI Level 3, EN388 level 3 for cut resistance

Sold per Pair

Applications: Metal fabrication, glass handling, handling of sharp objects, automotive assembly

Sold per Pair

Model No.	Mfg. No.	Size
SAQ352	97430	Small (7)
SAQ353	97431	Medium (8)
SAQ354	97432	Large (9)
SAQ355	97433	X-Large (10)
SAQ356	97434	2X-Large (11)

KEVLAR® KNIT GLOVES

100% Kevlar® string knit glove with a continuous cuff is the solution for many high performance metal working and general industrial applications requiring these properties:

- High tensile strength
- Low density
- Resistance to corrosion
- Cut protection without sacrificing comfort and dexterity
- Ambidextrous
- Colour: Yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance
- Case Qty: 120

Sold per Pair

Model No.	Mfg. No.	Size
LIGHT WEIGHT		
SAS480	Y1701S	Small
SAS481	Y1701M	Medium
SAS482	Y1701L	Large
MEDIUM LIGHT WEIGHT		
SA0851	1876S	Small
SA0852	1876M	Medium
SA0853	1876L	Large
MEDIUM WEIGHT		
SQ273	1800S	Small
SQ274	1800M	Medium
SQ275	1800L	Large
HEAVY WEIGHT		
SA0854	1802S	Small
SA0855	1802M	Medium
SA0856	1802L	Large

WHITE KNIT WITH WHITE POLYURETHANE PALM GLOVES

- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: White on white
- Meets EN388 level 2 for cut resistance
- Case Qty: 144

Sold per Pair

Model No.	Mfg. No.	Size
SAJ773	Y9266-7	7
SAJ774	Y9266-8	8
SAJ775	Y9266-9	9
SAJ776	Y9266-10	10

HYFLEX® 11-500 GLOVES

Ansell

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Automotive assembly, handling sharp and/or pointed small parts, handling wire harnesses, sheet metal assembly, durable goods assembly, maintenance

Model No.	Mfg. No.	Size
SAW931	103335	6
SAW932	103336	7
SAW933	103337	8
SAW934	103338	9
SAW935	103339	10
SAW936	103325	11

HYFLEX® 11-644 GLOVES

Ansell

- Ansell Cut Protection Technology™ combines a proprietary blend of high performance polyethylene yarn with a polyurethane palm coating
- Molds naturally to the hand--preventing fatigue
- Soft and cool to the skin for all-day comfort
- Exclusive engineered yarn combination provides exceptional precision, dexterity, and flexibility when handling small parts
- Proprietary gray polyurethane coating provides a sure grip in both light oil and dry applications
- Increases worker assurance when handling sharp objects
- Excellent resistance to tears and punctures
- Gray palm coating hides soil providing longer wear and reducing overall replacement costs
- Polyurethane provides excellent abrasion resistance for long life
- Product can be washed and re-used without any loss of cut protection
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance
- Case Qty: 144

Sold per Pair

Applications: Aerospace, automotive, construction, electronics, glass products, metal fabrication, paper manufacturing, plastic & rubber manufacturing, transportation

Model No.	Mfg. No.	Size
SDM682	111673	6
SDM683	111674	7
SDM684	111675	8
SDM685	111676	9
SDM686	111677	10
SDM687	111678	11
SDM688	111679	12

T-FLEX® PLUS SEAMLESS GLOVES

- Dyneema®-Spectra®, engineered fibre
- Coated glove offers superior dexterity and grip
- 13-gauge seamless knit glove for high performance, cut resistant technology
- Thermax® lined knit for warmth
- Stretch feel and breathable comfort
- Ambidextrous
- Fully launderable
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 4 for cut resistance
- Case Qty: 12

SHOWA
Always Innovating. Never Imitating.

Sold per Glove

Applications: Sheet metal, food processing, meat and poultry industry

SAP622

Model No.	Mfg. No.	Size
SAP622	8113-06	X-Small
SAP623	8113-07	Small
SAP624	8113-08	Medium
SAP625	8113-09	Large
SAP626	8113-10	X-Large
DOTTED STYLE		
SAL093	8113C-06	X-Small
SAL094	8113C-07	Small
SAL095	8113C-08	Medium
SAL096	8113C-09	Large
SAL097	8113C-10	X-Large

HANDGUARD II GLOVES

- The patented combination of Kevlar®, Spectra® and stainless steel makes this a heavy-duty glove
- Unmatched combination of cut resistance and comfort
- Excellent thermal properties
- Ambidextrous
- Colour: White
- Meets ANSI/ISEA 105 Level 5 for cut resistance
- Case Qty: 6

Sold per Glove

JOMAC CANADA

WHIZARD PROTECTIVE WEAR

Model No.	Mfg. No.	Size
SQ233	333019	X-Small
SQ234	333021	Small
SQ235	333023	Medium
SQ236	333025	Large
SQ237	333027	X-Large

STAINLESS STEEL MESH GLOVES

- This double interlocked metal mesh ambidextrous glove is formed using state-of-the-art micro plasma welding techniques. The result is stronger, smoother, hermetically sealed ring connections that have no gaps or weak spots.
- The self-adjusting tensioning system allows for easy fit with no straps or buckles to fasten. There is no fabric cuff to wear out or become contaminated. The glove is easy to clean.
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Sold per Glove

Model No.	Mfg. No.	Size
SAI315	CM030001	X-Small
SAI316	CM030002	Small
SAI317	CM030003	Medium
SAI318	CM030004	Large
SAI319	CM030005	X-Large

Micro plasma weld

Resistance weld

Micro plasma welds create value. Links are stronger so the gloves wear longer. There is also a lower risk of contamination because, unlike resistance-welded mesh rings, micro plasma welded rings leave no gaps to trap soil.

SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Embossed, flock-lined
- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Food processing (red meat, poultry, vegetables, fruit, dairy and canning), automotive assembly and painting, aerospace and automotive degreasing, chemical processing, oil refining, petrochemicals, machining operations using cutting oil and coolants, metal fabrication, graphic arts, printing cleanup, furniture manufacturing, electronics (semiconductors, circuit board manufacturing)

Ansell

Model No.	Mfg. No.	Size
SAW941	100010	6
SAW942	100011	7
SAW943	100013	8
SAW944	100015	9
SAW945	100016	10
SAW946	100017	11

FLOCKED-LINED GREEN NITRILE GLOVES

- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 13" length, 13-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 120

Sold per Pair

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

SEF085

ZENITH® Safety Products

Model No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11

UNLINED 15-MIL GREEN NITRILE GLOVES

- Double dipped unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

SEF229

ZENITH® Safety Products

Model No.	Size
SEF227	7
SEF228	8
SEF229	9
SEF230	10
SEF231	11

UNLINED GREEN NITRILE GLOVES

- Unlined for improved dexterity
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 15" length, 22-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

SEF080

ZENITH® Safety Products

Model No.	Size
SEF080	8
SEF081	9
SEF082	10

NITRI-SOLVE® GLOVES

- Nitri-Solve® provides excellent protection against abrasion, punctures, cuts and snags
- Resistant to a broad range of solvents, animal fats and other chemicals
- Case-hardened finish enhances both chemical and abrasion resistance and makes it easy to pull on and off
- Non-slip grip makes wet work easier and safer
- Available in flock-lined and unlined styles in varying thickness and lengths
- Each hand is embossed with glove size for ease of pairing after laundering
- Colour: Green
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials

Sold per Pair

Applications: Food processing, hazmat splash protection, laboratories, janitorial, paint applications, fuel handling and refineries

SA580

SAO808

SA568

Model No.	Mfg. No.	Size	Length"	Thickness Mils	Case Qty
FLOCK-LINED					
SA578	730S-07	7	13	15	144
SA579	730M-08	8	13	15	144
SA580	730L-09	9	13	15	144
SA576	730XL-10	10	13	15	144
SA577	730XXL-11	11	13	15	144
UNLINED					
SA566	717S-07	7	13	11	144
SA567	717M-08	8	13	11	144
SA568	717L-09	9	13	11	144
SA564	717XL-10	10	13	11	144
SA565	717XXL-11	11	13	11	144
UNLINED, HEAVY-DUTY					
SA0807	737M-8	8	15	22	72
SA0808	737L-9	9	15	22	72
SA0809	737XL-10	10	15	22	72
SA0810	737XXL-11	11	15	22	72

SHOWA Always Innovating. Never Imitating.

NSK24™ NITRI-SOLVE KNIT-LINED NITRILE GLOVES

- Super flexible, watertight nitrile glove
- Interlock knit lining offers an added degree of comfort and protection
- Provides excellent protection from an array of solvents, oils and acids
- Rough finish texture delivers a sure grip in even the most oily and wet applications
- Length: 14", 24-mil thick
- Case Qty: 72

Sold per Pair

Applications: Oily greasy applications, refineries, protection from hexavalent chromium, protection from fuels, food handling applications

SAN698

Model No.	Mfg. No.	Size
SAN698	NSK24M-09	9
SAN699	NSK24L-10	10
SAN700	NSK24XL-11	11

SHOWA Always Innovating. Never Imitating.

SILVER SHIELD® 4H SERIES GLOVES

- Flexible Silver Shield® laminate film construction
- Resistant to over 280 different chemicals: alcohols, aliphatics, aromatics, chlorinated compounds, ketones, esters
- Resists permeation and breakthrough by an array of toxic/hazardous chemicals
- Low cost, disposable gloves
- Does not contain chemical accelerators that can cause allergic reactions
- Ambidextrous
- Can be used as a secondary liner glove
- 2.7-mil thick
- Case Qty: 50

Sold per Pair

Applications: Chemical/petrochemical laboratories, spill cleanups, hazmat control operations and medical labs

SAJ958

Honeywell NORTH

Model No.	Mfg. No.	Length"	Size
SAJ958	SSG/6	14 1/2	X-Small
SAJ959	SSG/7	14 1/2	Small
SAJ960	SSG/8	14 1/2	Medium
SAJ961	SSG-9	16	Large
SAJ962	SSG/10	16	X-Large
SAJ963	SSG/11	16	2X-Large

SHOULDER LENGTH NITRILE GLOVES

- Seamless nitrile makes glove water tight
- Elastic closure near the shoulder ensures dryness and comfort
- Rough finish for excellent wet grip and abrasion resistance
- Shoulder length; 26" length, 30-mil thick
- Case Qty: 12

Sold per Pair

Applications: Commercial and recreational fishing, chemical handling, food processing, maintenance and cleanup, handling greasy and oily equipment

SAP527

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SAP527	772M-08	Medium
SAP528	772L-09	Large
SAP529	772XL-10	X-Large

NITRI-DEX™ GLOVES

- "Hybrid" nitrile glove offers chemical performance, with the fit, feel and comfort associated with low modulus gloves
- Unique glove with tractor tread grip and hand specific design
- Packaged in a conceptually revolutionary poly bag that has specific compartments for the left and right hand, to facilitate one-hand specific use opportunities that exist in food and pharmaceutical industries
- Colour: Blue
- 12" length, 9-mil thick
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 150

Sold per Pair

Applications: Food processing, agricultural produce, janitorial/sanitation, automotive, aeronautics, pharmaceutical/manufacturing

SAO805

SHOWA Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SA0779	707XS-06	6
SA0803	707S-07	7
SA0804	707M-08	8
SA0805	707L-09	9
SA0834	707XL-10	10
SA0835	707XXL-11	11

NATURAL RUBBER LATEX CANNERS

- Unlined
- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- Beaded cuff for added tear resistance
- 12" length, 15-mil thick
- Case Qty: 144

Sold per Pair

Applications: Food processing, plant maintenance and janitorial applications

SEI698

ZENITH® Safety Products

Model No.	Size
15 MILS	
SEI696	7
SEI697	8
SEI698	9
SEI699	10

Model No.	Size
18 MILS	
SEI692	7
SEI693	8
SEI694	9
SEI695	10

ALPHATEC™ 58-535B GLOVES

- Nitrile with Ansell Grip Technology™
- New anatomical hand shape
- Easier donning
- Good grip
- Excellent chemical protection, repel oils and other lubricants
- Provides dexterity, comfort and touch sensitivity without any compromise in chemical protection
- Reducing hand fatigue and carpal tunnel syndrome related injuries
- Fully coated with 14", 13-mil thick knitted seamless liner
- Accepted for use in Canadian food processing facilities
- Case Qty: 72

Sold per Pair

Applications: Chemical handling, agriculture, automotive/OEM, mining, aerospace, printing

SDS926

Ansell

Model No.	Mfg. No.	Size
SDS926	123819	7
SDS927	123820	8
SDS928	123821	9
SDS929	123822	10
SDS930	123823	11

NATURAL RUBBER LATEX GLOVES

- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- 12" length
- **18-mil gloves:** Accepted for use in Canadian food processing facilities

Sold per Pair

Applications: Food processing, plant maintenance and janitorial applications

SEF204

ZENITH® Safety Products

Case Qty: 144

Model No.	Size
15 MILS	
SEF204	7
SEF205	8
SEF206	9
SEF207	10

Case Qty: 120

Model No.	Size
18 MILS	
SEF005	7
SEF006	8
SEF007	9
SEF008	10

VERSATOUCH® 297 NATURAL RUBBER GLOVES

- Medium-duty natural rubber unsupported latex
- Cotton flock-lined
- Increased snag, puncture, abrasions and cut resistance
- High degree of tensile strength
- Excellent sensitivity
- Added wrist and forearm protection
- Improved grip on wet or dry objects
- 12" length, 20-mil thick, pebble-embossed
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Canning and food processing, Agriculture, Automotive assembly, Chemical plants, Janitorial, Petroleum refineries, Plant maintenance, Pharmaceutical manufacturing

Caution: These products contain natural rubber latex which may cause allergic reactions in some individuals.

Ansell

Model No.	Mfg. No.	Size
SAW947	114309	7
SAW948	114310	8
SAW949	114311	9
SAW950	114312	10

VERSATOUCH® 87-370 GLOVES

- High resistance to water based chemicals
- Tough general purpose, flock lined, natural rubber latex glove
- Roughened finish for excellent grip in damp conditions
- Beaded cuff for tear resistance and easy pull on
- Extra length fluted cuff for ventilation and maximum protection
- Length: 13"
- Thickness: 27-mil
- Cuff Style: Gauntlet
- Rubber Latex
- Flock-Lined
- Case Qty: 144

Sold per Pair

SDS982

Ansell

Model No.	Mfg. No.	Size
SDS980	119061	Small (6.5)
SDS981	119062	Medium (7.5)
SDS982	119063	Large (8.5)
SDS983	119064	X-Large (9.5)

NATURAL RUBBER LATEX HEAVYWEIGHT GLOVES

- Provides superior protection from water-based chemicals such as acids, alkalis, alcohols and caustics
- Heavy rolled bead cuff for excellent tear resistance
- Smooth finish resists punctures and snags
- Unlined for less risk of product contamination
- 30-mil thickness
- Case Qty: 72

Sold per Pair

Applications: Chemical handling, plating, sandblasting, plant maintenance and laboratories

SAP220

ZENITH® Safety Products

Model No.	Length"
SAP220	14
SAP221	18

HEAVYWEIGHT BLACK RUBBER GLOVES

- High resistance to water-based chemicals
- Comfortable and sensitive natural rubber latex glove withstands rough treatment
- Beaded cuff for tear resistance and easy pull on
- Longer gauntlet style cuff for extra protection
- Ideal for use in heavy industry, assembly, maintenance work and local authorities
- Length: 12", 30-mil thick
- CE complex design
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Chemical, fishing, agriculture, assembly, mining, janitorial, sanitation

SAJ995

Marigold® Industrial

Model No.	Mfg. No.	Size
SAJ993	G17K/459-S	Small
SAJ994	G17K/459-M	Medium
SAJ995	G17K/459-L	Large
SAJ996	G17K/459-XL	X-Large
SAJ997	G17K/459-XXL	2X-Large

ORANGE HEAVYWEIGHT 208 SERIES GLOVES

- 29-mil palm is 50% thicker than most standard flock-lined glove
- Increased tensile strength and puncture/cut protection against chemical and physical hazard
- 100% cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects
- 13" length, 29-mil thick
- Case Qty: 144

Sold per Pair

Applications: Chemical processing, petroleum refineries, plant maintenance, heavy equipment assembly and clean-up

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

SAX914

Ansell

Model No.	Mfg. No.	Size	Colour
SAX914	0020811070	Small	Citrus Orange
SAX915	0020811080	Medium	Citrus Orange
SAX916	0020811090	Large	Citrus Orange
SAX917	0020811100	X-Large	Citrus Orange
SAX918	0020811110	XX-Large	Citrus Orange

ASTROFLEX™ NATURAL LATEX RUBBER GLOVES

- Blue natural latex rubber coated nylon liner with unique knitted elastic cuff for superb fit and comfort
- High tensile strength and resilience for use in water soluble liquids
- Crinkled gripping surface for safer wet and dry grip
- Pinked cuff
- 50-mil thick
- Case Qty: 120

Sold per Pair

Applications: Machining, fishing, glass handling, sanitation, maintenance, handling water soluble chemicals

SAP536

Marigold® Industrial

Model No.	Mfg. No.	Length"	Size
SAP536	Astroflex-7	12	7
SAP537	Astroflex-8	12	8
SAP538	Astroflex-9	12	9
SAP539	Astroflex-10	13	10

G29 SOLVENT GLOVES

- Neoprene blend construction designed for protection from solvents
- Silicone-free
- Powder-free
- 12-mil thick fingertips, 9-mil thick palm
- Not made with natural rubber latex
- Ambidextrous to improve usage efficiency
- Highest level of dexterity per EN420:2003 standard
- Qty/box: 50 gloves
- Case Qty: 10

Sold per Box

SDP379

Model No.	Mfg. No.	Length"	Size
SDP379	49822	12	X-Small (6)
SDP380	49823	12	Small (7)
SDP381	49824	12	Medium (8)
SDP382	49825	12	Large (9)
SDP383	49826	12	X-Large (10)
SDP384	49827	12	2X-Large (11)

PREMIUM GRADE NEOPRENE GLOVES

- Caustics, oils, greases and solvents resistant
- Excellent all-round protection against physical hazards such as abrasion and cuts
- Choice of smooth or rough grip
- Heavyweight thickness
- One size
- Case Qty: 72

Sold per Pair

Applications: Degreasing, petrochemicals, refining, metal fabricating, plating, galvanizing and general material handling

SC454

SC455

Model No.	Mfg. No.	Length"	Grip
SC454	6780	12	Smooth
SC455	6780R	12	Rough
SC456	6784	14	Smooth
SC457	6784R	14	Rough

NEOPRENE™ 29-865 GLOVES

- Flock-lined unsupported neoprene, embossed
- Increase chemical and abrasion resistance over standard neoprene gloves
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents
- 13" length, 18-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Petrochemicals, degreasing, electronics, refining, handling oils, acids, caustics, alcohols and solvents

Model No.	Mfg. No.	Size
SAX979	105535	7
SAX980	105536	8
SAX981	105537	9
SAX982	105546	10

SHOWA® 3415 GLOVES

- Protects against a wide range of chemicals including acids, caustics, solvents, greases and oils
- Flexible neoprene coating provides great comfort and dexterity
- 15-Gauge seamless polyester knitting
- Rough particle finish offers good resistance to abrasion
- Constructed with seamless polyester to prevent irritation
- An ergonomically designed hand former replicates the natural shape of the human hand, thus reduces hand fatigue and enhances fit and comfort
- Thickness: Heavy Weight
- Cuff Style: Gauntlet
- Material: Neoprene
- Lining: Cotton|Interlock
- Case Qty: 72

Sold per Pair

SDI904

Model No.	Mfg. No.	Length"	Size
SFI903	3415S-08	14	Small
SFI904	3415M-09	14	Medium
SFI905	3415L-10	14	Large
SFI906	3415XL-11	14	X-Large

NEOPRENE/NATURAL RUBBER LATEX GLOVES

- Natural rubber latex with blue neoprene over-dip
- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Superior chemical resistance
- 12" length, 28-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 120

Sold per Pair

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

SAM650

Model No.	Size
SAM650	7
SAM651	8
SAM652	9
SAM653	10

SNORKEL® 04-644 GLOVES

- Jersey lining provides cushioned comfort and moderate insulation
- Excellent wet grip
- Flexible PVC coated glove
- Optimum abrasion resistance
- Excellent chemical resistance to petrochemicals and acids
- Case Qty: 72

Sold per Pair

Applications: Fisheries, petrochemicals refining, handling equipment and abrasive materials coated with acids, caustics, solvents, grease and oil

Model No.	Mfg. No.	Size
SAX959	04644080	8
SAX960	04644090	9
SAX961	04644100	10
SAX962	04644110	11

PVC DOUBLE DIPPED GLOVES

- Double dipped PVC offers superior durability, abrasion and chemical resistance
- Cotton jersey lining
- Rough coating provides optimal grip
- Resistant to most oils, acids, greases and solvents
- Colour: Green
- Case Qty: 60

Sold per Pair

Applications: Fisheries, petrochemical industry, mining

SEE800

SEE803

Model No.	Description
SEE800	Gauntlet 12"
SEE801	Gauntlet 14"
SEE802	Gauntlet 18"
SEE803	Knit Wrist

PVC ULTRA FLEXIBLE GLOVES

- Premium ultra flexible PVC coating
- Seamless 13-gauge interlock lining
- Pre-formed shape for ultimate dexterity, comfort and tactile sensitivity
- Double dipped PVC offers superior durability, abrasion and chemical resistance
- 12" length
- Rough coating provides optimal grip
- Colour: Blue
- Case Qty: 120

Sold per Pair

Applications: Fisheries, general maintenance, automotive, petrochemical industry

SAP878

Model No.	Size
SAP878	9
SAP879	10

PVC ROUGH FINISH GLOVES

- Bright yellow PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Rough coating provides optimal grip
- Colour: Yellow
- Case Qty: 120

Sold per Pair

Applications: Fisheries, petrochemical industry, mining

SEE799

SEE797

Model No.	Description
SEE797	Gauntlet 12"
SEE798	Gauntlet 14"
SEE799	Knit Wrist

PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red
- Case Qty: 120

Sold per Pair

Applications: Fisheries, general maintenance, petrochemical industry

SEE804

SEE806

Model No.	Description
SEE804	Gauntlet 12"
SEE805	Gauntlet 14"
SEE806	Knit Wrist

INSULATED ROUGH TOUGH® PVC GLOVES

- PVC coated glove with a triple-layer construction resists chemicals and abrasion
- Unique crinkle finish for excellent grip

Sold per Pair

Applications: Municipalities, cold storage, trash collection, fishing and lumber industries

SC461

SC460

SA532

Model No.	Mfg. No.	Description	Case Qty
SC460	273-10	Knit Wrist	48
SA532	276-10	Safety Cuff	48
SC461	274-10	Gauntlet 14"	48

NLS SERIES PVC GLOVES W/SLEEVE

- Rough sandy finish provides superior grip
- Curved hand design provides maximum comfort
- Extended sleeve provides added protection on the arms
- Available with elastic cuffs or suspender straps
- Case Qty: 24

Sold per Pair

Applications: Cleaning and maintenance work where arm protection is required, chemical handling

SAJ973

SAJ972

Model No.	Mfg. No.	Description	Size
SAJ972	1812FWG24	24", Elastic Closure	X-Large
SAJ973	1812FWG01	30", Suspender Straps	X-Large

BEMAC PETROCHIEF® GLOVES

- Red PVC/NBR blended coating designed to handle petroleum products
- Resists most oils, acids, fats, alcohols and glycol ethers
- Performs well in temperature ranging from 25°F to 150°F
- Available in 10 1/2" gauntlet and safety cuff jersey lined

Sold per Pair

Model No.	Mfg. No.	Description	Case Qty
SAI404	PC830	Safety Cuff Jersey Lined	72
SAI405	PC893	Safety Cuff Jersey/Foam Lined	72
SAL117	PC889L	10 1/2" Gauntlet/Foam Lined	36

SAI404

JOMAC CANADA

WINTER MONKEY GRIP® GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72

Sold per Pair

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction

Model No.	Mfg. No.	Description	Size
SBA992	2319111100	Knit Wrist	10
SBA993	2319311100	Safety Cuff	10
SEE953	104723	Raised Finish, Safety Cuff	10

SBA993

Ansell

PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth

Sold per Pair

Applications: Fisheries, petrochemical industry, mining, outdoor winter conditions

SDN590

SDN591

SDN592

Model No.	Description	Case Qty
SDN591	Gauntlet 12"	72
SDN590	Knit Wrist	72
SDN592	Safety Cuff	60

ZENITH® Safety Products

ATLAS® TEMRES 282 GLOVES

- Breathable polyurethane coating
- Insulated acrylic liner for cold applications
- Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- Thin, durable coating maximizes comfort and flexibility in very cold working environments
- Nitrile-coated fingertips for added protection
- Case Qty: 6

Sold per Pair

Applications: Outdoor work, cold weather construction, transportation, maintenance, janitorial, cold storage, highway work and freight handling

Model No.	Mfg. No.	Size
SEG975	282M-08	Medium
SEG976	282L-09	Large
SEG977	282XL-10	X-Large
SEH643	282XXL-11	2X-Large

SHOWA. Always Innovating. Never Imitating.

POLAR GRIP® 23-700 GLOVES

- PVC-coated rough finish that remains soft when cold
- Excellent foam insulation against cold temperatures
- Curved fingers, wing thumb and soft insulating lining provide comfort
- Offers resistance to oils, acids, caustics and alcohols
- Rough finish surface provides excellent grip for handling of both wet and dry materials
- Nylon liner
- Accepted for use in Canadian food processing facilities
- Case Qty: 144

Sold per Pair

Applications: Fishing industry, cold storage, construction, winter transportation, yard and field work, freight handling and trash collection

Model No.	Mfg. No.	Length"	Size
SEA274	107359	11	9
SEB089	107360	11	10

Ansell

See pages 97-100 for our selection of sleeves and aprons

BLACK NITRILE GLOVES

- Pure 100% premium nitrile
- Features textured fingertips
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex and powder free
- Ambidextrous design
- Not for medical use
- 4-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Model No.	Size
SEB085	Small
SEB086	Medium
SEB087	Large
SEB088	X-Large
SED981	2x-large

HEAVYWEIGHT BLACK NITRILE GLOVES

- Fully textured diamond pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture and tear resistance
- Latex and powder-free
- 8-mil, AQL 1.5
- Case Qty: 10

Sold per Box of 50 Gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Model No.	Size
SDL990	X-Small
SEK261	Small
SEK262	Medium
SEK263	Large
SEK264	X-Large
SEK265	2X-Large

TOUCHNTUFF® 92-600 GLOVES

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Smooth fingertips for exceptional grip
- Powder-free • Rolled cuff • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, HazMat

Model No.	Size
SAW927	Small
SAW928	Medium
SAW929	Large
SAW930	X-Large

TOUCHNTUFF® BLUE 92-675 GLOVES

- Nitrile with textured fingertips for exceptional grip
- Provides three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Textured fingertips for exceptional grip
- Powder-free • Rolled cuff • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Automotive, manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work

Model No.	Size
SAW937	Small
SAW938	Medium
SAW939	Large
SAW940	X-Large

N-DEX® NIGHTHAWK™ GLOVES

- Textured fingertips
- Patented accelerator-free nitrile formulation
- Low-modulus comfort and feel
- Static-dissipative properties (ESD)
- 4-mil • 9" length • AQL 1.5
- Colour: Black
- Case Qty: 20

Sold per Box of 50 Gloves

Applications: Automotive, electronic assembly, laboratory, law-enforcement and security environments

Model No.	Mfg. No.	Size
POWDER-FREE, TEXTURED FINGERTIPS		
SAL084	7700PFTS	Small
SAL085	7700PFTM	Medium
SAL086	7700PFTL	Large
SAL087	7700PFTXL	X-Large

NITRI-CARE™ GLOVES

- Powder free, ambidextrous, rolled cuff
- Disposable, 100% nitrile glove
- In compliance with 21CFR, 170-199
- Pebbled finished to ensure excellent grip and handling
- AQL 1.5 • Length: 9.5 in.
- Thickness: 4-mil
- Finish: Powder-free
- Cuff Style: Rolled
- Colour: Blue
- Material: Nitrile
- Certification: -
- Case Qty: 10

Sold per Box of 100 Gloves

Model No.	Mfg. No.	Size
SAJ730	3005PF-XS	X-Small
SAJ731	3005PF-S	Small
SAJ732	3005PF-M	Medium
SAJ733	3005PF-L	Large
SAJ734	3005PF-XL	X-Large

EXAMINATION GRADE NITRILE

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex-free
- Ambidextrous design • Not for medical use
- 9.5" length • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Model No.	Size
4-MIL, POWDERED	
SEA916	X-Small
SAP320	Small
SAP321	Medium
SAP322	Large
SAP323	X-Large
SEA917	2X-Large

Model No.	Size
4-MIL, POWDER-FREE	
SEA918	X-Small
SAP324	Small
SAP325	Medium
SAP326	Large
SAP327	X-Large
SEA919	2X-Large

Model No.	Size
3.5-MIL, POWDER-FREE	
SDM041	Small
SDM042	Medium
SDM043	Large
SDM044	X-Large
SDM268	2X-Large

N-DEX® GLOVES

- N-Dex®'s low-modulus formulation reduces hand fatigue caused by elastomeric stress
- Provides much greater puncture resistance than natural rubber and vinyl disposables
- Available in both lightly powdered, USP vegetable starch and powder-free styles
- Acceptable for food and pharmaceutical applications
- Extremely puncture resistant, once violated N-Dex® gloves readily tear so the wearer knows the glove should be replaced
- Accepted for use in Canadian food processing facilities
- 100% nitrile glove
- Made of FDA compliant materials
- Ambidextrous
- Not intended for medical use

N-DEX® ORIGINAL 7005 INDUSTRIAL GRADE GLOVES

- 4-mil
- 9.5" length
- AQL 4.0
- Lightly powdered
- Case Qty: 20

Sold per Box of 100 Gloves

N-DEX® PLUS 8005 INDUSTRIAL GRADE GLOVES

- 8-mil
- 9.5" length
- AQL 4.0
- Powder-free
- Case Qty: 20

Sold per Box of 50 Gloves

Model No.	Mfg. No.	Size
SAL254	7005XS	X-Small
SA561	7005S	Small
SN581	7005M	Medium
SN582	7005L	Large
SAF954	7005XL	X-Large

Model No.	Mfg. No.	Size
SAK070	8005PF-S	Small
SAK071	8005PF-M	Medium
SAK072	8005PF-L	Large
SAK073	8005PF-XL	X-Large

PURPLE NITRILE* EXAM GLOVES

- Latex-free • Powder-free
- Textured fingertips
- Ambidextrous • Beaded cuff
- Thickness: 6-mil • AQL 1.5
- Case Qty: 10

Sold per Box

Model No.	Mfg. No.	Size	Qty /Box
9.5" LENGTH			
SAQ782	55080	X-Small	100
SAQ783	55081	Small	100
SAQ784	55082	Medium	100
SAQ785	55083	Large	100
SAQ786	55084	X-Large	100
12" LENGTH			
SAQ787	55090	X-Small	50
SAQ788	50601	Small	50
SAQ789	50602	Medium	50
SAQ790	50603	Large	50
SAQ791	50604	X-Large	50

EXAMINATION GRADE NITRILE/VINYL GLOVES

- Blend of premium nitrile and vinyl
- Strength and durability of nitrile with the comfort and affordability of vinyl
- Latex-free
- Exceptional tactile sensitivity
- Powder-free
- Beaded cuff for added strength
- Ambidextrous design
- 4-mil thickness • AQL 1.5
- Not for medical use
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Model No.	Size
SEH163	Small
SEH164	Medium
SEH165	Large
SEH166	X-Large
SEH167	2X-Large

KLEENGUARD* G10 NITRILE BLUE GLOVES

- Designed for maximum dexterity
- For food handling and chemical processing
- Latex-free • Powder-free
- AQL 1.5 • 4.72-mil • Colour: Blue
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Kimberly-Clark PROFESSIONAL*

Model No.	Mfg. No.	Size
SAQ332	57370	X-Small
SAQ333	57371	Small
SAQ334	57372	Medium
SAQ335	57373	Large
SAQ336	57374	X-Large (Box of 90 gloves)

DURA-TOUCH® 34-725 GLOVES

- Smooth vinyl
- Offer near "bare hand" dexterity and sensitivity
- Rolled cuff • Clear, 3-mil • AQL 1.5
- Powder-free
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Food handling and preparation, light manufacturing, maintenance and cleanup, painting, janitorial use

Ansell

Model No.	Size
SEE771	Small
SEE772	Medium
SEE773	Large
SEE774	X-Large

VERSATOUCH® 34-750 DISPOSABLE GLOVES

- Offers near "barehanded" dexterity and sensitivity
- No seams to leak or split
- Liquid proof, with no point of weakness
- Pre-powdered
- More comfortable to wear and easier to put on and remove without tearing
- Gloves contain no talcum powder which might contaminate products
- Ambidextrous
- Accepted for use in Canadian food processing facilities
- Length: 9" • Thickness: 5-mil • Finish: Smooth
- Cuff : Beaded cuff • Colour: Blue
- Material: Vinyl
- Case Qty: 10

Sold per Box of 100 Gloves

Ansell

Model No.	Mfg. No.	Size
SDN459	119065	Small
SDN460	119066	Medium
SDN461	119067	Large
SDN462	119068	X-Large

EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl • Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear • USP grade corn starch for powdered gloves
- Beaded cuff for added strength • Ambidextrous design • Thickness: 4-mil
- Length: 9.5" • AQL 1.5 • Not for medical use
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial

ZENITH® Safety Products

Model No.	Size
POWDERED	
SAP329	Small
SAP330	Medium
SAP331	Large
SAP332	X-Large
POWDER-FREE	
SAP333	X-Smal
SAP334	Small
SAP335	Medium
SAP336	Large
SAP337	X-Large

EXAMINATION GRADE BLUE VINYL GLOVES

- Pure 100% premium vinyl • Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- Beaded cuff for added strength
- USP grade corn starch powdered glove
- Ambidextrous design
- Thickness: 4-mil • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

ZENITH® Safety Products

Model No.	Size
POWDERED	
SAQ700	Small
SAQ701	Medium
SAQ702	Large
SAQ703	X-Large
POWDER-FREE	
SEI484	Small
SEI485	Medium
SEI486	Large
SEI487	X-Large

EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free gloves provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 9.5" length, 4-mil thick • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Light manufacturing, maintenance, food processing, laboratory applications and quality control

ZENITH® Safety Products

Model No.	Size
POWDERED	
SAP338	X-Small
SAP339	Small
SAP340	Medium
SAP341	Large
SAP342	X-Large
POWDER-FREE	
SAP343	X-Small
SAP344	Small
SAP345	Medium
SAP346	Large
SAP347	X-Large

DISPOSABLE POLYETHYLENE GLOVES

- Most economical glove
- Short term use
- Talc-free
- Offers mild chemical resistance
- Thin enough for fingertip sensitivity
- 1-mil, ambidextrous
- Accepted for use in Canadian food processing facilities

ZENITH® Safety Products

Case Qty: 100 **Sold per Bag of 100 Gloves**

Model No.	Size
SAQ704	Small
SAQ705	Medium
SAQ706	Large
SAQ707	X-Large

Case Qty: 20 **Sold per Box of 500 Gloves**

Model No.	Size
SEK352	Small
SEK353	Medium
SEK354	Large
SEK355	X-Large

BEST® LATEX GLOVES

- Natural colour latex features a textured finish that ensures excellent barrier protection without compromising tactile sensitivity
- Lightly powdered
- 9.5" length, 5-mil thick
- Accepted for use in Canadian food processing facilities
- Class 2 medical device
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Auto body, clinical laboratory and critical environments

SHOWA. Always Innovating. Never Imitating.

Model No.	Mfg. No.	Size
SAJ735	5005XS	X-Small
SA546	5005S	Small
SA545	5005M	Medium
SA544	5005L	Large
SAJ736	5005XL	X-Large

TOUCHNTUFF® 69-210 GLOVES

Ansell

- Smooth finish latex • Low protein
- Highest degree of dexterity • Strength and comfort
- Powdered • Rolled cuff
- Natural • 5-mil • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10

Sold per Box of 100 Gloves

Applications: Food processing and handling, laboratory analysis/technical work, intricate parts handling, quality control, electronics assembly, light-duty maintenance and cleanup

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Model No.	Size
SAY723	Small
SAY724	Medium
SAY725	Large
SAY726	X-Large

DELUXE TRIPLE GLOVES DISPENSERS

- Constructed of clear crystal acrylic
- Mounted horizontally allowing to change one box without affecting the others
- Will hold most disposable glove boxes
- Dispenser size: 20" W x 4" D x 11 13/16" H
- Gloves not included

BRADY®

Model No.	Mfg. No.	Description
SA0743	GD03DL	Deluxe triple dispenser

See pages 101-106 for our line of disposable clothing

ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

SEB048

Model No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large

ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

SEB052

Model No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large

ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

SEB229

Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Case Qty: 12

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

SEH740

Model No.	Size
SEH739	Medium
SEH740	Large
SEH741	X-Large
SEH742	2X-Large

ZM500 HI-VIZ CUT RESISTANT MECHANIC GLOVES

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Hi-viz yellow spandex back for maximum visibility
- Terry towel thumb for wiping perspiration
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Case Qty: 36

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, petrochemical and most industrial applications

SDP434

Model No.	Size
SDP433	Medium
SDP434	Large
SDP435	X-Large
SDP436	2X-Large

MEN'S UTILITY GLOVES

- All purpose glove with unlimited household and shop uses
- Easy entry, elastic cuff designed with TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit
- Two-way form fitting Spandex top increases ventilation, comfort and fit
- Interior seam stitching prevents snagging
- Reinforced Dura-Fit™ synthetic leather thumb, index and middle fingertips provide strength and protection
- Dura-Fit™ synthetic palm offers maximum durability and breathes like leather
- Lycra®, panels between fingers add comfort and ventilation
- Colour: Black
- Case Qty: 120

Sold per Pair

SAN720

Model No.	Mfg. No.	Size
SAN720	H15-05-008	Small
SAN721	H15-05-009	Medium
SAN722	H15-05-010	Large
SAN723	H15-05-011	X-Large

ORIGINAL GLOVES

- New and improved fingertip design
- Ultra-thin molded TPR (thermal plastic rubber) hook and loop cuff closure
- Easy-entry, elastic cuff • Two-way, form-fitting stretch Spandex top
- Index finger knuckle reinforcement band
- Lycra® insert panels between fingers
- Smooth surface thumb and index finger
- Tapered Clarino® synthetic leather on index, middle and ring fingertips
- Long-life Clarino® synthetic leather palm
- Concealed interior seam stitching • Easy-on, easy-off pull-tab
- Case Qty: 120

Sold per Pair

SAN421

Size	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Black Model No.	Mfg. No.
X-Small	-	-	-	-	**SAN421**	MG-05-007
Small	**SAN885**	MG-01-08	**SAN895**	MG-03-08	**SAN422**	MG-05-008
Medium	**SAN886**	MG-01-09	**SAN896**	MG-03-09	**SAN423**	MG-05-009
Large	**SAN887**	MG-01-10	**SAN897**	MG-03-10	**SAN424**	MG-05-010
X-Large	**SAN888**	MG-01-11	**SAN898**	MG-03-11	**SAN425**	MG-05-011
2X-Large	**SAN889**	MG-01-12	**SAN899**	MG-03-12	**SAN497**	MG-05-012

HEAVY-DUTY GLOVES

- Two-way, stretch Spandex top increases ventilation, comfort and fit
- Anatomically-designed TPR (thermal plastic rubber) moulded rib panels offer flexible protection for back of hand and fingers
- Genuine professional-grade leather palm and fingertips offer the finest in comfort and protection
- Lightly padded palm reduces bulk for increased grip and control
- Palm-pattern guards side of hand against wear and abrasion
- Stretch Lycra® panels between fingers add comfort and ventilation
- Spyder-patterned leather surface provides superior grip under all working conditions
- Moulded TPR (Thermal Plastic Rubber) cuff tab with hook and loop closures provides secure
- Elastic cuff increases comfort
- Padded knuckle provides maximum flexibility and protection fit

Sold per Pair

SAP852

Model No.	Mfg. No.	Size
SAP852	CG40-75-008	Small
SAP853	CG40-75-009	Medium
SAP854	CG40-75-010	Large
SAP855	CG40-75-011	X-Large

FASTFIT® GLOVES

- Elastic cuff provides easy on/off flexibility
- Durable and dexterous synthetic leather palm
- TrekDry® material top helps keep hands dry and comfortable
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit to the wrist • Machine washable

Sold per Pair

SAR882

Size	Black Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Red Model No.	Mfg. No.	High-Visibility Orange Model No.	Mfg. No.
Small	**SAR878**	MFF-05-008	**SAR873**	MFF-03-008	**SAR868**	MFF-02-008	**SAR882**	MFF-09-008
Medium	**SAR879**	MFF-05-009	**SAR874**	MFF-03-009	**SAR869**	MFF-02-009	**SAR883**	MFF-09-009
Large	**SAR857**	MFF-05-010	**SAR875**	MFF-03-010	**SAR870**	MFF-02-010	**SAR884**	MFF-09-010
X-Large	**SAR880**	MFF-05-0011	**SAR876**	MFF-03-011	**SAR871**	MFF-02-011	**SAR885**	MFF-09-011
2X-Large	**SAR881**	MFF-05-0010	**SAR877**	MFF-03-012	**SAR872**	MFF-02-012	**SAR886**	MFF-09-012

PROFLEX® 710 HEAVY-DUTY UTILITY GLOVES

- Padded palm with Tena-Grip™ reinforcement
- aATena-Grip™-reinforced fingertips and thumb saddle
- Technical hex-stretch knit construction • Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off
- EN 388: 3132 • Patent pending
- **Applications:** Heavy duty work, construction, framing/carpentry, roofing, mechanics, service techs, tool/machine operation
- Palm Material: Synthetic
- Case Qty: 6

Sold per Pair

SAI228

Model No.	Mfg. No.	Size
SFQ458	17042	Small
SFQ459	17043	Medium
SFQ460	17044	Large
SFQ461	17045	X-Large
SFQ462	17046	2X-Large

PROFLEX® 710CR HEAVY-DUTY & CUT RESISTANCE GLOVES

- Armortex®-backed palm for enhanced cut protection
- Padded palm with Tena-Grip™ reinforcement
- Technical hex-stretch knit construction
- Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off • EN 388: 4544 D; ANSI/ASTM Cut A4
- Patent Pending • Palm Material: Synthetic
- Case Qty: 6

Sold per Pair

Applications: Heavy duty work, construction, assembly/fabrication, sheet metal, sharp edge material handling, electrical, pulp & paper, mechanics' service techs, tool/machine operation

SFM485

Model No.	Mfg. No.	Size
SFM485	17122	Small
SFM486	17123	Medium
SFM487	17124	Large
SFM488	17125	X-Large
SFM489	17126	2X-Large

PROFLEX® 815 QUICKCUFF™ UTILITY GLOVES

- Certification: EN 388: 2121
- Durable synthetic leather palm
- Reinforced thumb saddle wear area
- Breathable poly mesh construction
- QuickCuff™ elastic gauntlet fit with ID space
- Pull-on tab for easy on/off • Patent pending
- **Application:** General work, warehousing/distribution, light assembly/fabrication, service techs, landscaping, maintenance, freight/baggage
- Palm Material: Synthetic
- Case Qty: 6

Sold per Pair

SAI238

Model No.	Mfg. No.	Size
SFQ468	17202	Small
SFQ469	17203	Medium
SFQ470	17204	Large
SFQ471	17205	X-Large
SFQ472	17206	2X-Large

PROFLEX® 812CR UTILITY & CUT RESISTANCE GLOVES

- Armortex®-backed palm for enhanced cut protection
- Reinforced thumb saddle wear area
- Breathable poly mesh construction
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off
- EN 388: 3543 C; ANSI/ASTM Cut A4
- Patent Pending
- Palm Material: Synthetic
- Case Qty: 6

Sold per Pair

Applications: Assembly/fabrication, sheet metal, construction, sharp edge material handling, electrical, pulp & paper, service techs

SFM490

Model No.	Mfg. No.	Size
SFM490	17182	Small
SFM491	17183	Medium
SFM492	17184	Large
SFM493	17185	X-Large
SFM494	17186	2X-Large

THERMAL FLIP-TOP GLOVES

- Converts from mitten to fingerless glove for cold weather detail work
- Flip-top fingers and thumb secured open with hook & loop tabs
- Durable polyester knit outside
- Windproof, water repellent micro fleece inside
- Double layer palm with synthetic suede anti-slip grip
- Soft, polyester fleece cuff
- Machine washable
- Case Qty: 1

Sold per Pair

Applications: All workers who demand products built to withstand the toughest jobs, used everywhere work demands extra protection

SAP861

Model No.	Mfg. No.	Size
SAP861	16072	Small
SAP862	16073	Medium
SAP863	16074	Large
SAP864	16075	X-Large
SAP865	16076	2X-Large

PROFLEX® 817 THERMAL UTILITY GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Low-profile closure with woven elastic cuff
- Padded spandex back and neoprene knuckle pad
- Double reinforced Amara palm
- Terry thumb brow wipe
- Case Qty: 6

Sold per Pair

Applications: Cold storage, marine, winter work, construction, hunting/fishing and outdoor recreation

SAK292

Model No.	Mfg. No.	Size
SAK292	16332	Small
SAK293	16333	Medium
SAK294	16334	Large
SAK295	16335	X-Large
SAK296	16336	2X-Large

PROFLEX® 818WP THERMAL WATERPROOF UTILITY GLOVE

- Durable synthetic leather with PVC reinforced palm & fingers
- 40g 3M™ Thinsulate™ insulation
- Hipora® breathable waterproof & windproof insert liner
- Breathable spandex back with foam knuckle pad
- Nylon/Spandex cuff with low-profile closure
- Terry thumb brow wipe
- Case Qty: 6

Sold per Pair

SEK033

Model No.	Mfg. No.	Size
SEK033	16032	Small
SEK034	16033	Medium
SEK035	16034	Large
SEK036	16035	X-Large
SEK037	16036	2X-Large

PROFLEX® 819WP THERMAL GAUNTLET GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora waterproof and windproof liner
- 500D nylon back and gauntlet cuff
- Amara synthetic leather palm
- EVA knuckle pad with reflective dots
- PVC reinforced palm and fingers
- Machine washable
- Case Qty: 6

Sold per Pair

Applications: For all workers who demand products built to withstand the toughest jobs, used everywhere work demands extra protection

SAP866

Model No.	Mfg. No.	Size
SAP866	16042	Small
SAP867	16043	Medium
SAP868	16044	Large
SAP869	16045	X-Large
SAP870	16046	2X-Large

PROFLEX® 876WP HI-VIZ THERMAL GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- Machine washable
- Case Qty: 6

Sold per Pair

Applications: Lifting, packing, shipping and traffic directing

SAP871

Model No.	Mfg. No.	Size
SAP871	16412	Small
SAP872	16413	Medium
SAP873	16414	Large
SAP874	16415	X-Large
SAP875	16416	2X-Large

PROFLEX 925F(X) DORSAL IMPACT-REDUCING GLOVES

- Reinforced flex zones for high dexterity
- Molded TPR armor on knuckles, fingers and carpal bone for great protection
- Armor "flex zones" for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reinforced Kevlar® palm stitching for extended wear and durability
- Reflective accents and colorful scheme for optimal hand visibility

Sold per Pair

SEB129

Model No.	Mfg. No.	Size
SEB129	16052	Small
SEB130	16053	Medium
SEB131	16054	Large
SEB132	16055	X-Large
SEB133	16056	2X-Large
SED143	16057	3X-Large
WATERPROOF		
SED154	16192	Small
SED155	16193	Medium
SED156	16194	Large
SED157	16195	X-Large
SED158	16196	2X-Large
SED159	16197	3X-Large

M-PACT® GLOVES

- Molded Thermal Plastic Rubber (TPR) provides impact protection to the fingers and knuckles
- Poron® XRD™ palm padding absorbs shock and vibration
- Form-fitting TrekDry® top material helps keep hands dry and comfortable
- Rubberized grip material on the thumb and index finger provides durable gripping power
- TPR hook and loop closure for a secure fit to the wrist
- Machine washable

Sold per Pair

SED998

Size	Model No. Grey	Mfg. No.	Model No. Red	Mfg. No.	Model No. Covert	Mfg. No.
Small	**SED998**	MPT-58-008	**SEE003**	MPT-52-008	**SEE013**	MPT-55-008
Medium	**SED999**	MPT-58-009	**SEE004**	MPT-52-009	**SEE014**	MPT-55-009
Large	**SEE000**	MPT-58-010	**SEE005**	MPT-52-010	**SEE015**	MPT-55-010
X-Large	**SEE001**	MPT-58-011	**SEE006**	MPT-52-011	**SEE016**	MPT-55-011
2X-Large	**SEE002**	MPT-58-012	**SEE007**	MPT-52-012	**SEE017**	MPT-55-012

M-PACT 2® HEAVY-DUTY GLOVES

- Flexible knuckle with high density EVA foam padding underneath
- TPR closure with hook and loop provides a secure fit
- TPR ribbing for impact and abrasion protection
- Reinforcement panel in high wear areas for increased durability
- Rubberized grip panels provide excellent gripping power
- Anatomically designed reinforcement panels
- Extended length embossed neoprene cuff for added protection
- Case Qty: 120

Sold per Pair

SAN965

Size	Model No. Black	Mfg. No.
Small	**SAN965**	MP2-05-08
Medium	**SAN966**	MP2-05-09
Large	**SAN967**	MP2-05-10
X-Large	**SAN968**	MP2-05-11
2X-Large	**SAN969**	MP2-05-12

THE ORHD® OIL AND GAS GLOVES

- Cuff ergonomics proven to protect and not interfere with long sleeves
- Stretch neoprene wrist panels create an unrestrictive fit
- Dual density Thermal Plastic Rubber (TPR) disperses forceful impact to the knuckles and metacarpals
- Cuff style: Slip-on
- Palm material: Synthetic

Sold per Pair

Model No.	Mfg. No.	Size
SEK256	ORHD-91-008	Small
SEK257	ORHD-91-009	Medium
SEK258	ORHD-91-010	Large
SEK259	ORHD-91-011	X-Large
SEK260	ORHD-91-012	2X-Large

SEK265

ANTI-IMPACT GLOVE LINERS

Fingerless four-way stretch poly/cotton lycra glove makes an excellent liner for leather work gloves. Visco-elastic polymer (VEP) full palm padding absorbs and dissipates shock. Also available with split leather palm for abrasion resistance in applications where it will be used on its own. Ideal for general assembly and material handling applications.

Sold per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size
GLOVE LINER				
SR191	501-00XS-R	**SR196**	501-00XS-L	X-Small
SR192	501-00S-R	**SR197**	501-00S-L	Small
SR193	501-00M-R	**SR198**	501-00M-L	Medium
SR194	501-00L-R	**SR199**	501-00L-L	Large
SR195	501-00XL-R	**SR200**	501-00XL-L	X-Large
SPLIT LEATHER PALM				
SR203	501-10XS-R	**SR208**	501-10XS-L	X-Small
SR204	501-10S-R	**SR209**	501-10S-L	Small
SR205	501-10M-R	**SR210**	501-10M-L	Medium
SR206	501-10L-R	**SR211**	501-10L-L	Large
SR207	501-10XL-R	**SR212**	501-10XL-L	X-Large

SR191

SR208

PREMIUM IMPACT & REPETITIVE STRAIN PROTECTIVE GLOVES

Fingerless glove provides excellent protection in applications where constant impact or vibration is a concern. Visco-elastic polymer (VEP) palm and thumb crotch padding absorbs and dissipates shock. Detachable leather wrist support for wrist repetitive strain protection. Nylon Lycra® with grain leather palm for abrasion resistance in applications where it will be used on its own. Ideal for heavy industrial use, jackhammer, grinding and impact tool applications.

Sold per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size
GRAIN LEATHER PALM				
SR263	704-20XS-R	**SR268**	704-20XS-L	X-Small
SR264	704-20S-R	**SR269**	704-20S-L	Small
SR265	704-20M-R	**SR270**	704-20M-L	Medium
SR266	704-20L-R	**SR271**	704-20L-L	Large
SR267	704-20XL-R	**SR272**	704-20XL-L	X-Large

SR263

BLACKMAXX VIBRATION DAMPENING GLOVES

- Economical vibration dampening gloves coated with "pods" of lightweight cellular chloroprene
- Uses encapsulated air to cushion and dampen vibration, giving the user good dexterity, a lightweight feel and reduced bunching
- 60% kevlar, 40% cotton seamless knit
- 7 gauge liner to incorporate excellent protection from slash injuries

Sold per Pair

Model No.	Mfg. No.	Size
SED170	4731	Medium
SED171	4732	Large
SED172	4733	X-Large

SED170

SUPERIOR QUALITY LINED GRAIN COWHIDE FITTERS GLOVES

- Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap provide increased protection

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAP223

Model No.	Description	Size	Case Qty
SAS502	Superior Quality	Ladies	120
SM582	Superior Quality	Medium	120
SAJ023	Superior Quality	Large	120
SAP232	Superior Quality	X-Large	60
SM583	Superior Quality, 4" Gauntlet Cuff	Large	120
SAP223	Double Palm & Index, Premium Quality	Large	120
SAP233	Premium Quality	Large	120

SUPERIOR QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

Model No.	Size
SEC139	Ladies
SEB100	Medium
SA619	Large
SEB101	X-Large
SEB102	2X-Large

SA619

PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined, full grain cowhide palm
- Full split leather 4" gauntlet cuff
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SM592

Model No.	Description	Size
SI842	Split Back	Large
SDP097	Split Back	X-Large
SDP098	Split Back	2X-Large
SM592	Cowhide Back	Large

SI842

GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAO052

Model No.	Description	Size
SA0051	Unlined Palm	Large
SA0052	Cotton-lined Palm	Large

SUPERIOR QUALITY HIGH-VIZ GRAIN COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Full leather-tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SEK239

SEK242

Model No.	Description	Size
SEK239	High Visibility Green	Large
SEK242	High Visibility Orange	Large

GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Durable construction
- Resists oil and water
- Cotton-lined patch palm style
- Starched safety cuff
- Smooth grain leather finish
- Size: Large
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

Model No. SAN270

GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton-lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

YC386

Model No.	Description	Size
YC386	Standard Quality, Starched Cuff	Large
SAJ497	Better Quality, Plasticized Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

SUPERIOR QUALITY SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Launderable PE cuff on order **SAP226**

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAP227

SAP226

SD603

SAP298

Model No.	Description	Size	Case Qty
SAS503	Rubberized Cuff	Ladies	120
SG281	Rubberized Cuff	Medium	120
SD602	Rubberized Cuff	Large	120
SD603	Rubberized Cuff	X-Large	120
SAP229	Rubberized Cuff	2X-Large	120
SAP298	Rubberized 4" Gauntlet Cuff	Large	72
SAP227	Premium Quality, Rubberized Cuff	Large	120
SAP226	PE Cuff	Large	120

GRAIN COWHIDE DRIVERS GLOVES

- Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- Unlined palm
- Provides a snug fit and a good sense of touch
- Case Qty: 120

Sold per Pair

Applications: Forklift and truck driver use, construction and farm equipment handling

SM585

Model No.	Size
SM584	Small
SM585	Medium
SM586	Large
SM587	X-Large

GRAIN COWHIDE ROPERS GLOVES

- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Adjustable snap back
- Smooth leather finish
- Case Qty: 120

Sold per Pair

Applications: Forklift and truck driver use, construction and farm equipment operators

SM590

Model No.	Size
SM588	Small
SM589	Medium
SM590	Large
SM591	X-Large

PREMIUM QUALITY SPLIT COWHIDE FITTERS GLOVES WITH KEVLAR®

- Top split leather cowhide construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Sewn with DuPont® Kevlar® stitching for added seam strength and durability
- Case Qty: 120

Sold per Pair

Applications: Material handling, automotive, assembly and construction

SEI496

Model No.	Description	Size
SEI496	Rubber Safety Cuff, Blue	Large

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVE

- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton-lined palm
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Sold per Pair

Applications: Heavy-duty material handling, fabrication and metal handling

SM578 SD604 SE349 SM579

Model No.	Description	Size	Case Qty
SM578	Outside Double Palm & Index Finger	Large	120
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	72
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60
SE349	Inside Double Palm & Index Finger	Large	120

SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAP224 SM575 SM576

Model No.	Description	Size	Case Qty
SAN638	Standard Quality	Large	120
SM575	Better Quality	Large	120
SAP228	Better Quality	X-Large	72
SM576	Better Quality, 4" Gauntlet Cuff	Large	120
SAP224	Superior Quality	Large	120

SUPERIOR QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Unlined palm
- Full split leather cuff
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAL592

Model No.	Description	Size
SAL592	2" Cuff	Large
SAL253	4" Cuff	Large

SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle straps
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

SAP225 SAN382

Model No.	Description	Size
SAN636	Better Quality, Denim Cuff	Large
SAN382	Better Quality, Striped Cuff	Large
SAP231	Better Quality, Striped Cuff	X-Large
SAP225	Superior Quality, Striped Cuff	Large

SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist

Sold per Pair

Applications: Material handling, automotive, assembly and construction

SAP297

SAP296

SM572

SM573

Model No.	Description	Size	Case Qty
SM572	Standard Quality, White Back, Patch Palm	Large	300
SN266	Better Quality, White Back	Ladies	300
SAP274	Better Quality, White Back	Medium	300
SA616	Better Quality, White Back	Large	300
SAP294	Better Quality, White Back	X-Large	300
SM573	Better Quality, White Back, Full Index Finger	Large	300
SAP297	Better Quality, Stripped Back	Large	300
SAP296	Superior Quality, White Back	Large	300

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120

Sold per Pair

SEK236

SED160

Model No.	Colour	Size
SED160	Fluorescent Yellow	Large
SEK236	Fluorescent Orange	Large

SPLIT BACK DRIVERS GRAIN PALM GLOVES

- Grain leather provides excellent dexterity and abrasion resistance
- Unlined palm with a split leather back
- Gunn-cut design with keystone thumb and elastic back
- Ideal for use in construction, machine operation utility work, and many other general applications
- Case Qty: 120

Sold per Pair

SAJ651

Model No.	Size
SAJ651	Small
SAJ652	Medium
SAJ653	Large
SAJ654	X-Large

PREMIUM COWHIDE DRIVERS GLOVES

- Premium grain cowhide leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, unlined palm and provides a snug fit for a greater sense of touch
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment
- Case Qty: 120

Sold per Pair

SDK967

Model No.	Size
SDK966	Medium
SDK967	Large
SDK968	X-Large

SPLIT PIGSKIN FITTERS GLOVES

- Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication and construction

SAO156

Model No.	Size
SAO156	Large
SAP353	X-Large

HPPE LINED SPLIT COWHIDE CUT RESISTANT GLOVES

- Seamless fitted HPPE liner
- Liner is made out of extremely strong fibres of HPPE (high performance polyethylene)
- Superior cut, abrasion and tear resistance
- Sewn with Twaron® thread for higher seam strength and resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Gauge: 10
- Liner: HPPE
- Cut Level: EN 388 Level 5
- Not Coated
- Case Qty: 72

Sold per Pair

SDN114

Model No.	Size
SDN114	Large
SDN162	X-Large

GRAIN PIGSKIN FITTERS GLOVES

- Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication and construction

SM580

Model No.	Description	Size
STANDARD QUALITY		
SM580	Cotton-lined Palm	Large
SDP099	Unlined Palm	Large
SDP100	Unlined Palm	X-Large
PREMIUM QUALITY		
SAP222	Rubberized Cuff	Large

GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium construction
- Provides excellent warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- Case Qty: 72

Sold per Pair

Applications: Moderate/extreme cold material handling, fabrication, metal handling and construction.

SM611

Model No.	Size
SM611	Large
SDL891	X-Large

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium construction
- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication, metal handling and construction.

SAO053

Model No.	Description	Size
SEI681	Rubberized Safety Cuff, Patch Palm	Large
SAO053	Rubberized Safety Cuff	Large
SDL882	Rubberized Safety Cuff	X-Large
SDL883	Rubberized Safety Cuff	2X-Large

GRAIN COWHIDE FURNITURE LEATHER COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton-lined patch palm style
- Safety cuff provides added protection
- Smooth grain leather finish
- Case Qty: 120

Sold per Pair

Applications: Material handling, fabrication, metal handling and construction

Model No.	Size
SEA198	Large

SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72

Sold per Pair

SED428

SEK237

Model No.	Colour	Size
SED428	Fluorescent Yellow	Large
SEK237	Fluorescent Orange	Large

GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Excellent abrasion resistance
- Provides superior warmth
- Resists oil and water well
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Smooth grain leather finish
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication, metal handling and construction.

SAP290

Model No.	Size
SAP290	Large
SDL886	X-Large
SDL887	2X-Large

THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication, metal handling and construction.

SM613

SEH040

Model No.	Description	Size
SAS501	Premium, 100-g Thinsulate™	Ladies
SM613	Premium, 100-g Thinsulate™	Large
SEH040	Superior, 100-g Thinsulate™	Large
SAP246	Premium, 100-g Thinsulate™	X-Large
SDL885	Premium, 100-g Thinsulate™	2X-Large
SEI642	Standard, Patch Palm, 40-g Thinsulate™	Large

GOAT GRAIN PREMIUM QUALITY FLEECE-LINED GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth
- Case Qty: 72

Sold per Pair

SEE313

Model No.	Size
SEE313	Medium
SEE314	Large
SEE315	X-Large

SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium construction
- Provides excellent warmth
- Good abrasion resistance
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 72

Sold per Pair

Applications: Moderate/extreme cold material handling, fabrication, metal handling and construction.

SAP240

Model No.	Size
SAP240	Medium
SAP241	Large
SAP242	X-Large
SDL884	2X-Large

GRAIN COWHIDE DRIVERS & ROPERS FLEECE-LINED GLOVES

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap
- Case Qty: 72

Sold per Pair

Applications: Forklift and truck drivers, operators of construction and farm equipment.

SM618

SAP215

Model No.	Description	Size
SM616	Drivers	Small
SM617	Drivers	Medium
SM618	Drivers	Large
SM619	Drivers	X-Large
SAP250	Drivers	2X-Large
SAP215	Ropers	Small
SAP216	Ropers	Medium
SAP217	Ropers	Large
SAP218	Ropers	X-Large

SPLIT COWHIDE FITTERS FULL COTTON FLEECE-LINED GLOVES

- Good abrasion resistance
- Safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 72

Sold per Pair

Applications: Moderate cold material handling, fabrication, metal handling and construction

SD613

Model No.	Size
SD613	Large
SAP299	X-Large

THINSULATE™-LINED SPLIT COWHIDE FITTERS GLOVES

- Premium construction
- Good abrasion resistance
- Provides superior warmth
- Good dexterity
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication, metal handling and construction.

SAL544 SAP249 SM609 SAN637

Model No.	Size	Lining Weight (g)
SAS500	Ladies	100
SAN637	Medium	100
SAL544	Large	40
SM609	Large	100
SAP248	X-Large	100
SAP249	2X-Large	100

SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium construction
- Provides superior warmth
- Good abrasion resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap provide increased protection
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication, metal handling and construction.

SD614

SAP247

Model No.	Size
SD614	Large
SAP247	X-Large
SDL890	2X-Large

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72

Sold per Pair

SED161

SEK238

ZENITH® Safety Products

Model No.	Colour	Size
SED161	Fluorescent Yellow	Large
SEK238	Fluorescent Orange	Large

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Premium construction
- Full cotton fleece lining provides moderate warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Moderate cold material handling, fabrication, metal handling and construction

ZENITH® Safety Products

SAP245

SD605

SM610

Model No.	Description	Size
SM610	Rubberized Safety Cuff	Ladies
SD605	Rubberized Safety Cuff	Large
SAP245	Rubberized Safety Cuff	X-Large
SEF236	Gauntlet Cuff	Large

SUPERIOR QUALITY GRAIN COWHIDE FULL COTTON FLEECE-LINED GLOVES

- Premium construction, superior quality
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove
- Case Qty: 12

Sold per Pair

ZENITH® Safety Products

SEB613

Model No.	Size
SEH145	Medium
SEB613	Large

GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

ZENITH® Safety Products

- Smooth top grain construction
- Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Moderate cold material handling, fabrication and construction

Model No.	Size
SAP295	Large

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PATCH PALM GLOVES

- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Patch palm design
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Case Qty: 120

Sold per Pair

Applications: Moderate cold material handling, fabrication, metal handling and construction

SR521

ZENITH® Safety Products

Model No.	Size
SR521	Large
SAM023	X-Large
SDL881	2X-Large

PREMIUM QUALITY GRAIN PIGSKIN FOAM FLEECE LINED GLOVES

ZENITH® Safety Products

- Fitter glove with shorter driver style cuff
- Premium pigskin leather construction
- Superior performance in wet applications
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap
- Full red foam fleece lining provides excellent warmth
- Case Qty: 120

Sold per Pair

Applications: Moderate cold material handling, fabrication and construction

SEI571

Model No.	Description	Size
SDL465	Safety Cuff	Small
SDL021	Safety Cuff	Medium
SEI571	Safety Cuff	Large
SEI572	Safety Cuff	X-Large
SDN053	Safety Cuff	2X-Large

GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Good abrasion resistance
- Boa lining provides superior warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Safety cuff
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication and construction

SAP300

Model No.	Description	Size
SAP300	Superior Quality, Rubberized Cuff	Large
SDL888	Superior Quality, Rubberized Cuff	X-Large
SDL889	Superior Quality, Rubberized Cuff	2X-Large

PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Premium cow grain palm and index leather construction
- Top split cowhide leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability
- Case Qty: 72

Sold per Pair

SEE287

Model No.	Size
SEE287	Small
SEE288	Medium
SEE289	Large
SEE290	X-Large
SEE291	2X-Large

THINSULATE™-LINED GRAIN PIGSKIN FITTERS GLOVES

- Premium construction
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- 100-g Thinsulate™ lining
- Case Qty: 72

Sold per Pair

Applications: Extreme cold material handling, fabrication and construction

SM615

SAP251

Model No.	Size
SM615	Large
SAP251	X-Large
SDL892	2X-Large

PREMIUM QUALITY GOAT GRAIN GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Case Qty: 72

Sold per Pair

SEB734

Model No.	Size
SEB752	Small
SEB733	Medium
SEB734	Large
SEB735	X-Large
SEB736	2X-Large

POLY/COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 50% cotton and 50% polyester blend

Sold per Pair

Applications: General inspection lines, assembly, glove liner

SEE784

SEE786

SEE789

Model No.	Cuff	Size	Case Qty
LIGHTWEIGHT LISLE			
SEE783*	Unhemmed	Ladies	1200
SEE784*	Unhemmed	Men's	1200
MEDIUMWEIGHT			
SEE785	Hemmed	Ladies	600
SEE786	Hemmed	Men's	600
MEDIUMWEIGHT			
SEE789	Knit Wrist	Ladies	600
SEE790	Knit Wrist	Men's	600

* Accepted for use in Canadian food processing facilities

NYLON INSPECTION GLOVES

- Lint-free nylon yarn offers premium product protection
- Maximum dexterity and sensitivity
- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Hemmed cuff provides secure fit
- Case Qty: 600

Sold per Pair

Applications: Electronics inspection lines and assembly, paint line inspection and low lint applications

SEE791

Model No.	Size
SDS931	Ladies (X-Small)
SEE791	Ladies
SEE792	Men's

PREMIUM STRING KNIT GLOVES

- Cotton, nylon and spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- Premium dexterity and sensitivity
- Case Qty: 300

Sold per Pair

SED611

Model No.	Size
SED611	Small
SED612	Medium
SED613	Large

COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 100% heavyweight cotton
- Accepted for use in Canadian food processing facilities
- Case Qty: 600

Sold per Pair

Applications: General inspection lines, assembly, glove liner

SEE788

Model No.	Cuff	Size
SEE787	Hemmed	Ladies
SEE788	Hemmed	Men's

PARADE/WAITER'S GLOVES

- Seaming detail on back
- 100% white cotton
- Hemmed cuff provides secure fit
- Accepted for use in Canadian food processing facilities
- Case Qty: 600

Sold per Pair

SEE795

Model No.	Size
SEE793	Small
SEE794	Medium
SEE795	Large
SEE796	X-Large

POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- **Heavyweight:** Approved for use in Canadian food processing facilities
- Case Qty: 300

Sold per Pair

Applications: Parts handling, maintenance, assembly, glove liner and food processing

SEE932

Model No.	Size
STANDARD WEIGHT	
SDS937	X-Small
SDS938	Small
SDS939	Medium
SDS940	Large
SDS941	X-Large
SDS942	2X-Large
HEAVYWEIGHT	
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large

POLYESTER STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 100% polyester, 10-gauge
- Elastic knit wrist
- Polyester offers resistance to water absorption remaining lightweight even when wet
- Case Qty: 300

Sold per Pair

Applications: Automotive, clean rooms, assembly and parts handling, glove liner and food processing.

SEF199

ZENITH® Safety Products

Model No.	Size
SEF199	Medium
SEF200	Large

COTTON CANVAS DOTTED PALM GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 240

Sold per Pair

Applications: Material handling, automotive, assembly and construction

SEE947

ZENITH® Safety Products

Model No.	Size
SEE947	Small
SEE948	Large

NATURAL POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- 65% cotton and 35% polyester blend, 7 gauge
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- **Heavyweight:** Approved for use in Canadian food processing facilities
- Case Qty: 240

Sold per Pair

Applications: General maintenance, shipping and receiving, assembly and parts handling

SEE941

ZENITH® Safety Products

Model No.	Size
NATURAL COLOUR, ONE SIDE DOTTED, LIGHTWEIGHT	
SDS943	X-Small
SDS944	Small
SDS945	Medium
SDS946	Large
SDS947	X-Large
NATURAL COLOUR, ONE SIDE DOTTED, HEAVYWEIGHT	
SEE938	X-Small
SEE939	Small
SEE940	Medium
SEE941	Large
SEE942	X-Large
NATURAL COLOUR, BOTH SIDES DOTTED, HEAVYWEIGHT	
SEE943	Small
SEE944	Medium
SEE945	Large
SEE946	X-Large

WHITE POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities
- Case Qty: 240

Sold per Pair

Applications: General maintenance, shipping and receiving, assembly and parts handling

SAN489

ZENITH® Safety Products

Model No.	Size
ONE SIDE DOTTED	
SAN489	Small
SAN490	Medium
SAN491	Large
SAN492	X-Large
BOTH SIDES DOTTED	
SAN493	Small
SAN494	Medium
SAN495	Large
SAN496	X-Large

MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life
- Case Qty: 240

Sold per Pair

Applications: General maintenance, shipping and receiving, assembly and parts handling

SAM662

ZENITH® Safety Products

Model No.	Size
SAM662	Small
SAM663	Large

INSULATOR® 78-101/78-150 GLOVES

- Hand warmer in cold, damp working environments
- May be used as an under glove
- Ambidextrous
- Case Qty: 144

Sold per Pair

Applications: Handling chilled or refrigerated products, fishing industry, utilities, construction, general maintenance

SEA277 SEA308

Ansell

Model No.	Colour	Size
SEA277	Blue	One Size
SEA308	White	One Size

PVC PALM COATED GLOVES

- String knit design for excellent breathability and comfort
- PVC palm coating provides superior abrasion resistance, grip and durability
- Knit wrist eliminates dirt and debris from entering the glove
- Black on white
- Case Qty: 240

Sold per Pair

Applications: Parts handling, assembly and metal stamping

SAP211

Model No.	Size
SAP211	Small
SAP212	Medium
SAP213	Large
SAP214	X-Large

COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300

Sold per Pair

Applications: Material handling, automotive, assembly, construction

SEE846

Model No.	Fabric Weight oz	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large

BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth

Sold per Pair

Applications: Light-duty material handling, assembly, automotive and winter glove liner

SEE949

SEE950

Model No.	Description	Size
SEE949	Slip-On, Red Fleece Lining	Large
SEE950	Knit Wrist	Large

SALT & PEPPER JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 300

Sold per Pair

Applications: Light-duty material handling, assembly, automotive and winter glove liner

SEE951

Model No.	Size
SEE951	Large
SEE952	X-Large

SQUIDS® GRABBERS

- Easy to use with a comfortable feel
- Keeps gloves close at hand
- Clips to clothing, belts, tool belts and D-rings
- Breakaway feature
- Dielectric/non-conductive material

Applications: Carpentry, electrician, contractors, trades, roofing, construction, warehousing, maintenance, mechanics, HVAC, plumbing, mitten security

SAO182

SAO184

Model No.	Mfg. No.	Colour
GRABBERS		
SA0180	19112	Black
SA0181	19117	Blue
SA0182	19118	Orange
SA0183	19119	Yellow
GRABBERS W/BELT CLIP		
SA0184	19122	Black
SA0185	19127	Blue
SA0186	19128	Orange
SA0187	19129	Yellow

HOTTEC™ HAND WARMERS

- HOTTEC™ warmers are air activated and made with all natural ingredients
- Simply remove them from their package, shake for approximately 30 seconds and feel the heat for up to 8 hours!
- Will fit almost anywhere; pockets, gloves, hats, winter liners for hard hats and almost any clothing accessory
- Dimensions: 3.74" W x 2.17" L
- Cold/Hot: Hot
- Single Use
- 3 year shelf life

Model. No.	Mfg. No.	Description
SDN880	1070500-HT	Hand Warmers

MONARCH ECONOMY KNEE BOOTS

- Durable 16" economy knee boot
- Designed for wet, muddy conditions where chemical resistance is not a factor
- Injected molded seamless construction
- Steel toe complies with ASTM F2413-11
- Reinforced shank
- Replaceable cushion insoles
- Pull-up and kick off lugs for easy on and off
- Cut off band for height adjustment
- Manufactured using a minimum of 88% pre-consumer recycled materials
- Cleated outsole
- 100% waterproof
- Plain toe also available

SC359

Model No.	Mfg. No.	Size
STEEL TOE		
SC359	86606-6	6
SC360	86606-7	7
SC361	86606-8	8
SC362	86606-9	9
SC363	86606-10	10
SC364	86606-11	11
SC365	86606-12	12
SC366	86606-13	13

16" ECONOMY BOOTS

- Excellent underfoot protection
- Designed to provide exceptional puncture resistance
- Injected molded seamless construction
- Full steel midsole
- Replaceable cushion insoles
- Pull-ups and kick off lug for easy on and off
- Cut off band for height adjustment
- Excellent for use in orchards, construction, vegetables fields, citrus groves, and agriculture
- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)

SAJ689

Model No.	Mfg. No.	Size
SAJ689	86622-6	6
SAJ690	86622-7	7
SAJ691	86622-8	8
SAJ692	86622-9	9
SAJ693	86622-10	10
SAJ694	86622-11	11
SAJ695	86622-12	12
SAJ696	86622-13	13

SUREFLEX™ BOOTS

- Designed with high chemical and abrasion resistance properties
- 100% waterproof, high molecular weight PVC/nitrile sole and soft flexible, high performance PVC compound upper
- Steel toe complies with ASTM F2413-11
- Resists animal fats, petroleum, oils, grease and chemicals
- Orange slip-resistant Safety-Loc™ outsole
- Removable insole for added comfort
- Steel shank for firm arch support
- Kick-off lug for easy removal
- Excellent for use in chemicals, farming and food processing
- Plain toe also available

SAP795

SAP805

Model No.	Mfg. No.	Size
6" WORK SHOE – STEEL TOE		
SAP805	87981-6	6
SAP806	87981-7	7
SAP807	87981-8	8
SAP808	87981-9	9
SAP809	87981-10	10
SAP810	87981-11	11
SAP811	87981-12	12
SAP812	87981-13	13

Model No.	Mfg. No.	Size
16" KNEE BOOT – STEEL TOE		
SAP795	87982-6	6
SAP796	87982-7	7
SAP797	87982-8	8
SAP798	87982-9	9
SAP799	87982-10	10
SAP800	87982-11	11
SAP801	87982-12	12
SAP802	87982-13	13
SAP803	87982-14	14
SAP804	87982-15	15

LADY MONARCH BOOTS

- Steel toe style complies with ASTM F2413-11
- Injection molded for seamless construction
- Reinforced PVC shank for added support
- Cut off band for height adjustment
- Replaceable cushioned insoles
- 100% waterproof
- Colour: Pink
- Plain toe also available

SED079

Model No.	Mfg. No.	Size
14" WOMEN'S KNEE BOOT - STEEL TOE		
SED078	53606-5	5
SED079	53606-6	6
SED080	53606-7	7
SED081	53606-8	8
SED082	53606-9	9
SED083	53606-10	10
SED084	53606-11	11

WHITE PVC STEEL TOE BOOTS

- Designed for use where mild chemical resistance is required
- Designed to help processing plants comply with HACCP guidelines
- Injected molded seamless construction
- Steel toe style complies with ASTM F2413-11
- Safety-Lok outsole
- Reinforced steel shank for added safety and comfort
- Replaceable cushion insoles
- Cut-off bands for height adjustment
- Pull-up and kick-off lugs for easy on and off
- Plain toe also available

SC573

Model No.	Mfg. No.	Size
SC573	81012-6	6
SC574	81012-7	7
SC575	81012-8	8
SC576	81012-9	9
SC577	81012-10	10
SC578	81012-11	11
SC579	81012-12	12
SC580	81012-13	13

BULLY

- Acid and oil-resistant Ultraflex™ compound
- Generous wider fit
- Self-cleaning outsole
- GelFlex fatigue resistant mid sole
- Slip resistant first impact heel strike design
- Also available in white
- Certified to CSA standard Z195

RECOMMENDED APPLICATIONS:

Agriculture, Chemicals, Construction, Food Processing, Petrochemical

SAL023

Model No.	Mfg. No.	Size
STEEL TOE		
SAL013	9677-587-7	7
SAL014	9677-587-8	8
SAL015	9677-587-9	9
SAL016	9677-587-10	10
SAL017	9677-587-11	11
SAL018	9677-587-12	12
SAL019	9677-587-13	13
STEEL TOE/STEEL PLATE		
SAL020	9679-587-7	7
SAL021	9679-587-8	8
SAL022	9679-587-9	9
SAL023	9679-587-10	10
SAL024	9679-587-11	11
SAL025	9679-587-12	12
SAL026	9679-587-13	13

Other sizes available

EXPRESS

- Economical compound
- Self-cleaning outsole
- Slip resistant
- Certified to CSA standard Z195

RECOMMENDED APPLICATIONS:

Agriculture, Construction, Food Processing, Utilities

SAL037

Model No.	Mfg. No.	Size
STEEL TOE		
SAL027	8057-001-7	7
SAL028	8057-001-8	8
SAL029	8057-001-9	9
SAL030	8057-001-10	10
SAL031	8057-001-11	11
SAL032	8057-001-12	12
SAL033	8057-001-13	13
STEEL TOE / STEEL PLATE		
SAL034	8059-001-7	7
SAL035	8059-001-8	8
SAL036	8059-001-9	9
SAL037	8059-001-10	10
SAL038	8059-001-11	11
SAL039	8059-001-12	12
SAL040	8059-001-13	13

Other sizes available

HAZMAX® 16" KNEE BOOTS

- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel toe, steel shank and steel mid-sole for complete protection
- One-piece injection molded construction, eliminates seams
- Boots are constructed of high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- For use in situations involving dangerous chemicals, gasses or biological hazards and waste
- Exceeds CSA standards for dielectric footwear
- Certified by SEI to meet the requirements of NFPA 1991, 2005 edition

SC620

Model No.	Mfg. No.	Size
SC620	87012-6	6
SC621	87012-7	7
SC622	87012-8	8
SC623	87012-9	9
SC624	87012-10	10
SC625	87012-11	11
SC626	87012-12	12
SC627	87012-13	13
SAP837	87012-14	14
SAP838	87012-15	15

BOOT COVERS

12" LATEX HAZMAT

Made of 0.60 mm, high visibility yellow latex rubber, the Hazmat boot cover offers protection from a broad range of materials. Seamless coversprovide a snug fit over existing footwear for an added layer of protection. The ribbed and textured sole provides traction on a variety of slippery surfaces. Strong enough to be worn many times, yet economical enough to be disposed of after a single use. 100% waterproof.

15" PVC BOOT/SHOE COVER

Made of a strong 0.20 mm PVC upper, heat-welded to a hard, embossed 0.50 mm PVC sole for superior slip resistance. Completely waterproof, equipped with an elastic top for easy pullover comfort and a secure snug fit. 100% waterproof.

SD638

Model No.	Mfg. No.	Size	Fits Size
12" LATEX HAZMAT			
SD588	97591-L	Large	7 - 9
SD589	97591-XL	X-Large	10 - 12
SAP794	97591-2X	2X-Large	13 - 16
15" PVC BOOT/SHOE COVER			
SD636	97590-M	Medium	6 - 8
SD637	97590-L	Large	9 - 11
SD638	97590-XL	X-Large	12 - 14

DIELECTRIC STEEL TOED BOOTS

ULTRAGRIP SIPE OUTSOLE

- Electric shock resistant footwear is tested to meet or exceed ASTM standard F-2413-05 EH
- Electric shock resistant footwear will withstand 18 000 volts of AC current for one minute, showing no leakage in excess of 3.0 milliamperes
- Steel toed, injected molded seamless construction
- Replacement cushion insoles
- Cut-off bands and kick off lug
- Steel toe complies with ASTM F2413-11

Applications:
Utilities, municipalities engineers, construction workers.

Model No.	Mfg. No.	Size
SAR442	88722-6	6
SAR443	88722-7	7
SAR444	88722-8	8
SAR445	88722-9	9
SAR446	88722-10	10
SAR447	88722-11	11
SAR448	88722-12	12
SAR449	88722-13	13

MINER 49ER PROFESSIONAL MINING BOOTS

- Handcrafted 100% waterproof ozone-resistant natural rubber
- Heavy-duty cotton canvas lining
- Air-cushioned sole pockets
- Achilles tendon and ankle protection
- Oil and chemical-resistant nitrile lug sole
- Removable comfort felt insole
- ANSI MT/75 metatarsal protection
- CSA class #1 steel toe and plate
- CSA Omega – electric shock resistant

Model No.	Mfg. No.	Size
REGULAR 14"		
SAN663	VW 49-7	7
SAN664	VW 49-8	8
SAN665	VW 49-9	9
SAN666	VW 49-10	10
SAN667	VW 49-11	11
SAN668	VW 49-12	12
SAN669	VW 49-13	13
TALL 16"		
SAN684	VW49T-7	7
SAN685	VW49T-8	8
SAN686	VW49T-9	9
SAN687	VW49T-10	10
SAN688	VW49T-11	11
SAN689	VW49T-12	12
SAN690	VW49T-13	13

Other sizes available

PVC OVERSHOES & OVERBOOTS

- Four-Way cleated outsole
- Heavy Flex-O-Thane PVC construction for added durability
- Premium overshoe and overboot protection
- Excellent cold weather flexibility
- Self-cleaning, slip resistance outsole
- Kick off lug for easy on and off
- Fits over most work shoes and boots

Applications: Construction, farming, utilities and food processing.

Model No.	Mfg. No.	Size
4"		
SED420	86010-XS	X-Small
SAP584	86010-S	Small
SAP585	86010-M	Medium
SAP586	86010-L	Large
SAP587	86010-XL	X-Large
SED421	86010-X2L	2X-Large
10"		
SED424	86020-XS	X-Small
SAS322	86020-S	Small
SAS323	86020-M	Medium
SAS324	86020-L	Large
SAS325	86020-XL	X-Large
SED425	86020-2XL	2X-Large
17"		
SED422	86030-XS	X-Small
SA0188	86030-S	Small
SA0189	86030-M	Medium
SA0190	86030-L	Large
SA0191	86030-XL	X-Large
SED423	86030-2XL	2X-Large

HIP WADERS

- Superior, waterproof protection to the hips
- Steel toe and steel mid sole hip wader with Ultragrip® sipe outsole
- Injected molded seamless boot construction
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Excellent cold weather flexibility
- Lightweight/durable PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resist oil, grease, gasoline, saltwater and ozone
- Non-absorbent lining
- Replaceable cushion insoles
- Measurement from heel to top of wader: Inseam 32", outseam 35"
- Excellent for use in utilities, municipalities, aquaculture and commercial fishing
- Steel toe complies with ASTM F2413-11 and CSA Z195

Model No.	Mfg. No.	Size
SAP602	86856-6	6
SAP603	86856-7	7
SAP604	86856-8	8
SAP605	86856-9	9
SAP606	86856-10	10
SAP607	86856-11	11
SAP608	86856-12	12
SAP609	86856-13	13

CHEST WADERS

- Superior, waterproof protection
- Injected molded seamless boot construction
- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel midsole
- Ultragrip® sipe outsole
- Excellent cold weather flexibility
- Durable, heavy-duty PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resists oil, grease, gasoline, salt water and ozone
- Top drawstring closure for snug fit
- Non-corrosive, reinforced suspender buttons
- Built-in belt loops with adjustable belt
- Non-absorbent lining
- Replaceable cushion insoles
- For use in utilities, municipalities, aquaculture and commercial fishing

Model No.	Mfg. No.	Size
SA0732	86867-6	6
SA0733	86867-7	7
SA0734	86867-8	8
SA0735	86867-9	9
SA0736	86867-10	10
SA0737	86867-11	11
SA0738	86867-12	12
SA0739	86867-13	13

VOYAGER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- 100% waterproof and windproof
- 2.5 mm polyurethane internal bootie provides warmth to feet
- Very quick and snug fit adjustment
- Nylon upper fabric, Perma outsole

SEA906

Model No.	Mfg. No.	Size	Fits Size
SEA906	VNN1BLKXSM	X-Small	3.5-5
SEA907	VNN1BLKSML	Small	5.5-7
SEA908	VNN1BLKMED	Medium	7.5-9
SEA909	VNN1BLKLRG	Large	9.5-11
SEA910	VNN1BLK1XL	X-Large	11.5-13
SED272	VNN1BLK2XL	2X-Large	13.5-15
SED273	VNN1BLK3XL	3X-Large	15.5-17

EXPLORER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, Superlite outsole

SED280

Model No.	Mfg. No.	Size	Fits Size
SED280	EXPGBLKXSM	X-Small	3-4.5
SED281	EXPGBLKSML	Small	5-6.5
SED282	EXPGBLKMED	Medium	7-8.5
SED283	EXPGBLKLRG	Large	9-10.5
SED284	EXPGBLK1XL	X-Large	11-12.5
SED285	EXPGBLK2XL	2X-Large	13-14.5
SED286	EXPGBLK3XL	3X-Large	15-16.5

NAVIGATOR 5™ EXPANDABLE OVERSHOES

- Durable polyester upper with waterproof membrane
- Aggressive Vibram® Ninja™ outsole offers superior traction on ice, snow and slush
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provide ease in putting on or taking off overshoes

Model No.	Mfg. No.	Size	Fits Size
SED287	N5P3GRYXSM	X-Small	3-4.5
SED288	N5P3GRYSML	Small	5-6.5
SED289	N5P3GRYMED	Medium	7-8.5
SED290	N5P3GRYLRG	Large	9-10.5
SED291	N5P3GRY1XL	X-Large	11-12.5
SED292	N5P3GRY2XL	2X-Large	13-14.5
SED293	N5P3GRY3XL	3X-Large	15-16.5

FOOD PROCESSING OVERSHOES

- Extremely lightweight, provides resistance to animal fats, fish oils and are 100% waterproof
- Offer comfort and slip protection
- Easy donning and doffing and very easy to sanitize inside and out
- Strap system provides secure fit to help prevent feet from slipping around inside overboot
- Blue TPU upper fabric, polyurethane outsole

SED265

Model No.	Mfg. No.	Size	Fits Size
SED265	IT12PT17BLUXSM	X-Small	3.5-5
SED266	IT12PT17BLUSML	Small	5.5-7
SED267	IT12PT17BLUMED	Medium	7.5-9
SED268	IT12PT17BLULRG	Large	9.5-11
SED269	IT12PT17BLU1XL	X-Large	11.5-13
SED270	IT12PT17BLU2XL	2X-Large	13.5-15
SED271	IT12PT17BLU3XL	3X-Large	15.5-17

CONSTRUCTOR SAFETY BOOTS

- Oil and acid resistant Neoprene and leather upper design
- Oil and acid resistant stitching, laces and metal free hardware
- High visibility reflective strips
- Oil and acid resistant rubber outsole for slip resistance in extreme cold temperatures
- Ice Bear outsole design for additional traction in ice and snow
- Light weight PU base is cold crack tested to 50 000 flexes at -50°C/-58°F
- Light weight GelFlex mid-sole provides cushioning to reduce fatigue and improve comfort
- Metal free safety toe and plate with electric shock resistant sole
- Baffin -100°C/-148°F 8 layered inner boot
- Micro cellular waffle foot-bed traps air and moisture
- Frost plate foot-bed
- CSA / ASTM / CE approved
- Material: Leather • Other sizes available
- Toe Type: Steel
- Plate Type: Steel
- Standard: CSA Standard Z195
- Waterproof/Not Waterproof: Waterproof
- Temperature Rating: Up to -148°F (-100°C)

Model No.	Mfg. No.	Size
SDP304	POLA-MP01-7	7
SDP305	POLA-MP01-8	8
SDP306	POLA-MP01-9	9
SDP307	POLA-MP01-10	10
SDP308	POLA-MP01-11	11
SDP309	POLA-MP01-12	12
SDP310	POLA-MP01-13	13
SDP311	POLA-MP01-14	14

REFINERY BOOTS

- Acid and oil-resistant oarprene compound
- -40°C/-40°F felt inner boot system
- 1" snow cuff
- Long wear self-cleaning outsole
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated

SAP945

RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size
SAP945	8574-001-6	6
SAP946	8574-001-7	7
SAP947	8574-001-8	8
SAP948	8574-001-9	9
SAP949	8574-001-10	10
SAP950	8574-001-11	11
SAP951	8574-001-12	12
SAP952	8574-001-13	13
SAP953	8574-001-14	14

HUNTER

- Lightweight and flexible TR compound
- -40°C/-40°F felt inner boot system
- Longwearing self-cleaning outsole
- 1" snow cuff
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated

SAL009

RECOMMENDED APPLICATIONS:

BAFFIN TECHNOLOGY

Model No.	Mfg. No.	Size
STEEL TOE		
SAK998	8563-394-7	7
SAK999	8563-394-8	8
SAL001	8563-394-9	9
SAL002	8563-394-10	10
SAL003	8563-394-11	11
SAL004	8563-394-12	12
SAL005	8563-394-13	13
STEEL TOE/STEEL PLATE		
SAL006	8564-033-7	7
SAL007	8564-033-8	8
SAL008	8564-033-9	9
SAL009	8564-033-10	10
SAL010	8564-033-11	11
SAL011	8564-033-12	12
SAL012	8564-033-13	13

Other sizes available

HOTTEC™ ADHESIVE TOE WARMERS

- HOTTEC™ warmers are air activated and made with all natural ingredients
- Simply open the package, peel off backing, the adhesive will keep the toe warmer in place in the shoe or boot on the outside of socks under the toes for up to 6 hours of heat!
- Designed to work in shoes or boots with restricted air-flow
- 3 year shelf life
- Width: 3.74"
- Length: 2.75"
- Cold/Hot: Hot
- Reusable: Single Use

Model No. SDN881
Mfg. No. 1070601-HT

HOTTEC WARMING PRODUCTS / PRODUITS CHAUFFANTS

ANTI-SLIP SNOW SHOES

- Hexagon non-split studs offer excellent traction on ice and snow
- Non-slip heavy duty flexible rubber boot
- Includes 12 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Traction Type: Stud

Model No. SDN085
Medium, fits shoe size 5-8

Model No. SDN086
Large, fits shoe size 8-11

Model No. SDN087
X-Large, fits shoe size 11-13

ZENITH® Safety Products

ANTI-SLIP SNOW SHOES

ZENITH® Safety Products

- Special non-split studs offer excellent traction on ice and snow
- Non-slip flexible snow shoes
- Includes 10 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C

Model No. SEA004
Medium, fits shoe size 5-8

Model No. SEA005
Large, fits shoe size 8-11

Model No. SEA006
X-Large, fits shoe size 11-13

Boot not included

ICER'S® SAFETY SOLES

- Provides a high degree of secure footing and safety in slippery conditions
- Ideal for all types of outdoor activities
- Features a unique design that insulates feet from the ground keeping them warmer and dryer
- Vibram® soles bristle with deep chevron-shaped lugs and soccer-style cleats armed with 34 screw-head studs
- Hook and loop straps allow the Icer's® to slide on over regular footwear easily
- Re-studding kit is available
- Each kit contains 35 studs and tool

Model No.	Mfg. No.	Size	Dimensions L"	x	W"
SAF849	INVXS	X-Small	11	x	4
SAF850	INVSM	Small	11 3/4	x	4 1/2
SAF851	INVM	Medium	12 1/4	x	4 5/8
SAF852	INVLG	Large	13	x	4 3/4
SC555	INVXL	X-Large	13 3/4	x	5
SAF856	INVXXL	2X-Large	14 1/4	x	5 1/8
SC560	STUDKIT	Re-Studding Kit		-	

TOE GUARDS

- Resistant 15-gauge carbon steel construction for maximum toe protection
- 75-lb. impact rating
- Adjustable straps permit adjustability and optimal fit
- Weight: 21 oz. per pair
- 4.5" W
- One size fits all

Model No. SEE903

Shoe not included

FOOT GUARDS

- Lightweight and resistant plastic construction
- 30-lb. impact rating
- Rubber straps on heel and sole permit adjustability and optimal fit
- Weight: 14 oz. per pair
- Colour: Green
- 4.5" W
- One size fits all

Model No. SEE902

Shoe not included

METATARSAL GUARDS

- Lightweight and resistant aluminum construction
- Designed to fit on work boot laces
- Spring fasteners permit adjustability and optimal fit
- Weight: 7 oz. per pair
- One size fits all

Model No. SEE904

Boot not included

TURBOTOE SAFETY TOE CAPS

- 100% waterproof, will not harden, stiff or crack
- Perfect for visitors, casual or temporary workers, management, clerical staff and sales people
- Can be comfortably worn over low-heel, dress and running shoes, and most boots
- Ideal for many working environment that carry a risk of toe damage, or has a steel toe cap requirement
- Certified to CSA standard Z334-14 Protective Footwear Grade 1 protection

Model No.	Mfg. No.	Size	Fits Size	Colour
SED175	TTCSAXS	X-Small	4-5	Grey
SED176	TTCSAS	Small	6-7	White
SED177	TTCSAM	Medium	8-9	Yellow
SED178	TTCSAL	Large	10-11	Red
SED179	TTCSAXL	X-Large	12-13	Blue
SED180	TTCSAXXL	2X-Large	13-14	Green
SD5772	TTCSAXXXL	3X-Large	15-16	Black

NON-CONDUCTIVE METATARSAL GUARDS

- Unlike traditional metatarsal guards, the Metguard is non-conductive for heat and electricity
- Fits all safety shoes and boots with optional attachment straps sold separately
- Used with existing footwear and transferable between users and footwear
- Practical, comfortable, easy to fit and simple to use
- Suitable for use in all workplaces and industries including mining, construction, manufacturing, transport, storage, forestry, retail trade, warehousing, storage, forestry, retail trade
- Tested to conform with stringent Worldwide Safety Footwear Standards

Sold per pair

Model No. SED173
Mfg. No. METGUARD

OPTIONAL METSTRAP

Model No. SED174
Mfg. No. METSTRAP

Boot not included

PLASTIC SHIN GUARDS

Formed to the contour of the leg, with reinforcing ribs for extra strength and rigidity. Sponge pads, top and bottom inside, add comfort, absorb shock.

Maximum shin protection with totally free foot and leg movement. Plastic will not lose shape due to dampness. 12" high, 5" wide at top, 3" wide at bottom, 0.140" thick with elastic straps.

Combine with foot guard for total protection and freedom of movement.

KNEE-SHIN GUARDS

Combines the shin guard above attached to a knee guard with web, sponge rubber hinge. Knee guards 5 1/2" high, 6 1/2" wide, 0.140" thick; full guard 18" high.

PLASTIC SHIN-INSTEP GUARDS

Combines the shin guard attached to a 6" instep guard with web, sponge rubber hinge. Instep 5" wide, 0.140" thick; full guard 20" long.

PLASTIC KNEE-SHIN-INSTEP GUARDS

Combines all parts attached with web, sponge rubber hinges; total length 27".

Model No.	Mfg. No.	Description
SC544	304	Shin guards
SD515	314	Knee-shin guards

Model No.	Mfg. No.	Description
SC538	324	Shin-instep guards
SD516	334	Knee-shin-instep guards

HINGED KNEE PADS

- Cover flexes with knee to keep pad snug and debris out
- Hard cap cover for extra durability
- Premium removable cover for quick cleaning, with a Coolmax® liner for dry comfort
- Flame laminated inner sponge for added comfort
- Hook and loop strap
- One size fits all

Sold per Pair

Model No.	Mfg. No.	Description
SEB486	18210	Hard Cap, Double Strap

FOAM KNEE PADS

- Durable copolymer foam padding provides excellent protection and value
- Form fitted, lightweight molded pad with ribbed kneeling surface
- One hook and loop strap for easy donning
- One size fits all

Sold per Pair

Model No.	Mfg. No.	Description
SEB475	18200	Light-Duty Copolymer Single Strap

ALL TERRAIN COMFORT GEL KNEE PADS

LIGHTWEIGHT GEL

- Lightweight gel and EVA foam for mobile comfort
- Patented suspension cap redirects pressure away from the patella
- Bottom webbing and top elastic straps keep knee pad secure
- Stitched-in plastic clip adjustment allows for unlimited variability
- Silicone-free

SHORT CAP LIGHTWEIGHT GEL

- Innovative cap shape allows rocking and leaning while still maintaining stability
- Short cap design for easy mobility

Sold per Pair

LONG CAP LIGHTWEIGHT GEL

- Patented cap shape delivers stability on all terrain and surfaces
- Long cap design provides full coverage

Sold per Pair

SEB124

Model No.	Mfg. No.	Description
SEB123	18358	Short Cap
SEB124	18348	Long Cap

INJECTED GEL

- 100% Injected Gel and PU foam for all-day comfort and maximum durability
- Patented suspension cap redirects pressure away from the patella
- Optimal gel comfort
- Stitched-in plastic clip adjustment allows for unlimited variability
- Silicone-free

SHORT CAP INJECTED GEL

- Innovative cap shape allows for rocking and leaning while still maintaining stability
- Short cap design for easy mobility
- Bottom webbing and top elastic straps keep knee pad secure

Sold per Pair

LONG CAP INJECTED GEL

- Long cap design provides full coverage protection
- 3-strap design: two bottom webbing and top elastic keep knee pad in position

Sold per Pair

SEB478

Model No.	Mfg. No.	Description
SEB478	18355	Short Cap
SEB477	18345	Long Cap

KNEE PADS

- High density foam padding
- Nylon outer cover

Sold per Pair

FLEXIBLE

- Rounded plastic cap with grommets
- Double elastic straps with adjustable hook and loop closure

SEE110

PLASTIC CAP

- Sewn-on ribbed plastic cover to protect from impact
- Double straps with adjustable plastic buckle closure

SEE112

IMPACTO® Protective Products Inc.

Model No.	Mfg. No.	Description
SEE110	827-00	Flexible Knee Pads
SEE112	826-00	Plastic Cap Knee Pads

KNEELING PADS

- Comfort for static kneeling situations
- Closed cell foam is non-conductive, resistant to petroleum and silicon-free
- Convenient handle included

SEB125

Model No.	Mfg. No.	Dimensions"
SEB125	18380	14 x 21 x 1
SEB479	18385	16 x 28 x 1
SEB480	18390	18 x 36 x 1

BACK SUPPORTS

- Reduces risk of lower back injury and offers added support
- Encourages proper lifting posture
- Adjustable two-stage straps permit optimal level of tension
- Double closure on cinch strap permits more adjustment options
- Adjustable elastic suspenders for maximum comfort and fit
- 8" reinforced primary belt
- Machine washable

ZENITH® Safety Products

Model No.	Size	Fits Waist"
SEE905	Small	28 - 35
SEE906	Medium	33 - 42
SEE907	Large	38 - 48
SEE908	X-Large	45 - 54
SEE909	2X-Large	50 - 57

PROFLEX® 1051 MESH W/LUMBAR PAD

- Breathable mesh outer shell provides a cool, comfortable wear
- Uniquely designed with ventilated lumbar pad to fill the gap in the back's natural curve for comfortable support
- Adjustable two-stage closure helps remind wearers to lift properly
- Power panel positioner keeps elastic bands close to sides for ease of use - will not fall out of reach when not in use
- Machine washable
- Colour: Black

ergodyne

Model No.	Mfg. No.	Size	Fits Waist
SAI223	20183	Small	25" - 30" (64 - 76 cm)
SAI224	20184	Medium	30" - 34" (76 - 86 cm)
SAI225	20185	Large	34" - 38" (86-97 cm)
SAI226	20186	X-Large	38" - 42" (97 cm-107 cm)
SAI227	20187	2X-Large	42" - 46" (107 cm - 117 cm)

PROFLEX® 2000SF PERFORMANCE SPANDEX

- Patented Sticky Fingers® stays deliver firm, continuous lower back and abdominal support, and have greater durability and gripping properties than industry-standard, rubber-tracked tape
- Patented contoured design comfortably hugs the body and naturally positions support on wearer
- 1 1/4" premium woven elastic suspenders are adjustable and detachable to improve comfort and fit
- Power panel positioner keeps elastic bands close to sides for ease of use and will not fall out of reach when not in use
- Woven cinch tabs are reinforced to stand up to daily wear
- Durable Spandex body cloth provides an ideal combination of breathability and consistent stretch
- Adjustable two-stage closure helps remind wearers to lift properly
- Machine washable
- Colour: Black

ergodyne

Model No.	Mfg. No.	Size	Fits Waist
SAI207	11281	X-Small	22" - 25" (56 cm - 64 cm)
SAI208	11282	Small	25" - 30" (64 cm - 76 cm)
SAI209	11283	Medium	30" - 34" (76 cm - 86 cm)
SAI210	11284	Large	34" - 38" (86 cm - 97 cm)
SAI211	11285	X-Large	38" - 42" (97 cm - 107 cm)
SAI212	11286	2X-Large	42" - 46" (107 cm - 117 cm)
SAI213	11287	3X-Large	46" - 52" (119 cm - 132 cm)
SAI214	11288	4X-Large	52" - 58" (132 cm - 147 cm)

INDUSTRIAL BACK SUPPORTS

DECADE® RESEARCH DRIVEN

- Strategically contoured to provide firm support to key areas of abdomen and lower back
- Width of primary belt is 8"
- Cool two-way stretch power knit primary belt positions boning stays on lower back and is flexible to move with the body
- Triple-lock closure on cinch strap allows for a tighter adjustment option before lifting
- Industrial knit elastic cinch straps and shoulder straps
- Molded HTH hook and loop fastener
- Positive anchoring system achieved through two-way stretch binding and rubberized interior pockets with spring steel stays conforms to the body providing lower back support and preventing belt from riding up
- Available in black with adjustable 1 1/2" elastic sewn-on suspenders

Model No.	Mfg. No.	Size	Fits Waist"
SE537	1010010-XS	X-Small	23 - 27
SE538	1010010-S	Small	28 - 32
SE539	1010010-M	Medium	33 - 37
SE540	1010010-L	Large	38 - 44
SE541	1010010-XL	X-Large	45 - 51
SE542	1010010-2XL	2X-Large	52 - 56

PROFLEX® 100 ECONOMY SPANDEX

- Rubber track webbing helps keep support in position
- Economical 280D Spandex body material
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching

ergodyne

Model No.	Mfg. No.	Size	Fits Waist
SEB206	11381	X-Small	22" - 25" (56 cm - 64 cm)
SEB207	11382	Small	25" - 30" (64 cm - 76 cm)
SEB208	11383	Medium	30" - 34" (76 cm - 86 cm)
SEB209	11384	Large	34" - 38" (86 cm - 97 cm)
SEB210	11385	X-Large	38" - 42" (97 cm - 107 cm)
SEB211	11386	2X-Large	42" - 46" (107 cm - 117 cm)
SEB212	11387	3X-Large	46" - 52" (119 cm - 132 cm)
SEB213	11388	4X-Large	52" - 58" (132 cm - 147 cm)

PROFLEX® 1600 STANDARD ELASTIC

- 9" (22.8 cm) premium all-elastic body for extra firm support
- Contoured high-cut front panel
- Rubber track webbing
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching

ergodyne

Model No.	Mfg. No.	Size	Fits Waist
SEE282	11102	Small	25" - 30" (64 cm - 76 cm)
SEE283	11103	Medium	30" - 34" (76 cm - 86 cm)
SEE284	11104	Large	34" - 38" (86 cm - 97 cm)
SEE285	11105	X-Large	38" - 42" (97 cm - 109 cm)

ELASTIC WRIST SUPPORTS

- Limits the wrist from over flexing and over extending to help prevent repetitive strain injuries
- Flexible spiral stays provide support
- Loops around thumb to keep in place
- Elastic strap with hook and loop closure
- Available with single or double strap closures
- Single strap has stays on palm side
- Double straps has stays on palm and dorsal side

SEE135

IMPACTO® Protective Products Inc.

Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurement"
SINGLE STRAP				
SEE131	EL40SL	**SEE135**	EL40SR	4.5 to 5.5
SEE132	EL40ML	**SEE136**	EL40MR	6.5 to 7.5
SEE133	EL40LL	**SEE137**	EL40LR	7.5 to 8.5
SEE134	EL40XLL	**SEE138**	EL40XLR	8.5 to 11
DOUBLE STRAP				
SEE139	EL41SL	**SEE143**	EL41SR	4.5 to 5.5
SEE140	EL41ML	**SEE144**	EL41MR	6.5 to 7.5
SEE141	EL41LL	**SEE145**	EL41LR	7.5 to 8.5
SEE142	EL41XLL	**SEE146**	EL41XLR	8.5 to 11

GEL-PADDED WORK GLOVES

- General purpose half finger glove
- Abrasion and impact protection
- Padding in the palm and index finger
- Terry cloth and grey spandex back
- Terry cloth thumb, black leather palm
- Wrist tab with hook and loop closure
- Open back for cool comfort

Sold per Pair

SAR673

IMPACTO® Protective Products Inc.

Model No.	Mfg. No.	Size
SAR673	400-00S	Small
SAR674	400-00M	Medium
SAR675	400-00L	Large
SAR676	400-00XL	X-Large
SDP613	400-00XXL	2X-Large

UNIVERSAL ELASTIC WRIST SUPPORTS

- Sorbothane® padding absorbs impact and vibration
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure

Model No. SEE126
Mfg. No. ERWW

IMPACTO® Protective Products Inc.

THERMAL WRIST WRAPS

- Relieves stress, strains, swelling and tendinitis by providing a wrist joint compression support
- Allows for free hand movement
- Jersey-covered neoprene retains body heat
- Hook and loop closure

Model No. SEE127
Mfg. No. ER101

IMPACTO® Protective Products Inc.

PROFLEX® 4010 DOUBLE STRAP WRIST SUPPORT

- Supplemental support to help relieve stress associated with repetitive strain and overuse injuries
- Limits downward and upward (flexion and extension) movements
- Patented Open-Center Stay™
- Three-stage hook & loop closure
- Anti-odour treatment

Model No.	Mfg. No.	Size
LEFT		
SEE764	70032	Small
SEE765	70034	Medium
SEA576	70036	Large
SEE766	70038	X-Large

Model No.	Mfg. No.	Size
RIGHT		
SEE767	70022	Small
SEA327	70024	Medium
SEA574	70026	Large
SEA575	70028	X-Large

PROFLEX® 420 WRIST WRAP WITH THUMB LOOP

- Hook & loop closure
- Ambidextrous

Model No.	Mfg. No.	Size
BLACK		
SEL634	72222	Small/Medium
SEL635	72224	Large/X-Large

Model No.	Mfg. No.	Size
TAN		
SEL636	72232	Small/Medium
SEL637	72234	Large/X-Large

TENNIS ELBOW BRACES

- Supports the upper forearm during activities involving repeated hand motion
- Provides relief and prevention of pain related to muscle strain, tendinitis, repetitive motion, carpal tunnel syndrome, lateral epicondylitis
- Adjustable strap with hook and loop closure

IMPACTO® Protective Products Inc.

Model No.	Mfg. No.	Measurement"
SEE114	EL5002S	9 to 10.5
SEE115	EL5002M	11 to 12
SEE116	EL5002L	12 to 14
SEE117	EL5002XL	14 to 16.5

THERMO WRAP TENNIS ELBOW SUPPORTS

- Layered heat retaining materials
- Soft lining wicks away moisture and keeps skin warm
- Aids in the prevention and treatment of medical-lateral epicondylitis
- Prevents overloading where forearm strain is an occupational hazard
- Padding provides localized compression to the problem area
- Adjustable hook and loop closure

IMPACTO® Protective Products Inc.

Model No.	Mfg. No.	Measurement"
SEE118	TS205S	9 to 10.5
SEE119	TS205M	11 to 12
SEE120	TS205L	12 to 14
SEE121	TS205XL	14 to 16.5

HEAT STRESS METERS

- Wet Bulb Globe Temperature (WBGT) considers the effects of temperature, humidity and direct or radiant sunlight
- Heat stress index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (TG) monitors the effects of direct solar radiation on an exposed surface
- In/Out function displays the WBGT value with or without direct sun exposure
- View individual temperatures or indices in either °F or °C
- User adjustable WBGT threshold with audible alarm if threshold is exceeded
- Built-in RS-232 and USB interface
- Tripod mount design for long term monitoring

IA639

SPECIFICATIONS:

Air Temp. Range:	0.0 to 50.0°C (32 to 122°F)
Black Globe Temp. Range:	0.0 to 80.0°C (32 to 176°F)
WBGT Temp. Range:	0.0 to 50.0°C (32 to 122°F)
Humidity Range:	0 to 100% RH

Model No.	Mfg. No.	Description
IA639	8778	Heat Stress Meter
IA447	BS-6	Tripod
HX515	HR33	33% Humidity Calibration Standard
HX514	HR75	75% Humidity Calibration Standard
IA452	VZUSBAZM	USB Cable and Software

HEAT STRESS METER/DATA LOGGER

- Measures indoor and outdoor WBGT (Wet Bulb Globe Temperature), Black Globe (TG) temperature, humidity, wet bulb, dew point and air temperatures
- Adjustable audible WBGT alarm setting
- Real time data logger with integral 2GB SD memory card (optional)
- RS232 and USB interface
- Temperature is measured in °C or °F

SPECIFICATIONS

Indoor WBGT Range: 0° to 59 °C
Outdoor WBGT Range: 0° to 56 °C
TG Temp. Range: 0° to 80 °C
Air Temp. Range: 0° to 50 °C
Humidity Range: 5 % to 95 % RH

Model No. IA794 Mfg. No. SD-2010

HEAT STRESS STOP WATCHES

- Measures temperature and humidity, and calculates heat index as well as dew point
- Combines air temperature and relative humidity measurements in an attempt to determine the human-perceived equivalent temperature or "how hot it feels"
- Full LCD display with LED backlight
- Silent operation option
- Dual power: Solar panel and battery
- 1 ATM water resistant (IPX4 rated)

Model No. IA987 Mfg. No. SW700

EVAPORATIVE SERIES

Ergodyne's Chill-Its® Evaporative Series cooling products work hard to provide up to four hours of cooling relief.
The secret? Two different cooling technologies: a hyper-evaporative cooling towel fabric that retains water while remaining dry to the touch, and space age acrylic polymer cooling crystals that expand and absorb water to provide a cooling sensation.

CHILL-ITS® 6700 COOLING BANDANAS & 6710 COOLING TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated up to four hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak

SEB137

SAP942

Model No.	Mfg. No.	Colour
BANDANAS		
SEB128	12306	Navy Western
SEB136	12305	Red Western
SEB134	12304	Camouflage
SEB139	12341	Flames
SEB137	12307	Blue
TRIANGLE HATS		
SAP942	12326	Navy Western
SAP941	12325	Red Western
SAP943	12324	Camouflage
SEC860	12327	Blue

CHILL-ITS® 6700CT COOLING BANDANAS & 6710CT COOLING TRIANGLE HATS

- Advanced PVA towel material keeps you cool without the bulk
- Activates quickly and easily when run under water for one minute
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit
- Reusable, just re-soak
- One size

SEC684

SEC685

Model No.	Mfg. No.	Colour
BANDANAS		
SEC683	12566	Hi-Vis Lime
SEC684	12567	Blue
SEI645	12562	Camouflage
SEI646	12563	Red Western
SEI647	12564	Navy Western
SEI648	12568	Flames
TRIANGLE HATS		
SEC685	12586	Hi-Vis Lime
SEC686	12587	Blue
SEI649	12582	Camouflage
SEI650	12583	Red Western
SEI651	12584	Navy Western
SEI652	12588	Flames

CHILL-ITS® 6602MF MICROFIBER COOLING TOWELS

- Microfibre material is soft and absorbent
- Super-evaporative, feels significantly cooler than ambient air
- Non toxic and chemical free
- Machine washable
- 2-sided colour, grey on reverse
- Size: 9.8" x 40.9"
- UPF 50 for protection against harmful UV

SDL619

Model No.	Mfg. No.	Colour
SDL618	12660	Blue
SDL619	12668	Grey
SDL620	12669	Lime
SDL621	12661	Orange
SDL622	12662	Pink

CHILL-ITS® 6602 COOLING TOWELS

- Dampen this synthetic space age towel to create a cooling aid significantly cooler than ambient air
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, reduces the effect of heat stress and fights fatigue
- Wear for hours, or wipe for quick relief
- Simply re-wet the towel to reactivate
- Machine washable

Model No.	Mfg. No.	Colour
SEB126	12420	Blue
SEI753	12439	Lime
SEI754	12441	Orange
SEI755	12442	Pink
SEI756	12438	Grey

COLOURS & PATTERNS
All colours not necessarily available in all styles.

EVAPORATIVE SERIES (CONTINUED)

Ergodyne's Chill-Its® Evaporative Series cooling products work hard to provide up to four hours of cooling relief.
The secret? Two different cooling technologies: a hyper-evaporative cooling towel fabric that retains water while remaining dry to the touch, and space age acrylic polymer cooling crystals that expand and absorb water to provide a cooling sensation.

CHILL-ITS® 6665 COOLING VESTS

- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to four hours
- V-neck with zipper closure
- Quilted nylon outer layer
- Activated, polymer-embedded fabric inside
- Water-repellent liner and black cotton-poly elastic trim
- Lightweight, durable and washable
- 100% nylon
- Reusable, just re-soak

Model No.	Mfg. No.	Size
HV LIME-YELLOW		
SAP936	12533	Medium
SAP937	12534	Large
SAP938	12535	X-Large
SAP939	12536	2X-Large
SEC687	12537	3X-Large

Model No.	Mfg. No.	Size
GREY		
SEC688	12543	Medium
SEC689	12544	Large
SEC690	12545	X-Large
SEC691	12546	2X-Large
SEC692	12547	3X-Large

6685 DRY EVAPORATIVE COOLING VESTS

- Provides immediate and long lasting cooling
- Up to 3 days of cooling ability each time the vest is filled
- Easy to use watertight filling cap
- Fill with 13-20 oz. (400-600 ml) of water to activate
- Lightweight, durable and washable
- V-neck with zip closure
- Mesh side panels provide additional ventilation and stretch
- Patented
- Do not clean the inside reservoir; cooling material is treated with an anti-microbial that inhibits mold growth
- Keep cap closed at all times to maintain effectiveness
- Colour: Lime

Model No.	Mfg. No.	Size
SDN598	12673	Medium
SDN599	12674	Large
SDN600	12675	X-Large
SDN601	12676	2X-Large
SDN602	12677	3X-Large

CHILL-ITS® 6717 HARD HAT PADS & SHADES

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to four hours
- Conveniently attaches to standard hard hat suspension with hook and loop closures
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Protects neck from harmful UV rays
- Reusable, just re-soak

Model No. SAP940
Mfg. No. 12336

CHILL-ITS® 6670CT COOLING NECK SHADES

- Advanced PVA material activates easily and quickly when run under water for one minute
- Super-evaporative cooling process helps keep you cool
- Hook and loop straps for easy attachment
- Re-usable, just re-soak
- Patented design

Model No. SEI653
Mfg. No. 12523

6215 & 6215HV PHASE CHANGE COOLING VESTS

- Maintains constant 58°F / 14°C
- Cooling lifecycle lasts up to four hours
- Comfortable cotton construction with hook & loop closure
- Extended vest surface area to enhance cooling power
- Non-toxic, non carcinogenic, dielectric substance
- Elastic pen loop
- Modacrylic cotton blend FR fabric meets ASTM F1506 performance requirements
- FR Rating: ATPV 7.1 cal/cm², HRC 1

Model No.	Mfg. No.	Colour	Size
SDN603	12200	Khaki	Small/Medium
SDN604	12210	Khaki	Large/X-Large
W/REFLECTIVE ACCENTS			
SDN605	12220	Orange	Small/Medium
SDN606	12221	Orange	Large/X-Large

ABSORPTIVE SERIES

Ergodyne's Chill-It's® Absorptive Series cooling products sop up sweat, and provide cooling relief.
Keeping sweat off your eyes and hands is not only smart, it's safe.

CHILL-ITS® 6605 COOLING HEADBANDS & 6615 COOLING DEW RAGS

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth band
- Machine washable

SEC695

Model No.	Mfg. No.	Colour
HEADBANDS		
SEC694	12425	Solid Blue
SEC695	12422	Camouflage
SEC697	12429	Flames
SEC698	12424	Navy Western
DEW RAGS		
SEC675	12481	Solid Blue
SEC676	12478	Camouflage
SEC678	12485	Flames
SEC680	12480	Navy Western

SEC678

SQWINCHER® LIQUID CONCENTRATE

- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle

SR933

SR936

Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.
SAF862	11025	Grape	64	5
SAP552	11027	Mixed Berry	64	5
SR933	11020	Lemonade	64	5
SR934	11021	Orange	64	5
SR935	11022	Fruit Punch	64	5
SR936	11023	Lemon Lime	64	5
SR937	11024	Tropical Cooler	64	5
SAN540	11011	Orange	32	2.5
SAF863	11012	Fruit Punch	32	2.5
QQ095	11013	Lemon-Lime	32	2.5
SAP553	11015	Grape	32	2.5
SAP554	11014	Tropical Cooler	32	2.5
SR918	11010	Lemonade	32	2.5

SQWINCHER® READY-TO-DRINK

- Ready-to-drink bottles make hydration simple and easy

Model No.	Mfg. No.	Flavour	Bottle Size oz.
SAF879	11100	Orange	20
SAF881	11102	Fruit Punch	20
SAP497	11105	Mixed Berry	20
SEI479	11106	Strawberry Lemonade	20

SQWINCHER® LIQUID CONCENTRATE LITE

- Solution formulated for diabetics or consumers watching their daily carbohydrate intake
- Get the same benefits as regular Sqwincher* without any calories or sugar
- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle

SAN533

SAN536

Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.
SAN533	11050502-FP	Fruit Punch	64	5
SAN534	11050504-LL	Lemon-Lime	64	5
SAN535	11050505-LEM	Lemonade	64	5
SAN536	11050507-OR	Orange	64	5

SQWINCHER® POWDER PACK

- Traditional powder pack form
- Mixes quickly and easily with water

Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.
SAF871	11061	Orange	47.66	5
SEC587	11063	Lemon-Lime	47.66	5

SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere

Model No.	Mfg. No.	Flavour	Packet Size oz.	Packet Yield oz.	Qty /Box
SAF872	11080	Lemonade	0.6	6	50
SAF873	11081	Fruit Punch	0.6	6	50
SAF874	11082	Lemon-Lime	0.6	6	50
SAF878	11086	Orange	0.6	6	50

SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Sqweeze!

Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield	Qty /Box
SAM804	11130	Various*	3	3-oz. Popsicle	150

* Mixed case consists of orange, grape, lemon-lime, cherry and mixed berry flavours.

SQWINCHER® QWIK STIK LITE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake

Model No.	Mfg. No.	Flavour	Pouch Size oz.	Pouch Yield oz.	Qty /Box
SAN505	11060100-OR	Orange	0.11	20	50
SAN506	11060102-FP	Fruit Punch	0.11	20	50
SAP496	11060101-MB	Mixed Berry	0.11	20	50
SEI282	11060453-SL	Strawberry Lemonade	0.11	20	50

SQWINCHER® SERVASTATIONS®

- Designed to provide the most convenient and cost-effective means to distribute Sqwincher®
- Simply mount the ServaStations® next to a fountain of water or cooler, employees will easily be able to access Sqwincher® and replenish their electrolytes
- The water cooler ServaStation® bracket simply slides onto any five-gallon water cooler bottle
- No screws or tools needed
- **Kits include:** Rack, 1 plastic cup dispenser for 12-oz. cups, two 1-oz. pump spouts and 2 tubes of one hundred 12-oz. cups

Model No.	Mfg. No.	Description
SAF898	11331	Water Cooler Rack Only
SAF899	11301	Wall Mount Rack Only
SEC580	11330	Water Cooler Kit
SEB948	11300	Wall Mount Kit

SEB948

SEC580

INDUSTRIAL WATER COOLERS

- Heavy-duty blow molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon cooler
- Universal cup dispenser is available for 3-gallons and up, holds 200 cups

NI653

Rubbermaid® Home Products

Model No.	Description	Wt. lbs.
NI653	3 Gallons	5.4
ON611	5 Gallons	7.5
ON607	5 Gallons w/Dispenser	7.5
NI656	10 Gallons	10.9
NI657	Universal Cup Dispenser	0.82

ACCESSORIES

CUPS, HOLDERS & BOTTLES

A.

B.

C.

D.

E.

G.

F.

F. TRUCK MOUNT CARRIER

Lightweight welded rod design with sturdy retaining strap to hold cooler securely while in transport. Accomodates 3-gallon and 5.5-gallon coolers.

	Model No.	Mfg. No.	Description
A.	SAF890	11306	Plastic Holder for 4 - 12 oz. Cone Cups
B.	SAF892	11307	4-oz. Cone Cups - 200/pkg.
C.	SAF894	11305	5-oz. Sqwincher® Cup - 100/pkg.
D.	SAF895	11304	12-oz. Sqwincher® Cup - 100/pkg.
E.	SAF893	11315	20-oz. Sqwincher® Bike Bottles
F.	SAF900	11325	Truck Mount Carrier
G.	SAF901	11302	1-oz. Pump Spout

CLASSES OF FIRE

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

Note: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.

CLASS A fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.

CLASS B fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strikes in warehouses and manufacturing plants.

CLASS C for live electrical equipment. Often occurs in computers, monitors, wiring and appliances.

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

SC951 Wall Hooks

Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12-14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

*Meets requirements for forklifts

ACCESSORIES

Model No.	Mfg. No.	Description	Fits
SC951	C160738	Wall Hook	5 lbs.
SC952	C160752	Wall Hook	10 lbs.
SC953	C160791	Wall Hook	20 lbs.
SA442	UP2	Vehicle Bracket	2.5 lbs.
SC955	UB5	Vehicle Bracket	5 lbs.

ALUMINUM CYLINDER CARBON DIOXIDE (CO_2) FIRE EXTINGUISHERS

- Well suited for corrosive environments
- Industrial-strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- Comes with wall hook
- ULC listed

Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	H"	Dia."	Wt. lbs.
SAJ098	SF-5CO2	5	5BC	6-12	10	17 1/4	5 3/4	13 1/4
SAJ099	SF-10CO2	10	10BC	6-12	10	19 3/4	6 3/4	27
SAJ100	SF-15CO2	15	10BC	6-12	15	26 3/4	6 3/4	37
SAL344	SF-20CO2	20	10BC	6-12	20	26 3/4	8	48 1/8

ACCESSORIES

Model No.	Mfg. No.	Description	Fits
SAM953	SF5WH	Wall Hook	5 lbs.
SAM954	SF1015WH	Wall Hook	10-15 lbs.
SAM955	SF20WH	Wall Hook	20 lbs.
SAP900	HDVB-2	Vehicle Bracket	5 lbs.
SAM957	HDVB-3	Vehicle Bracket	10 lbs.
SED313	HDVB-4	Vehicle Bracket	15 lbs.

K CLASS WET CHEMICAL EXTINGUISHERS

- Brass valve construction
- Specially designed and tested to address fires in restaurants and commercial fryers
- Very effective on cooking oil and grease fires
- Ideal for restaurants, kitchens, cafeterias, food courts, and other locations with high temperature cooking materials
- Nozzle designed to prevent splashing
- Designed to be used in conjunction with a kitchen suppression system

Model No.	Mfg. No.	Cap. Liters	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SED438	SF-6LK	6	1-A:K	8-10	60	100	21 1/2	7	Wall	25

STANDARD VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS

- Black polyester powder-coated with stainless steel strap
- ULC listed

Model No.	Mfg. No.	Fits
SA442	UP2	2.5 lbs.
SC955	UB5	5 lbs.

MEDIUM-DUTY VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS

- Black polyester powder-coated with two stainless steel straps
- Ideal for forklifts, industrial equipment and warehouse retail
- ULC listed

Model No.	Mfg. No.	Fits
SED311	UB5-MD	5 lbs.
SED312	UP10	10 lbs.

HEAVY-DUTY VEHICLE & MARINE BRACKETS

- Ideal for construction equipment, industrial and commercial trucks
- Corrosion-resistant
- Uni-body steel construction
- Rounded corners for added safety

SAP900

SAM956

Model No.	Mfg. No.	Colour	Fits ABC	Fits CO_2
SAP900	HD-5	Red	5 lbs.	-
SAM956	HD-10	Red	10 lbs.	5 lbs.
SAM957	HD-20	Red	20 lbs.	10 lbs.
SED313	HDVB-4	Black	30 lbs.	15 lbs.

FIRE EXTINGUISHER COVERS

- Reinforced vinyl covers fasten over wall-mounted extinguishers
- Protect valves, fittings and gauges from dust and corrosive fumes
- Hook and loop closure on back provides quick and easy removal with a quick jerk of pull handle
- Fluorescent red colour provides high visibility
- Available with or without window to check pressure gauge
- Available in English, French or bilingual

herbertwilliams FIRE EQUIPMENT LTD.

Model No.	Mfg. No.	Description	Dimensions W"	x	H"	Fits
SD019	E-FEC10	English w/window	12	x	20	10 lbs.
SD020	E-FEC10NW	English w/o window	12	x	20	10 lbs.
SD021	E-FEC20	English w/window	16	x	25	20 & 30 lbs.
SD022	E-FEC20NW	English w/o window	16	x	25	20 & 30 lbs.
SE271	F-FEC10	French w/window	12	x	20	10 lbs.
SE272	F-FEC10NW	French w/o window	12	x	20	10 lbs.
SE273	F-FEC20	French w/window	16	x	25	20 & 30 lbs.
SE274	F-FEC20NW	French w/o window	16	x	25	20 & 30 lbs.
SD023	B-FEC10	Bilingual w/window	12	x	20	10 lbs.
SD024	B-FEC10NW	Bilingual w/o window	12	x	20	10 lbs.
SD025	B-FEC20	Bilingual w/window	16	x	25	20 & 30 lbs.
SD026	B-FEC20NW	Bilingual w/o window	16	x	25	20 & 30 lbs.

HEAVY-DUTY OUTDOOR EXTINGUISHER CABINETS

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door jam
- Full metal door with keyed paddle latch
- Baked red acrylic enamel over phosphate treated steel
- Accomodates up to a 30-lb dry chemical ABC extinguisher

herbertwilliams FIRE EQUIPMENT LTD.

Model No.	Mfg. No.	Inside Dimensions W"	x	D"	x	H"
SAN296	OEC	14	x	10	x	28

SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Extinguishers are readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- Baked white enamel finish with acrylic plastic viewing panel
- Break glass hammer and chain with "break glass" sticker

herbertwilliams FIRE EQUIPMENT LTD.

SAS062

SD027

Model No.	Mfg. No.	Dimensions W"	x	D"	x	H"	Accommodates
SAS062	C-100	8 1/2	x	6	x	20 1/2	5-lb Dry Chemical
SD028	C-999	10 9/16	x	6 9/16	x	24 5/16	10-lb Dry Chemical
SD027	C-104	14 1/8	x	9 1/16	x	30 1/8	20-lb Dry Chemical or 10-lb CO_2

SAFETY SIGNS

ACCUFORM

Fire Extinguisher Model No.	Mfg. No.	Fire Hose Model No.	Mfg. No.	Size cm	Material
SD215	MPCS534VS	SD227	MPCS535VS	15	Adhesive Vinyl
SAW806	MPCS534VP	SAW808	MPCS535VP	15	Plastic
SEA464	MPCS534VA	SEA466	MPCS535VA	15	Aluminum
SD217	MPCS584VS	SD229	MPCS585VS	30	Adhesive Vinyl
SAW807	MPCS584VP	SAW809	MPCS585VP	30	Plastic
SEA465	MPCS584VA	SEA467	MPCS585VA	30	Aluminum

Fire Extinguisher

Fire Hose

FIRST RESPONSE™ GENERAL PURPOSE SMOKE ALARMS

- Battery powered, 9 V battery (included)
- Suitable for all rooms
- Dual-ionization technology
- Easy Touch™ Alarm-Pause® feature
- Alarm and power test feature
- Operating LED
- Up to 30 days low battery warning
- Easy installation, mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed

AMERICAN SENSORS™ MC

Model No.	Mfg. No.	Description	Dia."	x	D"
SEA773	SAFA318A	Battery Powered Smoke Alarm	4.4	x	1.5
XB876	EN22	Replacement Battery, 9 V, 12/Pkg.		-	

PHOTOELECTRIC SMOKE ALARMS

- Battery powered, 9 V battery included
- Loud 85 dB alarm
- Photoelectric technology is most sensitive to large particles generated by smouldering fires
- Ideal for cooking areas to reduce unwanted alarms caused by cooking smoke
- Mute/test button
- EZ access battery door
- Optional theft-prevention lock
- 10-year limited warranty (battery excluded)
- Meets applicable standards

First Alert®

Model No.	Mfg. No.	Description	Dia."	x	D"
SAS115	SA710CNA	Photoelectric Smoke Alarm	8.56	x	2.58
XB876	EN22	Replacement Battery, 9 V, 12/Pkg.		-	

LONG LIFE LITHIUM SMOKE ALARMS

- Ionization technology
- Mute/test button
- Low battery warning
- Loud 85 dB alarm
- EZ Access battery door
- Optional theft-prevention lock
- 10-year lithium battery included
- 10-year limited warranty
- ULC listed

Model No. SEB238
Mfg. No. SA305CNA

First Alert®

COMBINATION CARBON MONOXIDE & SMOKE ALARMS

- 120 V hardwire
- Dual protection – CO/Smoke
- Alarm-Pause® silence feature
- Ionization technology
- Alarm source indicator
- Distinct audible and visual alarm indicators
- Instant test/reset feature
- Interconnectable up to 18 units, 12 of which may be smoke alarms
- Dimensions: 5" dia. x 1.97" deep
- 5-year limited warranty
- ULC listed

BRK® THE PROFESSIONAL STANDARD

Model No.	Mfg. No.	Description
SEJ965	SC9120A	Hardwire
SFV067	SC9120BA	Hardwire w/9 volt Battery Back-up

MULTI-GAS ALARMS

- 3-way protection against carbon monoxide, propane, and natural gas
- Plug-in unit with back-up battery (included)
- EZ access battery door located on the front of the unit to make maintenance easier
- Accurate display easily identifies hazards
- Remote controlled silence/test feature – just point and click with any TV remote to quiet unwanted alarms or test alarm functions
- Low battery warning with silence feature to quiet low battery warnings for up to 8 hours
- End of life timer provides audible notice when it is time to replace alarm

Model No. SEH170
Mfg. No. GC016CNA

First Alert®

CARBON MONOXIDE ALARM

- Quick and easy hardwire connection to AC power
- Interconnectable to up to 12 multiple station alarms
- Low power consumption - 0.085 amps standyby, 0.087 in alarm
- Operating voltage: 120 V AC, 60 Hz
- Back-up 9V battery comes pre-installed
- Red LED indicates which power supply is active
- Single test/silencer button
- Alarm horn: 85dB at 10'

Model No. SEI607
Mfg. No. CO5120BNA

BRK® THE PROFESSIONAL STANDARD

EXIT STOPPER® DOOR ALARMS

- Highly effective alarm alerts you to any unauthorized exits/entries through emergency exit doors and rear doors
- Highly visible "stop sign" design acts as a deterrent
- Housing is molded of UV stabilized tough polycarbonate
- Compact patented design 5" in diameter and 1.875" deep
- Emits an ear piercing 95 or 105 dB warning alarm when activated which can be preset to sound for 30 seconds, 3 minutes, indefinitely or annunciator mode (10 beeps)
- Key-operated override silences the alarm and allows authorized exits
- May be programmed for 15 second delay or immediate trip
- Alarming delay allows unit to arm following an authorized exit
- Inlcudes warning label (often placed on protected door)
- Fitted with a long life 9-VDC alkaline battery
- 3 year guarantee against breakage of polycarbonate housing in normal use, 1 year on electronics

Safety Technology International, Inc.

Model No.	Mfg. No.	Language
SE461	STI-6400	English
SEJ347	STI-6400/FRE	French

EMERGENCY KEY BOXES

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch-resistant red paint
- Rust proof
- Includes steel smash rod and chain
- Replaceable glass, 3" W x 4.8" H
- Complete with key hook, two screws and plugs
- Pre-slotted mounting holes
- Secure, multifunctional cam lock with two keys
- 6.92" W x 2.04" D x 6.8" H

Model No.	Mfg. No.	Description
SAG773	5151	Key Box
SAG774	5151-G	Replacement Glass

SMOKE DETECTOR TESTER™

- Puts both ionization and photoelectric smoke detectors through their paces to ensure their circuitry, alarm and power are all functioning
- Patented formulation simulates the entire range of fire conditions
- 2.5-oz. Aerosol spray can contains 200+ sprays per can
- Leaves no residue, non-toxic, and 100% ozone safe
- NFPA 72 compliant testing when used as directed
- UL and ULC listed

HOME SAFEGUARD INDUSTRIES, INC.

Model No.	Mfg. No.	Description
SAI386	25S	Smoke Detector Tester™ 2.5 oz. Aerosol Spray Can

WATER JEL® FIRE BLANKETS

- Multipurpose fire blanket made of 100% wool, saturated with Water Jel® gel
- Packaged in a high-density, water resistant, polyethylene case
- Size: 60" x 72"

Uses:
- emergency burn victim care and fire protection
- to extinguish small fires
- to construct an escape route
- to shield and protect a rescuer from intense heat and flames

Model No. SAY460
Mfg. No. 06622

MOUNTING BRACKET

Model No. SAY461
Mfg. No. 06623

SAY460

SAY461

FIRE BLANKET

- Made of 100% compact structure fibreglass fabric
- Suitable for extinguishing small fires or burning clothes
- Can be used as a radiant heat shield to aid in escaping fires
- Comes in a nylon storage bag with hanging hook
- Quick release tabs for easy use in an emergency
- Dimensions: 59" W x 72" L

Model No. SEL048

ZENITH® Safety Products

EMERGENCY ESCAPE LADDERS

- Quickly and easily attaches to any window
- No tools or assembly required
- Tangle-free design
- Constructed of durable and flame-resistant aluminum
- Anti-slip rungs
- Tested to 1000 lbs.
- Available in two-story (13') or three-story (25') ladder
- 5-year limited warranty

SAF946

Model No.	Mfg. No.	Length'
SAF946	HW2D	13
SAF947	HW3D	25

EMERGENCY FIRE BLANKETS

- Protects equipment and personnel from dangerous welding sparks
- Improves employee safety and reduces fire risk
- Manufactured of lightweight non-asbestos fibreglass
- Suitable for continuous temperatures up to 1000°F; capable of higher temperatures for shorter durations
- Soft, flexible and easy to use
- Resists organic solvents, most acids and alkalis
- Will not attract mildew or mould
- Thermal insulation properties
- Bag size: 16" W x 23" H

SB884

SINCE 1875 SOPER'S ENGINEERED FABRIC SOLUTIONS

Model No.	Mfg. No.	Description	Size W' x H'
ORANGE			
SB884	W03-48700	w/Bag	6 x 6
SAF799	W03-48700	w/o Bag	6 x 6
WHITE			
SAF800	W03-48300	w/Bag	5 x 6
SAF801	W03-48300	w/o Bag	5 x 6

SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low maintenance, high-density polyethylene construction with a flame retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Moulded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanised steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®

AVOID UNNECESSARY FINES!

LEGISLATION PREVENTS SMOKING IN PUBLIC BUILDINGS AND NEAR ENTRIES TO THESE BUILDINGS.

TAKE ACTION!

CALL US!

JUSTRITE®

Pewter Grey Model No.	Adobe Beige Model No.	Deco Black Model No.	Terra Cotta Model No.	Forest Green Model No.	Description	Dimensions Dia."	x	H"	Capacity US Gallons	Approvals*	Wt. lbs.
NH832	NI378	NI694	NI587	NI695	Original Smokers Cease-Fire®	16 1/2	x	38 1/2	4	FM	12
NI701	NI702	NI703	NI705	NI704	Personal Smokers Cease-Fire®	11	x	30	1	FM	6

ELITE™ SMOKERS CEASE FIRE®

- Polyethylene receptacle that will not rust and features a patented oxygen-restricting, self-extinguishing design to safely collect burning butts
- Stainless steel perforated snuffer and restricted entry design reduces unwanted trash
- Quick and easy assembly with snap-lock closures – no tools required, easy maintenance
- Packaged in a small 18" cube carton, sized to average a 34% cost savings on shipping, and reduces inventory space
- Fire tested and approved by FM Global
- 12" Dia. x 38" H
- Capacity: 4 US gal/15 L
- Weight: 12 lbs/5 kg

JUSTRITE®

Model No.	Colour
JC064	Cool Grey
JC065	Sierra Tan
JC066	Jet Black

ACCESSORIES

Model No.	Description
JC069	Padlock
JC070	Replacement Pail

HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanised steel base and neck tube finished in a tough powder coated red paint
- Polyethylene topper with moulded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire

JUSTRITE®

Model No.	Dim. Dia."	x	H"	Capacity US Gal	Wt. lbs.
JB906	11 1/2	x	34	2.5	9.6
JB907	11 1/2	x	38 1/2	5	10.5

GROUNDSKEEPER™ CIGARETTE WASTE COLLECTORS

- Restricted opening shields cigarette butts from view, weather and reduces oxygen flow, quickly extinguishing cigarettes
- Galvanised steel canister securely holds large quantities of cigarette waste
- Two-piece design makes cleaning quick and easy
- Flame-retardant injection-moulded plastic will not rust or fade
- Factory Mutual and CSFM approved for fire safety
- Can by bolted or tied to concrete for security
- 12 1/4" L x 12 1/4" W x 39 3/4" H

Model No. NI553

Rubbermaid® Commercial Products

CEASE-FIRE® WASTE CANS

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads can be easily replaced and are available separately
- Drum should be filled 3/4 full only

Model No.	Capacity US Gal.	Dimensions Dia."	x	H"	Opening Dia."	Wt. lbs.
NC444	4.5	12 1/8	x	14 1/4	5	6
NC445	6	12 1/8	x	16 3/4	5	6
NC446	12	14 1/2	x	21 3/4	5 1/4	10
NC447	15	14 1/2	x	25 3/4	5 1/4	12
NC448	30	19 1/4	x	29 3/4	7	28
NC449	55	23 3/4	x	35 1/2	7 7/8	35

ALUMINUM HEAD

Model No.	Description
NI416	Aluminum Head for 4.5 to 6-Gallon Receptacles
NI417	Aluminum Head for 12 to 15-Gallon Receptacles
NI418	Aluminum Head for 30-Gallon Receptacles
NI419	Aluminum Head for 55-Gallon Receptacles

FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA

ZENITH® Safety Products — 10 YEAR Limited Warranty

SDN647

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN642	Manual	12	1	1	23 x 18 x 35
SDN643	Manual	16	1	1	23 x 18 x 44
SDN644	Manual	22	1	2	35 x 22 x 35
SDN645	Manual	24	3	2	43 x 12 x 44
SDN646	Manual	30	1	2	43 x 18 x 44
SDN647	Manual	45	2	2	43 x 18 x 65
SDN648	Manual	60	2	2	34 x 34 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SAS574	Extra Shelves	60 & 96 Gal.	30 3/8 x 30
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14

PAINT/INK CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA

ZENITH® Safety Products — 10 YEAR Limited Warranty

SDN651

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN649	Manual	20	2	1	23 x 18 x 44
SDN650	Manual	45	3	2	43 x 18 x 44
SDN651	Manual	60	5	2	43 x 18 x 65
SDN652	Manual	96	5	2	34 x 34 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SAS574	Extra Shelves	60 & 96 Gal.	30 3/8 x 30
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14

CORROSIVE LIQUIDS CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Includes two polyethylene trays
- Standard Met: FM/NFPA/OSHA

ZENITH® Safety Products — 10 YEAR Limited Warranty

SDN655

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN653	Manual	22	1	2	35 x 22 x 35
SDN654	Manual	30	1	2	43 x 18 x 44
SDN655	Manual	45	2	2	43 x 18 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SAS574	Extra Shelves	60 & 96 Gal.	30 3/8 x 30
SDN844	Poly Tray	22, 30 & 45 Gal. (2 trays per cabinet)	15 3/4 x 14

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure with 3-point stainless steel bullet latches
- U-Loc™ handle comes with 2 keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leak proof sill
- Adjustable leveler legs, and galvanized SpillSlope™ shelves that adjust on 3" centres
- Durable yellow powder coat paint finish provides long life and exceptional chemical resistance
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Meets NFPA and OSHA requirements
- FM approved



Cabinet Cover

SAR313

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	221
SAQ020	893080	Sliding, Self-Closing	30	1	43 x 18 x 44	246
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	223
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	299
SAQ022	894580	Sliding, Self-Closing	45	2	43 x 18 x 65	301
SAQ023	894520	2 doors, Self-Closing	45	2	43 x 18 x 65	301
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	366
SAQ025	896020	2 doors, Self-Closing	60	2	34 x 34 x 65	392
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480
SAQ027*	899020	2 doors, Self-Closing	90	2	43 x 34 x 65	480

* Codes state that not more than 60 gallons may be Class I and Class II liquids

ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Wt. lbs.
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets	-	10
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-	16
SAQ029	29945	Extra Shelf for 90-Gallon Cabinets	-	21
SAK285	25987	Cabinet Cover for 30 and 45-Gallon Cabinets	8 1/2 x 42 1/2 x 18	14
SAK286	25989	Cabinet Cover for 60-Gallon Cabinets	16 x 33 1/2 x 34	78
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	4 x 48 x 4	7
SAR312	84002	Cabinet Riser Frame for Forklift or Pallet Jack	5 1/4 x 43 3/4 x 18 3/4	39
SAR313	84001	Rolling Cart for 30-Gallon Cabinets	42 x 43 1/4 x 181/4	47
SEG859	29916	VaporTrap™ Filter 2/Pkg	8 3/4 x 2 1/4	4

SURE-GRIP® EX HIGH SECURITY FLAMMABLE SAFETY CABINETS

- The same durable construction as Justrite's regular Sure-Grip® cabinet with added layers of security
- Safely store and protect costly fuels or chemicals from tampering or theft
- Security system includes 1/4" x 2" steel bar stock, a high visibility barrier bar secured across both doors
- Crossbar is firmly supported by two brackets welded across the front of the cabinet doors and interlocks onto two sidewall brackets
- Padlock lugs on crossbar and side bar channel accept 2 x No. 5 Master Lock® keyed-alike (**SR867**, sold separately)
- Lockable doors with Sure-Grip® handle are designed with a three-point latch for an extra measure of security
- Capacity: 45 gallons
- FM approved

Support brackets are firmly welded to cabinet door for extra tamper resistance.

Contrasting crossbar can be completely removed from the cabinet when not in use.

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

Model No.	Mfg. No.	Door Type	Adjustable Shelves	Ext. Dim. W" x D" x H"
SAN578	29884Y	2 Doors, Manual, Yellow	2	43 x 18 x 65
SAN605	SC29884Y	2 Doors, Self-Close, Yellow	2	43 x 18 x 65
SAN580	29884R	2 Doors, Manual, Red	2	43 x 18 x 65
SAN607	SC29884R	2 Doors, Self-Close, Red	2	43 x 18 x 65

SURE-GRIP® EX SPECIALTY CABINETS

JUSTRITE®

STORE SMALLER QUANTITIES NEARBY!

When storing smaller quantities of flammable liquids at a work station or adding to existing storage capacities, specialty cabinets make it possible to store flammables safely even when available space is at a minimum. These cabinets offer U-Loc™ handles and come with a double key set or accept an optional padlock for greater security. Chemical resistant powder coat paint resists corrosion for years of service. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Meet NFPA and OSHA regulations.

Quality Backed by our 10 Year Limited Warranty

WALL MOUNT SAFETY CABINETS

- Store small containers without taking up extra floor space
- Mounts easily with furnished brackets

SAQ040

SLIMLINE SAFETY CABINETS

- Small footprint allows placement almost anywhere

SAQ032

STACKABLE PIGGYBACK CABINETS

- Can be used singly or stacked to provide expanded or segregated storage
- Suitable for wall mounting or countertop

SAQ030

UNDERCOUNTER SAFETY CABINETS

- Designed to fit under most counters
- Designed with a kick plate to match existing casework

SAQ041

COUNTERTOP & COMPAC SAFETY CABINETS

- Improved access to often used liquids, without compromising safety
- Portable size keeps work areas flexible

SAQ036

SAQ034

MINI SAFETY CABINETS

- Offers the smallest footprint
- Hold small quantities of flammables for cleaning and maintenance at point-of-use
- Three bungee cords keep contents in place during transportation on service vehicles or carts

SEG862

Model No.	Mfg. No.	Cabinet Type	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W"	x	D"	x	H"	Listing /Approvals	Wt. lbs.
SEG862	890200	Mini	1 Door, Manual	Aerosols	1	17	x	8	x	22	-	43
SAQ034	890400	Countertop	1 Door, Manual	4	1	17	x	17	x	22	-	62
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43	x	18	x	18	FM	129
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4	x	18	x	35	FM	120
SAQ037	891220	Compac	1 Door, Self-Closing	12	1	23 1/4	x	18	x	35	FM	122
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43	x	18	x	24	FM	148
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43	x	12	x	44	FM	205
SAQ041	892300	Undercounter	2 Doors, Manual	22	1	35	x	22	x	35	FM	190
SAQ032	892200	Slimline	1 Door, Manual	22	3	23 1/4	x	18	x	65	FM	209
SAQ033	892220	Slimline	1 Door, Self-Close	22	3	23 1/4	x	18	x	65	FM	211

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	12 and 15-Gallon Compac Cabinets	6
SAQ044	29939	22-Gallon Undercounter Cabinets	10

*Piggyback cabinets are not to be used with sliding door cabinets.

CORNER FLAMMABLE SAFETY CABINETS

- Material: Galvanized Steel
- Number of Doors: 2
- Fits nicely into an empty corner to maximize the amount of space available for storage
- Improve efficiency by locating materials near point-of-use and get the most out of limited floor space
- Designed to meet OSHA, NFPA 30 and NFPA 1 standards
- Features include a fail-safe, three-point self-latching door, double-walled contruction with 1 1/2" air space, dual vents, a grounding connector and a large trilingual warning label identifying contents
- Leak-proof 2" sump in cabinet bottom safely collects spills
- Galvanized safety shelves adjust on 3" centers for versatile storage

MANUAL-CLOSE

- Manual-close doors open to a full 180 degrees and self-latches when pushed closed

SELF-CLOSE

- Self-close doors shut and latch automatically when a fusible link melts at 165°F (74°C)
- Unique, concealed self-closing mechanism offers obstruction-free access to contents

Model No.	MFG No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W"	x	D"	x	H"
SEM250	893100	Manual	30	1	43	x	44	x	21 3/4
SEM251	893120	Self-Close	30	1	43	x	44	x	21 3/4
SEM252	894600	Manual	45	2	43	x	65 1/4	x	21 3/4
SEM253	894620	Self-Close	45	2	43	x	65 1/4	x	21 3/4

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

SURE-GRIP® EX PAINT & INK SAFETY STORAGE CABINETS

Separate and identify Class III combustibles in high performance paint and ink safety storage cabinets. They have the same safety and quality features and options that are available in Justrite®'s safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 96-gallon capacities
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W"	x	D"	x	H"	Wt. lbs.
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4	x	18	x	44	156
SAQ080	891531	1 Door, Self-Closing, Compac	20	2	23 1/4	x	18	x	44	157
SAQ081	893011	2 Doors, Manual	40	3	43	x	18	x	44	223
SAQ082	893091	Sliding, Self-Closing	40	3	43	x	18	x	44	248
SAQ083	893031	2 Doors, Self-Closing	40	3	43	x	18	x	44	225
SAQ084	894511	2 Doors, Manual	60	5	43	x	18	x	65	303
SAQ085	894591	Sliding, Self-Closing	60	5	43	x	18	x	65	305
SAQ086	894531	2 Doors, Self-Closing	60	5	43	x	18	x	65	305
SAQ087*	896011	2 Doors, Manual	96	5	34	x	34	x	65	372
SAQ088*	896031	2 Doors, Self-Closing	96	5	34	x	34	x	65	374

SAQ084

SAQ081

ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"
SAP839	29937	Extra Shelf for 40-Gallon Cabinets	-
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	48
SAR313	84001	Rolling Cart for 40-Gallon Cabinet	18 x 43

* Codes state that not more than 60 gallons may be Class I and Class II liquids.

VAPORTRAP™ FILTERS

- Stainless steel wire mesh cartridge containing activated carbon, absorbs volatile organic compound (VOC's) vapours
- Improve your work environment by reducing employee's inhalation exposure to harmful VOC's and lowering emissions of VOC's into the atmosphere
- Cylindrical design allows 360° airflow for maximum surface contact
- High strength magnets offer flexible placement/ repositioning anywhere within the cabinet
- Date notation area on label serves as a reminder for replacement; life cycle varies based upon vapour types and concentrations
- Contains 2 filters/package

Model No. SEG859
Mfg. No. 29916



JUSTRITE®

SURE-GRIP® EX AEROSOL CAN BENCHTOP CABINETS

- Fits virtually anywhere
- Double-wall, 18-gauge welded steel with 1 1/2" of insulating air space
- 24-gauge galvanised steel roll-out shelves with stop-guard protection
- Two fixed position shelves have twelve 2 3/4" dia. openings and accept cans up to 10" tall
- Shelves are removable for easy cleaning
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Durable yellow powder coat paint finish
- Meets NFPA and OSHA regulations

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity	Ext. Dim. W"	x	D"	x	H"	Wt. lbs.
SAQ045	890500	1 Door, Manual	24 Aerosol Cans	21	x	18	x	27	97

DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite®'s standard safety cabinets.

SURE-GRIP® EX VERTICAL DRUM STORAGE CABINETS

- Safely store one or two 30 to 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels so cabinet can be used for waste accumulation or as a pumping station
- Rollers at bottom of cabinet facilitate drum movement
- Ramp for drum cabinets (sold separately) aids in loading drums with a hand truck

SAQ046

SAQ052

SURE-GRIP® EX HORIZONTAL DRUM STORAGE CABINETS

- Designed to house drums being used for gravity flow dispensing
- Interior provides room for a drip can and includes tracks to guide a cradle into position. Drum cradle is not included

SURE-GRIP® EX DOUBLE-DUTY SAFETY CABINET

- Combines vertical drum and safety storage into one partitioned cabinet
- Safely stores up to twelve 5-gallon US safety cans on the left side, and one vertical 30 or 55-gallon US drum on the right side
- Both compartments have an independently self-latching, locking door for maximum protection under fire conditions

SAQ053

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

Model No.	Mfg. No.	Door Type	Drum US Cap.	Ext. Dim. W"	x	D"	x	H"	Listings & Approvals	Wt. lbs.
VERTICAL DRUM STORAGE CABINETS										
SAQ046	896260	2 Doors, Manual	1-55 Gallons	34	x	34	x	65	FM	391
SAQ047	896270	2 Doors, Self-Close	1-55 Gallons	34	x	34	x	65	FM	393
SAQ048	899160	2 Doors, Manual	2-55 Gallons	59	x	34	x	65	-	661
SAQ049	899060	2 Doors, Manual	2-30 Gallons	43	x	34	x	65	FM	476
SAQ050	899070	2 Doors, Self-Close	2-30 Gallons	43	x	34	x	65	FM	478
HORIZONTAL DRUM STORAGE CABINETS										
SAQ051	899300	2 Doors, Manual	1-55 Gallons	30	x	48	x	50	-	361
SAQ052	899320	2 Doors, Self-Close	1-55 Gallons	30	x	48	x	50	-	363
DOUBLE-DUTY SAFETY CABINETS										
SAQ053	899260	2 Doors, Manual	1-55 Gallons	59	x	34	x	65	-	672
SAQ054	899270	2 Doors, External Self-Close	1-55 Gallons	59	x	34	x	65	-	674
ACCESSORIES										
SAI480	25932	Drum Ramp for all Justrite® Drum Cabinets	-			-			-	35
SAK286	25989	Cabinet Cover for SAQ046 and SAQ047	-			-			-	78
SEE311	25920	Drum Rollers for Single Drum Vertical Cabinets	-			-				52
SEE312	25922	Drum Rollers for Double Drum Vertical Cabinets	-			-				99

INSULATED FLAMMABLE STORAGE CABINETS

herbertwilliams FIRE EQUIPMENT LTD.

- Double wall welded 18-gauge steel construction, filled with 2" of fire-proof insulation
- Two manual-close doors
- Full length piano-hinged doors with three-point lock on door
- Two 2" flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanized shelves on 1/2" centres
- Zinc-plated leveler legs
- Safety yellow
- ULC approved

SA088

Model No.	Mfg. No.	Cap. Gal.	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SA087	WB30	30	1	44 x 19 x 45	350
SA088	WB45	45	2	44 x 19 x 66	430

ACCESSORIES

Model No.	Mfg. No.	Description	Wt. lbs.
SA086	WB-S	Extra Shelf for SA087 and SA088	9
DA623	LE74	Insulated Grounding Wire w/C-Clamp and Clip	1
DA622	LE62	Flexible Bonding Wire w/Two Clips	1
DA621	LE61	Flexible Bonding Wire w/C-Clamp and Clip	1

HAZ-ID Chemical Hazard Identification System
Système d'identification pour les produits chimiques

New Haz-ID label now standard

POLYETHYLENE CORROSIVE/ACID CABINET

- Store strong acids such as hydrochloric, sulfuric, or nitric acid; or bases such as sodium, potassium, or calcium hydroxide in this durable, high-density polyethylene (HDPE) cabinet
- With no metal parts to corrode, this cabinet can hold up to 36, 2.5-liter bottles, and offers chemical resistance against spills or potential damaging vapors when storing acids or bases
- The shelf adjusts on 3" increments, and has a load capacity of 125 lbs.; choose from three positions to optimize container storage
- A removable yet sturdy sump cover, which also serves as a bottom shelf, conceals the fully integrated, leakproof sump, 8.5 gal. capacity
- Recessed channels in shelf and base help direct spills to the back of the cabinet and down into the sump
- Three application-specific labels identify contents to safely store and segregate incompatible chemicals (ACID, BASE, and CORROSIVE)
- Doors open nearly 180 degrees for easy access, engage firmly with the body when closed, and accept a padlock (not included) for added security
- The recessed toe-kick allows the user to stand closer to the counter for improved ergonomics

JUSTRITE®

Model No.	Mfg. No.	Capacity	No. of Shelves	No. of Doors	Door Type	Interior Dimensions W" x D" x H"	Ext. Dim. W" x D" x H"
SDS951	24180	24 gal.	1	2	Manual	31.25 x 18 x 28	36 x 25 x 35

CHEMCOR® LINED ACID/CORROSIVE STORAGE CABINETS

Unique, flame-coated ChemCor® thermoplastic liner is applied to Justrite®'s acid/corrosive safety cabinets for unsurpassed corrosion protection and fire protection.

- 100% seamless liner on all interior walls, ceiling, sump, inside doors and shelves protects exposed cabinet surfaces without gaps
- Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Durable, thermoplastic non-porous interior coating resists staining and cleans-up easily
- Maximum protection from harsh acids and corrosive chemicals plus fire protection and code compliance in a wide variety of double-wall steel safety cabinets
- FM approved

SAQ067

Seamless liner

JUSTRITE® Quality Backed by our 10 Year Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ065	8923022	2 Doors, Manual, Undercounter	22	1	35 x 22 x 35	192
SAQ066	8922022	1 Door, Manual, Slimline	22	3	23 1/4 x 18 x 65	210
SAQ067	8930022	2 Doors, Manual	30	1	43 x 18 x 44	222
SAQ068	8930822	Sliding, Self-Closing	30	1	43 x 18 x 44	248
SAQ069	8930222	2 Doors, Self-Closing	30	1	43 x 18 x 44	225
SAQ070	8945022	2 Doors, Manual	45	2	43 x 18 x 65	301
SAQ071	8945822	Sliding, Self-Closing	45	2	43 x 18 x 65	301
SAQ072	8945222	2 Doors, Self-Closing	45	2	43 x 18 x 65	303

SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS

Built to the same standards as Justrite®'s flammable storage cabinets with the addition of poly tray liners and a specially formulated epoxy, powder coat paint.

- Poly liners on shelves and poly sump liner are removable for easy cleaning
- 30-gallon cabinet is also equipped with a poly cabinet top work tray
- All cabinets come with the stylish flush-mounted U-Loc™ handle that offers easy fingertip access and accepts optional padlock
- Haz-Alert™ reflective warning labels
- Undercounter model has a 3 1/2" H x 2 1/2" D kick plate to mount flush with other cabinetry
- Meets NFPA and OSHA regulations
- FM approved

Note:
Not to be used with phenol, nitric and sulfuric acids.

SAQ055

SAQ056

SAQ057

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W"	x	D"	x	H"	Wt. lbs.
SAQ055	892302	2 Doors, Manual, Undercounter	22	1	35	x	22	x	35	192
SAQ056	892202	1 Door, Manual, Slimline	22	3	23 1/4	x	18	x	65	210
SAQ057	893002	2 Doors, Manual	30	1	43	x	18	x	44	222
SAQ058	893082	Sliding, Self-Closing	30	1	43	x	18	x	44	248
SAQ059	893022	2 Doors, Self-Closing	30	1	43	x	18	x	44	225
SAQ060	894502	2 Doors, Manual	45	2	43	x	18	x	65	301
SAQ061	894542	Sliding Door, Self-Closing	45	2	43	x	18	x	65	301
SAQ062	894522	2 doors, Self-Closing	45	2	43	x	18	x	65	303
ACCESSORIES										
SAQ044	29939	Extra Shelf for 22-Gallon Undercounter Cabinets								10
SAQ063	29965	Poly Tray for 22-Gallon Undercounter Cabinets								6
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets								8
SAQ064	29962	Poly Tray for 30 and 45-Gallon Cabinets								22

DOCUMENT STORAGE BOXES

ACCESSIBLE STORAGE & PROTECTION

- Weather resistant, no metal parts to corrode - keeps papers clean and dry in dusty, harsh environments
- High density polyethylene is durable, rustproof and easy to clean
- Mounts on cabinets, machinery, equipment or walls for fast, easy access to information at point of use
- Lock holes on medium and large units accept padlock or zip ties
- Four built-in mounting holes on medium and large sized units provide added mounting options
- Designated area to add your own labels or optional label pack available
- Also handy for portable document storage
- High visibility red colour
- Keeps MSDS documents for compliance with OSHA 29 CFR 1910.1200
- Optional label pack includes 4 yellow labels (2 blank, 1 SDS and 1 Instruction Manual), sold separately
- Includes heavy-duty tape for drill-free mounting

SAN583

SAN581

SAN582

JUSTRITE®

Model No.	Mfg. No.	Description	Int. Dim. (approx) W"	x	D"	x	H"	Ext. Dim. W"	x	D"	x	H"	Gasketed Closure	Lock Hole Dia."
SAN581	23303	Medium Top Opening	8 3/4	x	1 5/8	x	11 1/2	10 1/4	x	2 1/4	x	12 1/2	No	1/4
SAN582	23304	Medium Front Opening	8 5/8	x	1	x	12 1/4	11	x	2 1/8	x	14 1/2	Yes	3/8
SAN584	23306	Large Front Opening	10 3/4	x	2 1/4	x	13 1/4	13 1/8	x	3 9/16	x	15 3/4	Yes	3/8
SAN585	23310	Label Pack - 4 Yellow Labels: 2 Blank, 1 SDS and 1 Instruction Manual								-			-	-
SAN583	23305	Tube, Twist-On Lid			12	x	3 dia.			12.5	x	3.6 dia.	Yes	-

D.O.T. ACCUFLOW™ SAFETY CANS

- Hold-down bracket with easy-to-grip tightening screw prevents vapour release and spills during transport
- Easy-to-engage fusible link bracket melts at 165°F (75°C) to prevent dangerous pressure build-up
- AccuFlow's™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Leak-tight, self-closing lid automatically vests between 3 and 5 PSIG
- Heavy roll bars protect the spout
- D.O.T. compliant and FM approved

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

SED121

SED119

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity Gal.	Hose Width "	Can Dim. Outer Dia."	x	H"
SED117	7325120	**SED121**	7325220	2.5	5/8	11 3/4	x	12
SED118	7325130	**SED122**	7325230	2.5	1	11 3/4	x	12
SED119	7350110	**SED123**	7350210	5	5/8	11 3/4	x	17 1/4
SED120	7350130	**SED124**	7350230	5	1	11 3/4	x	17 1/4

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak-proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Green Model No.	Mfg. No.	Capacity US Gal.	Ext. Dim. Dia."	x	H"
5/8" HOSE WIDTH											
SEA217	7210120	**SEA218**	7210220	**SEA219**	7210320	**SEA220**	7210420	1	9 1/2	x	11
SEA221	7220120	**SEA222**	7220220	**SEA253**	7220320	**SEA223**	7220420	2	9 1/2	x	13 1/2
SEA224	7225120	**SEA226**	7225220	**SEA228**	7225320	**SEA230**	7225420	2.5	11 1/2	x	12
SEA232	7250120	**SEA234**	7250220	**SEA236**	7250320	**SEA238**	7250420	5	11 1/2	x	18
1" HOSE WIDTH											
SEA225	7225130	**SEA227**	7225230	**SEA229**	7225330	**SEA231**	7225430	2.5	11 1/2	x	12
SEA233	7250130	**SEA235**	7250230	**SEA237**	7250330	**SEA239**	7250430	5	11 1/2	x	18

TYPE I SAFETY CANS

- Compliant Type I Safety Cans are designed with a single spout for filling and pouring of all types of flammable liquids
- High performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Unique counterbalance design with full-fisted grip handle offers gravity-assisted pouring
- Warning label includes large ID zone for user labelling to avoid misuse, reduce the potential for incompatible mixtures, or may be used to designate department or individual owner
- Optional poly funnel offers targeted pouring
- Finished in a tough powder coat paint, Justrite® cans resist chemicals and stand up to heavy abuse
- FM approved, UL/ULC listed
- 10-year limited warranty

SEA216

SEA214

SEA215

SEA213

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Green Model No.	Mfg. No.	Capacity	Ext. Dim. Dia."	x	H"
WITH FUNNEL											
SEA240	7110110	**SEA241**	7110210	**SEA242**	7110310	**SEA243**	7110410	1 US Gal.	9 1/2	x	11
SEA204	7120110	**SEA244**	7120210	**SEA245**	7120310	**SEA246**	7120410	2 US Gal.	9 1/2	x	13 3/4
SEA208	7125110	**SEA247**	7125210	**SEA248**	7125310	**SEA249**	7125410	2.5 US Gal.	11 3/4	x	11 1/2
SEA213	7150110	**SEA250**	7150210	**SEA251**	7150310	**SEA252**	7150410	5 US Gal.	11 3/4	x	16 7/8
WITHOUT FUNNEL											
SAI516	10001	-	-	-	-	-	-	1 Pint	4 5/8	x	6 3/4
SAI517	10101	-	-	-	-	-	-	1 Quart	4 5/8	x	8 1/4
SEA199	7110100	**SEA200**	7110200	**SEA201**	7110300	**SEA202**	7110400	1 US Gal.	9 1/2	x	11
SEA203	7120100	**SEA205**	7120200	**SEA206**	7120300	**SEB084**	7120400	2 US Gal.	9 1/2	x	13 3/4
SEA207	7125100	**SEA209**	7125200	**SEA210**	7125300	**SEA211**	7125400	2.5 US Gal.	11 3/4	x	11 1/2
SEA212	7150100	**SEA214**	7150200	**SEA215**	7150300	**SEA216**	7150400	5 US Gal.	11 3/4	x	16 7/8

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved
- Capacity: 5 US Gal.

JUSTRITE®

Model No.	Mfg. No.	Description	Faucet
SEC080	7150140	Steel shelf can	Control flow lab, 3/4" brass
SEC081	7150150	Steel plate shelf can	3/4" NPT rigid brass
SEC082	7150146	Steel plate tilt can w/stand	Control flow lab, 3/4" brass
SEC083	7150156	Steel plate tilt can w/stand	3/4" NPT rigid brass
SEC084	14545	Polyethylene shelf can	Control flow lab, 3/4" brass
SEC085	14535	Polyethylene tilt can w/stand	Control flow lab, 3/4" brass

TYPE I POLYETHYLENE SAFETY CANS

Choose type I nonmetallic safety cans when dent and chemical resistance are important. Type I safety cans constructed of high-density polyethylene offer distinct advantages over steel units.

- Dent, chip and puncture-resistant polyethylene stands up to harsh corrosives
- Current carrying carbon insert grounds the opening and flame arrester
- Self-close spout and pressure relief mechanism
- Flame arrester prevents ignition sources from entering the can
- Stainless steel hardware provides chemical protection
- FM approved

JUSTRITE®

FM APPROVED - OVAL

Model No.	Mfg. No.	Capacity US Gal.	Dimensions L"	x	W"	x	H"
SC291	14160	1	7 5/8	x	4 5/8	x	12 3/4

FM, UL, ULC APPROVED - ROUND

Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia."	x	H"
SC293	14261	2 1/2	10 3/4	x	14 1/4
SC295	14561	5	12 3/4	x	16

POLYETHYLENE LIQUID DISPOSAL CANS

- High-density polyethylene cans contain corrosives and flammable liquids better than conventional metal cans
- Large opening for better control when disposing of liquids
- Fixed position handle allows lid to stay open for easier pouring
- Flame arrester guards against outside sources
- When closed, the cap automatically vents between 3 and 5 PSIG
- Stainless steel hardware provides chemical protection
- FM approved

JUSTRITE®

Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia."	x	H"
SC306	14762	2	12	x	14 3/4
SC308	14765	5	12	x	20

QUICK-DISCONNECT SAFETY DISPOSAL CANS

- Collect waste liquid easily and safely with FM approved quick-disconnect safety disposal cans
- Ideal for HPLC applications
- Safeguard against spills and accidents associated with common collection practices
- Stainless steel fittings with Teflon® O-rings for chemical resistance or economically priced polypropylene fittings
- FM approved

Solvents flow freely into can through 3/8" tubing and can is easily disconnected with a special valved fitting without vapour release or solvent leakage.

JUSTRITE®

Model No.	Mfg. No.	Fitting Material	Capacity US Gal.	Dimensions Outer Dia."	x	H"	Material
SAI569	PP12752	Polypropylene	2	12	x	14 3/4	EPDM
SAI570	TF12752	Stainless Steel	2	12	x	14 3/4	Teflon®
SAI571	PP12755	Polypropylene	5	12	x	20	EPDM
SAI572	TF12755	Stainless Steel	5	12	x	20	Teflon®

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanized steel body in a variety of sizes accommodate any work area
- Carrying handle for portability
- 2 US gallon hand-operated, countertop model is FM approved
- 6 - 21 US Gal. foot-operated models are FM approved and UL listed

SR360

SR357

JUSTRITE®

Quality Backed by our 10 Year Limited Warranty

SoundGard™ Silver Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia."	x	H"	Wt. lbs.
-	-	**SR361**	09200Y	**SR356**	09200	2	9 5/8	x	9 1/8	6
SAR304	09104	**SR362**	09101	**SR357**	09100	6	11 7/8	x	15 7/8	10
SAR305	09304	**SR363**	09301	**SR358**	09300	10	13 15/16	x	18 1/4	12
SAR306	09504	**SR364**	09501	**SR359**	09500	14	16 1/16	x	20 1/4	15
SAR307	09704	**SR365**	09701	**SR360**	09700	21	18 3/8	x	23 7/16	22

MINI BENCH-TOP OILY WASTE CANS

JUSTRITE®

- Small footprint is convenient in confined work areas
- Constructed of durable galvanized steel
- Easily accommodates counter top applications
- Specially designed SoundGard™ lid significantly reduces lid closure noise
- Fire resistant design makes it ideal for disposing of hazardous waste materials like swabs or wipes that contain flammable solvents, adhesives, or cleaning agents
- Compact height easily accepts standard long cotton-tip applicators used for cleaning parts
- Lid opens to a maximum 60° and is self closing to minimize the chance of fire caused by spontaneous combustion
- Chemically resistant red powder coat paint finish for extended service life
- Leak-proof 0.45 Gal. (1.7- L) capacity container
- Reusable, will not rust or puncture
- Fire tested and FM and OSHA approved

Model No.	Mfg. No.	Dimensions Dia.*	x	H	Wt. lbs.
SAS238	09410	4 5/8" base	x	6 1/2"	2

* 6 1/2" (165 mm) diameter across the top including the limit stop

DRIP CANS

- Ideal for placement below drum faucets, drains or valves to catch drips or overflows of liquids
- Perforated metal fire baffle acts as a flame arrester to protect contents from fire exposure
- Catches up to one US gallon of liquid
- Top removes for quick cleaning
- Made of 24-gauge steel with a durable powder coat paint finish
- Easily portable with handy side handles
- 9 3/8" O.D. x 4 1/2" H
- Weight: 3 lbs.
- FM approved

Model No. SAH514
Mfg. No. 10376

JUSTRITE®

FUSIBLE LINK SELF-CLOSING DRUM COVERS

- Convert open top 55 US gallon steel drums into fire-safe receptacles for combustible trash
- Replaceable fusible link assembly inside the cover melts at 165°F, automatically slamming the cover shut if a fire occurs in the drum
- Steel construction
- Solvent resistant, red baked-on enamel finish
- Fits drums from 22 1/2" to 22 3/4" in diameter
- Weight: 15 lbs.
- FM approved

Model No. DA097
Mfg. No. 26750

JUSTRITE®

PLUNGER CANS

- Dispense flammable liquids and solvents safely onto cloths or swabs without waste or exposure
- Plunger fills upper pan for soaking
- Surplus liquid drains safely back into can
- Brass pump parts resist corrosion
- Steel and polyethylene cans available
- FM approved

SC309

SC310

Quality Backed by our 10 Year Limited Warranty

JUSTRITE®

Model No.	Mfg. No.	Capacity	Dimensions Outer Dia."	x	H"
STEEL PLUNGER CANS					
SA129	10008	1 pint	4 7/8	x	6
SA130	10108	1 quart	7 1/4	x	6 1/2
SC309	10308	1 US gallon	7 1/4	x	11
POLYETHYLENE PLUNGER CANS					
SC310	14018	1 quart	5 1/2	x	9

DISPENSER BOTTLES

Dispense flammable liquids and solvents safely without waste or exposure.

- Small size allows for easy, one-handed dispensing of liquids directly onto work surface
- Brass dispenser valves are leak-proof and self-closing
- Minimizes spills and waste
- Bottle design is textured for firm gripping
- FM approved for flammables

JUSTRITE®

Model No.	Mfg. No.	Capacity	Dimensions Outer Dia."	x	H"	Approval Listing
SC311	14002	4 oz.	2 1/4	x	5 1/2	-
SA131	14004	8 oz.	3 1/8	x	5 1/2	FM
SA133	14010	1 quart	4	x	10 1/2	FM

DISPENSING SQUEEZE BOTTLES

Allow safe dispensing of liquid small components or sub-assemblies with a minimum of over-spray. Squeezing the bottle produces a fine stream of liquid.

- Low-density polyethylene with stainless steel wire that allows stem to be shaped to reach hard-to-reach areas

JUSTRITE®

Model No.	Mfg. No.	Capacity oz.	Dimensions Outer Dia."	x	H"
SA132	14009	16	3	x	7 1/2
SA134	14011	32	3 1/2	x	9 1/8

ECO® GAS CANS

eco® Scepter SYMBOL OF QUALITY

- The safest, most environmentally-friendly cans available
- Uses patented DuPont® Laminar Technology resulting in a permeation level well below the CARB required rate of 0.40 grams/gallon/day
- Equipped with self-venting spout that automatically shuts off when gas tank is full
- Rustproof, unbreakable and non-corroding
- ULC and CSA approved

Model No.	Mfg. No.	Colour	Capacity US Gal.	Capacity Litres
SAO954	07450	Red	1 1/4	5
SAO955	07378	Red	2 1/2	10

REPLACEMENT PARTS

Model No.	Mfg. No.	Description
SAK867	05459	Eco® spout

SAO954

SAO955

JERRY CANS

- Made from high-density polyethylene
- Lightweight, crushproof design with extra headspace built-in to accommodate expansion
- User-friendly "easy pour" design, self-venting spouts and child-resistant closures
- Cans are rustproof, unbreakable and non-corroding
- 5 US gallon available in two colours; red for gasoline and yellow for diesel
- Self-venting Eco® spout (**SAK867**, sold separately) automatically shuts off when gas tank is full
- **SAK857** is a combo can, gasoline and oil
- ULC and CSA approved

Scepter SYMBOL OF QUALITY

SAK857

SAK856

SAP399

Model No.	Mfg. No.	Colour	Application	Capacity US Gal.	Capacity Litres
SAP356	07081	Red	Gasoline	1 1/4	5
SAP357	07079	Red	Gasoline	2 1/2	10
SAO958	07622	Red	Gasoline	5.3	20
SAK856	03609	Red	Gasoline	5.3	20
SAK857	03615	Red (combo)	Gasoline/oil	1 1/2 and 2 3/4 Qts	6 and 2.5
SAP399	07649	Yellow	Diesel	5.3	20

REPLACEMENT PARTS

Model No.	Mfg. No.	Description
SAS111	03583	Black cap, yellow stopper and vent cap
SAS112	03647	Black cap, yellow stopper, spout and vent cap
SAK867	05459	Eco® spout

SAO958

SAP356

SAP357

FINE FIBRE SORBENT PADS & ROLLS – INDUSTRIAL GRADE

ZENITH® Safety Products

- Premium industrial grade fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers maximum absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

Heaviest grade of fine fibre finish in the industry

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEI956	Heavy	15" x 17"	40	100
SEI957	Medium	15" x 17"	35	100
SEI958	Light	15" x 17"	40	200
ROLLS – OIL ONLY				
SEI959	Heavy	150' x 30"	70	1
SEI960	Heavy	150' x 15"	35	1
SEI961	Medium	150' x 30"	50	1
SEI962	Medium	150' x 15"	25	1

SEI956

SEI959

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEI963	Heavy	15" x 17"	40	100
SEI964	Medium	15" x 17"	35	100
SEI965	Light	15" x 17"	40	200
ROLLS – UNIVERSAL				
SEI966	Heavy	150' x 30"	70	1
SEI967	Heavy	150' x 15"	35	1
SEI968	Medium	150' x 30"	50	1
SEI969	Medium	150' x 15"	25	1

SEI963



SEI966

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – HAZMAT				
SEI970	Heavy	15" x 17"	40	100
SEI971	Medium	15" x 17"	35	100
SEI972	Light	15" x 17"	40	200
ROLLS – HAZMAT				
SEI973	Heavy	150' x 30"	70	1
SEI974	Heavy	150' x 15"	35	1
SEI975	Medium	150' x 30"	50	1
SEI976	Medium	150' x 15"	25	1

SEI970



SEI973

FINE FIBRE SORBENT PADS & ROLLS

- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH974	Heavy	15" x 17"	30	100
SEH975	Medium	15" x 17"	25	100
SEI977	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH976	Heavy	150' x 30"	50	1
SEH977	Heavy	150' x 15"	25	1
SEH978	Medium	150' x 30"	40	1
SEH979	Medium	150' x 15"	20	1

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEJ936	Heavy	15" x 17"	30	100
SEH981	Medium	15" x 17"	25	100
SEI978	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH982	Heavy	150' x 30"	50	1
SEH983	Heavy	150' x 15"	25	1
SEH984	Medium	150' x 30"	40	1
SEH985	Medium	150' x 15"	20	1



HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – HAZMAT				
SEH986	Heavy	15" x 17"	30	100
SEI979	Medium	15" x 17"	25	10
SEH987	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEH988	Heavy	150' x 30"	50	1
SEI980	Heavy	150' x 15"	25	1
SEI981	Medium	150' x 30"	40	1
SEI982	Medium	150' x 15"	20	1



LAMINATED (SMS) SORBENT PADS & ROLLS

- Three layer spun bonded/melt blown/spun bonded finish (SMS)
- Extra strength polypropylene outer layer
- Laminated sorbents are lint free and permit a fast and easy clean up
- Premium durability; ideal for high traffic surfaces
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH990	Heavy	15" x 17"	30	100
SEI983	Medium	15" x 17"	25	100
SEI984	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH991	Heavy	150' x 30"	50	1
SEH992	Heavy	150' x 15"	25	1
SEI986	Medium	150' x 30"	40	1
SEI987	Medium	150' x 15"	20	1

SEH990

SEH991

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEH996	Heavy	15" x 17"	30	100
SEI988	Medium	15" x 17"	25	100
SEI989	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH994	Heavy	150' x 30"	50	1
SEH995	Heavy	150' x 15"	25	1
SEI990	Medium	150' x 30"	40	1
SEI991	Medium	150' x 15"	20	1

SEH996



SEH994

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – HAZMAT				
SEI992	Heavy	15" x 17"	30	100
SEI993	Medium	15" x 17"	25	100
SEI994	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEI995	Heavy	150' x 30"	50	1
SEI996	Heavy	150' x 15"	25	1
SEI997	Medium	150' x 30"	40	1
SEI998	Medium	150' x 15"	20	1

SEI992



SEI995

BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

SEJ934

SEH972

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEJ934	Heavy	15" x 17"	30	100
SEH968	Heavy	15" x 17"	10	25
SEH969	Medium	15" x 17"	25	100
SEI999	Light	15" x 17"	15	100
SEH970	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH972	Heavy	150' x 30"	50	1
SEH971	Heavy	150' x 15"	25	1
SEJ001	Medium	150' x 30"	40	1
SEJ002	Medium	150' x 15"	20	1
SEH973	Light	300' x 30"	55	1

SEH959





SEH964

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEJ935	Heavy	15" x 17"	30	100
SEH959	Heavy	15" x 17"	10	25
SEJ940	Medium	15" x 17"	25	100
SEH961	Light	15" x 17"	15	100
SEH962	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH966	Heavy	150' x 30"	50	1
SEH965	Heavy	150' x 15"	25	1
SEH964	Medium	150' x 30"	40	1
SEH963	Medium	150' x 15"	20	1

SEI007



SEI008

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – HAZMAT				
SEI007	Heavy	15" x 17"	30	100
SEJ004	Medium	15" x 17"	25	100
SEJ005	Light	15" x 17"	15	100
SEJ006	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEI009	Heavy	150' x 30"	50	1
SEI008	Heavy	150' x 15"	25	1
SEJ008	Medium	150' x 30"	40	1
SEJ009	Medium	150' x 15"	20	1

MELTBLOWN SORBENT PADS & ROLLS

- 100% meltblown polypropylene fibre
- Most cost effective sorbent in the industry
- Permit an easy and quick clean up
- Quick and effective solution for oil spills or leaks
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

ZENITH® Safety Products

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH942	Heavy	15" x 17"	30	100
SEH943	Heavy	15" x 17"	10	25
SEH944	Medium	15" x 17"	25	100
SEH946	Medium	30" x 30"	50	50
SEH945	Light	15" x 17"	15	100
SEI620	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH947	Heavy	150' x 30"	50	1
SEH948	Heavy	150' x 15"	25	1
SEH949	Medium	150' x 30"	40	1
SEH950	Medium	150' x 15"	20	1

SEH942



SEH947

ANTI STATIC SORBENT PADS

- 100% meltblown polypropylene fibre
- Chemically treated with anti static agent
- Permit an easy and quick clean up
- Ideal for cold conditions or highly flammable environments, will not spark
- All sorbent pads have absorption capacities of more than 25x their weight

Sold per Package

ZENITH® Safety Products

Model No.	Weight	Dimensions L" x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEI577	Heavy	15 x 17	25	100
SEJ014	Heavy	30 x 30	55	50



SEI577

BLUE BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Blue pads and rolls are excellent for snow conditions, where distinguishing colour is needed
- Same quality and finish as the white pads and rolls

Sold per Package

Also available in fine fibre and laminated

ZENITH® Safety Products

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
BLUE PADS – OIL ONLY				
SEJ186	Heavy	15" x 17"	30	100
SEJ187	Heavy	15" x 17"	10	25
SEJ188	Medium	15" x 17"	25	100
SEJ189	Light	15" x 17"	15	100
SEJ190	Light	15" x 17"	30	200
BLUE ROLLS – OIL ONLY				
SEJ191	Heavy	150' x 30"	50	1
SEJ192	Heavy	150' x 15"	25	1
SEJ193	Medium	150' x 30"	40	1
SEJ194	Medium	150' x 15"	20	1
SEJ195	Light	300' x 30"	55	1



SEJ186

SEJ191

NATURAL FINE FIBRE SORBENT PADS & ROLLS

- Cold formation fine fibre cotton
- Biodegradable
- Lint free finish that does not leave fibre residue behind
- Permits rapid absorption
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package

Also available in laminated, bonded and meltblown

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEI037	Heavy	16" x 18"	30	100
ROLLS – OIL ONLY				
SEI039	Heavy	150' x 28"	50	1
SEI040	Heavy	150' x 14"	25	1

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEI042	Heavy	16" x 18"	30	100
ROLLS – UNIVERSAL				
SEI044	Heavy	150' x 28"	50	1
SEI045	Heavy	150' x 14"	25	1

CAMOUFLAGE UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/spun bonded finish (SMS)
- Strong tensile strength is ideal for wiping and MRO applications
- Military camouflage design and colour offers maximum spill and dirt concealment
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Sold per Package



Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - UNIVERSAL				
SEI056	Heavy	15" x 17"	25	100
ROLLS - UNIVERSAL				
SEI057	Heavy	150' x 30"	50	1
SEI058	Heavy	150' x 15"	25	1

HIGH TRAFFIC UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/fine fibre finish (SMF)
- Best suited for problem areas with high traffic
- Conceived for added durability and absorbency
- Offers the top layer strength of laminated sorbents, with the bottom layer floor adherence of fine fibre sorbents
- Ideal for use in forklift traffic areas
- All universal rolls are antistatic and made of up to 90% recycled materials
- All sorbent rolls have absorption capacities of more than 25x their weight

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEJ015	Heavy	150' x 30"	60	1
SEJ016	Heavy	150' x 15"	30	1
SEJ017	Light	150' x 30"	40	1
SEJ018	Light	150' x 15"	20	1

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, and keeps it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Model No.	Weight	Dimensions L	x	W	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL						
SEI055	Heavy	150'	x	36"	50	1

INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Model No.	Weight	Dimensions L	x	W	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL						
SEJ019	Heavy	100'	x	36"	25	1
SEJ020	Heavy	150'	x	36"	35	1
SEJ021	Heavy	300'	x	36"	70	1

POLY BACKED INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Poly backing prevents absorbed fluids from penetrating through to the floor
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Model No.	Weight	Dimensions L	x	W	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL						
SEJ022	Heavy	50'	x	36"	25	1
SEJ023	Heavy	100'	x	36"	35	1
SEJ024	Heavy	150'	x	36"	70	1

OIL ONLY SWEEP

- Made of durable laminated polypropylene
- 2" nylon webbing for additional strength is added on the length of the sweep
- Ideal for marine spill, fine sheen and surface spill removal
- Sorbent sweep absorbs oil, and repels water
- Looping straps at each end to tie sweep across waterways or on boats for dragging
- Easily attaches to sorbent booms

Model No.	Dimensions L"	x	W"	Absorbency/Pkg. Gallons	Qty /Pkg.
SWEEP – OIL ONLY					
SEI049	100	x	19	33	1

OIL ONLY BILGE BOOMS

- 100% polypropylene
- Will not sink when fully saturated permitting easy retrieval
- Can be used indoors or outdoors, and will not absorb water
- Prevents odors by absorbing bacteria breeding oily residues

Sold per Package

SEI051

Model No.	Dimensions L"	x	W"	Absorbency/Pkg. Gallons	Qty /Pkg.
BILGE BOOM - OIL ONLY					
SEI051	18	x	5	31	12
SEJ294	18	x	8	31	10

SORBENT BOOMS

- Made of a durable spunbond sock and net filled with 100% polypropylene particulate
- Oil only booms are used for marine spills, universal booms are used for large land spills
- Durable rope runs between the sock and net allowing all tension to remain on the rope
- Hooks and clips at ends and 18" provide overlap at connection points
- Quick snaps provide easy handling and permit to attach multiple lengths together
- UV resistant for up to 12 months
- Oil only booms are made from 100% polypropylene, and absorb more than 25x their weight
- Universal booms are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

Sold per Package

SEH952

SEH999

Model No.	Dimensions L"	x	W"	Absorbency/Pkg. Gallons	Qty /Pkg.
BOOMS - OIL ONLY					
SDK911	120	x	5	35	4
SEH952	120	x	8	70	4
BOOMS – UNIVERSAL					
SEH999	120	x	5	35	4
SEI001	120	x	8	70	4

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Best suited to surround spills when easy containment and clean up is required
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

Sold per Package

Model No.	Dimensions L"	x	W"	Absorbency/Pkg. Gallons	Qty /Pkg.
SOCKS - OIL ONLY					
SEH953	48	x	3	25	12
SEJ937	48	x	3	45	25
SEH955	120	x	3	45	10
SOCKS – UNIVERSAL					
SEJ938	48	x	3	20	12
SEI002	48	x	3	40	25
SEI047	48	x	3	50	30
SEJ025	48	x	3	65	40
SEJ026	96	x	3	65	20
SEI048	120	x	3	40	10
SOCKS – HAZMAT					
SEJ941	48	x	3	40	25
SEI011	96	x	3	50	15
SEI004	120	x	3	45	10

SORBENT PILLOWS

- The perfect sorbent solution to trap drips and leaks
- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

Sold per Package

Model No.	Dimensions L"	x	W"	Absorbency/Pkg. Gallons	Qty /Pkg.
PILLOWS - OIL ONLY					
SEH956	18	x	8	25	10
SEH957	18	x	18	40	10
PILLOWS - UNIVERSAL					
SEJ028	18	x	8	30	10
SEJ029	18	x	18	45	10
PILLOWS - HAZMAT					
SEI006	18	x	8	30	10
SEI005	18	x	18	45	10

DRUM COVER ABSORBENT PADS

- 100% polypropylene
- Precut to fit 55-gallon drums perfectly with a cut out bunghole
- Retains pump drips and drum leaks at the source and away from surrounding areas
- Keeps drum tops and floors clean and dry

Sold per Package

Model No.	Diameter"	Absorbency/Pkg. Gallons	Qty /Pkg.
DRUM COVER - OIL ONLY			
SEI050	22	10	25
DRUM COVER - UNIVERSAL			
SEI053	22	10	25

DRIP PANS

- Pans are filled with sorbent pillows which keep liquids contained and prevents splashing
- Convenient, versatile, and easy to use around the work environment
- Best suited for placing under drums or machinery, and any other areas where drips occur
- The perfect solution for continuous leaks

Model No.	Dimensions L"	x	W"	x	H"	Absorbency/Pkg. Gallons	Qty /Pkg.
DRIP PAN - OIL ONLY							
SEI052	10 1/2	x	10 1/2	x	3	1	1
DRIP PAN - UNIVERSAL							
SEI054	10 1/2	x	10 1/2	x	3	1	1

ECOPOLYBLEND™ SPILL TRAY

- Lightweight and low-profile design for small-scale spill control
- Made of 100% recycled polyethylene, these eco-friendly spill trays will not rust or corrode
- Raised rib bottom adds rigidity and keeps contents out of spills
- Perfect for pouring and filling applications
- Rated for service temperatures between -30° to 120°F (-34 to 49°C)

JUSTRITE®

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"	Spill Capacity gal.
SEB201	28715	46	x	16	x	5 1/2	12
SEB202	28716	38	x	26	x	5 1/2	20
SEB203	28717	47 1/2	x	23	x	5 1/2	20
SEB204	28718	37 3/4	x	34	x	5 1/2	23
SEB205	28719	47	x	33	x	5 1/2	29

SPILL BERMS®

- Non-absorbing berms stop machine leaks from spreading and are easily cleaned for repeated use
- Flexible, urethane design will bend to follow any curve or angle needed
- Contains leaks, and reduces slip hazards
- Allows quick and easy cleanup or recycling of liquids
- Can be cut to various lengths to meet custom needs
- Interlocking end joints on all models create longer lengths and are self-sealing except model number **SEI129** which requires connectors and corners

ULTRATECH INTERNATIONAL, INC.

Model No.	Description	Dimensions L"	x	W"	x	H"
SEI128	Low Profile	120	x	2 1/4	x	1 3/8
SEI129	Ultra	120	x	4	x	2 1/4
SEI130	Ultra Plus	60	x	4	x	4 1/2
SEI131	Connector for SEI129			-		
SEI132	Corner for SEI129			-		

POLY-LABTRAY™

BRINGS SPILL PROTECTION TO THE LABORATORY BENCH!

- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Molded-in corner spout makes waste disposal clean, easy and efficient
- 40-lb. static load weight
- 2.5 US gallon sump capacity



ENPAC

Model No.	Mfg. No.	Exterior Dimensions L"	x	W"	x	H"	Wt. lbs.
SB768	5248-YE	25	x	21 1/2	x	3	6.5

POLY-SPILLPAD™ PADS

- Handles spent batteries, 5-gallon pail, 16 US gallon drums and your small jobs
- Sturdy chemically resistant fabric provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump



ENPAC

Model No.	Mfg. No.	Exterior Dimensions L"	x	W"	x	H"	Sump Cap. US Gal.	Load Bearing Cap. lbs.	Wt. lbs.
SD519	5600-YE	28	x	28	x	2 1/4	2	4000	13
SD520	5610-YE	31 1/2	x	54	x	2 1/4	7.5	8000	21
SD521	5620-YE	55 1/2	x	55	x	2 1/2	12	16 000	25

NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"
SH104	Drain-Cover	36	x	36	x	1/16
SAP060	Drain-Cover-48	48	x	48	x	1/16

STORMWATER DRAINGUARDS

- Prevents oil and other contaminants from entering water systems and drains
- Designed for use in industrial facilities, construction sites, parking lots and retail outlets
- Can remove up to 0.87 gallons of oil, or 40 lbs. of sediments
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts

Sold per Package

ULTRATECH INTERNATIONAL, INC.

Model No.	Dimensions L"	x	W"	x	H"	Qty /Pkg.	Wt. lbs.
SEI122	48	x	36	x	18	1	1
SEI123	48	x	36	x	18	10	1

DRAIN SEAL MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, light weight and easy to use
- Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts

SEI103

SEI093

SEI099

ULTRATECH INTERNATIONAL, INC.

Model No.	Dimensions L"	x	W"	x	H"
DRAIN SEALS – SQUARE					
SEI091	18	x	18	x	3/8
SEI092	24	x	24	x	3/8
SEI093	36	x	36	x	3/8
SEI094	42	x	42	x	3/8
SEI095	48	x	48	x	3/8
SEI096	54	x	54	x	3/8
DRAIN SEALS – RECTANGULAR					
SEI097	18	x	60	x	3/8
SEI098	36	x	60	x	3/8
DRAIN SEALS – CIRCULAR					
SEI099	12 Dia.	x	3/8 H		
SEI100	20 Dia.	x	3/8 H		
SEI101	30 Dia.	x	3/8 H		
SEI102	42 Dia.	x	3/8 H		
WALLMOUNT HOLDER					
SEI103	Fits 18" and 24" Drain Seals				
SEI104	Fits 36" Drain Seals				
SEI105	Fits 48" Drain Seals				

PLUG N'DIKE® SEALANTS

- Easy to use and convenient emergency sealant
- Seals immediately and sticks to unprepared, dirty and crumpled surfaces
- Non-toxic and non-flammable blend of high absorption polymers
- Can be used with hydrocarbons and water-based chemicals
- Antifreeze mix prevents hardening in cold weather applications
- Dry, granular blend can me mixed with water to form a paste

SEI072

Model No.	Format	Qty /Pkg.
PLUG N'DIKE® PASTE		
SEI071	10-oz. Jar	1
SEI072	1-lb. Jar	1
PLUG N'DIKE® GRANULAR		
SEI080	5-Gallon Pail	1
SEI081	1-Gallon Jug	4

THE RUPTURESEAL™

- Assists in stopping leaks from accidental ruptures
- Single use only
- Lasts upwards of 10 hours in the rupture
- Protects environment and reduces cost of cleanup
- Tested to operate successfully in environments with a direct temperature range between -50°C and 50°C and at pressure up to 16 PSI

SEF156

the Rupture Seal™

Model No.	Sizes"	Description
1 SEAL		
SEF156	1	-
SEF157	2	-
SEF158	2 x 6	-
3 SEALS		
SEF159	1, 2 & 2 x 6	Plastic Bag
SEH634	1, 2 & 2 x 6	Wall-Mount Box
SEJ956	1, 2 & 2 x 6	Nylon Bag

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast and efficient response to overhead leaks
- Flow rate of over 3 gallons per minute
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- Hose can then be directed to proper drainage point
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)

ENPAC

Model No.	Mfg No.	Dimensions'		
SEI133	460303-YE	3	x	3
SEI134	460306-YE	3	x	6
SEI136	460610-YE	6	x	10
SEI657	460505-YE	5	x	5
SEI658	460606-YE	6	x	6
SEI659	461012-YE	10	x	12
SEI660	461212-YE	12	x	12

PIPE LEAK DIVERTERS

- Fast and efficient response to leaks eliminating slip hazards
- High chemical resistance
- 7-gallon fluid capacity
- Convenient hose connector with cap
- Hose can then be directed to proper drainage point
- Fits 5/8" and 1/2" standard garden hose, not included
- Lightweight, reusable and easy to store
- Material: PVC
- Dimensions: 18" x 18"
- Includes four bungee cords

Model No. SEI661
Mfg No. 46R18

ENPAC

RUBBER TIE DOWN

- Other sizes available

KLETON

Model No.	Size"	Max Safe Stretch"
PE368	15	22 1/2

PEAT MOSS ABSORBENT

- Organic heat treated peat moss
- Hydrophobic and biodegradable granular
- Contains less than 5% moisture
- Ideal absorbent for fine sheens and concrete stains
- Absorbs up to 15 times its weight in hydrocarbons

ZENITH® Safety Products

Model No.	Format	Qty /Pkg.
SEI074	20-lb. Bag	1

VERMICULITE ABSORBENT

- All recycled vermiculite
- Ideal for solidification, packaging, and incineration
- One bag can absorb up to 4 gallons of water
- Excellent for fuel blending
- 4 cu.ft. bag

SEI578

ZENITH® Safety Products

Model No.	Grade	Qty /Pkg.
SEJ805	3	1
SEI578	4	1

OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly

50% MORE ABSORBENCY PER POUND THAN CLAY ALTERNATIVES

Model No.	Format
SEI076	25-lb. Bag

ABSORB-N-DRY® ABSORBENT

- Traditional clay based absorbent
- Very cost effective for every day spills
- Granular mesh size creates a safe non-slip work surface

Model No.	Format
SEI085	25-lb. Bag
SEI084	50-lb. Bag

OIL-DRI® GENERAL-PURPOSE ABSORBENT

- Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids
- Virtually dust free, lowering airborne contamination
- Its high absorbency, low density, enables more scoops per pound
- Packaged in a poly bag making it next to unbreakable and water resistant
- Composed of light grey fuller's earth

Model No.	Mfg. No.	Format
SI965	18002	40 lbs. (18 kg)
SAR327	15005	33 lbs. (15 kg)

OIL-DRI® PREMIUM ABSORBENT

- Superior moisture extraction process increases absorption and minimizes dust
- Non-toxic, virtually dust-free product absorbs aggressive and non-aggressive fluids in minutes and leaves no residue
- Holds liquids in; will not breakdown and turn to mud
- Low density: more scoops per pound saves money
- 25-lb. (11.25-kg) bag

Model No. SAR328
Mfg. No. 11001

OIL-DRI® QUICK SORB® ABSORBENT

- Specially designed to absorb up to twice as much fluid per pound as conventional clay
- Smaller granules offer more surface area for greater absorption power
- Strong granules improve traction and will not break down when saturated
- Comes in an easy-to-carry store pail
- 20-lb. (9.1-kg) pail

Model No. SAR329
Mfg. No. 05000

QUALISORB™ GOLD ABSORBENT

- Non-corrosive, non-toxic product that offers the best absorbency
- Absorbs almost twice as much as other product in water or oil
- Can be used in all applications, even for toxic waste absorption
- It absorbs spills in no time leaving floor safe and dry
- Used in plants, refineries repair shops, machine shops and garages
- 20-lb. (9.1-kg) bag

Model No. SAJ503
Mfg. No. 628N

ENSORB® SUPER ABSORBENT

- 15 to 20 times the absorption capacity of clay-based products
- Virtually unlimited uses as a dry absorbent that is safe in all applications
- Picks up all liquids, of any viscosity, off any hard surface
- Turns the spilled liquid into a solid that can be disposed of easily
- Lightweight and simple to use, it dramatically reduces cleanup costs
- Not injurious to soil, cement, asphalt, tile, plants, animals, or humans
- Contains no reactive chemicals, is not toxic or flammable

Model No.	Mfg. No.	Description	Wt. lbs.
SEC928	ENP D225	1.5 cu.ft. Bag	15

SAFETY SHOVELS

- Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handles
- Non-sparking, designed for emergency responses

Model No.	Scoop Material	Assembled Length"	Collapsed Size L"	x	W"	x	H"	Weight lbs.
COLLAPSIBLE SHOVEL								
SEI088	Aluminum	29	15	x	10	x	3	2

SAFETY SHOVELS

- Non-sparking polypropylene safety shovels are versatile, lightweight and will not rust or corrode, chemical resistant
- Two-piece construction disassembles for easy storage, easy to use locking mechanism
- Working temperature range: -22°F/-30°C to 176°F/80°C; intermittent use may increase temperature range
- Emergency blade shovels are injection molded, structural poly compact shovel which collapses for easy storage
- Variety of blade and handle configurations
- Ideal for spill kits, hazmat response and environmental clean up

Safety Shovels

Hygienic One-Piece Shovels

Model No.	Mfg. No.	Description	Handle	Blade Size L"	x	W"	Overall Length"
INDUSTRIAL SHOVELS (ONE-PIECE)							
SAL460	RG6981	Small Blade, Grey	Standard D-Grip	11	x	14	38
HYGIENIC SHOVELS (ONE-PIECE)							
SAL457	69815	Small Blade, White	Standard D-Grip	11	x	14	38
SAL458	69813	Small Blade, Blue	Standard D-Grip	11	x	14	38
SAL459	665379	Small Blade, Green	Standard D-Grip	11	x	14	38
SAL461	69825	Large Blade, White	Standard D-Grip	14	x	17	42
SAL462	69823	Large Blade, Blue	Standard D-Grip	14	x	17	42
SAL463	69822	Large Blade, Green	Standard D-Grip	14	x	17	42
SAFETY SHOVELS (TWO-PIECE)							
SAL465	6892SS	Medium Blade	Standard D-Grip	10.5	x	14	38.5
SAL468	6896SS	Medium Blade	Extended D-Grip	10.5	x	14	43.5
SAL470	6898SS	Medium Blade	Short D-Grip	10.5	x	14	33
SAL471	6900SS	Large Blade	Standard D-Grip	14	x	18	40.5
SAFETY ALL BLACK (TWO-PIECE)							
SAL467	6896BKSS	Medium Blade	Extended D-Grip	10.5	x	14	43.5
EMERGENCY BLADE SHOVELS							
SAL473	665198	Compact Orange/Grey	T-Grip	10	x	12	24 - 36

Emergency Blade Shovels

INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 16 US gallon stainless steel tank
- 6.5 peak HP motor
- 100 CFM air flow
- 80" Sealed pressure
- Heavy-duty rear wheels with swivel front casters provide easy movement
- Removable steel handle
- Positive lock on hose eliminates unexpected disconnections
- Large accessory storage box attached
- 20' power cord
- 2 1/2" accessories include: Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC528

7' FLEXIBLE HOSE REPLACEMENT
Model No. JC834

aurora tools®

INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 8 US gallon stainless steel tank
- 5.5 peak HP motor
- 85 CFM air flow
- 72" Sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- 1 1/4" accessories include: Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC525

aurora tools®

FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP - 2 STAGE MOTOR

shop-vac®

- Factory tough large capacity 44 gal. vacuum and head assembly built to handle the toughest shop jobs
- Complete with hose and utility nozzle
- Electrical 120 V, 60 Hz, 11 A
- **NG343** converts your steel drum into a wet/dry vac
- Heavy-duty dolly with **NG342** only

Includes:
12' hose **(NC249)**
Master nozzle chrome plated 6" **(NC239)**
Elbow joint 2 1/2" **(NC277)**
Ultra web cartridge filter **(NI735)**
Model No. NG342

HEAD ASSEMBLY AND ACCESSORY KIT
Model No. NG343

Model No.	Tank Cap. Gal US/L	Peak HP	Tank Type	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.
NG342	55/208	3	Metal	109	100	18	41
NG343	Head Assem.	-	N/A	109	100	18	30

ATTIX 30 HEPA WET/DRY VACUUMS

Nilfisk ALTO

- New compact generation of Attix achieves superior suction power in a compact and flexible design
- New Push & Clean Technology for fast and simple filter cleaning; simply block the inlet fitting or the hose, push and release the filter cleaning button
- Certified HEPA filter that captures 99.97% of debris, down to and including 0.3 microns
- Ergonomic and sturdy grip for easy transport and cable storage
- Ideal superior quality professional vacuum used in general maintenance shops, abatement (i.e.: mold and lead) when using the bag and HEPA filter, surface preparation, auto-body shops; ideal for sawdust and drywall
- 8 US gallon polypropylene tank
- Power: 1000 W, Voltage/Frequency: 120V/60 Hz
- Max. Air Flow: 135 CFM
- Max. Waterlift: 92"
- Dimensions: 18" L x 15" W x 23" H
- Weight: 32 lbs.
- Comes with standard 1/2" 10-piece accessory kit
- **Includes:** 1/2" x 10' hose, chrome curved wand, extension two-piece tube, combination floor nozzle, crevice nozzle, brush nozzle, and universal nozzle, HEPA filter and one paper bag

Model No. JD278
Mfg No. 900130

LIGHTWEIGHT INDUSTRIAL-DUTY WET/DRY VACUUMS 6.5 PEAK HP SINGLE STAGE MOTOR

- Single stage motor, wet/dry vacuum features Lock-On® hose system, quiet running motor, tool basket and tank drain
- Electrical 120 V, 60 Hz, 9.7 A
- Comes with a 4-wheel dolly
- Some assembly required
- **Includes:** 1 1/4" 8-piece accessory package and filter kit

shop-vac®

Model No.	Tank Cap. Gal US/L	Peak HP	Tank Type	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.
NG332	6.5/29.5	6.5	Poly	185	66	18	19

COMPRESSED AIR VACUUMS

- Compressed air-powered vacuums offer significant advantages in dependability, safety and efficiency over conventional electric powered vacuums
- No electricity required – operate strictly on compressed air
- Always dependable – no moving parts to wear out, no motors to burn out
- Safe in almost any wet environment
- Extremely versatile – pick up chips, dust, powder, debris and most liquids

INCLUDES:

- Vacuum generating head with standard cartridge filter for **JB511**, cloth filter for **JB510**
- 2" x 20' standard-duty vinyl vacuum hose for **JB511** and 1 1/2" x 20' for **JB510**
- Metal wet/dry floor tool (12" wide) with 4' wand
- 24" long metal crevice tool
- 3/4" x 20' air supply hose with fittings
- Incoming Air Line Pressure: 100 PSIG

NORTECH®

Model No.	Description	Air Consump. (SCFM)	Min Comp. Size	Water Lift"	Vacuum Flow (SCFM)	Wt. lbs.
JB510	15 gallons	47	10 HP	213	60	79
JB511	55 gallons	68	15 HP	185	89	121

95-GALLON SPILL KITS

ZENITH® Safety Products

SEI167

Mobile Version



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads , 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
4	Sorbent Booms, 5" x 10"	SDK911	SEI149	SEI149
1	Sorbent Roll, 15" x 150'	SEH950	SEH963	SEJ009
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SAH549**

* UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES
** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

97-GALLON SPILL KITS

ZENITH® Safety Products

SEI166

Mobile Version

Description	Oil Only Model No.	Universal Model No.
Spill Kit	SEJ260	SEI166
Mobile Spill Kit	SEJ261	SEI493
Replacement Kit*	SEJ823	SG967

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
10	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Spill Control Locker, 42" x 30" x 29"	97 Gallons	ND702
Mobile Spill Control Locker, 48" x 30" x 29"	97 Gallons	SEI518

95-GALLON SHOP SPILL KITS

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ266	SEI168	SAL321
Mobile Spill Kit	SEJ268	SEI495	SEJ269
Replacement Kit*	SEJ827	SEI947	SEJ829

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
10	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Drain Cover, 36 " x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SAH549**

* UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES ** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

Mobile Version

95-GALLON INDUSTRIAL SPILL KITS

Description	Oil Only Model No.
Spill Kit	SAK243
Mobile Spill Kit	SAK245
Replacement Kit*	SEI874

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only
50	Sorbent Pads, 15" x 17"	SEI140
5	Sorbent Socks, 3" x 48"	SEI141
5	Sorbent Pillows, 8" x 18"	SEI143
4	Sorbent Booms, 5" x 10"	SDK911
1	Sorbent Roll, 15" x 150'	SEH950
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SFJ602
1	Repair Putty, 4 oz.	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Model No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SAH549**

* UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES ** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

Mobile Version

95-GALLON ECONOMY SPILL KITS

Description	Oil Only Model No.	Universal Model No.
Spill Kit	SAK251	SEJ272
Mobile Spill Kit	SAK253	SEJ273
Replacement Kit*	SEJ830	SEJ831

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Booms, 5" x 10"	SDK911	SEI149
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SAH549**

* UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES ** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

Mobile Version

SAK251

63-GALLON SPILL KITS

Description	Oil Only Model No.	Universal Model No.
Mobile Spill Kit	SEI198	SEI197
Replacement Kit*	SEI943	SEI944

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 120"	SEI142	SEI157
4	Sorbent Pillows, 18" x 18"	SEI144	SEJ777
1	Drain Cover, 36" x 36"	SH104	SH104
1	Optisorb®, 25-lb. Bag	SEI076	SEI076
2	Pairs nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pair Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Yellow Mobile Container, 23" x 29" x 42"	63 Gallons	SEI276

Mobile Version

SEI198

55-GALLON ECO-FRIENDLY SPILL KITS

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI182	SEI181	SEJ270
Replacement Kit*	SEI945	SEI946	SEJ832

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Natural Fibre Pads, 16" x 18"	SEI154	SEI155	SEI155
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26"x36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Drum	55 Gallons	DC525*

* UN Compliance: 1H2/Y250/S

SEI182

55-GALLON SPILL KITS

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI196	SEI195	SEJ271
Replacement Kit*	SEI576	SEJ833	SEJ834

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Black Polyethylene Drum	55 Gallons	DC527*

* UN Compliance: 1H1/Y1.9/150

SEI196

31-GALLON TOOL BOX SPILL KITS

Description	Oil Only Model No.	Universal Model No.
Spill Kit	SEI261	SEI260
Replacement Kit*	SEJ835	SEJ836

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
25	Sorbent Pads, 15 "x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Oil Gator®, 30-lb. Bag	SEI158	SEI158
1	Drain Cover, 36" x 36"	SH104	SH104
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Water Resistant Storage Container, 33″ x 19″ x 13"	31 Gallons	SEI277

SEI261

30–GALLON TOOL KADDIE SPILL KITS

Description	Oil Only Model No.	Universal Model No.
Mobile Spill Kit	SEI200	SEI199
Replacement Kit*	SEI953	SEI952

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
40	Sorbent Pads, 15" x 17"	SEI140	SEJ772
5	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
50	Industrial Wipes	SEI278	SEI278
4	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Mobile Tool Kaddie	30 Gallons	SEI275

SEI200

30-GALLON SHOP SPILL KITS

Description	Oil Only Model No.	Universal Model No.
Spill Kit	SEI163	SEJ274
Replacement Kit	SEJ837	SEJ838

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
1	Drain Cover, 36" x 36"	SH104	SH104
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
5	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Drum	30 Gallons	DC535*

* UN Compliance: 1H2/Y150/S

SEI163

30-GALLON SPILL KITS

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
75	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
5	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Drum	30 Gallons	DC535*

* UN Compliance: 1H2/Y150/S

SEI165

20-GALLON SPILL KITS

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26 "x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	SAG189*

* UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

SEI164

17-GALLON WESTERN CANADA SPILL KITS

SEI194

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI194	SEI193	SEJ280
Replacement Kit*	SEJ844	SEJ845	SEJ846

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Optisorb®, 2-lb. Bag	SEI270	SEI270	SEI270
1	Peat Moss, 2-lb. Bag	SEI271	SEI271	SEI271
1	Plug n' Dike®, 10 oz.	SEI071	SEI071	SEI071
1	Scoop, Non-Sparking	SEI280	SEI280	SEI280
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Containement Pool, 20-gal.	SAQ189	SAQ189	SAQ189
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Red Nylon Bag	N/A	SEI557

DUFFLE BAG VEHICLE SPILL KITS

SEI184

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
20	Sorbent Pads, 15 "x 17"	SEI140	SEJ772	SEJ773
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Repair Putty, 4 oz.	SH105	SH105	SH105
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI559

16-GALLON SPILL KITS

SEI162

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ278	SEI162	SEJ279
Replacement Kit*	SEJ847	SEJ848	SEJ849

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Pail	16 Gallons	DC538*

* UN Compliance: 1H2/X65.0/S

10-GALLON CAPACITY TRUCK SPILL KITS

SEI190

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit - Plastic Zipper Bag	SEI186	SEI185	SEJ281
Spill Kit - Nylon Bag	SEI188	SEI187	SEJ282
Spill Kit - Blue Drum	SEI190	SEI189	SEJ283
Replacement Kit*	SEJ669	SEJ770	SEJ850

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SDL059
Nylon Bag	N/A	SEI557
Blue Drum	10 Gallons	DC539*

* UN Compliance: 1H2/Y45.5/S

10-GALLON SERVICE VEHICLE SPILL KITS

SEI192

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI192	SEI191	SEJ285
Replacement Kit*	SEJ852	SEJ853	SEJ854

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
4	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Oil Gator®, 5-lb. Bag	SEI159	SEI159	SEI159
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI557

10-GALLON HAZMAT SPILL KITS

SEI615

Description	Hazmat Model No.
Spill Kit	SEI615
Replacement Kit*	SEJ855

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Hazmat
5	Sorbent Socks, 3" x 48"	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067
1	Pair Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Model No.
White Polyethylene Pail	5 Gallons	CB046
White Polyethylene Pail Cover	N/A	CB045

ECO-FRIENDLY TRUCK SPILL KITS

SEI177

Description	Oil Only Model No.	Universal Model No.
Spill Kit - Plastic Zipper Bag	SEI174	SEI173
Spill Kit - Nylon Bag	SEI176	SEI175
Spill Kit - Blue Drum	SEI178	SEI177
Replacement Kit*	SEI871	SEI612

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16" x 18"	SEI154	SEI155
3	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SEI279
Nylon Bag	N/A	SEI557
Blue Drum	10 Gallons	DC539*

* UN Compliance: 1H2/Y45.5/S

10-GALLON SPILL KITS

SEI171

Description	Oil Only Model No.	Universal Model No.
Spill Kit - Plastic Zipper Bag	SEI170	SEI169
Spill Kit - Nylon Bag	SEI172	SEI171
Replacement Kit*	SEJ856	SEJ857

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16 "x 18"	SEI154	SEI155
1	Sorbent Sock, 3" x 48"	SEI141	SEI156
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SEI279
Nylon Bag	N/A	SEI557

5-GALLON SPILL KITS

SEI160

ZENITH® Safety Products

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ975	SEI160	SEJ286
Replacement Kit*	SEJ976	SEJ858	SEJ859

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	N/A	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
White Polyethylene Pail	5 Gallons	CB046
White Polyethylene Pail Cover	N/A	CB045

5-GALLON OIL SPILL KITS

ZENITH® Safety Products

Description	Oil Only Model No.
Spill Kit	SEI161
Replacement Kit*	SEI613

*Replacement Kit does not include original package container

CONTENTS:

Qty	Description	Oil Only
20	Sorbent Pads, 15" x 17"	SEI140
1	Sorbent Sock, 3" x 48"	SEI141
1	Pair Nitrile Gloves, 2XL (11)	SAS067
2	Disposal Bags, 26" X 36"	SEI272

Replacement Containers	Capacity	Model No.
White Polyethylene Pail	5 gallons	CB046
White Polyethylene Pail Cover	N/A	CB045

5-GALLON ECONOMY SPILL KITS

SEI265

ZENITH® Safety Products

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI266	SEI265	SEJ287
Replacement Kit*	SEJ860	SEJ861	SEJ862

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
1	Sorbent Sock, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI557

FIRST RESPONDERS SPILL KITS

SEJ289

CONTENTS:

Qty	Description
1	Plastic Carry Case
4	Sorbent Pads, 15" x 17"
1	Sorbent Sock, 3" x 48"
1	Repair Putty, 4 oz.
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Disposal Bag, 26" x 36"

ZENITH® Safety Products

Description	Oil Only Model No.	Universal Model No.
Spill Kit	SEJ288	SEJ289

20-GALLON BATTERY ACID SPILL KITS

CONTENTS:

Qty	Description	Model No.
8	Acid Neutralizer, 2-lb. Shaker	**SEI060**
20	Sorbent Pads, 15" x 17"	**SEJ772**
3	Sorbent Socks, 3"x 48"	**SEI156**
2	Microporous Coveralls, XL	**SEC817**
2	Pairs Nitrile Gloves, 2XL (11)	**SAS067**
2	Pairs Safety Goggles, One Size	**SEF219**
3	Disposal Bags, 26" x 36"	**SEI272**

Model No.	Description
SEI264	Spill Kit
SEJ864	Replacement Kit*

*Replacement kit does not include original package container

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	**SAG189***

20-GALLON ACID SPILL KITS

CONTENTS:

Qty	Description	Model No.
8	Acid Neutralizer, 2-lb. Shaker	**SEI060**
15	Sorbent Pads, 15" x 17"	**SEJ772**
2	Sorbent Socks, 3" x 48"	**SEI156**
2	Microporous Coveralls, XL	**SEC817**
2	Pairs Nitrile Gloves, 2XL (11)	**SAS067**
2	Pairs Safety Goggles, One Size	**SEF219**
2	Disposal Bags, 26" x 36"	**SEI272**

Model No.	Description
SEI263	Acid Spill Kit
SEJ863	Replacement Kit*

*Replacement kit does not include original package container

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	**SAG189***

50-ML MERCURY SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
1	Mercury Powder
1	Mercury Vapour Supressant
2	Sorbent Pads, 15" x 17"
1	Dust Mask
1	Pair Disposable Boots
2	Pairs Nitrile Gloves, 2XL (11)
1	Dust Pan With Brush
1	Respirator
3	Disposal Bags, 26" x 36"

Model No.	Description
SEI268	Spill Kit

40-ML MERCURY SPILL KITS

* UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

CONTENTS:

Qty	Description
1	Mercury Absorb Jar
2	Mercury Absorb Sponges
1	Mercury Absorb Powder, 500 g
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Disposal Bag, 26" x 36"

Model No.	Description
SEJ552	Spill Kit

LAB ACID/BASE SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
4	Sorbent Pads, 15" x 17"
1	Acid Neutralizer
1	Base Neutralizer
1	Pair Safety Goggles, One Size
1	Pair Nitrile Gloves, 2XL (11)
1	Disposal Bag, 26" x 36"

Model No.	Description
SEI269	Spill Kit

UNIVERSAL PRECAUTION BLOODBORNE PATHOGEN SPILL KITS

CONTENTS:

Qty	Description
1	Poly Bag
1	Protective Apron
1	Combo Mask/Safety Shield
1	Red Z® Solidifier, 10 g Pouch
1	Scoop
1	SaniZide Plus®, Germicidal Wipe, 8" x 8"
1	P.A.W.S.® Antimicrobial Hand Wipe, 5" x 8"
1	Pair Nitrile Gloves, 2XL (11)
1	Pair Safety Goggles, One Size
1	Red Bio Hazard Waste Bag, 24" x 24"
1	Twist Tie
1	Identification Tag and Instructions

Model No.	Description
SEJ290	Spill Kit

UNIVERSAL POLY-DRUM FUNNEL™

- Patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnels nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather and other hazards out
- Easy installation
- **Exterior dimensions:** 26" dia. x 5 1/2" H
  Interior dimensions: 22" dia. x 4" H

ENPAC



Model No.	Mfg. No.	Description	Wt. lbs.
SAH565	3004-YE	Funnel	3
SAH566	3004-YE-SF	Safety Funnel	5
SAH567	3040-YE	Funnel Cover	3

POLY-PAIL FUNNEL™

Mounts to 3 1/2, 5 and 6-gallon tight-head pails. Also fits open top pails with 12" diameter. Optional Poly-Pail Funnel™ cover available.

POLY-PAIL FUNNEL™

- **Exterior dimensions:** 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H
  Interior dimensions: 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

- **Exterior dimensions:** 9 1/4" dia. x 2 3/8" H

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
DA098	3005-YE	Poly-Pail Funnel™	2
SG291	3051-YE	Poly-Pail Funnel™ Cover	3

POLY-DRUM TOPPER™ COVERS

- Snaps directly onto any 45-gallon open or closed-head drum to keep out debris and protect drum tops
- Easy installation
- **Exterior dimensions:** 25 1/2" dia. x 3 3/4" H

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ193	3065-BK	Poly-Drum Topper™	1.5

SAFETY DRUM FUNNELS

- Suitable for handling flammables, minimise potentially dangerous spills
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor for the **DA102** and 32" flame arrestor for the **DA101**
- Hinged cover with fusible link reduces spread of vapours
- FM approved

DA102

DA101

JUSTRITE®

Model No.	Mfg. No.	Description	NPS"	Wt. lbs.
DA101	8205	32" Flame Arrestor	2	29
DA102	8207	6" Flame Arrestor	3/4	11

SAFETY FUNNELS WITH VENT

- Provides safe waste solvent disposal due to automatic pressure and vacuum relief
- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- Weight: 4 lbs.
- FM approved

Model No. DA103
Mfg No. 8211

JUSTRITE®

See pages 379-383 for drum handling equipment

POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums

POLY-OVERPACK® 20 SALVAGE DRUMS

- Accepts bottles, cans, and 5-gallon pails
- **Exterior dimensions:** 23" top Dia. x 18" bottom Dia. x 19" H
  Interior dimensions: 21 1/2" top Dia. x 17" bottom Dia. x 17 1/2" H
- 20 US gallon sump capacity
- Weight: 10 lbs.

Model No. SAG189 **Mfg. No.** 1220-YE

POLY-OVERPACK® 30 SALVAGE DRUMS

- Unit can contain up to 16 US gallon drums
- **Exterior dimensions:** 23" top Dia. x 18" bottom Dia. x 30" H
  Interior dimensions: 21 1/2" top Dia. x 17" bottom Dia. x 28 1/2" H
- 30 US gallon sump capacity
- Weight: 13 lbs.

Model No. SAH551 **Mfg. No.** 1230-YE

POLY-OVERPACK® 65 SALVAGE DRUMS

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- **Exterior dimensions:** 27 3/4" top Dia. x 23" bottom Dia. x 37 1/2" H
  Interior dimensions: 26 3/4" top Dia. x 22" bottom Dia. x 34 1/4" H
- Maximum handling capacity: 440 lbs.
- Weight: 47 lbs.

Model No. SE471
Mfg. No. 1065-YE

POLY-OVERPACK® SALVAGE DRUM

- Takes industry standards to a whole new level
- Engineered with safety in mind
- Stacks, locks and transports more securely and efficiently than any other drum in the market
- Specifically designed to lock once stacked as a preventative measure for both employees and products
- Nesting lids create a safer and stronger nested stack for storage
- With a double start thread, unit only requires half a turn to tightly secure leaking drums
- Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES
- **Exterior Dimensions:** 31.5" top dia. X 25.88" bottom dia. X 40"H
- **Interior Dimensions:** 27.5" top dia. X 24.5" bottom dia. X 36.5"H
- Sump Capacity: 95 US gallons
- Load Bearing Capacity: 650 lbs.
- Weight: 46.5 lbs.

Model No. SDM248
Mfg. No. 1095-YE

WHEELED OVERPACK® SALVAGE DRUMS

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles

WHEELED OVERPACK® 50

- 50 US gallon sump capacity
- **Exterior dimensions:** 23" top Dia. x 18 1/2" bottom Dia. x 43 1/2" H
  Interior dimensions: 20" top Dia. x 17 3/4" bottom Dia. x 36" H

WHEELED OVERPACK® 95

- 95 US gallon sump capacity
- **Exterior dimensions:** 31 1/2" top Dia. x 25 3/4" bottom Dia. x 47 1/2" H
  Interior dimensions: 27" top Dia. x 25" bottom Dia. x 38 1/2" H

ENPAC

Model No.	Mfg. No.	Description	Sump Cap. US Gallons	Wt. lbs.
WHEELED OVERPACK® 50 SALVAGE DRUM				
SAL223	1259-YE	Polyolefin Wheels	50	38
WHEELED OVERPACK® 95 SALVAGE DRUM				
SAH549	1299-YE	Polyolefin Wheels	95	56

DRUM & OVERPACK LIFTER

- Drum Lifter is designed to lift and transport a standard 55 US Gal. steel drum 22.5" in diameter
- Drum lifer can also lift an 85 US Gal. overpack or salvage drum 26" in diameter
- Drum lifter can be used on closed "tight" head drums type with head intact, or with open head drums with lid securely clamped in place
- The broad faced grippers spread holding force to minimize pressure on drum
- Unit is load tested at the factory at 125% of rated capacity as per ASME B30.20
- Lifting Capacity: 1000 lbs./454 kg

Model No. DC608
Mfg. No. 91

MORSE

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Holds 55 US gallon drums
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit with patented sidewall sump
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly (ATD)
- 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lb handling capacity
- Eliminates the need for a separate dolly

Drum not included

SB769

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104
SR442	6005-BK	Universal Well Liner	1.5

* All Terrain Dolly with heavy-duty pneumatic rubber wheels

POLY-SPILLCART™ CARTS

ELIMINATES RISK OF SPILLS DURING TRANSPORT!

ENPAC

(Drums and pail not included)

- Tough polyethylene construction will not rust or corrode
- Dual drain plugs let you empty sump easily
- Removable structural foam grate for easy cleaning
- Built-in tool tray
- 10" polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an all terrain cart (ATC) with heavy-duty aggressive wheels
- 66 1/2" L x 29" W x 43 3/4" H
- 57-gallon sump capacity
- 500-lb load bearing capacity

Model No.	Mfg. No.	Description	Wt. lbs.
SB766	5200-YE	Poly-Spillcart™	126
SR438*	5200-YE-A	Poly-Spillcart™ ATC	133

* All Terrain Cart with heavy-duty pneumatic rubber wheels

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles +30 imp gal./37 US gal. and 45 imp. gal./55 US gal. drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Colour: Grey

DC465

ZENITH® Safety Products

Model No.	Caster Type	Caster Size"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

POLY-COLLECTOR™

- Portable hazardous materials collection systems
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal Poly-Drum Funnel™ to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and maintenance chemicals
- Drum dolly included

POLY-COLLECTOR™ 66

- Poly outer shell holds 70 US gallons
- Inner drum holds 55 US gallons
- **Interior dimensions:** 27" top dia. x 25 3/4" bottom dia. x 29 1/4" H
- Available with shell only, 70 US gallon sump capacity

SE556

ENPAC

Model No.	Mfg. No.	Description	Exterior Dimensions Top Dia" x Bottom Dia." x H"	Wt. lbs.
SE554	8001-YE	W/Steel Drum	32 1/2 x 26 1/4 x 42	81
SE555	8002-YE	W/Poly Drum	32 1/2 x 26 1/4 x 42	65
SE556	8075-YE	Shell Only	32 1/2 x 26 1/4 x 31	25

SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds up to 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- 34 1/2" diameter x 9" high
- 500-lb load bearing capacity
- 11 US gallon capacity

Drum not included

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	22
SC554	5206-BK	T-Handle	3

ULTRA-BUCKET®

- Molded-in handle makes pouring/dumping quick and easy
- Ergonomic design - minimizes back pain and other injuries associated with heavy lifting
- Heavy-duty HDPE construction - excellent chemical resistance
- Perfect container for smaller spill response kits
- Material: Plastic
- Capacity: 5 gal.

Model No. JH227
Mfg. No. 0660

SNAP-ON LID

- Fits on Ultra Bucket® 5 gallon pail

Model No. JH251
Mfg. No. 0664

ULTRATECH INTERNATIONAL, INC.

DRIP CATCHER DOLLIES

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- Weight: 26 lbs.

Model No. DA600
Mfg. No. 9713

Drum not included

VALLEYCRAFT ALL IN A DAY'S WORK

THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums securely in place
- 100 plus gallon containment sump ensures spill safety even in worst-case drum leaks
- Deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two Poly-Stacker™

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup
- Increase safety and productivity by adding Poly-Shelf™ to the Poly-Racker™ System

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on a pallet
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

POLY-SHELF™

- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™





Drums not included

Universal® Well Liner

Multi-Purpose Racker/Stacker™

Drums, pail & pallet not included

Model No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions L"	x	W"	x	H"	Wt. lbs.
SB771	6000-YE	Poly-Racker™	3000	49	x	52 1/2	x	22 1/2	120
SB772	6002-YE	Poly-Stacker™	2400	49	x	41	x	13	56
SR466	6006-YE	Single Poly-Racker™	1600	31	x	53	x	32	95
SR467	6007-YE	Single Poly-Stacker™	800	31	x	40 1/2	x	20	50
SE410	6004-YE	Multi-Purpose Racker/Stacker™	2400	48 1/2	x	41	x	20	87
SB773*	6003-YE	Poly-Shelf™	60	17	x	22	x	17 1/2	10
SR442	6005-BK	Universal® Well Liner	-	12 3/4	x	15 1/2	x	2 1/2	1.5

* Use only with Poly-Racker™ or Poly-Stacker™

DRUMS-UP™ TRAYS

THE INCIDENTAL SPILL SOLUTION!

- Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain hole makes emptying easy

DRUMS-UP™

- Contains drips for containers up to 55 US gallons
- Control nuisance spills from drums with a 20 US gallon capacity
- Convenient pour spout

DRUMS-UP JR™

- Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity

SD361

Drum not included

DA104

Model No.	Mfg. No.	Description	Dimensions Dia"	x	H"	Wt. lbs.
DA104	8091-YE	Drums-Up™	34	x	7 1/4	12
SD361	8200-YE	Drums-Up Jr.™	22 3/4	x	7 1/2	4

NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SEI786	5222-YE	2-Drum Poly-Spillpallet™	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	45

Drums not included

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SB762	5102-YE	4-Drum Poly-Spillpallet™	84
SB763	5102-YE-D	4-Drum Poly-Spillpallet™ w/Drain	84
SAQ186	5039-BK	Poly-Ramp™	65

Drums not included

POLY-SPILLPALLET™ 6000

- Includes the same rugged features as the Poly-Spillpallet™ 2000
- Two removable grates
- Forkliftable from all sides
- Holds four 55 US gallon drums
- Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H

ENPAC

Drums not included

Model No.	Mfg. No.	Description	Wt. lbs.
SB795	5001-YE	4-Drum Poly-Spillpallet™	88
SB794	5001-YE-D	4-Drum Poly-Spillpallet™ w/Drain	88

POLY-SLIM-LINE™ 6000

- Offers all of the same advantages as the Poly-Spillpallet™ 6000
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet

ENPAC

Drums not included

Model No.	Mfg. No.	Description	Wt. lbs.
SE408	5400-YE	4-Drum Poly-Slim-Line™	91
SE409	5400-YE-D	4-Drum Poly-Slim-Line™ w/Drain	91
SAQ186	5039-BK	Poly-Ramp™	65

ULTRA-SPILL PALLETS

- Specially constructed to support heavy loads and designed to be easily used and transported
- Constructed with a patented design called "The Cross of Life", which protects the pallet's structural integrity while bearing a heavy load over time
- 100% Polyethylene construction allows it to be compatible with a wide range of chemicals, while its low-rise, 11 inch walls give more accessibility for pouring
- Bright, safety yellow sidewalls are translucent, offering convenient visual leak detection
- Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations
- Sump Capacity: 66 US Gallons

ULTRATECH INTERNATIONAL, INC.

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Load Bearing Cap. lbs.	Wt. lbs.
SDL583	1010	2-Drum Spill Pallet	53	x	29	x	16 1/2	3000	63
SDL584	1011	2-Drum Spill Pallet w/Drain	53	x	29	x	16 1/2	3000	63
SDL585	1000	4-Drum Spill Pallet	53	x	53	x	11 3/4	6000	90
SDL586	1001	4-Drum Spill Pallet w/Drain	53	x	53	x	11 3/4	6000	90

Drums not included

WORKSTATIONS™

- Tough, 1-piece polyethylene construction will not rust or corrode
- Low profile design and optional ramp make it easy to load
- Forkliftable when empty
- Large sump capacity catches incidental spills
- Removable heavy-duty structural foam grates for easy cleaning
- Multi-Purpose Work Ramp™ hooks onto any Workstation™ for easy loading

LINK-LOCK™

- Link and lock multiple Workstations™ together in a wide variety of configurations
- Made of 100% polyethylene

Model No.	Mfg. No.	Description	Exterior Dimensions L"	x	W"	x	H"	Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.
SR437	5117-YE	2-Drum	53	x	28 1/2	x	6	22	2400	38
SR436	5116-YE	4-Drum	53	x	53	x	6	43	6000	70
SR435	5115-YE	6-Drum	77	x	53	x	6	61	7000	102
SB764	5110-YE	8-Drum	100	x	53 1/4	x	6	77	8000	173
SAQ187	5111-BK	Work Ramp™	25 1/2	x	46	x	6 1/4	-	1000	30
SAQ188*	5112-BK	Link-Lock™	9 1/2	x	7	x	3 1/2	-	-	3

*Sold per pair

SPILLPAL™ FLEXIBLE WORKSTATIONS

- Provides incidental spill control during temporary storage of equipment
- Can be used as a washdown pad or pumping station
- Alternative to hard plastic pallets
- Features 3" high foam sidewalls that spring back into place after any type of pressure is applied
- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- Easy drive-in and drive-out with a hand truck or forklift

Drums Not Included

Model No.	Mfg. No.	Description	Exterior Dim. L'	x	W'	x	H"	Sump Cap. US Gallons	Wt. lbs.
SAF814	5750-YE	1-Drum	2	x	2	x	4	10	2
SAF815	5755-YE	2-Drum	2	x	4	x	4	20	4
SAF816	5760-YE	4-Drum	4	x	4	x	4	40	5
SAF817	5765-YE	4-Drum In-Line	2	x	8	x	4	40	6
SAF818	5770-YE	6-Drum	4	x	6	x	4	60	7
SAF819	5775-YE	8-Drum	4	x	8	x	4	80	9
SE553	7006-BK	Optional Grate	4	x	1.9	x	1 3/4	-	18
SAP041	7007-BK	Optional Grate	2.1	x	2	x	1 3/4	-	9

ULTRA-SPILLDECK BLADDER SYSTEMS

- Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: SpillDecks do not require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations. Require adequate aisle space to allow the bladder to unfurl properly.



SE412

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Total Containment Cap. US gallons	Wt. lbs.
SE411*	1320	1-Drum, 11 US Gal Cap.	25 7/8	x	30 1/2	x	5 3/4	77	27
SE412*	2329	2-Drum, 22 US Gal Cap.	52	x	30 1/2	x	5 3/4	88	44
SE413*	2330	4-Drum, 44 US Gal Cap.	52	x	56 5/8	x	5 3/4	110	66
SE414*	2317	Bladder Attachment	25 1/8	x	4 5/8	x	4 5/8	-	4
SE415	2320	Replacement Bladder	66	x	58 (unfurled)			66	2

* w/bladder

ECOPOLYBLEND™ SPILL CONTROL PALLETS

THE FIRST AND ONLY SPILL CONTROL LINE MADE OF RECYCLED POLYETHYLENE!

- Eco-friendly pallets are made of up to 100% recycled polyethylene, making them twice as good for the environment!
- They not only protect against groundwater contamination, they also utilize post-industrial material that might have otherwise been discarded into the waste stream
- Quality engineered with a robust design, pallets withstand the toughest environments for superior spill control
- Durable, UV-protected EcoPolyBlend™ polyethylene is nearly impervious to chemical attack from hazardous acids, caustics and solvents
- Seamless construction eliminates leaks even if a 55-gallon (200 L) drum fails and completely empties its contents
- Fully compliant, Justrite® EcoPolyBlend™ Pallets feature oversized leakproof sumps that meet or exceed regulations
- Sturdy, removable grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for quick sump inspection and cleaning
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Square pallet may be equipped with an optional ramp to facilitate loading and unloading of heavy drums

Yellow = For high visibility or liquid segregation when desired; material content consists of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark color camouflages dirt and keeps workplaces looking clean.

SBA844

Drums not included

SBA848

SBA855 shown with ramp SBA859

JUSTRITE® EcoPolyBlend™

Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W"	x	D"	x	H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
WITHOUT DRAIN												
SBA997	28622	**SBA844**	28623	2-Drum, In-Line	49	x	25	x	18	66	2500	44
SBA853	28626	**SBA846**	28627	3-Drum, In-Line	73	x	25	x	11 5/8	75	3750	58
SBA857	28630	**SBA850**	28631	4-Drum, In-Line	97	x	25	x	9	75	5000	77
SBA855	28634	**SBA848**	28635	4-Drum, Square	49	x	49	x	10 1/4	73	5000	70
WITH DRAIN												
SBA852	28624	**SBA845**	28625	2-Drum, In-Line	49	x	25	x	18	66	2500	44
SBA854	28628	**SBA847**	28629	3-Drum, In-Line	73	x	25	x	11 5/8	75	3750	58
SBA858	28632	**SBA851**	28633	4-Drum, In-Line	97	x	25	x	9	75	5000	77
SBA856	28636	**SBA849**	28637	4-Drum, Square	49	x	49	x	10 1/4	73	5000	70
ACCESSORIES												
SBA859	28620	-	-	Ramp for 4-Drum Square	49	x	33	x	10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24	x	48	x	2 1/2	-	-	16

ECOPOLYBLEND™ ACCUMULATION CENTERS

THE ONLY SPILL PLATFORMS MADE FROM RECYCLED POLYETHYLENE!

- Get reliable, high performance spill control and help reduce landfills by using recycled products
- These economical, low profile secondary containment platforms are eco-friendly made of up to 100% recycled, post-industrial, durable polyethylene that might have otherwise been discarded into the waste stream
- Long lasting EcoPolyBlend™ polyethylene is nearly impervious to chemicals, including acids and corrosives
- Accumulation centres feature a seamless design to ensure any leaks or spills are captured in the sump, before they reach floor drains or create a slip hazard
- Sturdy grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning
- Modular centres offer the ability to create a customized system
- As capacity needs increase, use optional joining clips to firmly lock units together and expand storage space
- Sumps remain separate and clips can be removed for easy repositioning
- In applications calling for a continuous sump, optional Sump-to-Sump™ drain kit (includes joining clips and transfer tube), allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gallons (250 L)
- Optional companion ramp facilitates movement of heavy drums and features anti-skid ribs for maximum safety
- It can be located anywhere on any 2-drum or larger centre

SBA866

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 45% recycled content.

Black = Are made of 100% recycled material. Their dark colour camouflages dirt and keeps workplaces looking clean.

SBA869 with ramp SBA871

SBA867

Drums not included

JUSTRITE® EcoPolyBlend™

Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W"	x	D"	x	H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
SBA866	28652	**SBA861**	28653	1-Drum Unit	25	x	25	x	5 1/2	12	1250	17
SBA867	28654	**SBA862**	28655	2-Drum Unit	49	x	25	x	5 1/2	24	2500	32
SBA868	28656	**SBA863**	28657	4-Drum Unit	49	x	49	x	5 1/2	49	5000	61
SBA869	28658	**SBA864**	28659	6-Drum Unit	73	x	49	x	5 1/2	73	7500	91
SBA870	28660	**SBA865**	28661	8-Drum Unit	97	x	49	x	5 1/2	98	10000	122
SBA871	28650	-	-	Ramp	48	x	33	x	6 1/4	-	1000	41

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE!

- Tough, indoor or outdoor performer protects two 55 US gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- 100% polyethylene has excellent resistance to chemicals as well as weather
- Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 1 3/4"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the Poly-Safetypack® caster frame assembly **SE565**
- 130 US gallon sump capacity
- **Exterior Dimensions:** 60 1/4" L x 36 1/2" W x 45 3/4" H
  Interior Dimensions: 52" L x 26 1/2" W x 37" H

POLY-SAFETY PACK® PLUS

- Inside height of 54 1/4"
- Allows the lids to be closed with the pumps in place
- Optional drain
- 264 US gallon sump capacity
- **Exterior dimensions:** 60 1/2" L x 36 1/2" W x 63 1/4" H
- **Interior dimensions:** 51 1/4" L x 26 1/4" W x 54 1/4" H

Drums not included

SB757

Model No.	Mfg. No.	Description	Wt. lbs.
SB757	2038-YE	Poly-Safetypack®	103
SR415	2038-YE-D	Poly-Safetypack® w/Drain	103
SE565	2200-BK	Poly-Safetypack® Caster Frame	37
SR416	2077-YE	Poly-Safety Pack® Plus	137
SR417	2077-YE-D	Poly-Safety Pack® Plus w/Drain	137

SB758

Drums Not Included

HAZARD HUT®

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT!

- One-piece molded 100% polyethylene construction so there are no joints or seams to leak
- Molded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 55 US gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- Four-way forklift entry design
- Loading the Hazard Hut® is easy with the Hazard Hut® Poly Ramp
- Door Opening: 41 1/2" W x 48 1/2" D

HAZARD HUT® POLY-RAMP

- Integrally moulded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene

SB759

Model No.	Mfg. No.	Description	Exterior Dimensions L"	x	W"	x	H"	Load Bearing Cap. lbs.	Wt. lbs.
SB758	4000-YE	Hazard Hut®	63 1/2	x	67	x	71 1/2	4000	269
SB759	4001-BK	Poly-Ramp	115	x	31	x	16 1/2	1000	154

JOB HUT™

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL... OR SO AFFORDABLE!

- Constructed of tough 100% polyethylene
- Won't rust or corrode
- Molded-in vents to reduce fumes and condensation inside
- Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 55 US gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 72 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- Low profile design allows for easy access
- Forkliftable from all sides for effortless handling
- Job Hut™ meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the Job Hut™ in seconds

Extra-wide doorway allows for easy forklift entry

Drums not included

MULTI-PURPOSE WORK RAMP

Lightweight and easy to handle!

- Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- Load bearing capacity of 1000 lbs.

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Wt. lbs.
SE563	4010-YE	Job Hut™	90	x	60 1/2	x	93 (ext.)	480
			70	x	51	x	82 (int.)	
SAQ187	5111-BK	Ramp	25 1/2	x	48	x	6 1/4	30

DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- Ideal for indoor/outdoor storage of 55 US gallon drums
- Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- Poly-Ramp™ available to assist in the loading of drums
- Optional drain

2-DRUM HARDCOVER & SPILLPALLET™

- Holds up to two 55 US gallon drums
- Used in conjunction with the Poly-Spillpallet™ 2000
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Ramp extender to accommodate 17" high pallets

4-DRUM HARDCOVER & SPILLPALLET™

- Holds up to four 55 US gallon drums
- Used in conjunction with the Poly-Slim-Line™ 6000
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

Drums not included

SI743
2-drum system

ENPAC

Model No.	Mfg. No.	Description	Ext. Dimensions L"	x	W"	x	H"	Wt. lbs.
2-DRUM SYSTEM								
SI743	4062-YE	Hardcover and Spillpallet™	60	x	37	x	72	210
SI744	4062-YE-D	Hardcover and Spillpallet™ w/Drain	60	x	37	x	72	210
SEI786	5222-YE	2-Drum Poly-Spillpallet™	51	x	26	x	21	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	51	x	26	x	21	45
SAQ186	5039-BK	Poly-Ramp™	67	x	30 1/2	x	12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	x	8 1/2	x	6 1/2	6
4-DRUM SYSTEM								
SI740	4064-YE	Hardcover and Spillpallet™	65	x	58	x	69	269
SI741	4064-YE-D	Hardcover and Spillpallet™ w/Drain	65	x	58	x	69	269
SE408	5400-YE	Poly-Slim Line™ 6000 Pallet	54	x	54	x	12	91
SE409	5400-YE-D	Poly-Slim Line™ 6000 w/Drain	54	x	54		12	91
SAQ186	5039-BK	Poly-Ramp™	67	x	30 1/2	x	12 3/4	65

IBC 2000I™

INTERMEDIATE BULK CONTAINMENT MADE EASY!

- Fits more than 99% of all IBC dispensing units
- Large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations
- Equipped with an integrated 5-gallon pail holder for quick and easy dispensing
- 1-piece, lightweight, 100% polyethylene
- Forkliftable and nestable
- Will not rust or corrode or have adverse reactions with chemicals
- **Exterior Dimensions:** 73" L x 80.5" W x 29.5" H
- **Pedestal Dimensions:** 56.75" L x 56.75" W x 29.5" H
- Optional drain available

IBC dispensing unit not included

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SR446	5469-YE	IBC 2000i™	291
SR685	5469-YE-D	IBC 2000i™ w/Drain	291

IBC SPACE-SAVER™

- Floor space efficient alternative for storing, dispensing and containing IBC totes
- Solid 100% polyethylene construction
- Will not rust, corrode or have adverse reactions with chemicals
- Sump capacity: 330 US gallons
- Load capacity: 3000 lbs.
- **Exterior dimensions:** 57" L x 57" W x 47" H
- Optional drain

IBC dispensing unit not included

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SEI788	5460-YE	IBC Space-Saver™	245
SEI789	5460-YE-D	IBC Space-Saver™ w/Drain	245

ULTRA-IBC SPILL PALLET PLUS®

- Low profile, 28" overall height allows safe and convenient IBC tank handling and dispensing
- All polyethylene construction offers excellent chemical resistance and will not rust or corrode
- Forkliftable
- Large 52"x52" deck allows safe and convenient placement of IBC tanks
- Small 62"x62" footprint requires minimal floor space
- 365-gallon sump capacity meets EPA Container Storage regulations
- Available with optional bucket shelf which catches leaks or spills during dispensing
- Dimensions: 62"L x 62" W x 28" H

ULTRATECH INTERNATIONAL, INC.

Model No.	Mfg. No.	Description	Wt. lbs.
SAP075	1157	IBC Spill Pallet Plus	324
SAP076	1158	IBC Spill Pallet Plus w/Drain	324
SAP077	1160	Ultra-Bucket Shelf	10

PROWLER POOL™

- Made of high-density polyethylene and a low-density coating
- Offers excellent resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials
- Resistant to cold temperatures, as low as minus 65°F, as well as abrasion, punctures and ultraviolet rays
- Lightweight; half the weight of comparably sized PVC pools while offering double the strength

Model No.	Mfg. No.	Dimensions Base"	x	Top"	x	Height"	Sump Cap. US Gallons
SAQ189	5920-YE	28 Dia.	x	18 Dia.	x	13	20
SAQ190	5966-YE	48 Dia.	x	36 Dia.	x	13	66
SAQ191	5900-YE	48 Dia.	x	32 Dia.	x	18	100
SAQ192	5950-YE	60 Dia.	x	44 Dia.	x	18	150

STINGER BERM™

- Ideal for large scale spill containment
- Flexible sidewalls and easy-to-assemble design allows for immediate response to industrial, government, construction, transportation and emergency response situations
- Designed for quick set up and compact fold-up, storage and transport
- Features excellent rip, tear and puncture resistance for the most demanding application or terrain
- Sidewalls fold down for easy drive-in and drive-out
- Chemical and abuse resistance
- Custom colours and sizes available



Model No.	Mfg. No.	Exterior Dimensions L'	x	W'	x	H'	Sump Cap. US Gallons	Wt. lbs.
SAF806	4804-BK-SU	4	x	6	x	1	179	28
SAF807	4806-BK-SU	6	x	6	x	1	269	36
SAF808	4810-BK-SU	10	x	10	x	1	748	60
SAF809	4820-BK-SU	10	x	26	x	1	2333	112
SAF810	4836-BK-SU	12	x	36	x	1	3410	156

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

STINGER SNAP-FOAM BERM™

- One time set-up and then continual drive in and drive out capability
- Foam sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A)
- Foam end caps from 2-way air-relief system to snap end walls back automatically to their upright position
- High fuel/chemical resistant containment area
- Replacement sidewall stays, instant fabric field repair
- Custom sizes available for your convenience
- Accessories available to prolong berm life

Shown with Tracmat™ (sold separately)



Model No.	Mfg. No.	Exterior Dimensions L'	x	W'	x	H'	Sump Cap. US Gallons	Wt. lbs.
SAP046	4820-BK-SF	10	x	26	x	1	1944	142
SAP047	4836-BK-SF	12	x	36	x	1	2231	170
SAP048	4854-BK-SF	14	x	54	x	1	5654	252

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

ECONO SPILL SHELLS™

- 5" sidewall allows for more sump space
- Diamond center pulls spills away from the drums
- Drip parameter retains liquids for cleaner sump area

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"	Sump Cap. US Gallons
SEC889	5002-BK	45	x	35	x	5	21.5
SEC890	5004-BK	51	x	47	x	5	36

STINGER YELLOW JACKET™

LIGHTWEIGHT, PORTABLE PALLET CAN BE CARRIED ANYWHERE TO PREVENT SPILLS FROM OCCURRING!

- Made of vinyl coated polyester
- Chemical-resistant, stands up to corrosive battery acid, and is a great addition to any spill kit
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional removable polyethylene grates for easy access to the sump (**SE553**)
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"	Sump Cap. US Gallons	Wt. lbs.
SE472	5700-YE	48	x	48	x	8	80	15
SE473	5710-YE	48	x	72	x	8	120	18
SE474	5720-YE	48	x	96	x	8	160	28
SE475	5730-YE	96	x	96	x	8	320	31
SE476	5740-YE	96	x	120	x	8	400	38
REMOVABLE GRATE								
SE553	7006-BK	48	x	23	x	1 3/4	-	18

Note: Interior dimensions for grates are 12" less than the exterior length and width.

BERM ACCESSORIES

TRACMAT™

- Placed inside the berm, allowing trucks to drive in and out while protecting the berm from punctures and tears
- Available in sizes and dimensions to match any style Stinger Berm™
- Other sizes available
- **Sold per Pair**

Model No.	Mfg. No.	Description	Wt. lbs.
SEC898	4812-TM	For 12' x 12' Berm	60
SEC902	4850-TM	For 15' x 50' Berm	200
SEC903	4854-TM	For 14' x 54' Berm	220

GROUND PADS

- Protects berms from truck wheels or rough terrain
- Prevents underside puntures from sharp objects when placed directly underneath the berm
- Other sizes available

Model No.	Mfg. No.	Description	Wt. lbs.
SEC916	4812-GP	For 12' x 12' Berm	56
SEC920	4850-GP	For 15' x 50' Berm	192
SEC921	4854-GP	For 14' x 54' Berm	124

POLY-SPILLPAKS

- Perfect for storage, containment, or when used as a spill kit when spill transportation is not a factor
- Ideal for onsite drum storage and containment applications when a UN rated drum in unnecessary
- Rugged, non-corrosive, UV resistant design ensures that your SpillPak will handle the toughest jobs any time, every time

Model No.	Mfg. No.	Dimensions Dia."	x	H"	Spill Capacity US Gal.	Load Bearing Capacity lbs.	Wt. lbs.
SDN456	1237-BD	31.5	x	41.5	95	250	43

WHEELED POLY-SPILLPAKS

- Perfect for storage, containment, or when used as a spill kit when spill transportation is not a factor
- Wheeled Poly-Overpaks eliminates the need for a separate dolly
- Ideal for onsite drum storage and containment applications when a UN rated drum in unnecessary
- Rugged, non-corrosive, UV resistant design ensures that your SpillPak will handle the toughest jobs any time, every time

Model No.	Mfg. No.	Dimensions Dia."	x	H"	Spill Capacity US Gal.	Load Bearing Capacity lbs.	Wt. lbs.
SDN457	1259-BD	24	x	45.5	50	275	41
SDN458	1299-BD	31	x	47.5	95	250	56

DRUM DECKS

- Modular and locking design
- Engineered design that can handle your heaviest drums
- Completely nestable



Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Sump Cap. Gal.	Wt. lbs.
SDM223	5141-BD	1-Drum Drum Deck	30 1/2	x	29 1/2	x	6	17	4
SDM224	5142-BD	2-Drum Drum Deck	30 1/2	x	57	x	6	33	8

NESTABLE SPILL PALLETS

- Captures drips and spills
- Removable grates for easy access to the sump and provide a slip resistant surface
- Molded from chemically compatible polyethylene
- Great for secondary spill containment applications
- Nestable for easy storage and shipment
- Side wall grooves allow units to be linked together for customization and security
- Regulations: EPA 40 CFR 264.175, SPCC NPDES and UFC

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Sump Cap. Gal.	Load Capacity lbs.	Wt. lbs.
SDM225	5222-BD	2-Drum Pallet	51	x	26	x	21	66	1000	38
SDM226	5222-BD-D	2-Drum Pallet w/Drain	51	x	26	x	21	66	1000	38
SDM227	5400-BD	4-Drum Pallet	54	x	54	x	10 1/2	66	2000	67
SDM228	5400-BD-D	4-Drum Pallet w/Drain	54	x	54	x	10 1/2	66	2000	67

LOW PROFILE SPILL PALLETS

- Keeps factory floors spill and worry free
- Easy-loading, low-profile construction allows each unit to be used alone or connected with others for complete, customized work areas
- Forkliftable
- Will not rust or corrode
- Removable grates for easy cleaning and sump access

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Sump Cap. Gal.	Load Capacity lbs.	Wt. lbs.
SDM229	5117-BD	2-Drum Pallet	53	x	28 1/2	x	6	22	1000	33
SDM230	5116-BD	4-Drum Pallet	53	x	53	x	6	40	2000	61
SDM231	5115-BD	6-Drum Pallet	53	x	77	x	6	61	3000	85
SDM232	5110-BD	8-Drum Pallet	100	x	53 1/4	x	6	77	4000	135

IBC CONTAINMENT PALLETS

- Fits more than 99% of all IBC units
- Features an integrated 5-gallon pail holder for quick and easy dispensing
- Most economical, one-piece, polyethylene IBC pallet on the market
- Forkliftable and nestable
- Removable grates for easy cleaning and sump access
- Regulations: EPA 40 CFR 264.175

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Sump Cap. Gal.	Load Capacity lbs.	Wt. lbs.
SDM233	5469-BD	IBC Containment Pallet	73	x	80 1/2	x	29 1/2	385	3000	176
SDM234	5469-BD-D	IBC Containment Pallet w/Drain	73	x	80 1/2	x	29 1/2	385	3000	176

ECONOMY L-BRACKET BERMS

- Engineered to be rugged, yet features quick and simple set up
- First-class chemical, rip, tear and puncture resistance
- Easy, fast setup at an economical price
- Compact storage and transport
- Tested welds ensure maximum performance

Model No.	Mfg. No.	Dimensions L'	x	W'	x	H'	Sump Cap. gal.	Wt. lbs.
SDM235	BD-44-AL-L	4	x	4	x	1	119	12
SDM236	BD-55-AL-L	5	x	5	x	1	187	18
SDM237	BD-68-AL-L	8	x	6	x	1	359	29
SDM238	BD-1010-AL-L	10	x	10	x	1	748	50
SDM239	BD-1020-AL-L	10	x	20	x	1	1496	80
SDM240	BD-1030-AL-L	10	x	30	x	1	2244	91
SDM241	BD-1040-AL-L	10	x	40	x	1	2992	173
SDM242	BD-1050-AL-L	10	x	50	x	1	3740	195
SDM243	BD-10601-AL-L	10	x	60	x	1	4488	160

See pages 199-205 for our selection of flamable cabinets

COMBINATION SHOWER & EYEWASH FIXTURES pair-up eyewash with emergency showers when the MSDS calls for both eye and skin irrigation. To accommodate various site conditions, combination units provide several options including: Stainless components, PVC, foot-treadle operation, anti-scald or anti-freeze valves and freeze-protected heat trace units.

HALO™ COMBINATION EMERGENCY SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Eyewash models feature unique flip open dust caps
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Eyewash subsection fully assembled
- ULC certified to ANSI standard Z358.1

IMPORTANT: Regulations require tepid water (18-37°C).
See page 250 for water tempering devices

Bradley

Halo EYE/FACEWASH

Model No.	Mfg. No.	Bowl	Dust Cover Included	Special Features
EYEWASH				
SEB801	S19314EW	Plastic	-	-
SEB802	S19314P	Plastic	-	Drench Hose
SEB803	S19314PDC	Plastic	Plastic	-
SEB804	S19314SB	Stainless Steel	-	-
SEB805	S19314DC	Stainless Steel	Stainless Steel	-
EYE/FACE WASH				
SEB806	S19314FW	Plastic	-	-
SEB807	S19314PDCFW	Plastic	Plastic	-
SEB808	S19314SBFW	Stainless Steel	-	-
SEB810	S19314DCFW	Stainless Steel	Stainless Steel	-
SEB813	S19314BF	Stainless Steel	-	Wheelchair Accessible

COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Hydrodynamic shower design produces equal flow distribution
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1

Haws

axion msr

Model No.	Mfg. No.	Bowl	Shower Head
SEB257	8320-8325	Plastic	Plastic
SEB258	8300-8309	Stainless Steel	Plastic
SEB259*	8330	Stainless Steel	Stainless Steel

*Corrosion resistant

HORIZONTAL & VERTICAL SUPPLY EMERGENCY SHOWER STATIONS

- Designed for wall (horizontal) or ceiling (vertical) mounting
- SpinTec™ showerhead improves water distribution
- Activated with stainless steel pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Constructed with 1" galvanized steel pipe, coated with safety-yellow Bradtech™ polyurethane to prevent corrosion
- Water supply: 1" IPS (female)
- Includes safety sign and inspection tag
- SEI certified to ANSI standard Z358.1

Bradley

Model No.	Mfg. No.	Shower Head
HORIZONTAL SUPPLY		
SA414	S19-120	Plastic
SAK644	S19-120A	Stainless Steel
VERTICAL SUPPLY		
SA416	S19-130	Plastic
SAK645	S19-130A	Stainless Steel

FLUSH-MOUNTED EMERGENCY SHOWER STATIONS W/HORIZONTAL SUPPLY

- Integral flange mounts flush with ceiling
- Concealed pipe and fittings
- Exceed minimum water flow of 20 GPM at 30 PSI
- Universal identification sign and inspection tag included
- SEI certified to ANSI standard Z358.1

Model No. SAR320
Mfg. No. S19-120FM

Bradley

AXION® MSR EMERGENCY DRENCH SHOWERS

- Standard(s) Met: ANSI Z358.1
- Hydrodynamic shower in potentially unsafe environments where the body may be exposed to corrosive materials
- AXION® MSR ABS plastic drench showerhead with flow control delivers dispersed flow for uniform drenching
- Reduced installation time due to pre-built valve assembly and unit's ability to mount horizontally or vertically from any wall or ceiling
- Solid construction from Schedule 40 hot-dipped galvanized steel make for a durable long lasting product
- Certified by CSA to meet the ANSI Z358.1 Standard

Model No. SEB262
Mfg. No. 8122

Haws
axion® msr

CORROSION RESISTANT COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- SpinTec™ showerhead activated by a stainless steel pull rod and 1" IPS chrome-plated stay-open ball valve
- Impact-resistant plastic eyewash bowl with twin plastic spray heads
- Activated by a PVC push handle and 1/2" NPT stainless steel stay-open valve
- Fittings are all stainless steel
- 2" schedule 80 PVC pipe and floor flange withstands highly corrosive environments including chlorine
- SEI certified to ANSI standard Z358.1

Bradley

Model No.	Mfg. No.	Description
SAK638	S19-310PVC	Combination Shower and Eye/Face Wash
SR377	S53-063	Replacement Dust Caps (sold per each)

HEAT-TRACED COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Intended for use in areas where temperatures fall below freezing
- Heat trace cable protects unit from freezing down to -46°F
- Unit is encased in highly-visible yellow ABS removable plastic shell that resists chemicals and other harsh environmental conditions
- SpinTec™ showerhead improves water distribution shower activated by a stainless steel pull rod and 1/2" IPS chrome-plated stay-open ball valve
- Eye/face wash is activated by a large, highly visible push handle
- Twin-perforated disc eye/face wash heads with pop-off dust caps to protect spray heads from debris
- Includes universal identification sign and inspection tag
- SEI certified to ANSI standard Z358.1
- CSA certified

Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
120 VOLTS			
SAK640	S19-300D2T1AEFW	Top Water Supply	110
SAK641	S19-300D2B1AEFW	Bottom Water Supply	110
220 VOLTS			
SAK642	S19-300D2T2AEFW	Top Water Supply	110
SAK643	S19-300D2B2AEFW	Bottom Water Supply	110

HEAT-TRACED COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Hydrodynamic shower design produces equal flow distribution
- Features Axion® MSR components
- 120 VAC cable-heated
- Perfect for extreme weather conditions dropping down to -34°F
- Solid stainless steel pipe stanchion and galvanized fittings offer durability and corrosive-resistance
- Universal design allows for top or bottom water supply
- Unit is pre-built and fully water/pressure tested to reduce installation time
- Certified by CSA to meet the ANSI standard Z358.1

Model No. SEB261
Mfg. No. 8317CTFP

Haws

LABORATORY, FAUCET-MOUNTED & SWING-AWAY EYEWASH & SHOWER FIXTURES are uniquely designed for indoor environments where space is at a premium, including healthcare, university, and the QC lab. Product solutions include swing-activated units, faucet-mounted eyewash stations, and combination fixtures; all designed to provide the safest possible lab environment.

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Now lead-free
- Cost effective product mounts on existing standard or goose-neck faucets
- Twin spray heads include a flow control and pop-off dust covers
- One second/one-step activation
- Use horizontal pin for normal hand or ware washing
- Pull button for eyewash
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1

Model No. SAK621
Mfg. No. S19-200B



Faucet not included

Bradley

SWING-ACTIVATED EYEWASH STATIONS

- Swing-activated eye and eye/face wash stations mount to a counter or a wall
- Swing-over unit mounts to a counter only
- 90º swivel activates eyewash over sink to begin flow of water to cleanse eyes
- Stows neatly to side of sink when not in use to save space
- Twin spray heads include a flow control and pop-off dust covers
- Include a safety sign and inspection tag
- SEI certified to ANSI standard Z358.1

SEI776

Bradley

Halo EYE/FACEWASH

Model No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SEI776	519274C	Counter-Mounted, Swing Over	5
SEI777	519274HD	Counter-Mounted, Swing Down	5
SEI778	519274HW	Wall-Mounted, Swing Down	5
EYE/FACE WASH			
SEI779	519274E	Counter-Mounted, Swing Over	5
SEI780	519274JD	Counter-Mounted, Swing Down	5
SEI781	519274JW	Wall-Mounted, Swing Down	5

LABORATORY EYE/FACE WASH STATIONS

- Heavy gauge corrosion-resistant stainless steel 12 7/8" diameter bowl
- Bowl flush mounts
- Deck/counter mount
- Activated by push-down handle
- 1/2" IPS chrome plated stay open ball valve
- Twin spray heads with integral flow control
- Chrome-plated brass pipe, 1/2" water supply, 1 1/4" waste drain
- Replacement caps sold per each, two required per eye/face wash
- SEI certified to ANSI standard Z358.1

Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
SA439	S19-260	Eye/Face Wash	12
REPLACEMENT DUST CAPS			
SR377	S53-063	Sold per each, two required per eye/face wash unit	-

SWING-AWAY SINK-MOUNTED EYE/FACE WASH STATIONS

- Single-action swing-away eye/face wash stations can be mounted on side of sink
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Dust cover protects the unit from debris when not in use
- Certified by CSA to meet ANSI standard Z358.1

SEB252

SDS755

Haws axion msr

Model No.	Mfg. No.	Description
SEB252	7611	Left or Right Side Sink Mounted
SDS755	7612	Right Side Sink Mounted

PULL-DOWN EYE/FACE WASH STATIONS

- Barrier-free, pull-down eye/face wash can be mounted to a sink or wall
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Extended-length pull-down arm is designed to accommodate wheelchair access
- Rear-mount design allows the sink to remain open to other uses
- Certified by CSA to meet ANSI standard Z358.1

Model No. SEB251
Mfg. No. 7610

Haws axion msr

AXION® EYEPOD® EYEWASH STATIONS

- Faucet-mounted eyewash in an attractive, low-cost, compact package
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Sleek, smooth, stainless steel exterior blends with any décor
- Includes a variety of industry-standard adapters, making installation a snap
- Easy to use and clean, the Axion® EyePOD® activates with just a quick rotation
- Features a built-in thermostatic controlled safety valve that automatically shuts off eyewash flow
- Certified by CSA to meet ANSI standard Z358.1

Model No. SEC658
Mfg. No. 7620

Haws axion eyePOD

PLUMBED-IN EYEWASHES & SHOWERS are designed to direct a fixed water source to eyes, face or body in emergencies. Wall mount or pedestal-mounted eyewashes and eye/face washes should be located nearest the point of need but no more then 10 seconds (55') from the hazard.

HALO™ WALL MOUNT EYEWASH STATIONS

- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provide industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Wheelchair accessible
- Arrives fully assembled
- ULC certified to ANSI standard Z358.1

IMPORTANT:
Regulations require tepid water (18-37°C). See page 250 for water tempering devices

SEB798

SEB795

Bradley
Halo EYE/FACEWASH

Model No.	Mfg. No.	Bowl	Dust Cover Included
EYEWASHES			
SEB793	S19224EW	Plastic	-
SEB794	S19224PDC	Plastic	Plastic
SEB795	S19224B	Stainless Steel	-
SEB796	S19224DC	Stainless Steel	Stainless Steel
EYE/FACE WASHES			
SEB797	S19224FW	Plastic	-
SEB798	S19224PDCFW	Plastic	Plastic
SEB799	S19224T	Stainless Steel	-
SEB800	S19224DCFW	Stainless Steel	Stainless Steel

WALL-MOUNT AXION® MSR EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1

SEB239

SEB240

Haws
axion® msr

Model No.	Mfg. No.	Description
EYE/FACE WASHES		
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Dust Cover

AXION® MSR BARRIER-FREE RECESSED EYE/FACE WASH

- Material: Stainless Steel
- Standard(s) Met: ANSI Z358.1
- Hide-away design allows the Eye/Face wash to stay protected from debris when not in use
- 18 Gauge Type 304 Stainless Steel recessed cabinet is a deep-drawn heavy duty structure with smudge resistant bead blast finish
- One piece drain tray catches waste fluid during eyewash use
- Easy access exterior mounted in-line strainer
- The eye/face wash head is easily activated by the emergency equipment's pull-down design
- Coverage Area: Eye/Face
- Bowl Material: Stainless Steel

Model No. SEC202
Mfg. No. 7656WCC

Haws
axion® msr

WALL-MOUNT AXION® MSR EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- No bowl, floor drain recommended
- Wall mounts with an ABS plastic wall bracket
- Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1

Model No. SEB241
Mfg. No. 7324

Haws
axion® msr

HALO™ PEDESTAL MOUNT EYEWASH STATIONS

- Pedestal safety eyewash fixtures are ideal where wall mount is not practical, and allow placement closest to point-of-need
- Features antimicrobial protection, integral strainers, and rugged powder coat safety-yellow coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- Wheelchair accessible
- ULC certified to ANSI standard Z358.1

IMPORTANT: Regulations require tepid water (18-37°C).

SEB790

Halo EYE/FACEWASH

Bradley

Model No.	Mfg. No.	Bowl	Dust Cover Included
EYEWASH			
SEB785	S19214EW	Plastic	-
SEB786	S19214PDC	Plastic	Plastic
SEB787	S19214B	Stainless Steel	-
SEB788	S19214DC	Stainless Steel	Stainless Steel
EYE/FACE WASH			
SEB789	S19214FW	Plastic	-
SEB790	S19214CFW	Plastic	Plastic
SEB791	S19214PDCFW	Stainless Steel	-
SEB792	S19214DC	Stainless Steel	Stainless Steel

THERMOSTATIC MIXING VALVES

- Blend hot and cold water to a comfortable flushing temperature
- Reliable liquid-filled thermostat with a 10-year manufacturer's warranty
- Check stops on inlets
- Adjustable set point within temperature range
- Accurate temperature control to within ±3°F
- Built-in cold water bypass, assuring cold flow
- Easy installation and serviceability
- Positive shut-off of hot supply when cold supply is lost
- Dirt and lime resistant
- Dial thermometer
- Factory assembled and tested
- Universal mounting capability
- Rough bronze finish
- SEI certified to ANSI standard Z358.1
- Temperature adjustment are vandal resistant

SAI289



Bradley

Model No.	Mfg. No.	Description	Accommodates
SAI289	S19-2000	7.3 GPM @ 30 PSI	Three eyewashes or one eye/face wash
SAI294	S19-2150	19.5 GPM @ 30 PSI	One combination shower with eyewash or multiple eyewashes
SAI299	S19-2200	54 GPM @ 30 PSI	Two combination showers with eyewashes or multiple eyewashes

AXION® MSR PEDESTAL EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1

SEB242

Haws

axion® msr

Model No.	Mfg. No.	Description
EYE/FACE WASH		
SEB242	7261-7271	ABS Plastic Bowl
SEB243	7361-7461	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Dust Cover

THERMOSTATIC MIXING VALVES

- Designed to mix hot and cold water
- Flows from 10 - 78 GPM
- Modular brass design with internal check stops
- Wax based thermostat technology for fast response time
- Oversized valve seals resist failures caused by foreign matter
- Proven highly reliable temperature control

SEC205

SEI814

Haws

Model No.	Mfg. No.	Description
SEI814	9201EVO	10 GPM @ 30PSI
SEB268*	TWBSEWE	12 GPM @ 30 PSI
SEC205	9201E	31 GPM @ 30 PSI
SEC206	9202E	78 GPM @ 30 PSI

*Lead-free with full-flow bypass

PORTABLE EYEWASHES provide self-contained fluid where plumbed water is not available. Gravity-fed or pressurized portable eyewash systems should deliver the ANSI minimum 15-minute safety eyewash drench. To keep water stored in these portable systems safe for ophthalmic use, an antibacterial agent is included or available separately. These units often can be freeze protected for outdoor applications.

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, moulded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank during transport
- Vandal-resistant unit: foreign objects cannot be introduced into tank because all openings are sealed once the tank is installed
- One of the lightest portable eyewashes on the market
- SEI certified to ANSI standard Z358.1
- Includes wall bracket (can also deck mount)

SAK610

SAK609

SAK611

ON-SITE® HEATER JACKETS

- Protects against freezing: down to -23.3°C (-10°F)
- Insulated heater jacket conceals a 121 W heater
- Secondary thermostat prevents overheating if primary thermostat fails
- Requires 120-volt AC line
- All UL-listed components

ON-SITE® WASTE CARTS

- High-visibility yellow
- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain

Model No.	Mfg. No.	Description
SAK609	S19-921	Gravity-Fed Eyewash
SAK610	S19-921H	Gravity-Fed Eyewash w/Heater Jacket
SAK611	S19-399	Waste Cart
SAK613	S19-865	Water Preservative, Four 8-oz. Bottles

Bradley

PORTABLE EYEWASH STATIONS

- High density green polyethylene tank made from FDA compliant materials
- Gravity-fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- Light design and mounting bracket (included) make relocation simple
- Optional sterile bacteriostatic additive, which permits storage of the water for up to three months
- Certified by CSA to meet ANSI standard Z358.1

SAR314

Haws

Model No.	Mfg. No.	Description
SAR314	7501	9-Gallon Portable Gravity Eyewash Station
SAR315	9082	Sterile Bacteriostatic Water Preservative, 5 oz., 4/case

TEMPERED, GRAVITY-FED, PORTABLE EYEWASH

- Compact portable tempered eyewash is ideal for remote locations
- J-shaped stainless steel wall bracket for easy removal and re-mount
- Pulling down the eyewash arm will begin flushing the 9-gallon portable tank at 0.4 gpm for a full 15 minutes, creating a full patterned flushing of the eyes
- NEMA 3R heated, insulated blanket to provide ANSI compliant tempered water in ambient operating temperatures to -34° C
- Only tempered portable eyewash in the market
- 120V electrical requirement with supplied 8' GFCI power cord. Voltage and Haz Loc options available
- Standard(s) Met: ANSI Z358.1

Haws

Model No.	Mfg. No.
SFV126	7501T

PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Once activated, this device automatically displays a prominent, Warning Service Immediately, notice on the front of the unit; new fluid cartridges must be installed
- Requires two 3.8-gal. Eyesaline® fluid cartridges (sold separately)
- Device must be mounted on a wall or other suitable vertical surface
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1

SD552

Honeywell

Model No.	Mfg. No.	Description
SD552	32-001000-0000	Eyewash station (English Instructions)
SAJ678	32-001000-0022	Eyewash station (French Instructions)
SD553	32-001050-0000	Fluid cartridges (2/pkg)

PORTA-STREAM® FLUID DISPOSAL CARTS

- Portable, self-contained eyewash stations provide flexible, emergency eyewash capability in economical systems
- Lightweight, portable units don't require plumbing
- Heavy-duty, polyethylene, wheeled disposal cart
- Provides a convenient mean to transport waste solution to the nearest disposal site
- Can be used to catch fluid when testing plumbed emergency eyewash and showers that do not have drain
- Capacity: 23.5 gallons
- 3.94" diameter hole

Model No. SE137
Mfg. No. 32-000511-0000

Honeywell

PORTA STREAM® II EYEWASH STATIONS

- Versatile portability and 15-minutes of uninterrupted flushing - without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing, leaving hands free to hold eyelids open
- Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand
- Moulded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1

SEK529

Honeywell

Model No.	Mfg. No.	Description
SEK529	32-000200-0000	Trilingual Instructions
SA411	32-000513-0000	Eyesaline® Concentrate, 180 oz.
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta-Stream® I, II)

PORTABLE AIR-CHARGED EMERGENCY EYEWASH

- Cost-efficient solution for a facility's ANSI eyewash requirements in locations without access to a continuous potable water source
- Features a 15 gallon stainless steel tank
- Includes green polyethylene plastic dust covers
- Valve comes equipped with stainless steel ball and stem
- Soft-flo ABS plastic eyewash anti-surge heads with integral flow controls
- Safety relief valve
- Chrome plated brass stay-open 1/2" IPS eyewash valve
- Large stainless push handle for activation
- Additive not included -order separately
- Type: Pressurized
- Standard(s) Met: ANSI Z358.1

Haws®

Model No.	Mfg. No.
SFU811	7603

iPRESERVE™ EYEWASH WATER PRESERVATIVE

- Sterile water preservative prevents bacteria growth for up to 90 days
- For use in gravity fed or other portable eyewash devices where water stands for long periods of time
- The only brand of water preservative in Canada to pass the industry standard Antimicrobial Effectiveness Test
- High efficiency concentrate treats tank sizes from 18.93 to 75.7 L
- Four 5-oz. bottles per box

Model No.	Mfg. No.
SEI501	19PE-1.10.148

PORTABLE PRESSURISED EYEWASH STATIONS

- Stainless steel pressure tanks include tire filler valve with 0-100 PSI air gauge, pressure relief valve to prevent over pressurization and built-in carry handles for easy transportation
- Eyewash assembly includes twin eyewash heads with a flow control and pop-off dust covers
- Eyewash activated by a large stainless steel push handle with stay-open ball valve
- 8' drench hose with hand-held squeeze valve
- Optional 4-wheel, stainless steel cart
- SEI Certified to ANSI standard Z358.1

10-GALLON UNIT:

- Eyewash flow: Minimum 15-minute water flow
- Drench hose flow: 3 1/2-minute water flow

15-GALLON UNIT:

- Eyewash flow: Minimum 22-minute water flow
- Drench hose flow: 5-minute water flow

HEATED UNITS:

- 510 watt heater
- Maintain average water temperature at 75°F (24°C)
- Secondary thermostat prevents overheating
- UL-listed components
- Plug into 120-volt AC line, GFCI recommended

Bradley

SAK628

SAK632

SAK631

Model No.	Mfg. No.	Description	Wt. lbs.
SAK628	S19-690	10 Gallons	30
SAK629*	S19-690H	10 Gallons w/Heater Jacket	31
SAK630	S19-788	15 Gallons	35
SAK631*	S19-788H	15 Gallons w/Heater Jacket	36
SAK632	S19-690A	Transport Cart	12
SAK613	S19-865	Water Preservative (4-8 oz)	3

* Eyewash only, no drench hose

SUPPLEMENTAL EYEWASHES include bottled eyewash and other devices that do not meet 15-minute drench criteria. These supplemental solutions are designed to treat nuisance hazards and/or as an initial first aid to injured workers during the path to certified eyewash, but they do not meet the 15 minute drench criteria of the ANSI standard Z358.1. Bottled eyewash is designed to be positioned close to the point of need. Acceptable for immediate first-aid, bottled eyewashes should support, but not substitute, a primary eyewash or shower unit.

SALINE EYEWASH BOTTLES

- Contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Easy to remove and open in emergency situations
- 1, 4, and 8 oz. bottles have user controlled delivery, delivering drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions (English, French and Spanish)
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Cap. Oz.
SEC467	32-000451-0000	1
SEC468	32-000452-0000	4
SEC469	32-000445-0000	8
SEC470	32-000454-0000	16
SEC471	32-000455-0000	32

SALINE EYEWASH WALL STATIONS

- Holds bottle firmly in place while allowing easy access in an emergency
- Mounts to wall with provided screws
- Integral overhand protects bottles from dust and debris
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit
- Bottle contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions (English, French and Spanish)
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Station Type	Bottle Cap. Oz.
SEC472	32-000460-0000	Single	16
SEC473	32-000465-0000	Double	16
SEC474	32-000461-0000	Single	32
SEC475	32-000462-0000	Double	32

CEDERROTH EYEWASH BOTTLES

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

SAY474

SEB188

Model No.	Mfg. No.	Description
SAY472	04100	235 ml
SAY473	04101	Holster for SAY472
SAY474	04102	500 ml
SAY475	04103	Wall bracket for SAY474
SAY476	04104	Strap for wall bracket for SAY475
SEB188	04106	Portable wall case, five 500 ml bottles
SFM478	14390	Wall bracket for SEB188

NEUTRALISER™ EYEWASH & FACE-RINSE

- Provides immediate first aid and neutralized chemical burns
- Ingredients neutralize acids and alkalis better than standard saline solution
- Responds to all accidents with one "all risks" formula, which includes antiseptics to prevent infection
- Quick rinse design – 1/4 twist to open
- Bottle pods allow you to locate the solution close to the potential risk

Model No.	Mfg. No.	Description
SEI502	80-1600-1	1L Neutraliser™ Solution
SEI503	80-1600-2	474 ml Neutraliser™ Solution
SEI504	80-1600-1BN	1L BottlePod™ w/ Neutraliser™ Sign
SEI505	80-1600-2BN	474 ml BottlePod™ w/ Neutraliser™ Sign

PORTA-STREAM® I EYEWASH STATIONS

- Delivers 6 minutes of flushing fluid
- Easy installation with no plumbing required
- Single bracket mounting device included
- One-piece, molded construction with no moving parts
- Large hole simplifies refilling and cleaning
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.
SA425	32-000100-0000	Porta-Stream® I, Trilingual instructions	19
SA408	32-000509-0000	Eyesaline® concentrate, 70 oz. (For Porta-Stream® I)	5
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. bottles	-
SA426	32-000102-0000	Replacement pull-strap, (Fits Porta-Stream® I, II, III)	1

SA425

SA408

FLASH FLOOD® EYEWASH STATIONS

- Delivers 3 minutes of flushing fluid
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Easily wall or table mounted
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.
SA419	32-000400-0000	Flash Flood® Eyewash Station (English Instructions)	14
SAM657	32-000400-0022	Flash Flood® Eyewash Station (French Instructions)	14
SA403	32-000401-0000	Eyesaline® 1 Gal. Refill (4/Pkg.) (English Instructions)	36
SAM658	32-000401-0022	Eyesaline® 1 Gal. Refill (4/Pkg.) (French Instructions)	36
SA420	32-000402-0000	Wire Rack for Cartridges	3
SA421	32-000403-0000	Replacement Pull Strap	1

SA403

SA419

SA421

EYEWASH STATIONS

- Recommended for use in workplaces, industry, laboratories, schools, garages and food processing plants
- Acrylic mirror to assist the user
- Wall mountable
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

SAY483

Model No.	Mfg. No.	Description
SAY483	04074	Plastic station w/one 946 ml empty eyewash bottle
SAY487	01490	Metal station w/one 946 ml empty eyewash bottle
SAY484	04066	Plastic station w/one 1 L eyewash solution
SAY489	04068	Metal station w/one 1 L eyewash solution
SAY485	04757	Plastic station w/two 946 ml empty eyewash bottle
SAY486	04067	Plastic station w/two 1 L eyewash solution
REPLACEMENT EMPTY EYEWASH BOTTLES		
SAY491	04700	Empty 473 ml bottle w/eyecup
SAY492	04099	Empty 946 ml bottle w/eyecup

EYEWASH BOTTLES

STERILE

- Ready-to-use solution for eye irrigation
- Cleanses the eye to help relieve irritation, discomfort, burning, stinging, smarting or itching by removing loose, foreign material, air pollutants (smog or pollen) or chlorinated water

Model No.	Mfg. No.	Size
SAY477	04076	500 ml
SAY478	04077	1 L
SAY479	04078	4 L

ACCESSORIES & SERVICE PARTS provide enhanced emergency shower and eyewash installation and include: drench hoses, alarm systems, matting, shower testers, spray pattern gauges, modesty curtains, and signage. There are a wide variety of accessories and service parts available. If you can't find what you're looking for here, please contact us and we'll be glad to find what you're looking for.

WALL-MOUNTED DRENCH HOSES

- Quick-access emergency eye and face spray features soft flow spray head for flooding large areas as well as eyes only
- Self-coiling highly visible yellow-coloured hose retracts for easy storage while allowing instant extension
- Water flows when handle on chrome-plated brass assembly is squeezed
- Wall bracket and protective spray head cover included
- Universal identification sign and inspection tag included

Bradley

Model No.	Mfg. No.	Description
SEE320	51944011CBC	12' Hose
SEI782	51944011CBD	25' Hose

RETROFIT DUST COVERS

- Provides maximum protection from dust or other contaminants
- Hinged plastic cover
- Fits on Bradley eyewash bowls
- Weight: 5 lbs.

SED814

Bradley

Model No.	Mfg. No.	Style
SAK620	S45-1964	Classic
SED814*	S90-390	Halo™

*Halo™ dust covers are integral to the activation system.

DUST COVERS

- Stainless steel dust cover assembly can be used with most 11" diameter stainless steel or plastic bowls
- Protects the unit against airborne contaminants

Haws

Model No.	Mfg. No.
SEB264	9102

DRENCH SHOWER TESTERS

- Heavy-duty tester provides a convenient way to comply with ANSI specifications for weekly testing on all drench showers - without getting wet
- 84" long, watertight chemcal resistant Tyvek® funnel with weighted bottom directs water to a drain or bucket
- 8" telescoping aluminum handle

Model No. SC338
Mfg. No. S19-330ST

Bradley

HAND-HELD DRENCH HOSES

- Laboratory spray valve easily attaches to any Bradley drench shower or eyewash station
- Includes all necessary fittings and hanger for attaching hose to the units
- 8' highly visible yellow reinforced thermoplastic hose
- Handle stays open once it is squeezed
- Integral flow control assures safe, steady flow under varying water supply conditions

Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
SAK646	S19-430EH	For eyewash units	4
SAK647	S19-430SH	For drench showers	5

FLOW SWITCH ALARM SYSTEMS

- Automatic, audible and visual system with 6' cord
- Strobe light and flow switch are UL Listed and CSA approved
- Alarm horn in adjustable from 78-103 decibels and is UL listed
- Designed to meet NEMA No. 3 code (waterproof)
- Includes: Remote wiring contacts

Eyewash not included

Bradley

Model No.	Mfg. No.	Description
SAR322	S19-320	Connects to 1 1/4" inlet piping
SAR323	S19-320A	Connects to 1/2" inlet piping

EYEWASH TEST GAUGES

Bradley

- Makes sure eyewash achieves a compliant pattern per ANSI standard Z358.1

Model No. SAQ294
Mfg. No. 269-1444

AXION® MSR ADVANTAGE KITS

- Kits designed to upgrade existing emergency shower and eyewash equipment
- Includes an eye/face wash or an eye/face wash and showerhead, connecting hardware options, eyewash testing gauge, tape measure, and an ANSI compliance checklist

Haws
axion® msr

Model No.	Mfg. No.	Description
SEI816	AX13	Green ABS Plastic Eye/Face Wash
SEI817	AX13S	Stainless Steel Eye/Face Wash
SEI818	AX14	Green ABS Plastic Eye/Face Wash and Showerhead
SEI819	AX14S	Stainless Steel Eye/Face Wash and Showerhead

EYEWASH STATION SIGNS

- Make sure your emergency eyewash and shower stations are well identified in accordance with ANSI standard Z358.1
- Conveniently available in several material choices to meet your needs:
  - 4-mil thick moisture resistant adhesive vinyl with permanent acrylic adhesive is perfect for light-duty applications
  - 0.055" thick semi-flexible plastic with UV inhibitors is ideal for indoor and sheltered outdoor applications
  - 0.040" thick aluminum with 2-mil UV polyester over-laminate film has superior abrasion and chemical resistance and is ideal for indoor and outdoor applications

ACCUFORM

	7" x 10"		10" x 14"	
	English Model No.	French Model No.	English Model No.	French Model No.
Adhesive Vinyl	SAU145	SP603	SAU148	SP604
Plastic	SAU146	SP601	SAU149	SP602
Aluminum	SAU147	SP599	SAU150	SP600

EYEWASH STATION PROJECTION™ SIGNS

ACCUFORM

- 0.10" thick High-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes mounting holes and hardware

SAW431

SED963

Model No.	Description	Panel Size"	Overall Size"
ENGLISH			
SAW431	3D	6 x 5	6 x 8 1/2 x 4
SAW432	90D	8 x 8	8 x 8 x 11/2
FRENCH			
SED962	3D	6 x 5	6 x 8 1/2 x 4
SED963	90D	8 x 8	8 x 8 x 11/2

PRIVACY CURTAINS

- Double-laminated, chemical-resistant Tyvek®
- Durable construction with top and bottom reinforcements
- Highly visible yellow color
- Stainless steel curtain rail and mounting brackets included
- Dimensions: 70" L x 145" W

Model No. SAQ295
Mfg. No. S19-330

Bradley

EMERGENCY SHOWER STATION MATS F.I.T.™ KITS NO. 546

- Simple and compact emergency eyewash and shower mats kits
- Easy to assemble, no cutting or tools required
- Patented LockSafe® connections simply snap together and zip apart
- Green is recommended for eyewash stations and red for shower stations
- Highly visible mats designate the location of emergency stations
- Created for high visibility per ANSI recommendations
- Elevates user above hazardous overflow
- Conforms to ANSI Z535.1 standard
- Available in two sizes
- 5/8" thick
- **Contents:** 6 tiles, 2 male corner ramps, 1 male ramp w/o tab, 2 male ramps w/tab, 2 female ramps

WEARWELL

1-YEAR WARRANTY







Model No.	Dimensions" W x L	Colour
SEG993	27 x 30	Green w/Yellow Border
SEG994	27 x 30	Red w/Yellow Border
SEG995	27 x 42	Green w/Yellow Border
SEG996	27 x 42	Red w/Yellow Border

OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility

FEDERAL REGULATION FIRST AID KITS

Common federal employers include the following interprovincial and international industries:

- Banks
- Railways, highway and air transport
- Ferries, tunnels, bridges and canals
- Telephone and telegraph systems
- Pipelines
- Radio and television broadcasting and cable systems
- Shipping and shipping services
- Employment in the operation of ships, trains and aircraft
- Licensed grain elevators, and certain feed mills and feed warehouses, flour mills and grain seed clearing warehouses, flour mills and grain seed clearing plants
- Federal public service and persons employed by the public service and Crown corporation and agencies
- Indian reserves
- Exploration and development of petroleum on lands subject to federal jurisdiction

SAY106

Model No.	Mfg. No.	Container Type
TYPE A, 2 - 5 WORKERS (ANY ONE TIME)		
SAY106	51200	10-unit Plastic
SAY107	51203	10-unit Metal
SAY108	51212	Refill
TYPE B, 6 - 19 WORKERS (ANY ONE TIME)		
SAY109	51231	24-unit Plastic
SAY110	51234	24-unit Metal
SAY111	51242	Refill
TYPE C, 20 - 199 WORKERS (ANY ONE TIME)		
SAY112	51260	# 2 Plastic
SAY113	51263	# 2 Metal
SAY114	51272	Refill
TYPE D , 1-3 WORKERS (ANY ONE TIME)		
SAY115	51290B	Medium promo plastic

SAY113

FEDERAL SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE514	01770	Truck Kit	16-unit Plastic
SEE515	01777	Workplace Standard Kit	# 6 Metal
SDP538	1772	Mobile Contract Worker's Kit	Plastic Box
SDP539	1779	Industry & Warehouses Kit	Metal Box

BRITISH COLUMBIA FIRST AID KITS

Model No.	Mfg. No.	Container Type
PERSONAL		
SAY116	50000B	Small Promo Plastic
BASIC		
SAY117	50006	36-unit Plastic
SAY118	50009	36-unit Metal
SAY119	50021	Refill
SAY120	50018B	Soft Pack Briefcase
LEVEL 1		
SAY121	50026	# 2 Plastic
SAY122	50024	# 2 Metal
SAY123	50027	Refill
LEVEL 2 & LEVEL 3		
SAY125	50032	# 2 Plastic
SAY126	50030	# 2 Metal
SAY127	50036	Refill

SEE516

BRITISH COLUMBIA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE516	01812	Truck Kit	10-unit Plastic
SEE517	01814	Contractors' Kit	16-unit Plastic with gasket
SEE518	01817	Office Standard Kit	36-unit Metal
SEE519	01819	Workplace Standard Kit	# 6 Metal
SDP540	1821	Industry & Warehouses Kit	Metal Box

ALBERTA FIRST AID KITS

Model No.	Mfg. No.	Container Type
TYPE P		
SAY131	50154B	Soft pack belt pouch small
NO. 1		
SAY132	50100	16-unit Plastic with gasket
SAY133	50103	16-unit Metal
SAY134	50112	Refill
NO. 2		
SAY135	50124	36-unit Plastic with gasket
SAY136	50127	36-unit Metal
SAY137	50136	Refill
NO. 3		
SAY138	50140	#2 Plastic with gasket
SAY139	50139	#2 Metal
SAY140	50148	Refill

ALBERTA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE520	01829	Truck Kit	10-unit Plastic with gasket
SEE521	01831	Contractors' Kit	16-unit Plastic with gasket
SEE522	01834	Office Standard Kit	36-unit Metal
SEE523	01836	Workplace Standard Kit	# 6 Metal
SDP541	1838	Industry & Warehouses Kit	Metal Box

SAY135

SASKATCHEWAN FIRST AID KITS

Model No.	Mfg. No.	Container Type
1 - 9 WORKERS		
SAY141	50200	24-unit Plastic
SAY142	50203	24-unit Metal
SAY143	50212	Refill
10 - 40 WORKERS		
SAY144	50215	36-unit Plastic
SAY145	50218	36-unit Metal
SAY146	50227	Refill
40+ WORKERS		
SAY147	50228	36-unit Plastic
SAY148	50229	36-unit Metal
SAY149	50233	Refill

SASKATCHEWAN SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE524	01851	Office Standard Kit	36-unit Metal
SEE525	01853	Workplace Standard Kit	# 6 Metal
SDP542	1846	Transport Vehicles Kit	Plastic Box
SDP543	1855	Industry & Warehouses Kit	Metal Box

SAY144

MANITOBA FIRST AID KITS

Model No.	Mfg. No.	Container Type
PERSONAL		
SEJ535	50320	10-unit Plastic
SEJ536	50322	10-unit Metal
25 WORKERS		
SAY150	50303	24-unit Plastic
SAY151	50306	24-unit Metal
SAY152	50318	Refill

MANITOBA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE526	01863	Truck Kit	10-unit Plastic
SEE528	01868	Office Standard Kit	36-unit Metal
SEE529	01870	Workplace Standard Kit	# 3 Metal
SDP544	1872	Industry & Warehouses Kit	Metal Box

SAY150

ONTARIO FIRST AID KITS

Model No.	Mfg. No.	Containter Type
SEC. 8, 1 - 5 WORKERS		
SAY153	50400	10-unit Plastic
SAY154	50402	10-unit Metal
SAY155	50408	Refill
SEC. 9, 6 - 15 WORKERS		
SAY156	50428	36-unit Plastic
SAY157	50430	36-unit Metal
SAY158	50436	Refill
SEC. 10, 16 - 199 WORKERS		
SAY159	50449	# 2 Plastic
SAY160	50448	# 2 Metal
SAY161	50452	Refill

ONTARIO DELUXE FIRST AID KITS

Model No.	Mfg. No.	Container Type
SEC. 8 DELUXE, 1 - 5 WORKERS		
SAY162	50410	10-unit Plastic
SAY163	50412	10-unit Metal
SAY164	50418	Refill
SEC. 9 DELUXE, 6 - 15 WORKERS		
SAY165	50438	36-unit Plastic
SAY166	50440	36-unit Metal
SAY167	50446	Refill
SEC. 10 DELUXE, 16 - 199 WORKERS		
SAY168	50455	# 2 Plastic
SAY169	50454	# 2 Metal
SAY170	50458	Refill

ONTARIO SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE530	01351	Standard Office Kit, 6-15 Employees	36-unit, Metal
SAY240	01378	Truck Kit, 1-5 Employees	10-unit, Plastic
SAY241	01386	Truck Kit, 1-5 Employees	10-unit, Metal
SAY242	01335	Contractor's Kit, 1-5 Employees	16-unit, Plastic w/Gasket
SAY243	01361	Office Standard Kit	36-unit, Plastic
SAY244	01379	Workplace Standard Kit, 6-15 Employees	# 6 Metal
SAY245	01391	Workplace Standard Kit, 6-199 Employees	# 4 Metal

SAY240

SAY169

QUEBEC FIRST AID KITS

Model No.	Mfg. No.	Container Type
SEC. 4		
SAY174	50500	36-unit Plastic
SAY175	50503	36-unit Metal
SAY176	50512	Refill
SEC. 5		
SAY171	50515	10-unit Plastic
SAY172	50518	10-unit Metal
SAY173	50527	Refill

QUEBEC SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE531	01880	Truck Kit	10-unit Plastic
SEE532	01882	Contractors' Kit	16-unit Plastic with gasket
SEE533	01885	Office Standard Kit	36-unit Metal
SEE534	01887	Workplace Standard Kit	# 6 Metal
SEE535	50550	Daycare Kit	36-unit Plastic
SDP545	1890	Industry & Warehouses Kit	Metal Box

SEE534

NEW BRUNSWICK FIRST AID KITS

Model No.	Mfg. No.	Container Type
PERSONAL		
SAY177	50736	10-unit Plastic
SAY178	50745B	Soft Pack Belt Pouch, Small
STANDARD		
SAY179	50754	36-unit Plastic
SAY180	50757	36-unit Metal
SAY181	50775	Refill

NEW BRUNSWICK SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE536	01898	Truck Kit	10-unit Plastic
SEE537	01900	Contractors' Kit	16-unit Plastic with gasket
SEE538	01903	Office Standard Kit	# 2 Metal
SEE539	01905	Workplace Standard Kit	# 6 Metal
SDP546	1907	Industry & Warehouses Kit	Metal Box

SAY179

NOVA SCOTIA FIRST AID KITS

Model No.	Mfg. No.	Container Type
1 WORKER		
SAY182	50600	10-unit Plastic
SAY183	50603	10-unit Metal
SAY184	50612	Refill
NO. 2, 2 - 19 WORKERS		
SAY185	50615	16-unit Plastic
SAY186	50618	16-unit Metal
SAY187	50627	Refill
NO. 3, 20 - 49 WORKERS		
SAY188	50630	24-unit Plastic
SAY189	50633	24-unit Metal
SAY190	50645	Refill
NO. 3 PLUS, 50 - 99 WORKERS		
SAY191	50649	# 2 Plastic
SAY192	50648	# 2 Metal
SAY193	50651	Refill

NOVA SCOTIA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE540	01915	Truck Kit	16-unit Plastic
SEE541	01917	Contractors' Kit	24-unit Plastic
SEE542	01920	Office Standard Kit	36-unit Metal
SEE543	01922	Workplace Standard Kit	# 3 Metal
SDP547	1924	Industry & Warehouses Kit	Metal Box

SAY185

PRINCE EDWARD ISLAND FIRST AID KITS

Model No.	Mfg. No.	Container Type
NO. 1, 1 EMPLOYEE		
SAY194	50900	10-unit Plastic
SAY195	50903	10-unit Metal
SAY196	50912	Refill
NO. 2, 2 - 19 EMPLOYEES		
SAY197	50915	16-unit Plastic
SAY198	50918	16-unit Metal
SAY199	50927	Refill
NO. 3, 20+ EMPLOYEES		
SAY200	50930	24-unit Plastic
SAY201	50933	24-unit Metal
SAY202	50942	Refill

PRINCE EDWARD ISLAND SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE544	01932	Truck Kit	16-unit Plastic
SEE545	01934	Contractors' Kit	24-unit Plastic with gasket
SEE546	01937	Office Standard Kit	36-unit Metal
SEE547	01939	Workplace Standard Kit	# 3 Metal
SDP548	1941	Industry & Warehouses Kit	Metal Box

SAY197

NEWFOUNDLAND & LABRADOR FIRST AID KITS

Model No.	Mfg. No.	Container Type
POCKET		
SAY203	50848B	Medium promo Plastic
NO. 1, 1 WORKER		
SAY204	50800	10-unit Plastic
SAY205	50803	10-unit Metal
SAY206	50812	Refill
NO. 2, 2 - 14 WORKERS		
SAY207	50815	16-unit Plastic
SAY208	50818	16-unit Metal
SAY209	50827	Refill
NO. 3, 15 - 199 WORKERS		
SAY210	50830	24-unit Plastic
SAY211	50833	24-unit Metal
SAY212	50845	Refill

NEWFOUNDLAND & LABRADOR SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEE548	01949	Truck Kit	16-unit Plastic
SEE549	01951	Contractors' Kit	24-unit Plastic with gasket
SEE550	01954	Office Standard Kit	36-unit Metal
SEE551	01956	Workplace Standard Kit	# 3 Metal
SDP549	1958	Industry & Warehouses Kit	Metal Box

SAY207

NORTHWEST TERRITORIES & NUNAVUT FIRST AID KITS

Model No.	Mfg. No.	Container Type
NO. 1		
SAY213	51100	24-unit Plastic
SAY214	51103	24-unit Metal
SAY215	51115	Refill
NO. 2		
SAY216	51119	# 2 Plastic
SAY217	51118	# 2 Metal
SAY218	51121	Refill
NO. 3		
SAY219	51124	# 6 Metal Cabinet
SAY220	51127	Refill

NORTHWEST TERRITORIES & NUNAVUT SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEJ358	01971	Standard Office Kit	36-unit, Metal
SEJ359	01973	Standard Workplace Kit	# 6 Metal
SDP550	1966	Transports Vehicles Kit	Plastic Box
SDP551	1975	Industry & Warehouses Kit	Metal Box

SAY213

YUKON FIRST AID KITS

Model No.	Mfg. No.	Container Type
PERSONAL		
SEJ538	51301B	Belt Pack
LEVEL 1		
SAY221	51300	16-unit Plastic
SAY222	51303	16-unit Metal
SAY223	51312	Refill
LEVEL 2		
SAY224	51315	36-unit Plastic
SAY225	51318	36-unit Metal
SAY226	51327	Refill
LEVEL 3		
SAY227	51330	#2 Plastic
SAY228	51333	#2 Metal
SAY229	51342	Refill

YUKON SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type
SEJ360	01988	Standard Office Kit	#2 Metal
SEJ361	01990	Standard Workplace Kit	#6 Metal
SDP552	1983	Transport Vehicles Kit	Plastic Box
SDP553	1992	Industry & Warehouses Kit	Metal Box

SAY228

MULTIPURPOSE FIRST AID KITS

- Contains items for treating both small and large wounds
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Model No. SAY233
Mfg. No. 01363

BELT POUCH FIRST AID KITS

- Contains supplies to treat the most common incidents/ accidents that may occur during an outdoor trip or vacation
- Compact, portable, slim design, water-resistant nylon bag features sturdy double belt loops
- Ideal for outdoor activities and cyclists

Model No. SAY232
Mfg. No. 01350

RECTANGLE FIRST AID KITS

- General-purpose first aid kits for personal and recreational use
- Suitable for outdoor activities, vacations, motor vehicles, cottages and homes

Model No. SAY234
Mfg. No. 01341

BRIEFCASE FIRST AID KITS

- Includes insect bite treatment, waterless hand cleaner, eye pads and wipes, CPR protective device, rescue foil blanket, purified drinking water, burn care and an assortment of bandages and dressings
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Model No. SAY235
Mfg. No. 01375

TRUCK FIRST AID KITS

- General-purpose first aid kit designed for transport vehicles
- Contains supplies to treat small and large injuries

Model No.	Mfg. No.	Container Type
SAY240	01378	10 unit plastic
SAY241	01386	10 unit metal

OFFICE STANDARD FIRST AID KITS

- Ideal for treating injuries that may occur in an office setting
- Contains a full assortment of practical, single-use, disposable products to treat injuries in a sanitary way
- Includes personal protective devices to help reduce the transmission of communicable illnesses and diseases

Model No. SAY243
Mfg. No. 01361

CONTRACTORS' FIRST AID KITS

- General-purpose first aid kit designed for mobile contract workers
- Ideal for the construction industry including carpenters, plumbers, electricians, landscapers and general contractors
- Includes waterless handcleaner, instant cold pack, eye wash, first aid ointment, burn care, antiseptic, instruments, first aid and emergency care guide and an assortment of bandages and dressings

Model No. SAY242
Mfg. No. 01335

See pages 246-256 for our selection of emergency shower & eyewash stations

WORKPLACE FIRST AID KITS

- Comprehensive first aid kit contains supplies for treating common injuries, wounds and burns
- Includes waterless hand cleaner, foil rescue blanket, CPR protective device, first aid and CPR reference guide, first aid ointment and spray, burn care; as well as an assortment of bandages, dressings and splints
- Deluxe first aid kit contains additional recommended supplies for treating common injuries, wounds and burns

SAY244

Model No.	Mfg. No.	Description	Refill
SAY244	01379	Standard	SDN761
SAY245	01391	Deluxe	SEC498

WELDERS' FIRST AID KITS

- For quick response to emergencies caused by flash burns and sparks from welding equipment
- Contains an assortment of products for immediate care and relief of pain to the skin and eye areas

Model No. SAY248
Mfg. No. 01250

TRAUMA & CRISIS FIRST AID KITS

- Features a comprehensive assortment of first aid and emergency rescue supplies for quick response to minor and major medical emergencies
- Suitable for emergency rescue personnel, police, fire fighters, paramedics, first aiders, lifeguards, nurses and ski patrol personnel
- Deluxe kit contains all the features of the standard kit plus additional supplies to deal with more serious injuries

SAY250

Model No.	Mfg. No.	Description
SAY250	01377	Standard in Nylon Bag
SEE508	01326	Standard in Cordura® Bag
SAY251	01356	Deluxe in Nylon Bag

METAL FIRST AID KIT CONTAINERS

- Manufactured from high-quality steel with a white enamel finish
- Withstands cold conditions
- Complete with carrying handle
- Wall-mountable
- Some models include a gasket to protect contents from moisture, dust, and dirt

SAY254

Model No.	Mfg. No.	Dimensions W"	x	H"	x	D"	Gasket Included
SAY253	01477	9 1/2	x	9 1/2	x	2 9/16	Yes
SAY254	01030	14	x	9 1/2	x	2 9/16	Yes
SAY255	01031	15 3/4	x	12 3/8	x	4 5/16	No

MEDICINE-STYLE CABINETS

- Manufactured from high-quality steel with a baked-on white enamel finish
- Fixed shelves provide ample space to store a complete line of first aid products
- Wall-mountable
- **SAY257** includes windowed door and lock with 2 keys

SAY257

Model No.	Mfg. No.	Dimensions W"	x	H"	x	D"	Description
SEE509	01026	15 1/4	x	16 1/2	x	5 5/8	No. 3 cabinet
SAY256	01034	14 1/2	x	18 5/16	x	6 3/8	No. 6 cabinet
SEE510	01035	15 1/4	x	22 3/8	x	5 5/8	No. 4 cabinet
SAY257	01798	18	x	27	x	8 1/8	No. 7 cabinet

See pages 187-189 for our selection of ergonomic supports

FABRIC BANDAGES

- High-quality cotton/rayon woven fabric bandages and dressingstrips cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Open-weave construction permits the skin to breathe for faster healing
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Latex-free

SAY263

SAY267

STANDARD FABRIC BANDAGES

- Rectangular shaped dressings for general use

Model No.	Mfg. No.	Dim. W" x L"	Description	Qty /Box
SAY261	03569	7/8 x 1 1/2	Heavyweight	50
SAY262	02122	7/8 x 3	Heavyweight	12
SAY263	03026	7/8 x 3	Heavyweight	100
SAY264	03029	7/8 x 3	Lightweight	100
SAY265	03570	1 1/2 x 1 1/2	Heavyweight	50
SAY266	03533	2 x 3	Heavyweight	12
SAY267	03035	2 x 3	Heavyweight	50

KNUCKLE BANDAGES

- Heavyweight bandages designed to provide coverage, protection and comfort for hard-to-bandage knuckle and elbow areas
- Special construction permits maximum protection and flexibility
- Size: 1 1/2" W x 3" L
- Sterile

SAY269

Model No.	Mfg. No.	Qty /Box
SAY268	02123	12
SAY269	03025	50
SAY270	03451	100

FINGERTIP BANDAGES

- Heavyweight bandages designed to provide coverage, protection and comfort for hard-to-bandage elbow, fingertip and toe areas
- Special construction permits maximum protection and flexibility
- Sterile

SAY272

Model No.	Mfg. No.	Dim. W" x L"	Qty /Box
SAY271	02124	1 3/4 x 2	12
SAY272	03016	1 3/4 x 2	50
SAY273	03454	1 3/4 x 2	100
SAY274	02125	1 3/4 x 3	12
SAY275	03017	1 3/4 x 3	50
SAY276	03455	1 3/4 x 3	100

PLASTIC BANDAGES

- High-quality plastic bandages promote healing and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Rectangular shaped dressings for general use
- Water-resistant
- Latex-free
- Sterile

SAY285

SAY284

Model No.	Mfg. No.	Dim. W" x L"	Qty /Box
SAY282	02021	3/4 x 3	24
SAY283	03041	3/4 x 3	100
SAY284	02203	1 x 3	25
SAY285	03040	1 x 3	100

NEXCARE™ COMFORT STRIPS

- Flexible bandages for all minor wound care needs
- Specially designed microporous backing encourages circulation for proper wound healing
- Durable moisture-resistant adhesive
- Latex-free
- Sterile

SN661

SN659

Model No.	Mfg. No.	Description	Dim. W" x L"	Qty /Box
SN659	CS102	Rectangular Strips	3/4 x 3	80
SN661	CS103	Knee and elbow	2 x 4	10
SN660	CS203	Assorted sizes	- - -	80

COVERPLAST® CLASSIC FABRIC BANDAGES

- Made of breathable, high-quality cotton/rayon woven fabric that flexes and stretches with every movement
- Open weave fabric allows skin to breathe for faster healing
- Highly absorbent, non-adherent island pad helps keep the wound dry and clean
- Sterile



Model No.	Mfg. No.	Special Image	Application	Dim. W" x L"	Qty /Box
SAY289	03195	A	-	7/8 x 1 1/2	100
SAY290	03189	B	-	7/8 x 2 27/32	100
SAY291	03196	C	-	1 1/2 x 1 1/2	100
SAY292	03190	D	Knuckle	1 1/2 x 2 27/32	100
SAY293	03192	E	Small fingertip	1 3/4 x 2	50
SAY294	03191	F	Large fingertip	1 3/4 x 2 27/32	100
SAY295	03193	G	-	2 x 27/32	100

STERI-STRIP™ REINFORCED SKINCLOSURES

- Advanced skin closures, made of porous, non-woven rayon material, allow skin to breathe; reinforced with filaments to provide extra strength
- For use as a skin closure device for lacerations and surgical incisions
- For use with or without skin sutures (stitches)
- Provides additional support after the removal of sutures or staples
- Sterile

3M

Model No.	Mfg. No.	Dim. W" x L"	Strips /Envelope	Envelope /Box
SD935	R1540	1/8 x 3	5	50
SD937	R1541	1/4 x 3	3	50
SAY317	03486	Assorted	1	19

METAL DETECTABLE BANDAGES

- High-quality plastic and fabric metal detectable bandages cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Bright blue colour and metallic content allow for misplaced or lost bandages to be easily detected and retrieved
- Recommended for use in the food and restaurant industries
- Latex-free
- Sterile

Model No.	Mfg. No.	Description	Dim. W" x L"	Qty /Box
SAY307	03197	Fabric	1 x 3	100
SAY311	03358	Plastic	1 x 3	100
SAY310	03198	Fabric knuckle	1 1/2 x 3	50
SAY309	03199	Fabric fingertip	1 3/4 x 3	50
SAY308	03200	Fabric Patch	2 x 3	50

GAUZE BANDAGE ROLLS

- Individually wrapped, high-quality gauze bandages
- Made of 100% bleached cotton
- Non-stretch

SAFE CROSS FIRST AID LTD.

Model No.	Mfg. No.	Dim. W" x L'	Description
SAY323	02228	1 x 15	Single Roll
SAY324	02102	1 x 15	6/box
SAY325	02229	2 x 15	Single Roll
SAY326	02018	2 x 15	4/box
SAY327	02230	3 x 15	Single Roll
SAY328	02285	3 x 15	2/box
SAY329	02231	4 x 15	Single Roll
SAY330	02022	4 x 15	2/box
SAY331	02149	1 x 30	1/box
SAY332	02407	2 x 30	Single Roll
SAY333	02150	2 x 30	1/box
SAY334	02151	3 x 30	1/box
SAY335	02233	4 x 30	Single Roll
SAY336	02152	4 x 30	1/box

CONFORMING STRETCH BANDAGES

- Soft, lightweight conforming bandages provide non-slip support and compression
- Ideal for securing and retaining general dressings
- Bandages conform and hold securely to body contours while allowing patient movement and soft tissue swelling
- 1-ply stretch rayon/nylon blend bandage
- Provides low compression and support

SAFE CROSS FIRST AID LTD.

Model No.	Mfg. No.	Dimensions W" x L"	Qty /Pkg.
NON-STERILE			
SAY337	02331	2 x 72	1
SAY338	02332	3 x 72	1
SAY339	02333	4 x 72	1
SEE464	02542	2 x 72	12
SEE465	02543	3 x 72	12
SEE466	02544	4 x 72	12
STERILE			
SAY340	02570	2 x 72	1
SAY341	02571	3 x 72	1
SAY342	02572	4 x 72	1

COMPRESS (PRESSURE) BANDAGES

- Used to stop bleeding without the need for separate gauze pads and gauze bandage rolls
- Non-adherent pad will not disturb or stick to the wound
- Moisture-proof packaging resists water and ensures sterility
- Fast and easy to apply in emergency situations
- Compressed and vacuum-packed for maximum use of space in first aid kits
- Sterile

Model No.	Mfg. No.	Dim. W" x L"	Units
SAY365	02020	2 x 2	4/box
SAY367	02011	3 x 3	1/box
SAY368	02424	4 x 4	1/box
SAY371	02760	6 x 6	1/box

SAFE CROSS FIRST AID LTD.

FIELD DRESSINGS

- High-quality pressure dressing features a non-adherent, double-thick secondary pad for extra absorbency, strength and patient comfort
- Pad measures 4" x 4" • Sterile

Model No. SAY372
Mfg. No. 02876

COMPRESS BANDAGES, CREPE TAILS

- High-quality pressure dressing
- Features rubber elastic tails for extra compression and a secure, comfortable fit
- Non-adherent triple pad construction provides extra absorbency and comfort
- Fastens securely with affixing clip (included)
- Pad measures 4 1/2" x 6" • Sterile

Model No. SAY374
Mfg. No. 02727

TRANSPORE™ SURGICAL PLASTIC TAPE

- A strong, reliable plastic tape that's specially designed for holding thicker dressings and tubings in place
- Transparent to allow for easy monitoring of wound condition
- Perforated for easier, bi-directional tear
- Easy to handle while wearing gloves
- Hypoallergenic
- 1" x 10 yds
- 12 rolls/box

Model No. SN770
Mfg. No. 1527-1

WATERPROOF ADHESIVE TAPE

- High-tensile strength, vinyl-coated cloth with a zinc oxide adhesive backing
- Effective under a wide range of temperatures and extreme humidity conditions
- **SAY385** is triple cut; each roll contains 3 pre-cut widths: 1/2", 5/8", and 7/8"
- Includes protective spool and shell

SAY383 SAY384 SAY385 SEE471

Model No.	Mfg. No.	Dimensions W"	x	L'
SAY383	07045	1/2	x	15
SAY384	07037	1	x	15
SEE471	07046	2	x	15
SAY385	07392	Triple cut	x	15

SALVEQUICK® BANDAGE DISPENSING SYSTEMS

- Clear cover allows the user to view contents to ensure an adequate supply is available when needed
- Features an automatic locking system to ensure bandages are dispensed individually
- Reduces consumption and theft of bandages
- Adhesive is exposed when bandage is removed from dispenser for immediate application
- Sturdy plastic panel easily mounts to wall
- Sterile

SAY302

SAY304

SAY305

SAY306

DISPENSERS

Model No.	Mfg. No.	Description
SAY302	03460	Assortment of 45 sterile plastic and 40 sterile fabric bandages
SAY303	03461	Assortment of 70 sterile metal detectable plastic bandages

REFILLS

Model No.	Mfg. No.	Type	Contains	Qty /Box
SAY304	03462	Plastic	27 (3/4" x 2 27/32") – 18 (1" x 2 27/32")	6
SAY305	03463	Fabric	24 (3/4" x 2 27/32") – 16 (1" x 2 27/32")	6
SAY306	03464	Metal Detectable	21 (3/4" x 2 27/32") – 14 (1" x 2 27/32")	6

COBAN™ SELF-ADHERENT WRAPS

- Rubber-based, porous self-adhering wraps designed for compression, tension and support without clips, pins or tape
- Will not stick to skin or dressings
- Lightweight and comfortable
- Can be cut to size
- Rolls are 5 yds in length when stretched
- **Applications:** Supporting strains and sprains; wrapping splints; holding and protecting primary and compression dressings

Model No.	Mfg. No.	Width"
SN461	1581	1
SD907	1582	2
SD908	1583	3
SD909	1584	4
LATEX-FREE		
SDP587	7000128760	1
SDP588	7000128761	2
SDP589	7000128762	3
SDP590	7000128763	4

ELASTIC SUPPORT COMPRESSION BANDAGES

- Reusable, lightweight, non-fraying bandages provide tension, firm support and compression to encourage proper healing of sprains and strains
- Additional uses include: post-cast support; dressing retention; control of swelling; and prevention of scuffs and bruising
- Complete with metal affixing clips
- Rolls are 5 yds in length when stretched
- Latex-free

Model No.	Mfg. No.	Width"	Applications
SAY394	08048	2	Wrists, feet
SAY395	08049	3	Elbows, knees, ankles, lower legs
SAY396	08050	4	Shoulders, knees, lower legs
SAY397	08051	6	Chest, shoulders

TRIANGULAR BANDAGES

- Made of 100% cotton
- Complete with two safety pins
- Dimensions: 40" x 40" x 56"

Model No.	Mfg. No.	Description
SAY375	02019	Vacuum-Packed
SAY376	02612	Non-Compressed

ADHESIVE TAPE REMOVER

- Quickly removes adhesive tape and residue
- Non-irritating formula
- 100-ml bottle

Model No. SAY393
Mfg. No. 14883

ABSORBENT BALLS

- General-purpose absorbent rayon balls
- 300 per bag

Model No. SAY377
Mfg No. 20107

TONGUE DEPRESSORS

- Uses include: Assisting choking victims, splinting and throat examinations



Model No.	Mfg. No.	Description	Qty /Box
SAY381	14186	Junior, 5/8" x 5 1/2"	100
SAY382	14184	Senior, 3/4" x 6"	100
SEE470	14004	Senior, Individually wrapped, 3/4" x 6"	25

ALCOHOL ANTISEPTIC PADS

- Non-woven pads saturated with isopropyl alcohol 70%
- Antiseptic and antimicrobial for minor wound care, injection and IV site preparation
- Individually packaged in compact, single-use foil sachets

Model No.	Mfg. No.	Quantity /Box
SAY429	06575	10
SAY430	06450	100
SAY431	06095	200

ISOPROPYL RUBBING ALCOHOL

- For use as an antiseptic cleanser and anti-bacterial agent
- Ideal as a rub to relieve muscle stiffness
- Helps reduce excessive perspiration

SAY425

Model No.	Mfg. No.	%USP	Size
SDP556	6266	70	300 ml
SAY423	06270	70	500 ml
SAY425	06274	99	500 ml
SEJ345	06272	70	3.78 L
SEJ346	06273	99	3.78 L

POLYSPORIN®

- Prevents infection and assists in the healing of minor cuts, nicks, scratches, scrapes and abrasions
- Soothing ointment forms a protective coating
- Non-stinging and odourless
- 15 g tube

Model No.	Mfg. No.	Description
SAY443	05257	Cream
SAY444	05253	Original Antibiotic Ointment
SAY445	05565	Triple Antibiotic Ointment
SEE477	05260	COMPLETE Antibiotic Ointment
SEE478	05273	Burn Cream Plus Pain Relief

COTTON TIPPED APPLICATORS

- High-quality cotton swabs for general medical applications

SAY379

Model No.	Mfg. No.	Length"	Description	Qty /Pkg.
SEE469	20145	3	Single-ended w/plastic vial	1
SAY378	20139	3	Single-ended	100
SAY379	20140	6	Single-ended	100

UNIVERSAL PARAMEDIC SCISSORS

- Cuts various types of materials, including clothing fabric, metal and metal/foam splints
- Features heavy-duty plastic handles and stainless steel blades
- 7 5/8" long

Model No. SAY536
Mfg. No. 19423

BENZALKONIUM CHLORIDE (BZK) ANTISEPTIC TOWELETTES

- For cleansing skin and minor wounds
- Sting-free for sensitive skin areas
- Individually packaged in compact, single-use foil sachets
- Active ingredient: benzalkonium chloride 0.40%

Model No.	Mfg. No.	Quantity /Box
SAY432	02619	12
SAY433	06061	100

HYDROGEN PEROXIDE 3% USP

- Topical antiseptic for cuts, scratches and sores; also used for oral hygiene

Model No.	Mfg. No.	Size
SAY418	06271	100 ml
SAY419	06036	250 ml
SDP555	6038	300 ml

BACTINE® FIRST AID ANTISEPTIC SPRAY

- First aid antiseptic and anaesthetic for cleansing wounds and preventing infection
- Non-stinging formula relieves pain and itching caused by sunburn, minor burns, cuts, scrapes, scratches, insect bites and poison ivy
- 105 ml spray pump bottle

Model No. SAY436
Mfg. No. 06082

COLD/HOT GEL PACKS

REUSABLE

- Reusable gel packs for cold and hot therapy
- Can be placed in a freezer for cold treatment; or in hot water or microwave oven for fast heating
- Always stays flexible
- Non-toxic

Model No.	Mfg. No.	Dim. W" x L"
SAY522	14535	4 x 6
SAY523	14281	5 x 10

INSTANT COLD PACKS

SINGLE-USE

- Ready-to-use and easy to activate for emergency use whenever cold therapy is required
- Reaches 0° C (32° F) within seconds and remains below 5°C for up to 10 minutes
- 4" x 6"

SAY516

SAY517

Model No.	Mfg. No.	Description	Dim. W" x L"
SAY516	14190	Small, packaged each	4 x 6
SAY517	14189	Small, packaged in a box	4 x 6
SAY518	14130	Large, packaged each	6 x 9

BLISTEX® LIP BALM

- Prevents and heals dry, chapped and sun/wind burned lips
- UVA/UVB protection with a sun protective factor (SPF) of 15
- 4.25 g stick

Model No. SAY511
Mfg. No. 05112

FOOT-POWDER

- Soothing powder keeps feet dry and odour-free
- Absorbs perspiration and wetness
- 50 g

Model No. SEI625
Mfg. No. 36683

DR SCHOLL'S® SNEAKER TREATER® SHOE DEODORANT

- Aerosol spray destroys odour and leaves shoes and sneakers smelling fresh
- Patented odour-fighting formula
- 150 ml aerosol can

Model No. SAY513
Mfg. No. 36692

SPLINTER FORCEPS

- Assists in the removal of splinters from the skin
- Ideal for general workplaces, wood shops, forestry industry, steel mills, homes, cottages and outdoor activities
- Stainless steel

SAY537

SAY538

Model No.	Mfg. No.	Description	Length"
SAY537	19156	Fine-point forceps	4 1/2
SAY538	19157	Feilchenfeld forceps	4 1/2

SAFECROSS® SPLINTER OUT®

- Tri-bevel design enables the removal of splinters with minimal discomfort
- Compact and easy to store in any first aid kit
- Individually wrapped, single-use
- Stainless steel
- Sterile

Model No.	Mfg. No.	Quantity /Pack
SAY541	19181	10
SAY542	19182	20

SAFETY PINS

- Assists in fastening dressings and triangular bandages
- Nickel-plated
- 12 pack, contains four each of sizes 1, 2, and 3

Model No. SAY543
Mfg. No. 02026

WHITE PETROLEUM JELLY

- Provides relief from dry skin, minor burns, sunburns and chapped lips

SAY509

SAY508

SEC455

Model No.	Mfg. No.	Description
SAY508	05274	460 ml tub
SAY509	05644	2 kg pail
SEC455	05645	20 L pail

BASINS

- Multipurpose basins for oral hygiene, patient sickness, patient treatment, and soaking

SAY545

Model No.	Mfg. No.	Description
SAY545	12129	Emesis basin, plastic, 500 ml capacity
SAY546	12428	Emesis basin, stainless steel, 380 ml capacity
SAY547	12483	Wash basin, stainless steel, 3 L capacity
SAY548	12414	Foot basin, stainless steel, 9 L capacity

WATER JEL®

- Provides cool and soothing temporary relief of pain, protects against contamination and stops burn progression
- Lowers and stabilizes skin temperature; cools through transference, not evaporation, to reduce the risk of hypothermia
- Water-based, water-soluble gel is easy to remove and assists in the removal of burnt clothing
- Non-toxic and non-irritating
- Unaffected by prior freezing, air travel and hot temperatures

SAY456

SAY451

SAY459

SAY460

WATER JEL® BURN DRESSINGS

- Individually wrapped non-woven dressings infused with Water Jel® will not stick to the wound
- Sterile

Model No.	Mfg. No.	Size W" x L"
SAY451	06630	2 x 6
SAY452	06629	4 x 4
SAY453	06628	4 x 16
SAY454	06626	8 x 18
SAY455	06627	12 x 16
SEJ381	06632	8 x 20

WATER JEL® COOL JEL

- Pain relieving gel soothes burns, moisturizes and provides a protective barrier against contaminants and irritants

Model No.	Mfg. No.	Description
SAY456	06643	3.5 g single use pouches (25/box)
SAY457	06635	118 ml squeeze bottle

WATER JEL® EMERGENCY BURN KITS

- Contains an assortment of sterile burn dressings and Cool Jel®

Model No.	Mfg. No.	Description	Container Type
SAY458	06641	Standard Kit I	10-Unit Plastic
SAY459	06639	Large Kit II	16-Unit Plastic
SDP557	6638	Emergency Burn Kit	Nylon Bag

WATER JEL® FIRE BLANKETS

- Multipurpose fire blanket made of 100% wool, saturated with Water Jel® gel
- Packaged in a high-density, water-resistant, polyethylene case

Uses:

Emergency burn victim care and fire protection
To extinguish small fires
To construct an escape route
To shield and protect a rescuer from intense heat and flames

Model No.	Mfg. No.	Size W" x L"
SEE481	06624	30 x 36
SAY460	06622	60 x 72
SEE482	06620	72 x 6

BURNFREE® BURN KITS

- Kit contains an assortment of Burnfree® gel, Burnfree® dressings and conform bandages
- Burnfree® products are for use on all burns
- The Burnfree® solution relieves pain by cooling the burn injury, stopping the burning process and minimizing the depth of the burn wound
- Products are sterile, non-toxic, non-irritating, bacteriostatic and do not contain any fats or greases
- Burnfree® is an effective alternative to tap water in the first-aid cooling of burn injuries
- Burnfree® fire/trauma blanket (not included in kits) is an optional product to enhance the components of the Burnfree® burn kits

Model No.	Description
SD858	10-unit Plastic Box
SD859	16-unit Plastic Box
SD866	72" x 60" Wool Blanket
SD867	96" x 60" Wool Blanket

SPENCO® 2ND SKIN® MOIST BURN PADS

- Moist transparent pads saturated with sterile water
- Provides a comfortable protective barrier to encourage healing of minor burns
- Cools and soothes for temporary relief of pain
- Non-adherent dressings will not stick to the wound
- Sterile

Model No.	Mfg. No.	Size L" x W"	Qty /Pkg.
SAY448	05635	1 1/2 x 2	6
SAY449	05636	2 x 3	4
SAY450	05637	3 x 4	3
SAZ539	05638	1 x 1	200

BURN SHEETS

- Extra-large burn sheet wraps completely around the victim for protection against contamination and additional trauma
- Dimensions: 60" x 96"
- Sterile

Model No. SAY463
Mfg. No. 06756

MULTIPURPOSE SPEEDSPLINT™

- Fast and easy-to-apply splint for temporary immobilization of the arm, leg or foot
- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit – fits adults and children
- Compact, flat, easily stored and carried
- Constructed from lightweight, high-visibility yellow plastic
- Specifications (unassembled): 8 3/4" x 30 1/2" x 1/8"

Model No. SAY588
Mfg. No. 14352

SPEEDSPLINT™ FEMORAL TRACTION KITS

- Fast and easy-to-apply splint for emergency use when temporary immobilization of the femur (upper leg/hip area) is required
- Effective for sea and heavy rain rescues – buoyant and features drain holes
- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit – fits patients up to 1.9 m (6' 4") and any thigh size
- Constructed from lightweight, high-visibility yellow plastic
- Specifications (unassembled): 14 3/4" x 19 7/8" x 2 3/8"

Model No. SAY589
Mfg. No. 14713

STRETCHERS

- Used to transport injured or ill individuals
- Constructed from lightweight aluminum
- Durable, wear and stain-resistant 18 oz vinyl-coated nylon bed
- Double-fold model folds lengthwise and widthwise for storage convenience, and includes rubber hand grips for secure and comfortable carrying
- Capacity: 300 lbs.

Model No.	Mfg. No.	Description
SAY591	26153	Single-fold
SAY592	26718	Double-fold

STRAPS WITH SWIVEL SPEED CLIPS

- Two-piece restraint straps made of 5.1 cm (2") nylon webbing with a quick-release push button buckle (automobile-type) and metal swivel speed clip
- For use with spinal backboards with pins
- Length: 152.4 cm (5')

Model No. SAY599
Mfg. No. 26501

HEAD IMMOBILIZERS

- Immobilization device for use with an extrication collar when head or neck injuries are suspected
- Features include: side blocks with wide fast-stick closures for a snug fit; ear holes to monitor bleeding and fluid drainage; two head/chin straps
- Includes mounting straps for positioning on a spinal backboard
- Can be worn during X-rays, MRI and CT scan procedures
- Waterproof and buoyant – can be used for water rescues
- Lightweight and easy to use; can be disinfected for reuse
- Weight: 0.9 kg (1.95 lbs.)

Model No. SAY596
Mfg. No. 26446



PLASTIC BACKBOARDS W/PINS

- Lightweight, foam-filled polyethylene spinal backboard for easy patient transfer
- Compatible with most head immobilization devices
- Can be worn during x-ray procedures
- Suitable for water rescues
- Includes heavy-duty pins for use with speed clip restraining straps
- Capacity: 205 kg (450 lbs.)
- Dimensions: 45.7 x 182.9 x 5.1 cm (18" x 72" x 2")
- Weight: 7.7 kg (17 lbs.)

Model No. SAY595
Mfg. No. 26458



TRAVERSE™ RESCUE STRETCHER

- Versatile, compact and durable emergency rescue stretcher provides patient protection and security in any situation
- Flexible and durable construction
- Equipped for land, high-angle, confined-space and technical rescues
- Can be hoisted or lowered in either a horizontal or vertical position
- Weight: 8.5 kg (18.7 lbs.)
- Includes: Sked® stretcher; Cordura® backpack/towing harness; one pair of horizontal lift slings; rescue rope; locking D-carabineer; tow strap; and four additional removable webbing handles that allow the Sked® to be carried by up to eight rescuers

Model No. SDL934
Mfg. No. 26742



RESCUE BASKET STRETCHERS

- Durable, steel basket stretcher for extrication procedures
- Can be used with lifting bridle set, basket stretcher mattress, spinal backboard and restraint straps
- Dimensions: 26" x 80 1/2" x 8"
- Weight: 10.3 kg (22.7 lbs.)
- Capacity: 182 kg (400 lbs.)

Model No. SAY602
Mfg. No. 26610



BASKET STRETCHER BRIDLE

- Heavy-duty bridle set complete with O-ring and extra-strength double-locking snaps made of forged steel
- Breaking strength: webbing: 4545 kg (10000 lbs.); double-locking snaps: 1136 kg (2500 lbs.) each; O-ring: 2272 kg (5000 lbs.)

Model No. SAY603
Mfg. No. 26611

BASKET STRETCHER MATTRESS

- Vinyl-covered foam mattress provides added comfort to the victim
- Dimensions: 40.6 x 177.8 x 2.5 cm (16" x 70" x 1")

Model No. SAY604
Mfg. No. 26613

MULTIPURPOSE BLANKETS

- Soft, non-woven multipurpose blankets provide excellent insulation for injured patients or victims in shock
- Ideal for stretchers, first aid rooms, automobiles, cottages, camping and cold weather care
- 60" x 84"

SAY610

Model No.	Mfg. No.	Description
SAY610	26154	100% multi-blend fibre content
SAY611	26156	30% wool/70% multi-blend fibre content
SAY612	26173	50% wool/50% multi-blend fibre content

FIRST AID TREATMENT CHAIRS

- Provides maximum patient comfort and facilitates patient treatment
- Heavy-duty, 24.5-oz. Naugahyde® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
- Complete with an adjustable independent headrest, padded armrests and an adjustable basin ring
- For use with wash basin **SAY547** (sold separately)
- Weight: 11.6 kg (25.5 lbs.)

Model No. SAY624 Mfg. No. 26666
Model No. SAY547 Mfg. No. 12483

WHEELCHAIRS

- Steel framed folding wheelchair with removable foot rests, full length fixed arms, solid tires, and embossed lightweight vinyl upholstery
- Can be propelled by the user or pushed by a caregiver
- Rear storage pocket
- 8" front tires, 24" MAG rear wheels
- Capacity: 300 lbs. (136 kg)

Model No. SFI907
Mfg. No. 56084

BIOS living

CRUTCHES

- Durable aluminum construction
- Includes pads and tips
- Available in two sizes

BIOS living

Model No.	Description
SEG990	Adult – 157 to 178 cm
SEG991	Tall Adult – 178 to 198 cm



RECOVERY COUCHES/MEDICAL BEDS WITH HEAD REST

- Includes a covered wedge bolster for added comfort
- Heavy-duty, 24.5 oz Naugahyde® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
- Dimensions: 61 x 182.9 x 45.7 cm (24" x 72" x 18")
- Weight: 32.7 kg (72 lbs.)

Model No. SAY619
Mfg. No. 26155

EXAMINATION TABLE PAPER

- Smooth finish with a glazed underside
- Dimensions: 45.7 cm x 64 m (18" x 70 vg)

Model No. SEE500
Mfg. No. 26397

RESCUE FOIL BLANKETS

- Multipurpose, emergency first aid blanket made of aluminized, non-stretch polyester
- Reflects body heat back to the user
- Stays flexible in freezing temperatures
- Lightweight and compact
- Windproof and waterproof
- Dimensions: 142.2 x 203.2 cm (56" x 80")
- Weight: 42.5 g (1.5 oz.)

Model No. SAY608
Mfg. No. 26297

FLEXIBLE FAST READ FEVER THERMOMETERS

- Fast readings in 8 seconds
- Flexible tip

Model No. SEE497
Mfg. No. 200DC

BIOS Diagnostics

BD™ SHARPS COLLECTORS

- For protection and proper disposal of syringes, scalpels and blades
- Strong and durable polypropylene construction
- Point-first disposal with one way tamper-resistant entry and secure cap closure
- Protective recessed flanges to protect against tampering, touch contamination and needle "bounce back"
- Recommended for first aid rooms, hospitals, medical and dental offices and laboratories

SAY559

SAY558

Model No.	Mfg. No.	Description
SAY558	14545	1.4 L capacity
SAY559	14547	5.1 L capacity
SAY560	14552	Wall mountable bracket for SAY559

FLUID SPILL CLEAN-UP KITS

- Single-use precaution kit for the safe and convenient clean-up, removal and disposal of potentially infectious body fluid spills including blood, vomit, urine and faeces
- Minimizes the risk of cross contamination, controls mold and mildew and neutralizes odours

SAY557

STANDARD KITS

- **Includes:**
  Red-Z® fluid control solidifier powder 21 g
  Disposable gloves
  Clean-up scoop and scraper,
  Antimicrobial hand wipes,
  Absorbent wiper towel
  Biohazard bag

DELUXE KITS

- **Includes same items as Standard Kits plus:**
  Safety mask/eyeshield
  Protective apron
  Disinfection solution with wipe
  Easy-to-follow universal instructions

SEE492

Model No.	Mfg. No.	Description
SAY557	14358	Standard Kit
SEE492	14360	Deluxe Kit

RED-Z® FLUID SOLIDIFIER

- Absorbs and solidifies potentially hazardous body fluid spills including blood, vomit, urine and faeces
- Disinfects and neutralizes odours
- Absorbs up to 150 times its own weight
- Ideal for industrial/commercial facilities, hospitals, nursing homes, schools, transportation vehicles, ships, correctional facilities, laboratories, medical and dental offices, police departments, clinics and hotels
- 142 g bottle

Model No. SAY556
Mfg. No. 14364

SAFECROSS® CPR FACE SHIELDS

- Single-use physical protection barrier
- Helps reduce the risk of cross contamination and transference of viruses and bacteria between the victim and rescuer in situations where mouth-to-mouth assistance is required
- Includes a specially designed viral and bacterial filter for extra protection
- Also used as a CPR training aid to protect against cross contamination

Model No. SAY563
Mfg. No. 17745

SAFECROSS® CPR FACESHIELD KITS

- Packaged in a water-resistant pouch with key ring
- Contains the following:
  CPR face shield
  One pair of size large vinyl disposable gloves
- Easily attaches to a key chain for use in emergency situations

Model No. SAY566
Mfg. No. 17763



SAFECROSS® CPR POCKET FACE MASKS

- Reusable medical grade thermo-plastic physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer
- Innovative construction includes a specially designed viral and bacterial filter for extra protection
- Features a soft inflated cuff for a leak-proof seal
- Includes an oxygen inlet for optional supplemental oxygen
- Model **SAY571** CPR pocket face mask kit includes:
  CPR pocket face mask
  One pair of vinyl gloves
  One antimicrobial hand towelette

Model No.	Mfg. No.	Description
SAY569	17746	Safecross® CPR pocket face mask in hard case
SAY570	17747	Replacement one way valve
SAY571	17744	CPR pocket face mask kit

See pages 161-164 for our selection of disposable gloves

PURELL® ADVANCED HAND RUB

- Purell® in a 70% ethyl alcohol, fragrance-free antiseptic cleanser
- Effective in destroying certain bacteria
- Contains vitamin E and glycerine

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA912	9650-24-CAN00	2-oz (59 ml) Squeeze Bottle	-	24
JA722	9651-24-CAN00	4-oz (118 ml) Bottle	-	24
JA358	9652-12-CAN00	8-oz (237 ml) Pump Bottle	-	12
SAR855	5770-04-CAN00	1200 ml Touchfree TFX™ Refill	SAQ139	4
SAR854	2770-08-CAN00	1000 ml NXT® Refill	JA355	8
SAR856	3770-12-CAN00	354 ml Pump Bottle	-	12

PURELL® ALCOHOL HAND SANITIZING WIPES

- For personal hand hygiene to help prevent the spread of certain bacteria
- Use anytime for quick clean-up when soap and water are not available
- Active ingredient: Ethyl alcohol

Model No.	Mfg. No.	Quantity
JC670	9030-12-CAN00	80 wipes/canister
JC671	9031-06-CAN00	175 wipes/canister

PURELL® HAND SANITIZERS

- America's #1 brand of instant hand sanitizer
- Kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds
- No water or towels needed
- Specifically formulated with moisturizers to leave hands feeling soft and refreshed
- Dermatologist tested, fragrance and dye free

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
PURELL® HAND SANITIZERS				
JA357	2156-08-CAN00	1000 ml Refill for NXT® Dispenser	JA355	8
SAQ140	5456-04-CAN00	1200 ml Refill	SAQ139	4
JD983	9008-12	Places™ holder for SAR856 (12-oz Bottle)	-	12

Model No.	Mfg. No.	Description	Qty /Case
PURELL® HAND SANITIZER WITH ALOE			
JA360	9674-12-CAN00	8-oz (237 ml) Pump Bottle with Aloe	12

DISPENSERS

Model No.	Mfg. No.	Description	Refill
JA355	2120-06	Purell® 1000 ml NXT® Space Saver™	JA357
SAQ139	2720-12-CAN00	Purell® 1200 ml TFX™ Touch Free Dispenser	SAQ140

PINK LIQUID HAND SOAP

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate free

Model No.	Mfg. No.	Size	Qty /Case
NI343	CCCLIQUG04	4 L	4

PERLUX - WHITE LOTION SOAP

- Rich blend of emollients leaves hands soft, fresh and clean
- Luxurious high quality concentrated lotion
- Biodegradable, phosphate free
- Excellent for hands, hair and body

Model No.	Mfg. No.	Size	Qty /Case
NI347	CCCPERLG04	4 L	4

GEL - CLEAR GEL HAND SOAP

- Smooth gel with gentle cleaning for hair, hands and body
- Removes dirt and tough stains with ease
- Fresh green apple scent
- Biodegradable, phosphate free

Model No.	Mfg. No.	Size	Qty /Case
NI349	CCPGEL1G04	4 L	4

MICRELL® ANTIBACTERIAL LOTION SOAP

- Kills germs, yet is gentle on hands even after repeated daily washings
- Contains quick-acting antimicrobial agent chloroxylenol (PCMX) and an effective degreaser
- Lightly scented, non-irritating formula encourages frequent use
- Accepted for use in Canadian Food Processing Facilities

JA367

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA367	9759-12-CAN00	12 oz. Pump Bottle	-	12
JA368	9755-04-CAN00	1 Gallon	-	4
JA366	2157-08-CAN00	1000 ml Refill	JA363	8
JA365	2257-04-CAN00	2000 ml Refill	JA362	4
JA363	2125-06	Micrell® NXT® Dispenser Space Saver™, 1000 ml		

BIO-LUX ANTIMICROBIAL LOTION SOAP

- Premium antimicrobial soap
- Effective in reducing the risk of cross-contamination
- Biodegradable, phosphate-free, with glycerine
- Orange fresh scent clear gel
- Contains: 0.1% triclosan, helps comply with HACCP
- Accepted for use in Canadian food processing facilities

Model No.	Mfg. No.
JA420	CCCBIORG04

GOJO® ALL-PURPOSE SKIN CLEANSER

- Economical lotion soap
- Ideal for general restroom use
- Pink formula with a light floral fragrance

Model No.	Mfg. No.	Size	Qty /Case
JA398	1807-04	1 Gallon	4

LOTION SOAP DISPENSERS

- All purpose push type dispensing valve for easy flowing soaps
- Removable 1-litre inner soap reservoir for easy cleaning and maintenance
- Overall height 9"
- Colour: Blue and white

Model No. NC895
Mfg. No. 707

SOAP DISPENSERS

TANK TYPE SOAP DISPENSERS

- Lotion and liquid vertical or horizontal 40-oz. stainless steel soap dispensers
- The horizontal style is designed for locations where height between basin and mirror or shelf is limited

Model No.	Mfg. No.	Description
JC566	6542	Horizontal Soap Dispenser
JC567	6562	Vertical Soap Dispenser

SURFACE-MOUNTED SOAP DISPENSERS

- Soap dispenser with push-in valve directs operating toward wall
- Corrosion-resistant, self-cleaning valve dispenses wide range of liquid soaps,lotions and synthetic detergents
- Vandal resistant lid has unique keyless locking device
- Lid pivots up after lock is disengaged for easy top filling
- Large capacity, translucent container provides visible soap level
- Capacity: 40 fl. oz.
- Concealed wall fastening
- Unit is removable from wall for cleaning
- 5 13/16" W x 6 7/8" H

Model No.	Mfg. No.	Colour
NG435	B-40	Black and Grey
NG436	B-42	Black

GOJO® MULTI GREEN® HAND CLEANSER

- A popular multi-purpose hand cleaner for removing light to medium industrial soils and dirt
- Contains a natural, citrus solvent cleaner with non-abrading scrubbing particles

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA375	7265-04	2000 ml Refill for PRO™ TDX™ 2000	JA370	4
JA383	7565-02	5000 ml Refill for PRO™ TDX™ 5000	JA379	2

See page 277 for Pro™ TDX™ Series dispensers

GOJO® SUPRO MAX™ HAND CLEANER

- Fast and effective lotion hand cleaner removes tough, sticky soils and adhesives
- Unique blend of cleaners and gentle scrubbers
- Ideal for plant-wide use
- Non-drying formula

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA377	7272-04	2000 ml Refill for PRO™ TDX™ 2000	JA370	4
JA385	7572-02	5000 ml Refill for PRO™ TDX™ 5000	JA379	2

See page 277 for Pro™ TDX™ Series dispensers

GOJO® RICH PINK™ ANTIBACTERIAL LOTION SOAP

- A high performance, gentle antibacterial lotion soap
- For cleaning light soils

JA371

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA371	7220-04-CAN00	2000 ml Refill	JA370 for PRO™ TDX™ 2000	4

See page 277 for Pro™ TDX™ Series dispensers

SOLOPOL® CLASSIC HEAVY-DUTY HAND CLEANER

- Solvent-free hand cleanser for removal of heavy contamination
- Astopon® natural scrubbing agent gently removes contaminants without damaging skin
- Contains Eucornol® skin protectant to minimize the risk of skin irritation
- Fragrance: Orange

JG916

JG917

JG919

Model No.	Mfg. No.	Description	Qty /Case
JG916	SOL250ML	250 ml	12
JG917*	SOL2LT	2000 ml	4
JG919	HVY2LDP	2000 ml Dispenser	8
JG918*	SOL4LT	4000 ml	4
JG920	HVY4LDP	4000 ml Dispenser	6

* Sold per case

GOJO® LUXURY FOAM HAND WASH

- Rich and gentle
- Pre-lathered
- For general, light-duty cleaning
- Cranberry fragrance

JA412

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA412	5161-03	1250 ml Refill for FMX-12™	JA407, JA408	3
JA409	5261-02	2000 ml Refill for FMX-20™	JA405, JA406	2

See page 277 for FMX™ Series dispensers

KRESTO® SPECIAL ULTRA HAND CLEANSERS

- Specialist hand cleanser with mild based solvent formulation to remove difficult adherent contaminants such as: stubborn soils caused by oil, paints, lacquers, resins, and adhesives
- Astopon® natural scrubbing agent gently removes contaminants without damaging the skin
- As the formulation is concentrated, only a small amount is required to remove contaminants
- Fragrance: Neutral scent

JG912

JG913

JG914

Model No.	Mfg. No.	Description	Qty /Case
JG912	KSP250ML	250 ml	12
JG913	KSP2LT	2 L	4
JG914	ULT2DP	2 L Dispenser	8

GOJO® HAND MEDIC® PROFESSIONAL SKIN CONDITIONER

- Use before work, after handwashing and at night to restore and maintain the skin's natural protective barrier
- Silicone and fragrance-free

GOJO® HAND MEDIC® ADX-7™ DISPENSER

- ADA compliant, one-hand push operation reinforces mounting with each use
- Lifetime performance guarantee

JD467

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA391	8150-12	5 oz. Tube	-	12
JD467	8745-04	685 ml Refill	JD466	4
JD466	8782-06	Dispenser for JD467	-	6

ORANGE PUMICE HAND CLEANER

- Fresh, natural orange citrus scent
- Pumice scrubbing particles for extra deep cleaning
- Quick and easy removal of dirt, grease, paint, ink, epoxy, tar, rust and most industrial soils
- High quality pump included with every bottle for controlled dispensing
- Can conveniently be used with or without water
- No harsh solvents, leaving hands soft and clean
- Accepted for use in Canadian food processing facilities

Model No.	Size
JG223	3.6 L w/Pump

GOJO® POWER GOLD® HAND CLEANER

- A highly effective, fast-acting hand cleaner for removing the heaviest grease, tar and oil
- No harsh solvents
- Contains natural, non-irritating scrubbing particles

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA334	0987-12	14 oz. Bottle	-	12
JA335	0988-04	1/2 Gallon w/Pump	-	4
JA378	7295-04	2000 ml Refill for PRO™ TDX™ 2000	JA370	4
JA386	7596-02	5000 ml Refill fo PRO™ TDX™ 5000	JA379	2

See page 277 for Pro™ TDX™ Series dispensers

GOJO® NATURAL ORANGE™ HAND CLEANER

- Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirt and grease
- Orange Citrus scent

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
SMOOTH HAND CLEANER				
JA330	0947-12	14 oz. Bottle	-	12
JA329	0948-04	1/2 gal. w/Pump	-	4
JA152	0945-04	1 gal. w/Pump	-	4
JA373	7250-04	2000 ml Refill for PRO™ TDX™ 2000	JA370	4
PUMICE HAND CLEANER				
JA327	0957-12	14 oz. Bottle	-	12
JA328	0958-04	1/2 gal. w/Pump	-	4
NI254	0955-04	1 gal. w/Pump	-	4
JA374	7255-04	2000 ml Refill for PRO™ TDX™ 2000	JA370	4
JA382	7556-02	5000 ml Refill for PRO™ TDX™ 5000	JA379	2

See page 277 for Pro™ TDX™ Series dispensers

GOJO® CHERRY GEL® PUMICE HAND CLEANER

- Gel-style heavy duty hand cleaner with pumice scrubbers quickly cleans heavy dirt, grease and oil
- pH balanced to promote skin comfort
- Provides a quick, easy and complete rinse and leaves skin feeling refreshed
- Pleasant cherry fragrance leaves hands smelling clean

Model No.	Mfg. No.	Description	Dispenser*	Qty /Case
SEA254	7590-02	5000-ml Refill	JA379	2
SEA255	7290-04	2000-ml Refill	JA370	4
SEA257	2350-02	50 x 0.5-fl. oz. in Display Carton	-	2
SEA258	2352-15	6-oz. Bottle	-	15
SEA259	2354-08	10-oz. Bottle	-	8
SEA260	2356-04	1/2-Gallon Bottle	-	4
SEA261	2358-02	1-Gallon Bottle	-	2

See page 277 for Pro™ TDX™ Series dispensers

GOJO® PRO™ TDX™ SYSTEMS

GOJO® PRO™ TDX™ 2000 DISPENSERS

- Heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation is easy to use
- Capacity: 2000 ml
- Colour: Grey
- Guaranteed for life

Model No. JA370
Mfg. No. 7200-01

GOJO® PRO™ TDX™ 5000 DISPENSERS

- Large capacity, heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation is easy to use
- Capacity: 5000 ml
- Colour: Grey
- Guaranteed for life

Model No. JA379
Mfg. No. 7500-01

GOJO® 800 SERIES DISPENSERS

- Traditional bag-in-box dispenser
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- Capacity: 800 ml
- Available in black or white

Model No. JA388 Black
Mfg. No. 9033-12
Model No. JA389 White
Mfg. No. 9034-12

GOJO® FMX™ DISPENSERS

GOJO® FMX-20™ DISPENSERS

- Great for high traffic areas
- Features skylight with an extra large window
- Holds a large, sealed 2000 ml refill
- Delivers more than 2800 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Available in grey or black

Model No. JA405 Grey
Mfg. No. 5270-06
Model No. JA406 Black
Mfg. No. 5271-06

GOJO® FMX-12™

- Great for locations where a smaller, more traditional dispenser is preferred
- Features skylight and sight window for easy monitoring of fill levels
- Holds 1250 ml sealed refill
- Delivers more than 1700 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Available in grey or black

Model No. JA407 Grey
Mfg. No. 5150-06
Model No. JA408 Black
Mfg. No. 5155-06

GOJO® NXT® DISPENSERS

GOJO® NXT® SPACE SAVER™ DISPENSERS

- Half the size of traditional 800 ml bag-in-box dispensers
- One-hand push operation reinforces mounting with each use
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA push and pull compliant
- Capacity: 1000 ml
- Available in dove grey or black

Model No. JA554 Dove grey
Mfg. No. 2130-06
Model No. JA555 Black
Mfg. No. 2135-06

GOJO® NXT® MAXIMUM CAPACITY™ DISPENSERS

- Provides twice the capacity of traditional bag-in-box systems in the same amount of space
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- Capacity: 2000 ml
- Available in dove grey or black

Model No. JA417 Dove grey
Mfg. No. 2230-08
Model No. JA418 Black
Mfg. No. 2235-08

GOJO® FAST WIPES® HAND CLEANING TOWELS

- For quick cleanup of light greases and oils
- For use at the job site or wherever water is not available
- Convenient fastening brackets for **JA342**

JA343

JA341

Model No.	Mfg. No.	Description	Qty /Case
JA341	6285-06	Tool Box Package of 60	6
JA342	6298-04	Bucket of 130	4
JA343	6299-02	Bucket of 225	2
JA344	6201-01	Bracket for JA342	1

GOJO® SCRUBBING TOWELS

- Cleans the dirtiest hands without water
- Clean oils, grease, lubricants, asphalt, dirt, inks, paints polyurethane, urethanes, sealants, epoxies, adhesives and caulks
- Dual textured towels
- Scrubbing side removes stubborn soils while the smooth side provides quick dirt absorption tough on grime
- Contains skin conditioners

JB626

JB625

Model No.	Mfg. No.	Description
JB623	6398-02	Bucket 170 pieces
JB624	6396-06	Bucket 72 pieces
JB625	6383-06	Canister 25 pieces
JB626	6380-04	Display carton 80 pieces

KRESTO® KWIK-WIPES®

- For quick cleaning of dirt, grease, and grime when a sink is not available
- Textured wipes
- For use on skin, also great for tools and other surfaces

JA897

JA898

Model No.	Mfg. No.	Description
JA897	28707706	Canister of 70 Wipes
JA898	28700804	Bucket of 130 Wipes

ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 3 minute
- 160 sheets per canister

Model No. JA984

GOJO® LEMON PUMICE HAND CLEANER

- Cream formula with fresh lemon fragrance and pumice scrubbers
- For removing grease, tar and oil
- No harsh solvents
- Plastic cartridge container

Model No.	Mfg. No.	Size	Dispenser	Qty /Case
JA287	0915-06	4.5 lb	JA171	6

GOJO® ORIGINAL FORMULA™ HAND CLEANER

- Original Gojo® cream formula contains lanolin and soothing emollients
- For removing heavy grease, tar and oil
- Use with or without water, rub - then wipe clean with a towel or rinse off
- No harsh solvents
- Plastic cartridge container

Model No.	Mfg. No.	Size	Dispenser	Qty /Case
JA338	1109-12	14 oz.	-	12
JA169	1115-06	4.5 lb	JA171	6

GOJO® FINE ITALIAN PUMICE HAND CLEANER

- Cream formula with fine Italian pumice scrubbing particles for extra cleaning action
- For removing heavy grease, tar and oil
- No harsh solvents
- Plastic cartridge container

Model No.	Mfg. No.	Size	Dispenser	Qty /Case
JA340	1135-06	4.5 lbs.	JA171	6

GOJO® CARTRIDGE DISPENSERS

- Cream formula cartridge dispenser
- For Gojo® brand plastic cartridge refills
- Works with smooth and pumice formulas

Model No. JA171
Mfg. No. 1204-01

SPF 30 SUNSCREEN

- Broad spectrum protection against UVA/UVB rays
- Water resistant and sweat resistant
- Dermatologist tested
- Provides high sunburn protection
- PABA-free
- Three year shelf life

JD319 JD320 JD321 JD322

Model No.	Mfg. No.	Description
JD319	18200	10-ml (0.3 oz.) Individual Use Pouches, 50/box
JD320	18220	120-ml (4 oz.) Lotion Bottle
JD321	18225	220-ml (7.5 oz.) Spray Bottle
JD322*	18230	1 L (34 oz.) Lotion Bottle

* Optional dispenser model no. **JD406**

ALL SEASON LIPBALM

- Moisturizes and protects against sun, wind and cold exposure
- Waterproof
- 4.25 g (0.15 oz.)

Model No. JD407
Mfg. No. 18205

SKEETSAFE® 1012 INSECT REPELLENTS

- DEET Free
- Formulated using Icaridin; a newly approved substitute to DEET
- Provides 10 hours of protection against black flies and 12 hours protection against mosquitoes and ticks
- Will not damage fishing lines, plastic or any other synthetic materials
- It feels good on the skin, not oily, greasy or sticky
- Fragrance free
- Contains Aloe Vera & Vitamin E
- Can be used on children 6 months or older
- This is a remarkable new product that does not expose the user to the health risks of DEET
- Type: Spray
- Container Size: 100 ml

Model No. JG991
Mfg. No. 18125

DEB® SUN PROTECT SUNSCREEN SPF 33

- White, viscous cream, non-greasy, waterproof
- PABA and fragrance-free formula
- Added skin conditioners and emollients (vitamins A, D, E and Aloe Vera)
- UVA and UVB protection
- pH of 5.7 - 6.9
- Contains no mineral oils
- Approved by: Health Canada DIN 02059959

JC662 JC661 JC666

Model No.	Mfg. No.	Description
JC662	SUN30ML	30 ml Tube
JC661	SUN1L	1 Litre
JC666	SUN1LDS	Dispenser

SKEETSAFE® LIQUID SPRAY INSECT REPELLENT

- Non greasy - prevents slipping of items held in hand such as: tools, steering wheel, etc. and will not collect dirt
- Small 100 ml bottle size ideal for storage and portability
- Pump spray reduces waste from overspray and allows you to apply the product where you need

JD316
- 10% DEET will provides 3 hours of continuous protection

JD317
- 30% DEET will provides 6 hours of continuous protection

Model No.	Mfg. No.	Description
JD316	18115	10% DEET
JD317	18120	30% DEET

SKEETSAFE® INSECT REPELLENT AEROSOL CAN

- 25% DEET formula provides up to 6 hours of protection
- Convenient sized 110 gram aerosol can, may be stored in a tool box, glove compartment, first aid kits, nap-sacks, etc.
- Ozone friendly

Model No.	Mfg. No.
JD315	18110

WASP & HORNET SPRAY

- Controls wasps, bees, hornets and yellow jackets
- Solvent based using carbon dioxide
- Dielectric strength of 35 kV/min
- Can be used around electrical wires and transformers with a higher safety margin than a water-based product
- Shoots a continuous stream up to 2.5 meters

Model No.	Mfg. No.
JD318	18140

SKEETSAFE® INSECT REPELLENT TOWELETTES

- Large 4" x 8" single use disposable insect repellent towelettes provide a full 32 square inches of material
- 1 oz. per sq/yd material with excellent dispensing properties and tear strength
- Ultimate in portability: purse, pocket, glove box or fanny sack
- 20 towelettes/box

JD313
- 10% DEET will provide up to 3 hours of continuous protection

JD314
- 25% DEET will provide up to 6 hours of continuous protection

Model No.	Mfg. No.	Description
JD313	18100	10% DEET
JD314	18105	25% DEET

HIDDEN SHACKLE PADLOCKS & HIGH SECURITY HASPS (REKEYABLE)

The hockey puck-style lock design completely surrounds the 3/8" dia. shackle for high-security pry and cut resistance. Our industrial-strength padlocks are keyable and have replaceable cylinders and shackles.

- These padlocks offer maximum protection against drilling, sawing, prying, crowbar, dent pullers and hammers
- 6-pin tumber cylinders provide superior pick resistance, with tens of thousands of key changes available
- Secure vans, trucks, gates, garages, storage buildings and vending machines
- Locks come with two keys. For keyed alike options and master keying, please call us today
- Combined with high-security hasps (**SAO687**); designed to completely surround the lock; it make the locks virtually impervious to physical attacks

SAO688


SAO687



Model No.	Mfg. No.	Description	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAO688	6270	Lock	2 7/8	1 1/4	Steel	3/8	1 9/32	1 23/32	2.20
SAO687	770	Hasp	9 x 4 1/2	1/4	Steel	N/A	N/A	N/A	3.00

SOLID STEEL PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome-plated solid steel bodies that resist cutting, sawing and corrosion
- Hardened boron alloy steel shackles offer superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us

SN708



SAL442



Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SN708	6230	2 1/2 Round	1 1/8	Hardened Steel	7/16	1 1/8	7/8	1.40
SEJ510	7050	2	1	Hardened Steel	3/8	1 1/2	29/32	0.85
SAL442	7040	1 3/4	1	Hardened Steel	5/16	1 3/16	29/32	0.75

SOLID STEEL SHROUDED PADLOCKS (REKEYABLE)

- Shrouded shackles provide superior resistance to cutting by minimizing shackle exposure to physical attacks

Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SN707	7045	1 3/4	1	Hardened Steel	5/16	1 3/16	29/32	0.90
SN715	7035	1 9/16	13/16	Hardened Steel	1/4	1 1/16	25/32	0.80

PRO SERIES® SOLID BRASS PADLOCKS (REKEYABLE)

- Solid brass body construction resists corrosion - ideal for harsh environments
- Hardened boron alloy steel shackles offer superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us

SAL507



Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAL507	6840	1 3/4	1	Solid Brass	5/16	1 3/16	29/32	0.80
SAL508	6830	1 9/16	15/16	Solid Brass	1/4	1 1/16	25/32	0.70

RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong , solid brass case construction resists corrosion - ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- Model **SEJ513** features a key override providing immediate access to supervisors in the field
- **SEJ514** control key sold seperately

SAS366

SEJ513



Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAS366	T175	2	1	Brass Casing	5/16	1	1	0.60
SAG162	175LH	2	1	Brass Casing	5/16	2 1/4	1	0.70
SEJ513	176	2	15/16	Brass Casing	5/16	1	1	0.60
SEJ514	K176	Control Key		Brass	-	-	-	0.02

PROSERIES® RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with larger ergonomic dials
- Strong , solid brass case construction resists corrosion with weather seal top around shackles
- Boron hexagonal shackle design increases cut resistance
- No reset tool required. Simple shackle manipulation to change combinations
- LH shackle option available for increased shackle clearance

SEJ515



Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SEJ515	1175	2 1/4	1 3/16	Brass Casing	3/8	1 1/16	15/16	0.70
SEJ516	1175LH	2 1/4	1 3/16	Brass Casing	3/8	2	15/16	0.71

ECONOMY V-LINE BRASS PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys. For keyed alike options, please call us

SAS395



Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAS395	4120	Different	3/4	3/8	Solid Brass	5/32	5/8	7/16	0.10
SAS396	4120KA	Alike	3/4	3/8	Solid Brass	5/32	5/8	7/16	0.10
SAS397	4130	Different	1 1/8	1/2	Solid Brass	3/16	9/16	9/16	0.20
SAS398	4130KA	Alike	1 1/8	1/2	Solid Brass	3/16	9/16	9/16	0.20
SAS015	4140	Different	1 1/2	1/2	Solid Brass	1/4	13/16	13/16	0.30
SAS400	4140KA	Alike	1 1/2	1/2	Solid Brass	1/4	13/16	13/16	0.30
SAS401	4150	Different	1-7/8	9/16	Solid Brass	9/32	15/16	1	0.40
SAS402	4150KA	Alike	1-7/8	9/16	Solid Brass	9/32	15/16	1	0.40

ALL WEATHER RESISTANT PADLOCKS

The covered padlocks withstand even the harshest outdoor environments and corrosive atmospheres. These locks are excellent in perimeter security, storage buildings, and gate security and transportation.

PRO SERIES® WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us

SAL433

SA903



Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAL433	6121	Different	2 1/8	1	Laminated Steel	5/16	1 1/8	7/8	1.00
SAL434	6121LJ	Different	2 1/8	1	Laminated Steel	5/16	2 1/2	7/8	1.05
SA902	6125	Different	2 3/8	1 3/16	Laminated Steel	3/8	1 3/8	7/8	1.20
SA903	6125KA	Alike	2 3/8	1 3/16	Laminated Steel	3/8	1 3/8	7/8	1.20

LAMINATED STEEL SHROUDED PADLOCKS (REKEYABLE)

- The High Security - Weather Tough® padlock's iron shroud protects the shackle from cutting and prying while the heavy-duty laminated steel body contruction withstands physical attacks



Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SA904	6325	Different	2 3/8	1 3/16	Laminated Steel	3/8	3/4	7/8	1.60
SA905	6325KA	Alike	2 3/8	1 3/16	Laminated Steel	3/8	3/4	7/8	1.60
SEJ517	6321	Different	2 1/8	1	Laminated Steel	5/16	3/4	7/8	1.40

ECONOMY WEATHER PADLOCKS (NON-REKEYABLE)

- 1 9/16" laminated steel body construction for superior strength
- High-tech thermoplastic shell designed to protect and withstand the elements
- Hardened steel shackle
- Locks come with two keys
- Ideal for all outdoor applications



Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SN706**	312	Different	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55
SEJ518	312D	Different	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55
SEJ519*	312TRI	Alike	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55

* Set of 3 locks ** Thermoplastic covered shackle

SHROUDED PADLOCK

- Patented "Octagonal" hardened "Boron-Carbide" shackle offers 50% greater strength than hardened steel while withstanding pulling and prying attacks
- The "Octagonal" shackle makes bolt cutter attacks virtually impossible
- Key retaining safeguard insures padlock is not left unlocked
- Covered keyway for maximum weather protection and rubber body bumper for scratch resistance
- Locks come with two keys



Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SEJ511	M40BLCDHC	2 3/4 Round	1 3/8	Stainless Steel	13/16	5/8	3/8	0.85

LAMINATED PADLOCKS

These locks are excellent in perimeter security, storefront gates, tool cribs, construction equipment, vending machines, truck doors and general security. Full range of sizes to best secure your applications.

KEYED DIFFERENT vs. KEYED ALIKE

Each keyed different lock has a unique key for higher security. Keyed alike locks have the same key for each lock. Keyed alike locks add an extra convenience where many locks are involved. Extra locks can be ordered later to fit the same key number.

COMMERCIAL LAMINATED STEEL PADLOCKS (NON-REKEYABLE)

- Constructed of hardened, rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Hardened boron steel alloy shackles offer superior cut resistances while double locking mechanism provides extra pry and pulling resistance
- 4-pin cylinders helps prevent picking while providing 1,200 key changes
- Top and bottom bumpers provide greater scratch resistance
- Locks come with two keys
- For keyed alike options and master keying, please call us

SA894

SA900

SA890



Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SR890	5D	Different	2	1	Laminated Steel	3/8	1	15/16	0.80
SR867	5KA	Alike	2	1	Laminated Steel	3/8	1	15/16	0.80
SAL432	5LJ	Different	2	2 1/2	Laminated Steel	3/8	1	15/16	0.80
SA898	1	Different	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60
SA899	1KA	Alike	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60
SA900	1LJ	Different	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65
SA901	1LJKA	Alike	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65
SA894	3	Different	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50
SA895	3KA	Alike	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50
SA896	3LH	Different	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58
SA897	3LHKA	Alike	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58
SA890	7	Different	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20
SA891	7KA	Alike	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20
SA892	7LJ	Different	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25
SA893	7LJKA	Alike	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25

ECONOMY LAMINATED STEEL WARDED PADLOCKS (NON-REKEYABLE)

- Warded locking mechanism minimizes jamming from dirt and grime
- Steel laminated body for superior strength, rustproofed for extended wear
- Steel alloy shackle provides strong cut resistance
- Model **SEJ520** features a removeable adjustable shackle from shackle heights 2 3/4" to 5 3/8"
- Model **SEJ521** shackle can be shattered by a hammer in case of emergencies, ideal for emergency accesses sprinkler shut-off valves and fire hose cabinets
- Locks come with two keys

SA888

SEJ521



SEJ520

Model No.	Mfg. No.	Key Type	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SEJ520	517D	Different	1 3/4	7/8	Laminated Steel	9/32	2 3/4 to 5 3/8	13/16	0.75
SA888	500	Different	1 3/4	7/8	Laminated Steel	9/32	5/8	13/16	0.45
SA889	500KA	Alike	1 3/4	7/8	Laminated Steel	9/32	5/8	13/16	0.45
SEJ521	500KABRK	Alike	1 3/4	7/8	Laminated Steel	9/32	5/8	13/16	0.45
SA886	22	Different	1 1/2	3/4	Laminated Steel	1/4	5/8	9/16	0.50
SA887	22KA	Alike	1 1/2	3/4	Laminated Steel	1/4	5/8	9/16	0.50

COMBINATION PADLOCKS

Master Lock has reinvented the combination padlock with our new Blockguard™ technology. This patent-pending "Anti-Shim" technology deters shimming a padlock - shimming is a method of violating a lock by inserting a specially designed tool into its latch mechanism. Blockguard™ has unique flat latch technology that blocks typical shimming tools from opening the locks and thus deterring break-ins.

- These combination padlocks feature the new Blockguard™ anti-shim technology
- Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Hardened steel shackles resists cutting and prying
- 40 number, 3-number dialing provides thousands of possible combinations available
- Dial automatically locks under shackle tension to prevent "feeling out" the combination and automatically scrambles when closed to prevent accidental opening
- Fits lockers with a padlock eye of at least 5/16" (8 mm) in diameter

SAX608

Master Lock

BLOCK GUARD Anti-Shim Technology



SUPERVISORY COMBINATION PADLOCKS

- The model **SAX608** combination padlock allows a control key to be used by a supervisor to access all combination padlocks in their system - great for storage lockers
- **SAX609** control key sold seperately, please call your branch for charting these locker systems

Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAX608	1525	1 7/8 Dia.	3/4	Stainless Steel	9/32	3/4	13/16	0.55
SAX609	K1525	Control Key		Brass	-	-	-	0.02

SR914

Master Lock

BLOCK GUARD Anti-Shim Technology



COMBINATION PADLOCKS

- World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for kelyless convenience
- Double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Model **SR914** are school standard's in combination padlocks

Model No.	Mfg. No.	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SR914	1500	1 7/8 Dia.	3/4	Stainless Steel	9/32	3/4	13/16	0.50
SAL506	1500LH	1 7/8 Dia.	3/4	Stainless Steel	9/32	2	13/16	0.50

HIGH SECURITY HASPS

- Ideal for vans, trucks, gates and vending machines
- Hardened steel hasp withstands forcible attacks
- Defeats attempts to pry and cut
- Designed to be used with **SAO688** (hidden shackle lock) for maximum security

SAO687



Master Lock

Model No.	Mfg. No.	Description	Hasp Length Inches	Hasp Length mm	Max Shackle Dia. Inches	Max Shackle Dia. mm	Shipping Weight (lbs.)
SAO687	770	9" x 4 1/2"	9	228	Accepts only puck locks		3.00
SAO688	6270	Lock	-	-	-	-	-

HEAVY-DUTY SECURITY HASPS

- Zinc-plated hardened steel for added strength and weatherability
- Hardened steel staple resists cutting, sawing and hammering
- Hasp body conceals mounting hardware
- Mounting hardware included for easy installation
- Combine model **SEJ522** with **SAO688** (hidden shackle lock) for maximum security

SEJ522

Master Lock

Model No.	Mfg. No.	Description	Hasp Length Inches	Hasp Length mm	Max Shackle Dia. Inches	Max Shackle Dia. mm	Shipping Weight (lbs.)
SEJ522	730	7 1/4" Straight Bar	7 1/4	180	7/16	11	1.25
SAO688	6270	Lock	-	-	-	-	-

HINGED SECURITY HASPS

- Secure hard-to-lock property, ideal for corners and angles
- Hardened steel body for added strength
- Hardened boron alloy staples resist cutting and sawing
- Single and double hinge styles with hidden hinge pins

SEJ523



SEJ524

Master Lock

Model No.	Mfg. No.	Description	Hasp Length Inches	Hasp Length mm	Max Shackle Dia. Inches	Max Shackle Dia. mm	Shipping Weight (lbs.)
SEJ523	722DPF	Double Hinge	7 3/4	197	7/16	11	0.94
SEJ524	720DPF	Single Hinge	6 1/4	159	7/16	11	0.80

GENERAL SECURITY HASPS

- Hardened wrought ribbed steel and rolled edge design for added strength
- Hardened steel staples resist cutting and sawing
- Hardened steel locking eyes for strong cut resistance
- Tamper proof hinges help resist prying

Model No.	Mfg. No.	Description	Hasp Length Inches	Hasp Length mm	Max Shackle Dia. Inches	Max Shackle Dia. mm	Shipping Weight (lbs.)
SEJ525	706D	Hard Wrought Steel Body	6	152	9/16	14	0.60
SEJ526	704DPF	Hard Wrought Steel Body	4 1/2	114	1/2	13	0.40
SAG267	703D	Hard Wrought Steel Body	3 1/2	89	11/32	9	0.30
SEJ527	702D	Hard Wrought Steel Body	2 1/2	64	9/32	7	0.20

AMERICAN LOCK® HIGH SECURITY GATE HASPS

- Patent-pending gate hasp provides maximum security, for double-drive industrial gates with 1 5/8" or 2" frames
- Shackle housing protects padlocks from cutting attacks
- Simple 4-bolt installation, with all mounting hardware included
- Adjustable slide fits gate openings from 3" to 6" wide
- Accepts padlocks with 7/16" diameter shackles and 1" vertical shackle clearance

Model No.	Mfg. No.	Description	Hasp Length Inches	Hasp Length mm	Max Shackle Dia. Inches	Max Shackle Dia. mm	Shipping Weight (lbs.)
SEJ528	A810	Padlock Eye, Right Angle	1 1/2	38	1/2	13	8.05

ZENEX™ DIELECTRIC SAFETY PADLOCKS

- Designed exclusively for confined space, medical, military and electrical lockout/tagout
- Nylon shackle does not conduct electricity and is non-sparking
- All components are non-sparking and non-magnetic plastic, copper and brass
- Shackle withstands over 300-lb. pull force

SAR838

406 SERIES

Model No.	Mfg. No.	Colour	Body Size Width"	Body Size Height"	Body Material	Shackle Clearance Width"	Shackle Clearance Height"	Shackle Clearance Dia."	Shipping Weight (lbs.)
SAR833	406RED	Red	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR834	406ORJ	Orange	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR835	406YLW	Yellow	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR836	406GRN	Green	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR837	406BLU	Blue	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR838	406BLK	Black	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR839	406PRP	Purple	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21
SAR840	406TEAL	Teal	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21

S31 GLOBAL ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed to fit smaller diameter lockout points for lockout/tagout applications (ie European OEM Equipment)
- 3/16" (4.76 mm) diameter shackle
- Marine grade 316 stainless steel shackle for superior corrosion resistance
- Special thermoplastic body offers superior performance against chemicals, moisture, heat, cold and UV
- Operates from -70°F to +350°F (-56°C to +176°C)
- Key retaining, cannot remove key unless the shackle is closed
- Shackle withstands over 300-lb. pull force

SED617

S31 SERIES

Model No.	Mfg. No.	Colour	Body Size Width"	Body Size Height"	Body Material	Shackle Clearance Width"	Shackle Clearance Height"	Shackle Clearance Dia."	Shipping Weight (lbs.)
SED617	S31BLK	Black	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23
SED618	S31BLU	Blue	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23
SED619	S31GRN	Green	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23
SED620	S31ORJ	Orange	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23
SED621	S31RED	Red	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23
SEJ529	S31YLW	Yellow	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23

ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body is easy to carry
- Special thermoplastic body offers superior performance against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40,000 unique key changes available
- Key retaining - ensures that padlocks are not left unlocked , cannot remove key until shackle is closed
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- Optional shackle heights of 1-1/2" or 3" are available upon request
- For extra keys or master keying, please call us
- Body size:
  410 Series: 1-1/2" W x 1-3/4" H
  411 Series: 1-1/2" W x 3" H
- Body material: Thermal plastic
- Shackle clearance: 25/32" W x 1-1/2" H x 1/4" Dia.

SAL142 SAL144 SAL134 SAL135 SAL137

410 SERIES - KEYED DIFFERENT

Model No.	Mfg. No.	Colour
SAL134	410BLK	Black
SAL135	410BLU	Blue
SAL136	410GRN	Green
SAL137	410ORJ	Orange
SAL138	410RED	Red
SAL139	410YLW	Yellow

411 SERIES - KEYED DIFFERENT

Model No.	Mfg. No.	Colour
SAL140	411BLK	Black
SAL141	411BLU	Blue
SAL142	411GRN	Green
SAL143	411ORJ	Orange
SAL144	411RED	Red
SAL145	411YLW	Yellow

410 SERIES - KEYED ALIKE

Model No.	Mfg. No.	Colour
SETS OF 3		
SDM765	410KAS3RED	Red
SDM767	410KAS3YLW	Yellow
SDM761	410KAS3BLU	Blue
SETS OF 6		
SDM773	410KAS6RED	Red
SDM775	410KAS6YLW	Yellow
SDM769	410KAS6BLU	Blue
SETS OF 12		
SDM781	410KAS12RED	Red
SDM783	410KAS12YLW	Yellow
SDM777	410KAS12BLU	Blue

Available in sets of 18 and 24. Also available in other colours

411 SERIES - KEYED ALIKE

Model No.	Mfg. No.	Colour
SETS OF 3		
SDM805	411KAS3RED	Red
SDM807	411KAS3YLW	Yellow
SDM801	411KAS3BLU	Blue
SETS OF 6		
SDM813	411KAS6RED	Red
SDM815	411KAS6YLW	Yellow
SDM809	411KAS6BLU	Blue
SETS OF 12		
SDM821	411KAS12RED	Red
SDM823	411KAS12YLW	Yellow
SDM817	411KAS12BLU	Blue

Available in sets of 18 and 24. Also available in other colours

PADLOCK IDENTIFICATION LABELS

- Optimize your facility's lockout practices with photo ID labels or laminated safety padlock labels for your employee's safety padlocks
- **Photo ID labels**: Self adhesive labels to be applied to your safety padlocks
- Customer can print their own photo and size it to fit photo ID label
- **Laminated identification labels**: Self adhesive labels with clear overlaminate to be applied to your safety padlocks

SEJ530

SEJ533

Model No.	Mfg. No.	Description	Dimensions W"	x	T"
SEJ530	S142	Photo ID Labels for 410, S31, S33 Padlocks (6 labels/pkg.)	1	x	1
SEJ531	0411-5705	Photo ID Labels for 411 Series Padlocks (6 labels/pkg.)	1	x	3-5/8
SEJ532	6835-5700	Photo ID Labels for Aluminum Padlocks (6 labels/pkg.)	1-1/4	x	2-3/4
SEJ533	461	Padlock Safety Labels w/clear overlaminates (50 labels/pkg.)	5	x	1

LASER ENGRAVING

- A permanent and durable method to customize your safety padlocks
- Available on Master Lock/American Lock aluminum and Zenex™ padlocks
- Laser engrave information on the padlock face, side and back
- A name, company logo or key number, you select the important information to engrave on the padlock
- For further laser engraving customization of your padlocks, please call us!

AMERICAN LOCK® ALUMINUM SAFETY PADLOCKS

- Lightweight solid aluminum body for lockout/tagout
- Durable, anodized colour finish is suitable for lockout/tagout procedures in food and pharmaceutical manufacturing
- Uses FDA approved lubricants safe for use in food processing
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Removable 5-pin cylinder can be replaced or repined
- Safety colour recognition, plus high security
- Key retaining option available. Includes two keys per lock
- Optional shackle heights of 1", 1-1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- For master keying, please call us
- Body size: 1-1/2" W x 1-3/4" H
- Body material: Aluminum
- Shackle clearance: 25/32" W x 1" H x 1/4" Dia.

AMERICAN LOCK®

A1105 SERIES - KEYED DIFFERENT

Model No.	Mfg. No.	Colour
SA0712	A1105BLK	Black
SA0713	A1105BLU	Blue
SA0714	A1105GRN	Green
SA0715	A1105ORJ	Orange
SA0716	A1105RED	Red
SA0717	A1105YLW	Yellow
SA0718	A1105BRN	Brown
SA0719	A1105CLR	Clear
SA0720	A1105PRP	Purple

A1105 SERIES - KEYED ALIKE

Model No.	Mfg. No.	Colour
SETS OF 3		
SDM877	A1105KAS3RED	Red
SDM878	A1105KAS3YLW	Yellow
SDM871	A1105KAS3BLU	Blue
SETS OF 6		
SDM886	A1105KAS6RED	Red
SDM887	A1105KAS6YLW	Yellow
SDM880	A1105KAS6BLU	Blue
SETS OF 12		
SDM895	A1105KAS12RED	Red
SDM896	A1105KAS12YLW	Yellow
SDM889	A1105KAS12BLU	Blue

Available in sets of 18 and 24.
Also available in other colours

MASTER LOCK® ALUMINUM SAFETY PADLOCKS

- Lightweight solid aluminum body
- Durable, baked on powder-coat colour finish stays bright in all UV conditions
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Key retaining option available. Includes two keys per lock
- Optional shackle heights of 1", 1 1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- For master keying, please call us
- Body size: 1-1/2" W x 1-3/4" H
- Body material: Aluminum
- Shackle clearance: 25/32" W x 1" H x 1/4" Dia.

Master Lock

6835 SERIES - KEYED DIFFERENT

Model No.	Mfg. No.	Colour
SN709	6835RED	Red
SN710	6835BLU	Blue
SN711	6835GRN	Green
SN712	6835YLW	Yellow
SN713	6835ORJ	Orange
SN714	6835BLK	Black

6835 SERIES - KEYED ALIKE

Model No.	Mfg. No.	Colour
SETS OF 3		
SDM844	6835KAS3RED	Red
SDM845	6835KAS3YLW	Yellow
SDM841	6835KAS3BLU	Blue
SETS OF 6		
SDM850	6835KAS6RED	Red
SDM851	6835KAS6YLW	Yellow
SDM847	6835KAS6BLU	Blue
SETS OF 12		
SDM856	6835KAS12RED	Red
SDM857	6835KAS12YLW	Yellow
SDM853	6835KAS12BLU	Blue

Available in sets of 18 and 24.
Also available in other colours

LAMINATED STEEL SAFETY LOCKOUT PADLOCKS

- Reinforced laminated steel body construction withstands physical abuse
- Key code stamped on key and on bottom of padlock for easy identification
- Uses FDA approved lubricants safe for use in food processing
- 9/32" diameter boron steel shackle with plated finish for corrosion resistance
- Over 1,400 unique key changes available
- Comes with two keys per padlock
- Optional shackle heights of 3/4", 1 1/2" or 2" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- For keyed alike options or master keying, please call us

Master Lock



3 SERIES

Model No.	Mfg. No.	Colour	Body Size Width"	Body Size Thickness"	Body Material	Shackle Clearance A"	Shackle Clearance B"	Shackle Clearance C"	Shipping Weight (lbs.)
SAL146	3BLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL147	3RED	Red	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL148	3YLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL149	3GRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL150	3BLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL151	3WHT	White	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40
SAL152	3LHBLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42
SAL153	3LHRED	Red	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42
SAL154	3LHYLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42
SAL155	3LHGRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42
SAL156	3LHBLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42
SAL157	3LHWHT	White	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42

LATCH TIGHT™ LOCK BOXES

- Integrated storage organizes up to 12 keys or hundreds of bulk keys
- Can only release when no padlocks are fastened to the lock box
- Works with all safety padlock shackle sizes and lengths
- Traditional bulk key storage is also possible through the key slot in front of the lock box lid
- Has lockout points for 14 padlocks or hasps
- Unit can be mounted to a wall or carried with the comfortable form fitted handle
- Powder coated finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments

Master Lock

Model No.	Mfg. No.	Colour
SA0597	503RED	Red
SA0628	503YEL	Yellow

LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps
- Complements **SAO597** and **SAO628** wall mount lock box (call for more info)
- Colour: Red

Model No. SAL519
Mfg. No. 498A

Master Lock

PADLOCK CADDIES

- Durable plastic construction
- Allows user to carry or store safety locks to address all lockout points
- Can be customized to the number of padlocks needed by user for lockout points (max 12 locks)
- Can be carried, mounted on belt or hung at lockout site
- Collated key holder ensures user's key is with the locks
- Dimensions: 7 1/4" W x 5 1/8" H x 19/32" Thick
- Ergonomic carry handle

Model No. SAR846
Mfg. No. S125

Master Lock

Note: Padlocks and key not included

HEAVY-DUTY PADLOCK RACK STATIONS

- Locate padlocks near lockout point
- Heavy gauge steel with durable powder coat finish ensures long life in manufacturing environment
- Includes labels in English, French and Spanish

SAP986

SAP985

Master Lock

Model No.	Mfg. No.	Description	Padlock Capacity
SAP985	S1506	6 1/4" x 1 1/2"	6 to 8
SAP986	S1518	17 1/2" x 1 1/2"	18 to 22

LOCKOUT TAGOUT CABINET

The Lok Box stands up to the toughest industrial work environments. Ready to use, it will provide employees with a focal point to pick up the required products when following their lockout / tagout procedures. The Lok Box is painted with a high-visibility industrial safety yellow acrylic polyester paint that is baked in for improved durability. Available in three different sizes - you choose the one best suited to your needs. Complete with padlocks, lockout hasps and tags or empty if you choose to assemble your own kit.

SG954

SG955

BRADY®

W/COMPONENTS

Model No.	Mfg. No.	Size
SG951	65646	Small
SG952	65648	Medium
SG953	65650	Large

W/O COMPONENTS

Model No.	Mfg. No.	Size
SG954	65647	Small
SG955	65649	Medium
SG956	65651	Large

DIMENSIONS & COMPONENTS

Size	Dimensions W"	x	D"	x	H"	No. of Padlocks	No. of Lockout Hasps	No. of Lockout Tags
Small	7	x	3	x	8	4	3	25
Medium	8	x	3	x	11	8	4	25
Large	12	x	3	x	16	20	9	75

TAG STATIONS

- Durable tag centre holds 18 tags
- Hanger clips hold padlocks and hasps
- Includes face labels in English, French and Spanish
- Dimensions: 9 3/4" x 5 3/4" x 1 1/2"

SAP987

Master Lock

Model No.	Mfg. No.	Description
SAP987	S1601	Tag Centre (unfilled)
SAP988	S1601A	Tag Centre, 12 English Tags
SAP989	S1601FRC	Tag Centre, 12 Bilingual Tags

COMPACT LOCKOUT STATIONS

- Ideal for locating machine specific lockout devices, tags and padlocks near lockout point
- 6 1/2" W x 2 7/8" D x 2 7/8" H bin holds circuit breaker lockouts, valve lockouts, plug lockouts, tags and much more
- Hanger clips hold padlocks and hasps
- Dimensions: 9 3/4" x 7 7/8" x 2 7/8"
- Includes face labels in English, French and Spanish

SAP993

Master Lock

Model No.	Mfg. No.	Description	Contains
SAP990	S1700	Compact Lockout Station	Unfilled
SAP991	S1705P410	Compact Lockout Station	One hasp, two tags, 1 Zenex™ Lock
SAP992	S1720E410	Circuit Breaker Lockout Station	Two SAO595 breaker lockouts, four tags and two Zenex™ Locks
SAP993	S1745E410	Plug Lockout Station	One plug lockout, one tag and one Zenex™ Lock

LOCKOUT STATIONS

Virtually Indestructible, the Strongest Stations Available!

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Innovative hinge holds cover open for easy product selection
- Available with your choice of safety lock design with highly visible red locks keyed different of Zenex™, aluminum or laminated steel in 4, 10 or 20 lock format
- Zenex™ locks available with up to 100,000 key changes available to fit even the largest lockout systems
- Compliant with OSHA "One employee, One lock, One key" directive
- Lockout stations are bilingual with English/ French labels and lockout tags

SAO601

4-LOCK STATIONS INCLUDE:

- 4 Master Lock® Safety Series™ padlocks
- 2 Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 12.25" x 16" x 1.75"

Model No	Mfg. No.	Description
SA0598	1482BFRC	Base only (unfilled)
SA0601	1482BP3FRC	Station with Laminated Padlocks
SA0602	1482BP410FRC	Station with Zenex™ Padlocks
SA0603	1482BP1106FRC	Station with American Lock® Aluminum Padlocks

SAO605

10-LOCK STATIONS INCLUDE:

- 10 Master Lock® Safety Series™ padlocks
- 2 Safety Series™ hasps for lockouts by up to six workers
- 24 Safety Series™ heavy-duty bilingual **"Do Not Operate"** lockout I.D. tags with brass grommets
- Dimensions: 15.5" x 22" x 1.75"

Model No	Mfg. No.	Description
SA0599	1483BFRC	Base only (unfilled)
SA0604	1483BP3FRC	Station with Laminated Padlocks
SA0605	1483BP410FRC	Station with Zenex™ Padlocks
SA0606	1483BP1106FRC	Station with American Lock® Aluminum Padlocks

SAO609

20-LOCK STATIONS INCLUDE:

- 20 Master Lock® Safety Series™ padlocks
- 4 Safety Series™ hasps for lockouts by up to six workers
- 48 Safety Series™ heavy-duty bilingual **"Do Not Operate"** lockout I.D. tags with brass grommets
- Dimensions: 22" x 22" x 1.75"

Model No	Mfg. No.	Description
SA0600	1484BFRC	Base only (unfilled)
SA0607	1484BP3FRC	Station with Laminated Padlocks
SA0608	1484BP410FRC	Station with Zenex™ Padlocks
SA0609	1484BP1106FRC	Station with American Lock® Aluminum Padlocks

DELUXE LOCKOUT STATIONS

- Durable construction ensures long life in your facility
- Covered compartments protects devices and keep dust and grime out
- Upper and lower section are lockable ensuring lockout devices are there when needed
- Add a combination lock for simple access control
- 16 hanger clips holds two padlocks or hasps each
- Moveable dividers in top and bottom trays help organize devices
- Holes provided along the bottom for optional peg hook hangers to hang bulky devices
- Lower half has two tip-out drawers, each measuring 10" W x 6 7/8" H x 1/4" D
- Dividers included to create 2, 3, 4, 5 or 6 compartments
- Each compartment in lower section holds 25 tags, 150 tags total
- Lockout stations are bilingual with English/French labels and lockout tags
- Dimension: 23.5" W x 4.5" D x 27" H
- Station includes: 6 padlocks, 2 hasps, 1 snap-on hasp, 1 adjustable cable lockout, 4 gate valve lockout , 2 ball valve lockout , 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout , 2 wall switch covers, 2 packs of tags (12/pack)

SAS412

Model No.	Mfg. No.	Description
SAS415	S1900FRC	Base only (unfilled)
SAS412	S1900VE410FRC	Station with Zenex™ Padlocks
SAS413	S1900VE1106FRC	Station with American Lock® Aluminum Padlocks
SAS414	S1900VE3FRC	Station with Steel Padlocks

LOCKOUT STATIONS

- Durable construction for years of use in corrosive environments
- Eight hanger clips holds two padlocks or lockout hasps each
- Top and bottom compartments each have five moveable dividers
- Holes provided along with bottom for optional peg hook hangers to hang bulky devices
- Lockable - use a combination padlock to limit access to authorized employees
- Covered compartments protect devices and keep dust and grime out
- Dimensions: 23.5" W x 4.5" D x 15.5" H
- Electrical focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout , 2 wall switch covers, 2 packs of tags (12/pack)
- Valve lockout focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 3 gate valve lockout, 2 ball valve lockout, 2 tags (12/pack)

SAS417

Model No.	Mfg. No.	Description
ELECTRICAL FOCUS STATIONS		
SAS416	S1850FRC	Base only (unfilled)
SAS417	S1850E410FRC	Station with Zenex™ Padlocks
SAS418	S1850E1106FRC	Station with American Lock® Aluminum Padlocks
SAS419	S1850E3FRC	Station with Steel Padlocks
VALVE LOCKOUT FOCUS STATIONS		
SAS416	S1850FRC	Base only (unfilled)
SAS420	S1850V410FRC	Station with Zenex™ Padlocks
SAS421	S1850V1106FRC	Station with Aluminum American Lock® Padlocks
SAS422	S1850V3FRC	Station with Steel Padlocks

SAS420

DELUXE TAG CENTRES

- Two tip-out bins each have three compartments for tags
- Each compartment holds 25 tags, capacity 150 tags
- Compartments can also hold safety eyewear and ear protection
- Each tip-out drawer measures 10" W x 6 7/8" H x 3 1/4" D
- Eight hanger clips can hold safety padlocks or hasps
- Lockable - use a combination padlock to limit access to authorized employees
- Dimension: 22" W x 4 1/8" D x 11" h

Model No. SAS423
Mfg. No. S1800

TAGS NOT INCLUDED

SAS423

MINI LOCKOUT STATIONS

- Four solid Master Lock® padlocks with blue bumpers
- 25 durable lockout tags, 3" x 5 3/4", printed with "**Do Not Operate"**
- Tags are made of 20 mil styrene
- Three metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 11" x 14"

SI958

Honeywell

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description
SI957	LSE104	**SE323**	LSF104	Empty Station
SI958	LSE104F	**SE324**	LSF104F	Station w/Accessories

SI960

SINGLE LOCKOUT STATIONS

- 10 solid Master Lock™ padlocks with blue trim
- 50 durable lockout tags, 3" x 5 3/4", printed with "**Do Not Operate"**
- Tags are made of 20 mil styrene
- Three metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 14" x 21"

Honeywell

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description
SI959	LSE105	**SE325**	LSF105	Empty Station
SI960	LSE105F	**SE326**	LSF105F	Station w/Accessories

DEPARTMENT LOCKOUT STATIONS

- 20 solid Master Lock™ padlocks with blue trim
- 100 durable lockout tags, 3" x 5 3/4", printed with "**Do Not Operate"**
- Tags are made of 20 mil styrene
- Six metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 21" x 29"

SI962

Honeywell

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description
SI961	LSE106	**SE327**	LSF106	Empty Station
SI962	LSE106F	**SE328**	LSF106F	Station w/Accessories

LOCKOUT TOOL BOXES WITH COMPONENTS

A crucial part of any lockout/tagout program is to prevent worker injury by cutting the power on a piece of equipment that is being serviced. The Lockout Tool Box, 17" W x 5" D x 4 1/2" H, has what you need to lock and mark your equipment preventing its use until repairs have been completed.

KIT CONTAINS:

1 Plastic lockout tool box w/tray
1 1" to 2.5" gate valve lockout
1 Small ball valve lockout
1 3/4" blue padlock
1 2" blue padlock
1 Wall switch lockout
1 Labeled lockout hasp
5 Lockout tags
1 Universal multi-pole lockout
1 277 V "No Hole" breaker lockout
1 480/600 V "No Hole" breaker lockout
1 Small plug lockout

Model No. SG946
Mfg. No. 65289

ELECTRICAL LOCKOUT TOOLBOXES

- All the basics for locking out breakers, electrical plugs, wall switches and fuses

KIT CONTAINS:

2 Mini cable lockouts
2 120 V snap-on breaker lockouts
2 120 V/277 V clamp-on breaker lockouts w/cleats
2 480 V/400 V Clamp-On Breaker Lockouts w/cleats
2 Universal multi-pole breaker lockouts
1 Oversized breaker lockout
1 3-in-1 plug lockout
1 Wall switch lockout
1 Small fuse blockout
1 Large fuse blockout
1 Extra-large lockout toolbox

Model No.	Mfg. No.	Description
SEC369	99310	Electrical Lockout Toolbox Kit
SEC370	99312	Kit w/2 Safety Padlocks & 2 Tags

PERSONAL BREAKER LOCKOUT POUCHES

- Pouch contains one each of the most popular circuit breaker lockouts
- Covers 120 V/277 V and 460 V/600 V breakers in single- and multi-pole configurations

KIT CONTAINS:

1 120 V/277 V clamp-on breaker lockout w/cleat
1 480 V/600 V clamp-on breaker lockout w/cleat
1 Universal multipole breaker lockout
2 1" group lockout hasps
2 Heavy-duty lockout tags w/nylon cable ties
1 Lockout belt pouch

SEC367

SEC368

Model No.	Mfg. No.	Description
SEC367	105966	Personal Breaker Lockout Pouch Kit
SEC368	105967	Kit w/2 Keyed-Alike Safety Padlocks

PERSONAL LOCKOUT POUCHES

- Easy to carry pouch holds lockout essentials
- Holds one worker's personal padlocks, tags and circuit breaker devices

KIT CONTAINS:

1 Padlock **SAL138** for **SAL515** and **SED603** and **SAL147** for **SAL516**
1 Pouch **SAL538**
1 Breaker switch padlock **SAL525**
1 Hasp **SA875**
2 Circuit breaker lockouts **SAO595**
1 Circuit breaker lockouts **SAO594**
12 "DO NOT OPERATE" tags - see **SBD042** for English and **SEC862** for French replacement tags (25/pkg.)

SAL515

SED603

Model No.	Mfg. No.	Description
SAL515	1456E410	Large Pouch w/Zenex™ Padlock
SAL516	1456E3BLU	Large Pouch w/Steel Padlock
SAL538	1456	Large Pouch Only
SED603	S1010E410	Compact pouch w/Zenex™ padlock
SED602	S1010	Compact pouch only

ELECTRICAL LOCKOUT KITS

(KEYED ALIKE PADLOCKS)

- Safety lockout carrying case keeps important lockout devices and padlocks together
- Personal kits are for the individual worker; padlocks supplied are keyed-alike for added worker convenience
- Kits include high-use components, satisfying most applications

KIT CONTAINS:

3 Zenex™ Padlocks
1 Portable safety carrying case **SEC446**
1 Breaker switch padlock **SAL525**
1 Hasp **SA875**
1 Snap-on hasp **SAL541**
3 Circuit breaker lockouts **SAO595**
2 Circuit breaker lockouts **SAO594**
1 Wall switch cover - see **SAO708** for replacement cover
12 "DO NOT OPERATE" tags - see **SBD042** for English and **SEC862** for French replacement tags (25/pkg.)

Model No.	Mfg. No.	Description
SAL536	1457E410KA	w/Zenex™ Padlocks
SAL537	1457E3KA	w/Steel Padlocks
SEC446	S1017	Carrying Case Only

ELECTRICAL & VALVE LOCKOUT KITS

- Modular lockout/tagout organizers
- Lightweight safety lockout carrying case with modular, translucent storage compartments for improved organization and fast component selection
- Separate compartments for effective grouping of (1) padlocks and hasps, (2) valve lockout and (3) electrical lockout components
- Kits include high-use components, satisfying most applications
- Group kits are for multiple workers; padlocks supplied are keyed-different, so that no unwanted key interchange occurs
- Include permanent write-on labels (English, French and Spanish) that allow instant on-site customization for each worker

KIT CONTAINS:

6 Padlocks **SAL138** for **SAL517**
1 Portable safety organizer **SAL543**
2 Breaker switch padlocks **SAL525**
1 Hasp **SA875**
1 Snap-on hasp **SAL541**
1 Adjustable cable lockout **SED597**
1 Plug cover lockout **SAL520**
1 Plug cover lockout **SAL521**
1 **SAL526**, **SAL527** and **SAL528** gate valve cover
2 Ball valve covers - see **SAO596** for replacement covers
6 Circuit breaker lockouts **SAO595**
3 Circuit breaker lockouts **SAO594**
2 Wall switch covers - see **SAO708** for replacement cover
24 "DO NOT OPERATE" tags - see **SBD042** for English and **SEC862** for French replacement tags (25/pkg.)

Model No.	Mfg. No.	Description
SAL517	1458VE410	w/Zenex™ Padlocks
SAL543	1458	Portable Safety Organizer Only

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Tough flexible multistranded steel cable is insulated with a clear plastic coating
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable lockout w/3' cable
SED597	S806	Cable lockout w/6' cable
SED598	S806CBL15	Cable lockout w/15' cable

LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion resistance and strength
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

Model No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP998	427GRN	Green
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/pkg.*

*Includes red, black, blue, green, yellow and silver

LOCKOUT HASPS

Multiple lockouts provide a means of locking control devices for machinery or electrical power sources, while maintenance or repairs are being carried out. Designed for use on fuse and switchboxes, air, steam, or acid valves. Accommodates padlock shackles up to 3/8" diameter and hasp is 1" diameter.

SC703

SC706

XA231

Model No.	Mfg No.	Description	Dimensions"
SC703	RSE66	Dual Scissor, Steel Polyester-Coated	5-1/4
XA231	RAE60	Single Scissor, Aluminum Polyester-Coated	4-3/8 x 3/8
SC706	MS01	Nylon Dielectric Single Vertical Line Lock	1-5/8 x 6-7/8
SA0703	429	Dual Jaw Aluminum	2 x 5-7/8
SA0704	418	4-Lock Heavy-Duty Steel	2-3/8 x 3-1/4
SA0705	419	8-Lock Heavy-Duty Steel	2-3/8 x 6-5/8

SAFETY LOCKOUT HASPS

- Attach hasp to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed from hasp
- Multiple styles available

SEA314

SEA315

SAO704

SA875

SAN508



SAR075

SAO703

SED601

Model No.	Mfg. No.	Description	Dimensions W"	x	L"	Inside Jaw Clearance"	Jaw Dia.	Padlock Capacity
SEA314	416	Spark Resistant Aluminum	1-1/2	x	4-3/8	1	1/4"	6
SEA315	417	Spark Resistant Aluminum	2	x	4-7/8	1-1/2	1/4"	6
SA0704	418	Heavy-Duty Steel	2-3/8	x	3-1/4	1	1/4"	4
SA0705	419	Heavy-Duty Steel	2-3/8	x	3-1/4	3	1/4"	8
SA875	420	Steel Jaw w/Vinyl Coated Handle	1-3/4	x	4-1/2	1	1/4"	6
SA876	421	Steel Jaw w/Vinyl Coated Handle	2-3/8	x	5	1-1/2	1/4"	6
SAN507	422	Economy Yellow Safety Hasp w/Locking Tabs	1-3/4	x	4-1/2	1	1/4"	6
SAN508	424	Economy Yellow Safety Hasp w/Locking Tabs	2-3/8	x	5	1-1/2	1/4"	6
SAR075	428	Nylon Non-Conductive Hasp	1-5/8	x	6-7/8	1 x 2-1/2	3/16"	6
SA0703	429	Dual Jaw Aluminum Hasp	2	x	5-7/8	1 x 2-1/2	1/4"	8
SED601	S430	Steel Hasp w/Red Plastic Handle	2-1/4	x	3"	1	4 mm	2

ELECTRICAL PLUG LOCKOUTS

- Lockout electrical plugs from any accidental reconnection
- Made of high visibility red plastic which is entirely dielectric
- Model **SA864** will accept 110 V, plug 3 1/4" x 1 3/4" with a maximum of 1/2" cable
- Model **SA865** will accept 220 to 550 V, plug 6 3/4" x 3" with a maximum 1" cable

Honeywell

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"	Volts
SA864	LP110	3 1/4	x	1 3/4	x	1 3/4	110
SA865	LP550	6 3/4	x	3	x	3	220-550

ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique outward rotation allows for easier installation in confined space applications
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- The **SAL521** labels can be written-on to identify the responsible person and then erased for the next job

SAL520

PADLOCK NOT INCLUDED

SAL521

Master Lock

Model No.	Mfg. No.	For Electrical Plugs Sizes Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)

CIRCUIT BREAKER SWITCH PADLOCKS

- Provides the flexibility to effectively lock out breaker switches
- Flexi-cable allows the lock body to be moved out of the way and panel door to be closed properly
- Fits the tight space constraints within a circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication
- 1 1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable

Model No. SAL525
Mfg. No. 7C5RED

Master Lock

UNIVERSAL WALL SWITCH COVERS

- Prevent unintentional toggling of wall switch to "ON" position
- One-time installation uses the existing wall plate screws
- Hinges open for unobstructed normal operation switch
- Lock the switch in either the "ON" or "OFF" position by closing the cover over the switch, then applying padlock
- Locks out both toggle and decor paddle wall switches

Model No. SAO708
Mfg. No. 496B

Master Lock

GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS

- Exclusive design accommodates virtually all styles of breaker toggles
- Fits all American Lock® and Master Lock® safety padlocks and hasps
- Two products replace at least five. **SAO595** is used for single and double breaker toggles, while **SAO594** is appropriate for tall and wide breaker toggles
- Grips tight with a simple thumb turn and clamping handle
- Narrow profile permits side-by-side breaker lockout
- Made of powder coated steel and reinforced polymer to operate in harsh conditions



Master Lock

Model No.	Mfg. No.	Description
SA0594	491B	Tall & Wide Toggles
SA0595	493B	Standard Single and Double Toggles
SA0707	506	Set of each SA0594 and SA0595

COMPACT PLUG PRONG LOCKOUTS

- Compact design locks out 110 V – 120 V electrical plugs
- Works with two-prong or two-prong with ground plugs
- Can be used with safety padlocks or lockout hasps, no key needed
- New design can now accommodate larger shackle locks and safety hasps

PADLOCK NOT INCLUDED

Master Lock

Model No.	Mfg. No.	Description
SAR841	S2005	Electrical Outlet Lockout

SEAL TIGHT™ HANDLE-ON BALL VALVE LOCKOUTS

- Patent-pending innovative design locks out the ball valves from 1/4" to 4"
- Lightweight and compact ergonomic design allows easy use and storage
- Constructed of metal alloy, this lockout device withstands corrosive environments and operates in extreme temperatures
- Works in virtually all ball valve installations – metal and PVC valves, insulated pipes, and pipes with tight access due to close proximity to other valves, pipes or structures
- Works with all Master Lock® and American Lock® safety padlocks and safety hasps

Model No. SAS463
Mfg. No. S3068

Master Lock

PADLOCK NOT INCLUDED

ADJUSTABLE BALL VALVE LOCKOUTS

- Fits valves 1/2" to 2" in size
- Four locking holes are compatible with all Master Lock® and American Lock® safety padlocks
- Locks valve in the closed position
- Includes removable handle insert to accommodate a wide range of handle designs and dimensions
- Durable, lightweight thermoplastic material performs effectively in extreme environments; -40°F to 200°F

Model No. SEI878
Mfg. No. S3081

Master Lock



STANDARD BALL VALVE LOCKOUT DEVICES

- Patented design fits all major brand ball valves
- Simple one-piece design makes it easy to use
- Assist in compliance with lockout regulations
- Fits most valves up to 3"



BRADY®

Model No.	Mfg. No.	Valve Size"	Max. Shackle Diameter"	Max. Handle Width"	Max. Handle Thickness"	Material
SAC636	65692	1/4 - 1	3/8	1	3/4	Powder-coated Steel
SAC637	65693	1 1/4 - 3	3/8	9/10	1/2	Powder-coated Steel

BALL VALVE LOCKOUTS

Available in three sizes for valves from 3/8" to 8". Constructed of heavy-duty, high visibility red polypropylene that is fully dielectric and chemical and solvent resistant. Model **SA857** allows you to lock valves in the open or closed position.

Honeywell

Model No.	Mfg. No.	Fits Valve Size"
SA857	BS01R	3/8 to 1 1/4
SA858	BS02R	1 1/2 to 2 1/2
SA859	BS03R	2 to 8

SEAL TIGHT™ BALL VALVE LOCKOUTS

- Compact, lightweight, flexible and easy to use, the Seal Tight™ valve lockout works on virtually every valve size and applications
- Eliminates the risk of accidentally moving a handle by removing it and concealing the stem
- Effectively locks out all valves from 3/8" to 4", thus eliminating specific valve lockout systems
- Simple to apply, with an intuitive wrapping strap and locking mechanism
- Works on virtually all valves; metal and PVC, insulated pipes, ceiling or wall-mounted pipes and hard to reach valves
- Made of PVC polyester fabric and HDPE plastic, it withstands corrosive environments and operates in temperatures from -40°F to 300°F

Model No. SAO596
Mfg. No. 468L

OVERSIZE PLUG & HOIST COVERS

- Offers broad application solutions sized at 7" diameter by 17" tall
- Insert PVC tubing to block access to control buttons for hoist control lockout
- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- Lock out with up to six padlocks or hasps
- Trilingual lock out warning printed on bag

Model No. SAO706
Mfg. No. 453L

ROTATING GATE VALVE LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Surrounds the valve operating handle, protects against accidental valve opening
- Each size rotates into itself to fit effectively into safety tool boxes
- Each size nests within the next larger size to save space in storage
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

SAL529

SAL528

SAL531

Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Dia. Valve Handle
SAL527	481	Fits 2" to 5" Dia. Valve Handle
SAL528	482	Fits 4" to 6 1/2" Dia. Valve Handle
SAL529	483	Fits 6" to 10" Dia. Valve Handle
SAL530	484	Fits 8" to 13" Dia. Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530

CONFINED SPACE COVERS

- Signage and barrier protection all-in-one
- Provide OSHA required warnings
- Halt unauthorized entry
- Easy to use
- Ultra durable
- Guard against weather and debris
- Prevent infestation
- Operating temperature: -40°F to 200°F
- Sizing and fit depend on flange dimensions

SDL009

SDL013

SDL017

Small - Fits standard man-ways 20" to 23" (508 mm to 584.2 mm)
Medium - Fits standard man-ways 23" to 28" (584.2 mm to 711.2 mm)
Large - Fits standard man-ways 28" to 34" (711.2 mm to 863.6 mm)
X-Large - Fits standard man-ways 32" to 39" (812.8 mm to 990.6 mm)

ELASTIC, NON-LOCKING ENGLISH

Model No.	Mfg. No.	Size
SDL009	S201CSS	Small
SDL010	S201CSM	Medium
SDL011	S201CSL	Large
SDL012	S201CSXL	X-Large

Also available Bilingual

VENTILATED, LOCKABLE ENGLISH

Model No.	Mfg. No.	Size
SDL013	S202CSS	Small
SDL014	S202CSM	Medium
SDL015	S202CSL	Large
SDL016	S202CSXL	X-Large

SOLID, LOCKABLE ENGLISH

Model No.	Mfg. No.	Size
SDL017	S203CSS	Small
SDL018	S203CSM	Medium
SDL019	S203CSL	Large
SDL020	S203CSXL	X-Large

SAFETY TAGS

- Header style tags meet Occupational Safety and Health Administration requirements
- Choose from a variety of common styles and legends that apply to a variety of situations
- Tags are available in two materials: **PF-cardstock and RV-plastic**
- 25 per package

PF-Cardstock
- 5 7/8" x 3 1/8" with 3/8" hole
- Pliable, 10-mil plastic
- Pulp-free, no wood-paper content
- Waterproof, tear-resistant for short-term use

RV-Plastic
- 5 7/8" x 3 3/8" with 3/8" hole, reinforced with metal grommet
- 15-mil tear-resistant plastic
- Weather and chemical-resistant

BLANK HEADER TAGS

Material
PF-Cardstock
RV-Plastic

Front Back

SAU650
SAU651

Front Back

SAU654
SAU655



Front Back

SAU658
SAU659



Front Back

SAU662
SAU663

STANDARD SAFETY TAGS

Material
PF-Cardstock
RV-Plastic

SAT022
SAT045

SAU606
SAU607

SAU610
SAU611

SAU614
SAU615

SAU618
SAU619

SAU626
SAU627

SAU634
SAU635

SAU638
SAU639



Standard Back

LOCKOUT TAGS

Material
PF-Cardstock
RV-Plastic

SAU778
SAU779

SAU782
SAU783

SAU790
SAU791

SAU786
SAU787

SAU806
SAU807

SAU802
SAU803

SAU810
SAU811



Std. Lockout Back

EQUIPMENT STATUS & INSPECTION TAGS

Front Back

SAU698
SAU699



Front Back

SAU706
SAU707

Front Back

SAU714
SAU715

Front Back

SAU718
SAU719

Front Back

SAU734
SAU735

Front Back

SAU738
SAU739

Front Back

SAU742
SAU743

Material	Size"
PF-Cardstock	5 7/8 x 3 1/8
RV-Plastic	5 7/8 x 3 3/8

Material
PF-Cardstock
RV-Plastic

ACCUFORM®

FRENCH BLANK HEADER TAGS

Material
PF-Cardstock
RV-Plastic

SED646
SED647

SED648
SED649

SED650
SED651

SED652
SED653

Material	Size"
PF-Cardstock	5 7/8 x 3 1/8
RV-Plastic	5 7/8 x 3 3/8

ACCUFORM®

FRENCH STANDARD SAFETY TAGS

Material
PF-Cardstock
RV-Plastic

SAU834
SAU835

SAU838
SAU839

SAU846
SAU847

SAU842
SAU843

SAU858
SAU859

SAU854
SAU855

Standard French Back

FRENCH EQUIPMENT STATUS & INSPECTION TAGS

Material
PF-Cardstock
RV-Plastic

SED654
SED655

SED656
SED657

SED658
SED659

SED660
SED661

FRENCH LOCKOUT TAGS

Material
PF-Cardstock
RV-Plastic

SAU870
SAU871

SAU874
SAU875

SAU878
SAU879

SAU882
SAU883

Std. French Lockout Back

Material	Size"
PF-Cardstock	5 7/8 x 3 1/8
RV-Plastic	5 7/8 x 3 3/8

ACCUFORM®

TAGS BY-THE-ROLL: NEVER RUN OUT OF TAGS AGAIN!

- Tag size: 6 1/4" x 3", with 3/8" hole
- 10-mil PF-Cardstock tags
- Tear-resistant, waterproof 'pulp-free' material
- Writable matte surface
- Dispenser size: 9 1/4" x 9 1/4" x 3 1/2"
- Available in rolls of 100 or 250 tags

ACCUFORM.

SAS784

ENGLISH TAGS

Front Back
100/Roll 250/Roll
SAS755 **SAS449**

Front Back
100/Roll 250/Roll
SAS757 **SAS782**

Front Back
100/Roll 250/Roll
SAS783 **SAS784**

Front Back
100/Roll 250/Roll
SAS785 **SAS764**

Front Back
100/Roll 250/Roll
SEI937 **SEI938**

Front Back
100/Roll 250/Roll
SEI939 **SEI940**

FRENCH TAGS
(ROLLS OF 250 TAGS)

Model No.	Mfg. No.	Description
SAS452	TAR123	*Danger; Ne pas faire fonctionner*
SAS453	TAR127	*Danger; Ne pas faire fonctionner (w/Stripes)*
SAS454	TAR425	*Danger; Verrouillé; Ne pas faire fonctionner (w/Stripes)*

LOOP 'N STRAP™ TAGS

- Attach tags by self-fastening strap for quick marking
- 0.023" polyethylene plastic tags resist dirt, grease and moisture
- Write on tag with permanent marker
- Tag body is 5 1/4" X 3 1/4", with 1 3/8" x 6" strap
- Available in packages of 25

ACCUFORM.

ENGLISH TAGS

SAS435

SAS747

SAS748

SAS749

SAS750

FRENCH TAGS

Model No.	Mfg. No.	Description
SAS440	TAL357	*Danger; Ne Pas Entrer*
SAS441	TAL351	*Danger; Ne pas faire fonctionner*
SAS442	TAL356	*Danger; Hors service*
SAS443	TAL322	*Danger*
SAS444	TAL326	*Attention*

QUICKTAGS™

- Compact and convenient safety tag dispensing system
- Available as a set that includes 100 tags in a self-contained plastic dispenser with keyholes on the underside to mount near workstations
- Simply pull the tag out from the dispenser and separate at the perforation
- Re-load empty dispenser with refill packs of 100
- Reusable plastic dispenser is mountable or portable
- Tags are tear-resistant and waterproof, made from pulp-free polyolefin based material
- Writable matte surface
- Dispenser size: 8" x 4" x 1 3/4"
- Tag size: 6 1/4" x 3", 10-mil cardstock

ACCUFORM.

SEI932

SEI929

SEI931

SEI930

	Model No.	Model No.	Model No.	Model No.
ENGLISH				
QuickTags™	**SEI929**	**SEI930**	**SEI931**	**SEI932**
Refill 100/pack	**SEI933**	**SEI934**	**SEI935**	**SEI936**
FRENCH				
QuickTags™	**SEL124**	**SEL125**	**SEL126**	**SEL127**
Refill 100/pack	**SEL128**	**SEL129**	**SEL130**	**SEL131**

ACCUFORM

BLANK TAGS

We offer tags available blank so that you can write any message in pen, pencil, or marker. Use for coding, marking, quick identification, production status, or inventory.

MANILA BLANK CARDSTOCK TAGS

- 13 pt. Manila Cardstock Tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000



Hole Only Size No.	Size"	100	1000
1	2 3/4 x 1 3/8	SI966	SAG441
2	3 1/4 x 1 5/8	SAW514	SAG442
3	3 3/4 x 1 7/8	SI968	SAG443
4	4 1/4 x 2 1/8	SI969	SAG444
5	4 3/4 x 2 3/8	SI970	SAG445
6	5 1/4 x 2 5/8	SI971	SAG446
7	5 3/4 x 2 7/8	SAW515	SAG447
8	6 1/4 x 3 1/8	SAW516	SAG448

Hole with Wire Size No.	Size"	100	1000
1	2 3/4 x 1 3/8	SAW517	SAG449
2	3 1/4 x 1 5/8	SAW518	SAG450
3	3 3/4 x 1 7/8	SAW519	SAG451
4	4 1/4 x 2 1/8	SBB051	SAG452
5	4 3/4 x 2 3/8	SBB053	SAG453
6	5 1/4 x 2 5/8	SAW522	SAG454
7	5 3/4 x 2 7/8	SAW523	SAG455
8	6 1/4 x 3 1/8	SAW524	SAG456

Hole with String Size No.	Size"	100	1000
1	2 3/4 x 1 3/8	SAW525	SAG457
2	3 1/4 x 1 5/8	SAW526	SAG458
3	3 3/4 x 1 7/8	SAW527	SAG459
4	4 1/4 x 2 1/8	SAW528	SAG460
5	4 3/4 x 2 3/8	SAW529	SAG461
6	5 1/4 x 2 5/8	SAW530	SAG462
7	5 3/4 x 2 7/8	SAW531	SAG463
8	6 1/4 x 3 1/8	SAW532	SAG464

STANDARD COLOR BLANK CARDSTOCK TAGS

- 13 pt. coated color cardstock tags have a patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000



Hole Only		Blue		Green		Red		White		Yellow	
Size No.	Size"	100	1000	100	1000	100	1000	100	1000	100	1000
1	2 3/4 x 1 3/8	SAW536	SAG501	SAW560	SAG486	SAW584	SAG479	SAW608	SAG465	SAW632	SAG472
2	3 1/4 x 1 5/8	SAW537	SAG502	SAW561	SAG487	SAW585	SAG480	SAW609	SAG466	SAW633	SAG473
3	3 3/4 x 1 7/8	SAW538	SAG503	SAW562	SAG488	SAW586	SAG481	SAW610	SAG467	SAW634	SAG474
4	4 1/4 x 2 1/8	SAW539	SAG504	SAW563	SAG489	SAW587	SAG482	SAW611	SAG468	SAW635	SAG475
5	4 3/4 x 2 3/8	SAW540	SI978	SAW564	SI977	SAW588	SI976	SAW612	SI974	SAW636	SI975
6	5 1/4 x 2 5/8	SAW541	SAG505	SAW565	SAG490	SAW589	SAG483	SAW613	SAG469	SAW637	SAG476
7	5 3/4 x 2 7/8	SAW542	SAG506	SAW566	SAG491	SAW590	SAG484	SAW614	SAG470	SAW638	SAG477
8	6 1/4 x 3 1/8	SAW543	SAG507	SAW567	SAG492	SAW591	SAG485	SAW615	SAG471	SAW639	SAG478

Hole with Wire		Blue		Green		Red		White		Yellow	
Size No.	Size"	100	1000	100	1000	100	1000	100	1000	100	1000
1	2 3/4 x 1 3/8	SAW552	SAG555	SAW576	SAG539	SAW600	SAG531	SAW624	SAG515	SAW648	SAG523
2	3 1/4 x 1 5/8	SAW553	SAG556	SAW577	SAG540	SAW601	SAG532	SAW625	SAG516	SAW649	SAG524
3	3 3/4 x 1 7/8	SAW554	SAG557	SAW578	SAG541	SAW602	SAG533	SAW626	SAG517	SAW650	SAG525
4	4 1/4 x 2 1/8	SAW555	SAG558	SAW579	SAG542	SAW603	SAG534	SAW627	SAG518	SAW651	SAG526
5	4 3/4 x 2 3/8	SAW556	SAG559	SAW580	SAG543	SAW604	SAG535	SAW628	SAG519	SAW652	SAG527
6	5 1/4 x 2 5/8	SAW557	SAG560	SAW581	SAG544	SAW605	SAG536	SAW629	SAG520	SAW653	SAG528
7	5 3/4 x 2 7/8	SAW558	SAG561	SAW582	SAG545	SAW606	SAG537	SAW630	SAG521	SAW654	SAG529
8	6 1/4 x 3 1/8	SAW559	SAG562	SAW583	SAG546	SBB093	SAG538	SAW631	SAG522	SAW655	SAG530

TYVEK® BLANK TAGS

- Tyvek® is a lightweight pressure-bonded fibre
- Flexible 7.5-pt. material is abrasion- and tear-resistant
- Can withstand moisture, chemicals, and frequent handling
- Tags have patch- and metal-reinforced 3/16" hole
- Hole is available plain or looped with 12" galvanized steel wire
- Available in pack of 100 or box of 1000



SAW683

WHITE TYVEK®

Hole Only Size No.	Size"	100	1000
5	4 3/4 x 2 3/8	SAW683	SAG747
8	6 1/4 x 3 1/8	SAW694	SAG749

Hole with Wire Size No.	Size"	100	1000
5	4 3/4 x 2 3/8	SAW695	SAG750
8	6 1/4 x 3 1/8	SAW697	SAG752

TIES

LADDER TIES

Lightweight, low cost nylon ties are strong yet flexible.
Natural colour. Bags of 1000.
Sold per Bag

Model No.	Mfg. No.	Length"	Bundle Dia. Min" - Max"	Tensile Strength lbs.
PA876	8470	7	1/16 - 1 3/4	40
PA877	8471	11	1 1/16 - 3	40

WIRE TIES

- 26 gauge
- 12" long
- 1000/pkg.

Sold per Package
Model No. SC960

PLASTIC TAG FASTENERS

- 5" long
- 200/pkg.

Sold per Package
Model No. SI980

LEAD SECURITY SEALS & SEALING PRESSES

- Provides security in a wide variety of situations
- Slip twisted wire through the hole in lead seal disc and crush with sealing press
- Can't be opened or tampered with, without detection
- 7/16" diameter lead seals with 10" two-ply annealed steel wires
- Lead sealing press comes with two blank dies



C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Description
SA947	27905	Sealing Press
SA948	27911	Seals, 100/pkg.

TAG FINISHING OPTIONS

ACCUFORM.

STRING TIES

- 12" string ties
- Available in Bundles of 100

Model No.
SAU888

BEADED NYLON TIES

- 5" white nylon 6/6
- Self locking design with 18-lb pull strength

Model No.	Qty.
SAU890	100/Pkg.
SAU889	1000/Pkg.

SNAP HOOK LOOP

- Zinc-plated steel loop
- Inside dimensions: 1 1/2" x 2 13/16"



Model No.	Qty.
SAU891	100/Pkg.

BRASS TAGS

BLANK BRASS TAGS

- Identify equipment, materials and pipes by stamping description directly onto tag

Sold per Package

C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Material	Shape	Tag Size"	Hole Size"	Wt. lbs.	Qty /Pkg.
SA962	947B	Brass	Octagon	1 1/4	3/16	1.9	100
SA963	1098B	Brass	Round	1 1/2	3/16	2.2	100
SA961	916B	Brass	Square	1 1/4	3/16	1.9	100

NUMBERED BRASS TAGS

- Black filled numbers
- 18-gauge brass
- 3/16" hole
- 1/2" tag diameter
- Available only in unbroken series of 25

Sold per series

Model No.	Mfg. No.	Number Series
SA949	40023	001 - 025
SA950	40024	026 - 050
SA951	40025	051 - 075
SA952	40026	076 - 100
SA953	40027	101 - 125
SA954	40028	126 - 150
SA955	40029	151 - 175
SA956	40030	176 - 200

SPLIT KEY RINGS

Designed for holding and preventing the loss of metal checks and tags.
Sold per Package

C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Description	Qty /Pkg.
SA957	40082	1" Ring	100
SA958	40084	1 1/2" Ring	100
SA959	40085	2" Ring	100
SA960	40087	Spring Sleeve	100

BEADED CHAINS

- For quick, permanent fastening of checks and tags
- Easily closed by hand
- Flexible for hard-to-fasten places
- Available in 4 1/2" nickel or brass plated or 6" brass plated
- 100/pkg.

Sold per Package



C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Description	Length"
SAG886	40096	Nickel Plated	4 1/2
SAG887	40097	Brass Plated	4 1/2
SAG888	40098	Brass Plated	6

STEEL HAND STAMPS

- For hand-held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Bevelled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Letter sets contain 27 pieces, "A" through "Z" and "&"-ampersand
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable

aurora tools®

Model No.	Stamp Size"	Type
TLZ389	1/8	Number
TLZ392	1/8	Letter
TLZ390	3/16	Number
TLZ393	3/16	Letter
TLZ391	1/4	Number
TLZ394	1/4	Letter

STEEL HAND STAMP SETS

FOR HAND-HELD HAMMER STRUCK APPLICATIONS

C.H. HANSON® Since 1866 • Tools for Generations™



STANDARD STEEL STAMPS

- Standard high quality stamps for general purpose uses at low cost
- Crowned striking surface
- Textured shank



HEAVY-DUTY STAMPS

- Heavy-duty marking performance
- Tempered shanks for extra durability and safety
- Crowned striking surface
- Larger shanks than standard

PREMIER TEMPERED STAMPS

- Large shanks are tempered designed to hold up under continuous hard hammering
- Top quality tempered shanks

ROUND FACE LOW STRESS STAMPS

- Rounded characters produce minimum stress on the marked surface
- Meets government specifications for minimum stress marking
- Crowned striking surface
- Textured shanks
- Larger shanks than heavy-duty

LOW STRESS DOT DESIGN STAMPS

- Made on premier size shanks
- Interrupted dot design has a radius on the character end
- Make a permanent mark with minimum stress on the marked metal
- Meets U.S. Atomic Energy specifications
- Applications where metal strength and/or risk of fracture is critical
- Ideal for use in aircraft, missile, oil supply and nuclear power

Call us for more information!

Model No.	Mfg. No.	Size"	Type	Dimensions Sq."	x	L"	Wt. lbs.
STANDARD GENERAL PURPOSE							
SF090	20150	3/32	Letters	1/4	x	2 3/8	1.50
SF091	20521	3/32	Numbers	1/4	x	2 3/8	0.50
SE234	20200	1/8	Letters	1/4	x	2 3/8	1.50
SE235	20541	1/8	Numbers	1/4	x	2 3/8	0.50
SE236	20250	3/16	Letters	5/16	x	2 3/8	2.13
SE237	20561	3/16	Numbers	5/16	x	2 3/8	0.75
SE238	20300	1/4	Letters	3/8	x	2 5/8	3.00
SE239	20581	1/4	Numbers	3/8	x	2 5/8	1.13
SAK459	20350	3/8	Letters	1/2	x	2 3/4	6.00
SAK460	20601	3/8	Numbers	1/2	x	2 3/4	2.00
SF092	20400	1/2	Letters	5/8	x	3	10.00
SF093	20621	1/2	Numbers	5/8	x	3	3.25
HEAVY-DUTY							
SF082	20801	3/32	Letters	5/16	x	2 1/2	2.25
SF083	21340	3/32	Numbers	5/16	x	2 1/2	0.88
SA932	20851	1/8	Letters	5/16	x	2 1/2	2.30
SA935	21360	1/8	Numbers	5/16	x	2 1/2	0.88
SA933	20951	3/16	Letters	3/8	x	2 3/4	3.30
SA936	21400	3/16	Numbers	3/8	x	2 3/4	1.10
SA934	21051	1/4	Letters	7/16	x	3	5.00
SA937	21440	1/4	Numbers	7/16	x	3	1.80
SF084	21201	1/2	Letters	3/4	x	3 3/4	17.00
SF085	21500	1/2	Numbers	3/4	x	3 3/4	2.63
PREMIER TEMPERED							
SF086	22100	3/32	Letters	5/16	x	2 3/4	2.38
SF087	22841	3/32	Numbers	5/16	x	2 3/4	0.88
SA938	22150	1/8	Letters	3/8	x	2 3/4	3.30
SA941	22861	1/8	Numbers	3/8	x	2 3/4	1.30
SA939	22250	3/16	Letters	7/16	x	2 3/4	3.50
SA942	22901	3/16	Numbers	7/16	x	2 3/4	1.40
SA940	22350	1/4	Letters	1/2	x	3	6.00
SA943	22941	1/4	Numbers	1/2	x	3	2.30
SF088	22550	1/2	Letters	3/4	x	4	3.25
SF089	23021	1/2	Numbers	3/4	x	4	6.00
ROUND FACE LOW STRESS							
SF094	25750	3/32	Letters	5/16	x	2 3/4	2.38
SF095	26081	3/32	Numbers	5/16	x	2 3/4	0.88
SF096	25800	1/8	Letters	3/8	x	2 3/4	3.25
SF097	26101	1/8	Numbers	3/8	x	2 3/4	1.25
SF098	25850	3/16	Letters	7/16	x	2 3/4	3.50
SF099	26121	3/16	Numbers	7/16	x	2 3/4	1.38
SF100	25900	1/4	Letters	1/2	x	3	6.00
SF101	26141	1/4	Numbers	1/2	x	3	2.25
SF102	26000	1/2	Letters	3/4	x	4	18.25
SF103	26181	1/2	Numbers	3/4	x	4	6.00
SAS103	25950	3/8"	Letters	5/8	x	3 1/8	10.50
SAS104	26161	3/8"	Numbers	5/8	x	3 1/8	3.50
LOW STRESS DOT DESIGN							
SAS093	26200	1/8	Letters	3/8	x	2 3/4	3.25
SAS094	26601	1/8	Numbers	3/8	x	2 3/4	1.25
SAS095	26250	3/16	Letters	7/16	x	2 3/4	3.5
SAS096	26621	3/16	Numbers	7/16	x	2 3/4	1.38
SAS097	26300	1/4	Letters	1/2	x	3	6.00
SAS098	26641	1/4	Numbers	1/2	x	3	2.25
SAS099	26350	3/8	Letters	5/8	x	3 1/8	10.50
SAS100	26661	3/8	Numbers	5/8	x	3 1/8	3.50
SAS101	26400	1/2	Letters	3/4	x	4	18.25
SAS102	26681	1/2	Numbers	3/4	x	4	6.00

GOTHIC BRASS INTERLOCKING STENCILS

- Durable brass for long-lasting service
- Stencils slide together and come apart easily
- Quick, legible signs on all surfaces
- Use with brush or spray ink, paint or markers
- Clean up easily with paint solvent
- Horizontal composition

LETTERS & NUMBERS – 92-PIECE SETS

Contains: 4 E's; 3 each of A, I, N, O, S, and Spacers; 1 Q; 2 each of the remaining letters and Periods; and 1 each of Beginner, Plain Ender, Period Ender, Comma, Dash, 2 Ampersands and 1 Apostrophe.

Numbers include 3 each of 0 and 1; 2 each of 2, 3, 4, 5, 6, 7, 8 and 9.

Model No.	Mfg. No.	Character Height"	Pcs /Kit
SA926	10148	1	92
SA927	10151	2	92
SA928	10153	3	92
SA929	10154	4	92
SA930	10155	5	92
SA931	10156	6	92

LETTERS & NUMBERS - 45-PIECE SETS

Contains: All 26 letters (A-Z) and numbers (0-9); and 1 each of Beginner, Plain Ender, Period Ender, Comma, Dash, Period, Ampersand and Apostrophe and 2 Spacers

Model No.	Mfg. No.	Character Height"	Pcs /Kit
SDN092	10068	1	45
SDN093	10071	2	45
SDN094	10073	3	45
SDN095	10074	4	45
SDN096	10075	5	45
SDN097	10076	6	45

SINGLE LETTERS ONLY – 33-PIECE SETS

Contains: 1 each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, &, Beginner, Period Ender, Apostrophe, Comma, Dash, Period and Ampersand.

Model No.	Mfg. No.	Character Height"	Pcs /Kit
SAK464	10028	1	33
SAK465	10031	2	33
SAK466	10033	3	33
SAK467	10034	4	33
SAK468	10036	6	33
SF076	10165	8	33
SF077	10166	10	33
SF078	10167	12	33

NUMBERS ONLY – 15-PIECE SETS

Contains: 0, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 and a Beginner, Plain Ender, Dash and Period.

Model No.	Mfg. No.	Character Height"	Pcs /Kit
SAK469	10008	1	15
SAK470	10011	2	15
SAK471	10013	3	15
SAK472	10014	4	15
SAK473	10016	6	15
SC672*	10160	8	13
SC673*	10161	10	13
SC674*	10162	12	13

* 13 Piece set contains one 0 only and no dash.
Other sizes and separate letter and number sets available.
Vertical composition also available. Please inquire.

PARKING LOT STENCILS

- Parking lot stencils promote safety and direct traffic
- Use on a variety of surfaces with paints formulated for parking lot use
- Precision cut to ensure high quality marking
- Lay flat for best quality painting

COMMERCIAL GRADE

- Material - 1/8" LDPE (Low Density Polyethylene)
- Long Life - built for repetitive daily use
- Will not be damaged by paint or solvents

ECONOMY GRADE

- 1/32" high impact polystyrene
- Same high quality construction, but thinner material is meant for occasional use
- 12" high letters

COMMERCIAL GRADE

Model No.	Mfg. No.	Description	Character Size"	Wt. lbs.
LETTER STENCILS				
SEI879	70415	29-Pc. Alpha Kit	6 x 4	11.3
SEI880	70355	12-Pc. Number Kit	6 x 4	4.7
SEI881	70000	No Parking	4 x 3	2.3
SEI882	70418	29-Pc. Alpha Kit	12 x 9	14.0
SEI883	70358	12-Pc. Number Kit	12 x 9	6.0
SEI884	70002	No Parking	12 x 9	12.05
SYMBOL STENCILS				
SEI885	70471	Straight Arrow	62	18.2
SEI886	70481	Curved Arrrow	62	21.8
SEI887	70343	Handicap Symbol	39	5.0

ECONOMY GRADE

Model No.	Mfg. No.	Description	Character Size"	Wt. lbs.
LETTER STENCILS				
SB001	12430	No Parking	12	2
SB002	12431	Handicap	12	2
SB003	12432	Fire Lane	12	2
SB005	12434	Reserved	12	2
SB006	12435	Visitors	12	2
SYMBOL STENCILS				
SB007	12436	Straight Arrow	8 x 20	3.5
SB008	12437	Curved Arrow	8 x 27	3.5
SB009	12438	Handicap	37 x 43	3.5

STENCIL INKS

- Spray stencil ink works on almost any surface
- Available in a 12-oz. can, this spray stencil ink does not contain fluorocarbons

Model No.	Mfg. No.	Colour
SC668	803108	Black
SC670	803105	White
SC671	803127	Yellow

IDENTIFY LOCATIONS, SUPPLIES & TOOLS

- Mark on equipment, products, machinery, and shelves for unique identification
- Self-adhesive vinyl labels have peel-off back liner and mount to any clean, dry surface

ACCUFORM®

INDIVIDUAL LETTER & NUMBER MARKERS

Identically printed characters are ideal for multiple marking and identification.

- Markers are printed on adhesive vinyl to be self-aligning so that the characters are spaced evenly
- Printed in high-contrast black on yellow
- Choose and use only the characters you require without having to order letter and number sets
- Available per sheet

Character height: 1"
10 characters per sheet
Marker size: 1 1/2" H x 7/8" W

Character height: 1 15/16"
10 characters per sheet
Marker size: 2 1/4" H x 7/8" W

Character height: 2 15/16"
6 characters per sheet
Marker size: 3 1/2" H x 1 1/2" W

Character height: 3 7/8"
5 characters per sheet
Marker size: 5" H x 1 3/4" W

Character Height"	Character Per Sheet
1	10
1 15/16	10
2 15/16	6
3 7/8	5

LETTERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
A	SC743	SC769	SR590	SC795
B	SC744	SC770	SR591	SC796
C	SC745	SC771	SR592	SC797
D	SC746	SC772	SR593	SC798
E	SC747	SC773	SR594	SC799
F	SC748	SC774	SR595	SC800
G	SC749	SC775	SR596	SC801
H	SC750	SC776	SR597	SC802
I	SC751	SC777	SR598	SC803
J	SC752	SC778	SR599	SC804
K	SC753	SC779	SR600	SC805
L	SC754	SC780	SR601	SC806
M	SC755	SC781	SR602	SC807
N	SC756	SC782	SR603	SC808
O	SC757	SC783	SR604	SC809
P	SC758	SC784	SR605	SC810
Q	SC759	SC785	SR606	SC811
R	SC760	SC786	SR607	SC812
S	SC761	SC787	SR608	SC813
T	SC762	SC788	SR609	SC814
U	SC763	SC789	SR610	SC815
V	SC764	SC790	SR611	SC816
W	SC765	SC791	SR612	SC817
X	SC766	SC792	SR613	SC818
Y	SC767	SC793	SR614	SC819
Z	SC768	SC794	SR615	SC820

Also available in other sizes and Reflective Vinyl (black on yellow only), which adds visibility, especially in low light and dark areas when directing light on it. Please call for quote.

NUMBERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
0	SC821	SC831	SE822	SC841
1	SC822	SC832	SE823	SC842
2	SC823	SC833	SE824	SC843
3	SC824	SC834	SE825	SC844
4	SC825	SC835	SE826	SC845
5	SC826	SC836	SE827	SC846
6	SC827	SC837	SE828	SC847
7	SC828	SC838	SE829	SC848
8	SC829	SC839	SE830	SC849
9	SC830	SC840	SE831	SC850

PRESSURE SENSITIVE NUMBERING KITS

- Pressure sensitive pre-spaced numbers are easy to align and affix to vehicle placards or for numbering ratings and specific information
- Numbers are 3 1/2" high printed black on clear Mylar™ or black on white vinyl, with permanent adhesive
- Available in a kit containing 500 numbers; 50 of each number 0 to 9
- Single numbers sold 50 per package

INCOM®

Model No. Black on Clear	Mfg. No.	Model No. Black on White	Mfg. No.	Qty /Pkg.
SA0097	UNCLKIT	SA0098	UNWHKIT	500

CUSTOM SIGNS MADE EASY!

- No set-up fees
- Unlimited colours with no additional charges
- No minimum order requirements
- High-definition, full-colour graphics at no additional charge
- Comprehensive, free design support

- Full-Colour Photographic Quality Images
- Unique Eye-Catching Design Layout
- Impactful Motivational Message
- Personalized with Corporate Identity

DEVELOP YOUR MESSAGE

The message on your custom sign is critical. Whether conveying instructions, policies, directions, or motivational themes, your sign should be quickly and easily understood. Graphics or pictorials can help communicate your message effectively. Add more value and pride by adding a full-colour custom logo. Write a detailed description or draw a sketch to send in with your order.

SELECT YOUR MATERIAL

ADHESIVE VINYL (VS)

For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick surface printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -20°F to 140°F
- Square corners and scored backing for quick peel-off and application
- Durability: 2 years outdoors

PLASTIC (VP)

Semi-flexible, economical and appropriate for medium-duty use — ideal for indoor and sheltered outdoor environments.

- Ideal for flat surfaces with enough flex to mount on slightly curved areas
- 0.055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90°F to 168°F
- Rounded corners and 3/16" mounting holes
- Durability: 2 years outdoors

ALUMINUM (VA)

Get the strength of metal, without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- Printed image on rigid 0.040" aluminum backing
- Protected by 2-mil high-gloss UV polyester over-laminate film
- Service temperature range: -20°F to 140°F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Rounded corners and 3/16" mounting holes

DETERMINE YOUR SIZE & ORIENTATION

A sign not seen is an opportunity lost. Determining the size of your custom sign, and where it will be placed, is a key factor to ensuring that your message is communicated effectively. Consider the reading distance in relation to the letter height. The length of your message will then determine your size. Remember, we are available to assist you in determining the ideal size for your custom sign. Provide us with your message and we will do the work for you!

SEND US YOUR ORDER

Call, email or fax your order. Be sure to email any high resolution graphics (images, logos, etc.) along with your sketch or description.
Our artists will go right to work creating your custom sign for approval.

CALL US FOR CUSTOM SIGNS



ULTRA-GLOW™ RUNNING MAN EXIT SIGNS

- Ultra-Glow™ Exit Signs store light energy from virtually any light source
- Low-profile, non-radioactive signs are durable, impact-resistant plastic with mounting holes
- No maintenance - no bulbs, no batteries to replace
- Non-toxic, non-radioactive
- No disposal related-cost
- Illumination: Green illuminating
- Background: Photoluminescent
- Size: 16 1/4" L x 9.25" W
- Running Man Height: 8"

SEN123

SEN124

SDL515

SDL516

ACCUFORM.

Model No.	Mfg. No.	Description
SEN123	PLW617	Left Man w/Arrow
SEN124	PLW619	Right Man w/Arrow
SDL515	PLW622	Left Man w/o Arrow
SDL516	PLW624	Right Man w/o Arrow

EVACUATION MAP HOLDERS

- Printed with clear bold letters in the border to readily identify evacuation map, and is designed to easily accommodate 8.5" x 11" or 11" x 17" clear transparency film inserts (sold separately)
- Map can be printed from any computer and slides easily into the holder
- Made from 0.040" clear durable polycarbonate face with a plastic back
- Includes adhesive foam strips for mounting

SEC863

STANDARD HOLDERS

Model No.	Mfg. No.	Fits Insert Sizes"	Overall Size"
ENGLISH			
SEC863	DTA235	8 1/2 x 11	11 1/2 x 12
SEC864	DTA237	11 x 17	15 x 17 1/2
FRENCH			
SEE336	DTA235	8 1/2 x 11	11 1/2 x 12
SEE337	DTA237	11 x 17	15 x 17 1/2

CLEAR INSERTS

Sold in packages of 2

Model No.	Mfg. No.	Size"
SEC866	DTA213	8 1/2 x 11
SEC867	DTA215	11 x 17

ACCIDENT PREVENTION SIGNS

The Occupational Safety and Health Administration (OSHA 29 CFR§ 1910.145) provides specifications, design, application and use of header signs. These signs are intended to indicate potential, type and degree of the hazard that may lead to accidental injury or property damage. They define specific hazards by conveying a clear and rapidly understood message.

ENGLISH SAFETY SIGNS

ACCUFORM.

FIRE & EMERGENCY EXITS

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SK992	SK993	SL569	SL570	SAT892	SAP765	SAT895	SAT898	SAU105	SAU108	SL037	SL038
VP	SK990	SK991	SAT846	SAT848	SAT893	SL597	SAT896	SAT899	SAU106	SAU109	SL035	SL036
VA	SK988	SK989	SAT847	SAT849	SAT894	SL596	SAT897	SAT900	SAU107	SAU110	SL033	SL034

RESTRICTED ADMITTANCE

EQUIPMENT

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SL022	SL023	SJ512	SJ513	SJ519	SJ520	SJ625	SJ626	SJ760	SJ767	SS401	SAU031
VP	SL021	SAS786	SJ510	SJ511	SJ517	SJ518	SJ623	SJ624	SJ758	SJ759	SAU029	SAU032
VA	SL020	SAS787	SJ508	SJ509	SJ515	SJ516	SJ621	SJ622	SJ756	SJ757	SAU030	SAU033

CHEMICALS & HAZ-MAT

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAU080	SAU083	SAU086	SAU089	SK174	SK175	SK216	SK217	SK368	SK369	SAT369	SAT370
VP	SAU081	SAU084	SAU087	SAU090	SK172	SK173	SK214	SK215	SK366	SK367	SAT367	SAT368
VA	SAU082	SAU085	SAU088	SAU091	SK170	SK171	SK212	SK213	SK364	SK365	SAT365	SAT366

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

CONFINED SPACE

ELECTRICAL

FIRST AID

Mat'l	7" x 10"	14" x 10"	10" x 7"	14" x 10"	10" x 7"	14" x 10"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAT511	SAT512	SJ555	SJ556	SL115	SL116	SAU145	SAU148	SL809	SL810	SAU201	SAU204
VP	SAT509	SAT510	SJ553	SJ554	SL113	SL114	SAU146	SAU149	SL808	SAU199	SAU202	SAU205
VA	SAT507	SAT508	SJ551	SJ552	SL111	SL112	SAU147	SAU150	SL807	SAU200	SAU203	SAU206

HOUSEKEEPING

PERSONAL PROTECTION

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAU284	SAU287	SAU326	SAU329	SM068	SM069	SK764	SK765	SAU494	SAU497	SK776	SK777
VP	SAU285	SAU288	SAU327	SAU330	SM066	SM067	SK762	SK763	SAU495	SAU498	SK774	SK775
VA	SAU286	SAU289	SAU328	SAU331	SM064	SM065	SK760	SK761	SAU496	SAU499	SK772	SK773

SAFETY INCENTIVE

SMOKING CONTROL

TRAFFIC INDUSTRIAL

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SQ174	SQ175	SL892	SL893	SL969	SL970	SAT044	SAT047	SAT062	SAT065	SAT074	SAT077
VP	SQ172	SQ173	SL890	SL891	SL967	SL968	SL973	SAT048	SAT063	SAT066	SAT075	SAT078
VA	SQ170	SQ171	SL888	SL889	SL965	SL966	SL972	SAT049	SAT064	SAT067	SAT076	SAT079

FRENCH SAFETY SIGNS

RESTRICTED ADMITTANCE

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ545	SAZ546	S0124	S0125	S0139	S0140	S0188	S0189	S0222	S0223	S0161	S0162
VP	S0179	S0180	S0122	SAZ541	S0137	S0138	S0186	S0187	S0220	S0221	S0159	S0160
VA	S0177	S0178	S0120	S0121	SAZ543	SAZ544	S0184	S0185	S0218	S0219	S0157	S0158

CHEMICAL & HAZ-MAT

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0196	S0197	SEF856	SEG350	S0535	S0536	SQ066	SQ067	S0493	S0494	S0430	S0431
VP	S0194	S0195	SEF855	SEG349	S0533	S0534	SQ064	SQ065	S0491	S0492	S0428	S0429
VA	S0192	S0193	SEF854	SEG348	SAZ565	S0532	SQ062	SQ063	S0489	S0490	S0426	S0427

CONFINED SPACE

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP066	SP067	S0621	S0622	S0244	S0245	S0258	S0259
VP	SP064	SP065	S0619	S0620	S0242	S0243	S0256	S0257
VA	SAZ607	SP063	S0617	S0618	S0240	S0241	S0254	S0255

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

ELECTRICAL

EQUIPMENT

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0117	S0118	S0790	S0791	SP526	SP527	SP259	SP260	SP596	SP597	SP575	SP576
VP	S0115	S0116	S0788	S0789	SP524	SP525	SP257	SP258	SP594	SP595	SP573	SP574
VA	S0113	S0114	S0786	S0787	SP522	SP523	SP255	SP256	SP592	SP593	SP571	SP572

FIRE & EMERGENCY EXITS

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ627	SAZ628	SAZ633	SAZ634	SAZ605	SAZ606	SAZ623	SAZ624	S0984	S0985	SAZ600	SAZ601
VP	SP081	SAZ626	SAZ631	SAZ632	S0998	SAZ604	SAZ622	SP084	S0983	SAZ583	SAZ598	SAZ599
VA	SP080	SAZ625	SAZ629	SAZ630	SAZ602	SAZ603	SAZ621	SP083	S0982	SAZ582	SAZ596	SAZ597

FIRST AID

HOUSEKEEPING & HYGIENE

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP103	SP104	SEA333	SEA330	SP603	SP604	SAZ649	SAZ650	SP744	SP745	SP730	SP731
VP	SP100	SP101	SEA332	SEA329	SP601	SP602	SP637	SAZ648	SP742	SP743	SP728	SP729
VA	SP098	SP099	SEA331	SEA328	SP599	SP600	SP636	SAZ647	SP740	SP741	SP726	SP727

PERSONAL PROTECTION

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP764	SP765	S0277	S0278	S0153	S0154	S0270	S0271	S0740	S0741	S0285	S0286
VP	SP762	SP763	S0275	S0276	S0151	S0152	S0268	S0269	S0738	S0739	S0283	S0284
VA	SAZ670	SP761	S0273	S0274	S0149	S0150	SAZ552	SAZ553	S0736	S0737	S0281	S0282

SAFETY INCENTIVE

SMOKING CONTROL

Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0662	S0663	SEG468	SEG955	SP837	SP838	SP859	SP860	SP150	SP151
VP	S0660	S0661	SEG467	SEG956	SP835	SP836	SAZ678	SP858	SP148	SP149
VA	S0658	S0659	SEG466	SEG957	SP833	SP834	SP855	SP856	SP146	SP147

Material Code	Material
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum

ACCUFORM®

CSA PICTOGRAM SIGNS

Pictogram signs are easily recognisable and understood symbols for communicating safety without words. Using the CSA Z321 colour symbol scheme, the signs are specific in shapes and colours to distinguish the type of message. Pictograms are ideal for conveying a message across any language barrier.

DESIGN YOUR OWN CUSTOM CSA PICTOGRAM SIGN!

FOR OTHER CSA PICTOGRAM SIGNS, PLEASE CONTACT US AND SPECIFY SYMBOL, SHAPE, SIZE AND LET US DO THE WORK.

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD124	SD125	SD116	SD117	SD114	SD115	SD112	SD113	SD120	SD121	SD122	SD123
VP	SAW837	SAW838	SAW839	SAW840	SAW841	SAW842	SAW843	SAW844	SAW845	SAW846	SAW847	SAW848
VA	SEA362	SEA363	SEA364	SEA365	SEA366	SEA367	SEA368	SEA369	SEA370	SEA371	SEA372	SEA373

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD101	SD103	SD107	SD108	SD118	SD119	SD105	SD106	SD126	SD127	SD109	SD111
VP	SAW849	SAW850	SAW851	SAW852	SAW853	SAW854	SAW855	SAW856	SAW857	SAW858	SAW859	SAW860
VA	SEA374	SEA375	SEA376	SEA377	SEA378	SEA379	SEA380	SEA381	SEA382	SEA383	SEA384	SEA385

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD140	SD141	SD144	SD145	SD136	SD138	SD152	SD153	SD148	SD149	SD150	SD151
VP	SAW861	SAW862	SAW863	SAW864	SAW865	SAW866	SAW867	SAW868	SAW869	SAW870	SAW871	SAW872
VA	SEA386	SEA387	SEA388	SEA389	SEA390	SEA391	SEA392	SEA393	SEA394	SEA395	SEA396	SEA397

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD142	SD143	SD146	SD147	SD132	SD134	SD154	SD155	SD156	SD157	SD128	SD130
VP	SAW873	SAW874	SAW875	SAW876	SAW877	SAW878	SAW879	SAW880	SAW881	SAW882	SAW883	SAW884
VA	SEA398	SEA399	SEA400	SEA401	SEA402	SEA403	SEA404	SEA405	SEA406	SEA407	SEA408	SEA409

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD091	SD092	SD087	SD088	SD083	SD084	SD077	SD078	SD089	SD090	SD085	SD086
VP	SAW776	SAW777	SAW778	SAW779	SAW780	SAW781	SAW782	SAW783	SAW784	SAW785	SAW774	SAW775
VA	SEA410	SEA411	SEA412	SEA413	SEA414	SEA415	SEA416	SEA417	SEA418	SEA419	SEA420	SEA421

Material Code	Material
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum

ACCUFORM®

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD064	SD065	SD053	SD055	SD058	SD059	SD068	SD070	SD079	SD081	SD066	SD067
VP	SAW885	SAW886	SAW887	SAW888	SAW889	SAW890	SAW891	SAW892	SAW893	SAW894	SAW895	SAW896
VA	SEA422	SEA423	SEA424	SEA425	SEA426	SEA427	SEA428	SEA429	SEA430	SEA431	SEA432	SEA433

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD060	SD061	SD075	SD076	SD056	SD057	SD062	SD063	SD072	SD074	SEA523	SEA524
VP	SAW897	SAW898	SAW899	SAW900	SAW901	SAW902	SAW770	SAW771	SAW772	SAW773	SAW786	SAW787
VA	SEA434	SEA435	SEA436	SEA437	SEA438	SEA439	SEA440	SEA441	SEA442	SEA443	SEA444	SEA445

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD207	SBA798	SD243	SD244	SD203	SD205	SD195	SD197	SD235	SD236	SD199	SD201
VP	SAW812	SAW813	SAW790	SAW791	SAW828	SAW829	SAW794	SAW795	SAW796	SAW797	SAW798	SAW799
VA	SEA446	SEA447	SEA448	SEA449	SEA450	SEA451	SEA452	SEA453	SEA454	SEA455	SEA456	SEA457

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD238	SD240	SD211	SD213	SD231	SD233	SD215	SD217	SD227	SD229	SD219	SD221
VP	SAW800	SAW801	SAW802	SAW803	SAW804	SAW805	SAW806	SAW807	SAW808	SAW809	SAW810	SAW811
VA	SEA458	SEA459	SEA460	SEA461	SEA462	SEA463	SEA464	SEA465	SEA466	SEA467	SEA468	SEA469

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD191	SD193	SD188	SD189	SD168	SD170	SD175	SD176	SD165	SD166	SD178	SD180
VP	SAW788	SAW789	SAW814	SAW815	SAW816	SAW817	SAW818	SAW819	SAW820	SAW821	SAW822	SAW823
VA	SEA470	SEA471	SEA472	SEA473	SEA474	SEA475	SEA476	SEA477	SEA478	SEA479	SEA480	SEA481

Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD158	SD159	SD182	SD183	SD185	SD186	SD223	SD225	SD161	SD163	SD172	SD173
VP	SAW824	SAW825	SAW826	SAW827	SAW792	SAW793	SAW830	SAW831	SAW832	SAW833	SAW834	SAW835
VA	SEA482	SEA483	SEA484	SEA485	SEA486	SEA487	SEA488	SEA489	SEA490	SEA491	SEA492	SEA493

Material Code	Material
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum

ACCUFORM®

DIGI-DAY & DIGI-DAY PLUS ELECTRONIC SCOREBOARDS

Count up safe work days with attention-getting, lighted display scoreboard.
Proudly show safe work days that counts up electronically and automatically.
If a lost time accident occurs, it's easy to set the display back to zero.

- Innovatively designed frameless construction in durable lightweight aluminum
- Image goes to the edge, then wraps 2" deep for visual edge, unmistakable impact
- Incorporates Digi-Day® or Digi-Day® Plus+ display technology
- Built-in hidden mounting system
- Easy-to-use remote included

Digi-Day® digital numbers for Safe Work Days:

- Advance by one, every 24 hours, automatically
- Stand out in brightly lit, red LED numbers
- Is settable for the actual time to change by small, easy use handheld remote control
- Saves last number in event of power failure

DIGI-DAY®

- For indoor use
- 28" x 20" x 2" frameless aluminum
- Four-digit, bright red LED display with 2 1/2" H numbers
- Operates on 110 VAC with 6' power cord

DIGI-DAY® PLUS+

- For wet, damp, harsh locations*
- 36" x 24" x 2" frameless aluminum
- Four-digit, bright red LED display with 4" H numbers
- Operates on 110 VAC with 12' power cord
- Meets IP65 for dust and water resistance

* For wet environment exposure, plug into GFI electrical outlet with weatherproof protective receptacle cover.

ACCUFORM.

	English	French	English	French	English	French	English	French	English	French
Digi-Day®	SED513	SED518	SAR081	SED519	SAV226	SED520	SAV227	SED521	SAV228	SED522
Digi-Day® Plus	SEJ372	SEF820	SEJ368	SEF819	SEJ373	SEJ370	SEJ369	SEF814	SEJ374	SEF371

PROJECTION™ SIGNS

ACCUFORM.

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side

	Panel Dimensions	Overall Dimensions
3D	6" x 5"	6" x 8 1/2" x 4"
90D	8" x 8"	8" x 8" x 1 1/2"

ENGLISH

3D	90D
SAW419	SAW420

3D	90D
SAW431	SAW432

3D	90D
SAW437	SAW438

3D	90D
SAW439	SAW440

3D	90D
SAW443	SAW444

3D	90D
SAW445	SAW446

3D	90D
SAW449	SAW450

3D	90D
SAW453	SAW454

3D	90D
SAW463	SAW464

FRENCH

3D	90D
SED960	SED961

3D	90D
SED962	SED963

3D	90D
SED964	SED965

3D	90D
SED966	SED967

3D	90D
SED968	SED969

3D	90D
SED970	SED971

3D	90D
SED972	SED973

3D	90D
SEE292	SEE293

3D	90D
SEE294	SEE295

TRAFFIC SIGNS

Mat'l	30" x 30"	30" x 30"	30" x 30"	30" x 30"	30" x 30"	30" x 30"
HP	SEJ255	SAX544	SAX558	SAX552	SEJ257	SEJ259

Mat'l	24" x 24"	24" x 24"	24" x 24"	24" x 24"	36" x 12"	36" x 12"
AL	SAX545	SE255	SD268	SD271*	-	-
HP	-	-	-	-	SAX578	SAX574

*Please specify height when ordering

Mat'l	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 30"
AL	SD267**	SAX451	SEC331	SEA940	SEA956	SEA958**

**Please specify speed when ordering

Mat'l	24" x 30"	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 24"
AL	SEB008	SEA988	SEA984	SEA992	SD292	SEA998

Mat'l	12" x 18"	12" x 18"	12" x 18"	12" x 36"
AL	SD295	SEB004	SD297	SAX478

High Intensity (HP): High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.

Aluminum (AL): Lightweight 0.032" aluminum with enamel non-reflective finish

U-CHANNEL POSTS

- Galvanised steel posts are ideal for mounting and installing traffic signs
- Available in different heights
- **SAO201**: Screw Diameter: 3/8"
  Screw Length: 2"





POST

Model No.	Length'	Width"
SA0195	8	2 1/2
SA0196	10	2 1/2
SA0197	12	2 1/2
BASE		
SA0725	4	3

HARDWARE

Model No.	Description
SA0201*	1 (bolt, locknut, washer, Galvanised "U")
SAP508*	1 (bolt, locknut)

*Hardware sold separately. Requires two sets per post.

WHMIS WORKPLACE LABELS

- Easy-to-use, adhesive vinyl, write-on label
- Write in product name, precautionary measures and first aid information
- Check off appropriate hazard and protective equipment symbols
- Available in 3 sizes
- Use clear overlaminate for added protection



ACCUFORM®

Model No.	Mfg No.	Description	Size
SAX174	LZW305	Bilingual	127 mm x 89 mm (5" x 3 1/2")
SAX175	LZW307	Bilingual	178 mm x 127 mm (7" x 5")
SAX176	LZW310	Bilingual	254 mm x 178 mm (10" x 7")

CLEAR OVERLAMINATE

Model No.	Mfg No.	Description	Size
SAX177	LZS155	Bilingual	127 mm x 89 mm (5" x 3 1/2")
SAX178	LZS156	Bilingual	178 mm x 127 mm (7" x 5")
SAX179	LZS177	Bilingual	254 mm x 178 mm (10" x 7")

OTS WHMIS/GHS LABELS

- On-The-Spot WHMIS/GHS labels
- Convenient, easy-to-use
- Create workplace labels in minutes
- Made of vinyl material
- Self-laminating labels for extra protection against chemicalcontact
- Simply enter the product identifier using a pen or a permanent marker, pick the appropriate WHMIS and PPE symbols, add any specific handling precautions, apply laminate and adhere label to the container
- Sold in packages of 25

Sold per Package

BRADY®

Model No.	Mfg. No.	Size"	Description
SY084	08657	5 x 5	Self Laminating
SY083	08660	3 x 6	Self Laminating
SY074	08662	2 x 4	Self Laminating

SHARPIE MARKERS

- Black fine point marker
- Extra tough tip that won't spread or mush
- High visibility ink

Model No. PA393
Mfg. No. SAN30001

WHMIS INFORMATION CHARTS

This wall chart provides detailed information on proper WHMIS labeling, descriptions of class symbols, personal protective equipment symbols, MSDS, and it also outlines the responsibilities of suppliers, employers and employees.

- Made of 1/8" thick rigid plastic board
- Centre is bilingual (English and French)
- Available in two sizes



Proper way to label W.H.M.I.S. for compliance

Personal Protective Equipment Symbols and meanings

Supplier, Employer & Employee responsibilities outlined

INCOM®

Model No.	Mfg. No.	Size"
SB611	W9095	12 x 18
SB612	W9094	24 x 36

GHS INFORMATION WALL CHARTS

- The GHS wall chart provides a comprehensive overview of new GHS labeling requirements for WHMIS
- The chart details the 3 main hazard groups; Physical, Health & Environmental
- Lists requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- Lists the information required on the new regulation Safety Data Sheet
- Made of durable, pliable plastic
- Mount chart in a prominent place to help refresh your employee's knowledge of the GHS requirements
- Indoor or outdoor applications
- Available in two sizes and in English or English/French

SEJ599

INCOM®

Model No.	Mfg No	Size"	Description
SEJ597	GHS1004C	18 x 24	English
SEJ598	GHS1003C	24 x 36	English
SEJ599	GHS1018	24 x 36	English/French

RIGHT-TO-KNOW BASKET STYLE CENTRE BOARDS

- Sturdy 0.063" thick aluminum backboard measures
  - Single basket style: 508 mm x 381 mm (20" H x 15" W)
  - Double basket style: 610 mm x 462 mm (24" H x 30" W)
- Coated wire basket bolted to lower portion to hold binder
- Single style centers include one 1 1/2" binder and double style centers include two 1 1/2" binders
- Boards have holes for wall mounting
- Comes in either single or double sized centers
- Available in MSDS or new regulation SDS

SAX183

SEJ557

ACCUFORM.

Model No.	Mfg No.	Description
MSDS		
SAX182	ZRS305	MSDS Single Basket English
SAX183	ZRS307	MSDS Double Basket English
SDS		
SEJ556	ZRS339	SDS Single Basket English
SEJ557	FBZRS339	SDS Single Basket English/French
SEJ558	ZRS340	SDS Double Basket English
SEJ559	FBZRS340	SDS Double Basket English/French

HAZ-MAT, WHMIS BASKET STYLE CENTRE BOARDS

- Constructed of sturdy 0.063" thick aluminum for durability
- Backboard is 508 mm x 381 mm (20" H x 15" W)
- Coated wire basket bolted to lower portion holds binder
- Includes 1 1/2" sized binder
- Boards have holes for wall mounting
- Available with MSDS binder or new regulation SDS binder

SAX184

SEJ555

ACCUFORM.

Model No.	Mfg No.	Description
SAX184	ZRS321	Centre with MSDS Binder, English
SEJ555	ZRS349	Centre with SDS Binder, English
SEL122	FRZRS349	Centre with SDS Binder, French

GHS INFORMATION STATIONS

- Provides a central location to easily access all newly regulated SDS sheets as well as the basic information required for the GHS system for WHMIS
- The board is printed with the 3 main hazard groups; Physical, Health & Environmental
- Provides requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- Lists the information required on a Safety Data Sheet
- Printed in full colour on a mounting board and comes with a sturdy metal pocket
- Stations include either one (Single) or two (Double) standard 3-ring SDS binders with A - Z alphabetical dividers to sort all of your Safety Data Sheets
- The mounting board is constructed of 1/4" rigid plastic with 4 mounting holes to provide easy mounting and years of durability
- Available in two sizes in English or English/French

SEJ587

SEJ586

INCOM.

Model No.	Mfg No.	Size"	Description
SEJ586	GHS1002C	Single Station, 18 x 24	English
SEJ587	GHS1001C	Double Station, 24 x 36	English
SEJ588	GHS1072	Single Station, 18 x 24	English/French
SEJ589	GHS1019	Double Station, 24 x 36	English/French

SDS PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes: mounting holes and hardware

SEJ568

SEJ569

ACCUFORM.

Model No.	Mfg. No.	Panel Size"	Overall Size"
SEJ568	PSP768	6 x 5	6 x 8 1/2 x 4
SEJ569	PSP452	8 x 8	8 x 8 x 1 1/2

STORAGE BOXES

- Durable 20-gauge steel box secures MSDS or SDS documents
- Sloping hinge lid has lockable hasp and foam gasket lining for outdoor exposure
- 2 1/2" binder included
- Measures 13 1/2" x 13 1/2" x 4 1/2" to hold up to a 3" wide binder
- Available in MSDS or new regulaton SDS

SEJ562

SAX191

ACCUFORM.

Model No.	Mfg No.	Description
SAX191	ZRS364	MSDS Storage Box w/Binder, English
SEJ562	ZRS367	SDS Storage Box w/Binder, English
SEL123	FRZRS367	SDS Storage Box w/Binder, French

MSDS & SDS BINDERS

- Organize documents in bright, safety yellow binders
- Contrasting red letters on front cover and spine
- 3-ring binders have 914 mm (36") metal security chain
- Available in MSDS or new regulation SDS version

Model No.	Mfg No.	Description	Ring Size"
MSDS			
SAX186	ZRS631	MSDS English	1 1/2
SAX187	ZRS633	MSDS English	2 1/2
SAX188	ZRS639	MSDS English	3
SAX189	ZRS644	MSDS Bilingual	1 1/2
SAX190	ZRS646	MSDS Bilingual	2 1/2
SDS			
SEJ563	ZRS641	SDS English	1 1/2
SEJ564	ZRS642	SDS English	2 1/2
SEJ565	ZRS643	SDS English	3
SEJ566	FBZRS641	SDS Bilingual	1 1/2
SEJ567	FBZRS642	SDS Bilingual	2 1/2

ACCUFORM.

SEJ563

SAX186

SAFETY DATA SHEET INFORMATION STATIONS

- Provides a central place to easily access all the new regulation SDS sheets for your plant or office
- Sturdy metal pocket design to hold the included binder
- The mounting board is constructed of 1/4" rigid plastic with four mounting holes to provide easy mounting and years of durability
- Stations include either one (Double) or two (Double) standard 3-ring SDS binders with A - Z alphabetical dividers to sort all of your Safety Data Sheets
- Available in two sizes in English or English/French

SEJ590

SEJ593

INCOM

Model No.	Mfg. No.	Size"	Description
SEJ590	GHS1012	Single Station, 18 x 24	English
SEJ591	GHS1011	Double Station, 24 x 36	English
SEJ592	GHS1021	Single Station, 18 x 24	English/French
SEJ593	GHS1020	Double Station, 24 x 36	English/French

SAFETY DATA SHEET BINDERS

- Organize and access Safety Data Sheets quickly and easily with SDS binders
- Binders come in two sizes; 1 1/2" and 3"
- The regular size binders come with a standard 1 1/2" D-slant format ring
- The large binder comes with a 3" D-slant ring for easy storage of large numbers of SDS sheets
- All our binders come with sturdy A-Z alphabetical reinforced dividers to sort and organize your Safety Data Sheets
- Printed with bright graphics on a white background, these binders will be highly visible in the workplace

SEJ594

SDP091

INCOM

Model No.	Mfg No.	Size"	Description
SEJ594	GHS1008	1 1/2	English
SEJ595	GHS1049	3	English
SEJ596	GHS1009	1 1/2	English/French
SDP091	GHS1082	3	English/French

3M™ SCOTCHLITE™ DIAMOND GRADE™ CONSPICUITY SHEETING SERIES 983

Series 983 sheeting features superior reflective qualities. It is also DOT-C2 certified and guaranteed to meet or exceed all NHTSA requirements. Series 983 sheeting offers the following:

- **Brightness**—six times brighter than conventional sheeting. Maintains its superior conspicuity with a bright white appearance during the day and high reflectivity at night
- **Angularity**—reflects well at angles up to nearly 90°
- **Outlining Capabilities**—helps identify vehicle size and type
- **Durability**—resists weather, dirt and aging
- **Seven-year warranty**—strong performance backed by more than 50 years of experience in reflective technology

Available in pre-cut strips and 50-yard rolls in solid white or alternating pattern. Alternating patterns conspicuity material with 7" white and 11" red, designed for balanced retroreflectivity between the two colours, or conspicuity material designed for more versatile applications with the 6" red and 6" white colour in 12" increments. Pre-cut strips are cut at the colour change for faster application. 100 strips per case.

Sold per Package

Model No.	Mfg. No.	Size	Qty /Pkg.
SOLID WHITE			
SN566	983-10-2X50	2" x 50 yards	1
SN567	983-10-3X50	3" x 50 yards	1
SN568	983-10-4X50	4" x 50 yards	1
SN569	983-10-2X12(100)	2" x 12" Strips	100
ALTERNATING 7" WHITE THEN 11" RED			
SN570	983-32-2X50	2" x 50 yards	1
SN571	983-32-3X50	3" x 50 yards	1
SN572	983-32-4X50	4" x 50 yards	1
SN573	983-32-2X18(100)	2" x 18" Strips	100
ALTERNATING 6" WHITE THEN 6" RED			
SN574	983-326-2X50	2" x 50 yards	1
SN575	983-326-3X50	3" x 50 yards	1
SN576	983-326-4X50	4" x 50 yards	1
SR390	983-326-2X12(100)	2" x 12" Strips	100
SR391	983-326-2X24(100)	2" x 24" Strips	100

* Inquire about other colours and sizes

Strips

Tape

NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION (NHTSA) RECOMMENDATIONS (DOT-C2)



See pages 109-115 for high visibility safety apparel

CLASS 1

INCOM®

A

B

C

D

Material	A. Explosive 1.1A Model No.	Mfg. No.	B. Explosive 1.1D Model No.	Mfg. No.	C. Explosive 1.4G Model No.	Mfg. No.	D. Explosive 1.5D Model No.	Mfg. No.
Rigid Plastic	**SJ334**	TT110ASS	**SAH452**	TT110DSS	**SJ347**	TT140GSS	**SJ350**	TT150DSS
Tagboard	**SJ335**	TT110ATB	**SAH453**	TT110DTB	**SJ348**	TT140GTB	**SJ351**	TT150DTB
Adhesive Vinyl	**SD299**	TT110ATB	**SAH454**	TT110DPS	**SD301**	TT140GPS	**SD303**	TT150DPS
Aluminum	**SD300**	TT110AAL	**SAH455**	TT110DAL	**SD302**	TT140GAL	**SD304**	TT150DAL

CLASS 2

INCOM®

E

F

G

H

Material	E. Flammable Gas Model No.	Mfg. No.	F. Compressed Gas Model No.	Mfg. No.	G. Poison Gas Model No.	Mfg. No.	H. Oxidizer Model No.	Mfg. No.
Rigid Plastic	**SJ356**	TT210SS	**SJ358**	TT220SS	**SJ360**	TT230SS	**SJ364**	TT232SS
Tagboard	**SJ357**	TT210TB	**SJ359**	TT220TB	**SJ361**	TT230TB	**SJ365**	TT232TB
Adhesive Vinyl	**SD307**	TT210PS	**SD311**	TT220PS	**SD315**	TT230PS	**SD309**	TT232PS
Aluminum	**SD308**	TT210AL	**SD312**	TT220AL	**SD316**	TT230AL	**SD310**	TT232AL

CLASS 3

INCOM®

I

Material	I. Flammable Liquids Model No.	Mfg. No.
Rigid Plastic	**SJ368**	TT300SS
Tagboard	**SJ369**	TT300TB
Adhesive Vinyl	**SD319**	TT300PS
Aluminum	**SD320**	TT300AL

CLASS 4

J

K

L

Material	J. Flammable Solid Model No.	Mfg. No.	K. Spontaneously Comb. Model No.	Mfg. No.	L. Dangerous When Wet Model No.	Mfg. No.
Rigid Plastic	**SJ370**	TT410SS	**SJ372**	TT420SS	**SJ374**	TT430SS
Tagboard	**SJ371**	TT410TB	**SJ373**	TT420TB	**SJ375**	TT430TB
Adhesive Vinyl	**SD321**	TT410PS	**SD323**	TT420PS	**SD325**	TT430PS
Aluminum	**SD322**	TT410AL	**SD324**	TT420AL	**SD326**	TT430AL

CLASS 5

INCOM®

M

N

Material	M. Oxidizers Model No.	Mfg. No.	N. Organic Peroxides Model No.	Mfg. No.
Rigid Plastic	**SJ376**	TT510SS	**SEC884**	TT521SS
Tagboard	**SJ377**	TT510TB	**SEC885**	TT521TB
Adhesive Vinyl	**SD327**	TT510PS	**SEC886**	TT521PS
Aluminum	**SD328**	TT510AL	**SEC887**	TT521AL

CLASS 6

O

P

Material	O. Poison, Poisonous Sub. Model No.	Mfg. No.	P. Infectious Substances Model No.	Mfg. No.
Rigid Plastic	**SJ380**	TT600SS	**SAG840**	TT620SS
Tagboard	**SJ381**	TT600TB	**SAG841**	TT620TB
Adhesive Vinyl	**SD331**	TT600PS	**SAG842**	TT620PS
Aluminum	**SD332**	TT600AL	**SAG843**	TT620AL

CLASS 7 CLASS 8 CLASS 9

INCOM®

Q

R

S

T

U


V

Material	Q. Radioactive Material Model No.	Mfg. No.	R. Corrosive Model No.	Mfg. No.	S. Misc Dangerous Goods Model No.	Mfg. No.	T. Danger, Mixed Loads Model No.	Mfg. No.	U. Environmental Pollutant Model No.	Mfg. No.	V. Limited Quantity Model No.	Mfg. No.
Rigid Plastic	**SJ384**	TT700SS	**SJ386**	TT800SS	**SJ419**	TT960SS	**SJ390**	TT950SS	**SEI890**	TT166SS	**SEI894**	TT980SS
Tagboard	**SJ385**	TT700TB	**SJ387**	TT800TB	**SJ420**	TT960TB	**SJ391**	TT950TB	**SEI891**	TT166TB	**SEI895**	TT980TB
Adhesive Vinyl	**SD335**	TT700PS	**SD337**	TT800PS	**SD339**	TT960TB	**SD345**	TT950PS	**SEI892**	TT166PS	**SEI896**	TT980PS
Aluminum	**SD336**	TT700AL	**SD338**	TT800AL	**SD340**	TT960AL	**SD346**	TT950AL	**SEI893**	TT166AL	**SEI897**	TT980AL

CANADIAN 5 LEGEND FLIP CHART PLACARDS

- With 5 Canadian T.D.G. legends at your disposal, you can use this flip chart for almost any load
- Exclusive design is built for durability, heavy 0.031" white aluminum back plate for wind protection
- Baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum for longevity

LEGENDS

INCOM

Model No.	Mfg. No.	Description
SAK381	FC5010WH	5-Legend Flip Chart

FUEL FLIP CHART PLACARDS

- These popular units are enamel and comply with the new "Clear Language" Transport Canada Regulations for bulk shipments for these products
- Both pages are Class 3 Flammable Liquid
- One page has the UN number 1202, and the other page has the UN number 1203
- Units are constructed of all aluminum and stainless steel parts for added longevity

LEGENDS

INCOM

Model No.	Mfg. No.	Description	Material
SAG845	FC4020AL	Flammable Class 3 (UN 1202) Flammable Class 3 (UN 1203)	Aluminum Base
SD357	FC4020WH	Same As Above	White Base

CANADIAN 14 LEGEND FLIP CHART PLACARDS

- Be ready for any shipment with 13 Canadian T.D.G. legends plus a blank white page
- Exclusive design is built for durability, heavy 0.031" aluminum back plate for wind protection
- Baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum for longevity

LEGENDS

INCOM



Model No.	Mfg. No.	Description
SAK382	FC5000WHR	14-Legend Flip Chart

PLACARD HOLDERS

- Manufactured of natural aluminum with stainless steel clips for years of service
- Holders come with 10 pre-drilled mounting holes for easy application
- The back plate has several dimples to ease the placards out of the holder and up and over the clip assembly

SAQ008



SAQ009

INCOM

Model No.	Mfg. No.	Description
SAQ008	PH223	Placard holder
SAQ009	PH227	Easy Access Design

SIGNS

ACCUFORM

Material	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
Adhesive Vinyl - 18" x 18"	**SEI459** - PS	LVHR904XVE	**SEI461** - PS	FRLVHR904XVE	**SEI463** - PS	LVHR907XVE	**SEI465** - PS	FRLVHR907XVE
Aluminum - 18" x 18"	**SEI460** - AL	MVTR620VA	**SEI462** - AL	FRMVTR620VA	**SEI464** - AL	MVTR001VA	**SEI466** - AL	FRMVTR001VA

DANGEROUS GOODS SHIPPING LABELS 4" X 4" (100 MM X 100 MM)

- Shipping labels are essential for packages that contain dangerous goods
- Labels are available in two materials, paper for indoor applications and vinyl for extended outdoor usage
- Manufactured to Transport Canada specifications with fade resistant inks
- 500 labels/roll

CLASS 2



CLASS 3

Material	Flammable Gas Model No.	Flammable Gas Mfg. No.	Compressed Gas Model No.	Compressed Gas Mfg. No.	Poison Gas Model No.	Poison Gas Mfg. No.	Oxidizer Model No.	Oxidizer Mfg. No.	Flammable Liquids Model No.	Flammable Liquids Mfg. No.
Paper	SAG852	TT21P	SAG854	TT22P	SAG856	TT23P	SAG858	TT50P	SAG860	TT30P
Vinyl	SAG853	TT21V	SAG855	TT22V	SAG857	TT23V	SAG859	TT50V	SAG861	TT30V

CLASS 4

CLASS 5



Material	Flammable Solid Model No.	Flammable Solid Mfg. No.	Spontaneously Comb. Model No.	Spontaneously Comb. Mfg. No.	Dangerous When Wet Model No.	Dangerous When Wet Mfg. No.	Oxidizers Model No.	Oxidizers Mfg. No.	Organic Peroxides Model No.	Organic Peroxides Mfg. No.
Paper	SAG862	TT41P	SAG864	TT42P	SAG866	TT43P	SAG868	TT51P	SED444	TT53P
Vinyl	SAG863	TT41V	SAG865	TT42V	SAG867	TT43V	SAG869	TT51V	SED445	TT53V

CLASS 6



CLASS 7

Material	Poison, Poisonous Sub. Model No.	Poison, Poisonous Sub. Mfg. No.	Infectious Substances Model No.	Infectious Substances Mfg. No.	Radioactive I Model No.	Radioactive I Mfg. No.	Radioactive II Model No.	Radioactive II Mfg. No.	Radioactive III Model No.	Radioactive III Mfg. No.
Paper	SAG872	TT60P	SAG874	TT63P	SAG876	TT71P	SAG878	TT72P	SAG880	TT73P
Vinyl	SAG873	TT60V	SAG875	TT63V	SAG877	TT71V	SAG879	TT72V	SAG881	TT73V

CLASS 8

CLASS 9

MARKS

LIMITED QUANTITY



Material	Corrosive Model No.	Corrosive Mfg. No.	Misc. Dangerous Goods Model No.	Misc. Dangerous Goods Mfg. No.	Environmental Pollutant Model No.	Environmental Pollutant Mfg. No.	Limited Quantity Model No.	Limited Quantity Mfg. No.
Paper	SAG882	TT80P	SAG884	TT91P	SAK383	TT74P	SEI898	TT98P
Vinyl	SAG883	TT80V	SAG885	TT91V	SAK384	TT74V	SEI899	TT98V

SAFETYWHIPS USA - FIELD PROVEN, HIGH VISIBILITY PRODUCTS

LIGHT-DUTY, HEAVY-DUTY AND SUPER-DUTY WARNING WHIPS

- Multiple pole, whip light and mount option
- Temporary or permanent mounting
- Internationally proven technology and quality
- Be seen, stay safe!

SAFETY WHIPS

- 11.5" x 11.5" mesh flag

Model No.	Length'	Base	Flag
LIGHT-DUTY			
SDP028	5	Magnet	Orange
SDP029	5	Magnet	Orange w/Reflective X
SDP031	5	Window Mount	Orange w/Reflective X
HEAVY-DUTY - NON-POWERED			
SDN979	5	Threaded	Orange
SDN990	5	Threaded	Orange w/Reflective X
SDN981	8	Threaded	Orange
SDN980	8	Threaded	Orange w/Reflective X
SDN982	10	Threaded	Orange
SDN991	10	Threaded	Orange w/Reflective X
HEAVY-DUTY - POWERED			
SDN998	5	Threaded	Orange
SDN995	5	Threaded	Orange w/Reflective X
SDN993	8	Threaded	Orange
SDN996	8	Threaded	Orange w/Reflective X
SDN997	10	Threaded	Orange
SDN985	10	Threaded	Orange w/Reflective X

SDP028

SDP029

SDN979

SDN985

LIGHTING OPTIONS FOR HEAVY-DUTY SAFETY WHIP - POWERED

Model No.	Description	Colour
SDP019*	High Impact Plastic Lens	Amber
SDN987	Low Profile - Sealed, Non-Flash LED	Amber
SDP010	Low Profile - Sealed, Non-Flash LED	White
SDP024	Non-Flash 8 LED	Amber
SDP025	Non-Flash 8 LED	Red
SDP023	Flash 8 LED	White
SDP020	Quad-Flash, 6 LED	Amber
SDP021	Quad-Flash, 6 LED	White

* Miniature lamps sold seperately

SDP023

SDN987

SDP024

SDP019

ACCESSORIES FOR HEAVY-DUTY SAFETY WHIP

Model No.	Mfg. No.	Description
FOR NON-POWERED WHIPS		
SDP006	519.30BNP	Heavy-Duty Spring Mount
SDP583	ABM	Angle Bracket Mount
SDP584	SPM	Stake Pocket Mount
SDP582	HM1NP	Hitch Mount
FOR POWERED WHIPS		
SDN978	519.30B	Heavy-Duty Spring Mount
SDP027	ABM/RCA	Angle Bracket Mount
SDP026	SPM/RCA	Stake Pocket Mount
SDN988	HM1	Hitch Mount
SDP012	519.33LHR	Magnet Mount, Handle & Cigarette Cord

SDP012

SDP584

SDN984

SDP006

SDP027

SUPER-DUTY PERMANENT MOUNT SAFETY WHIPS

- Complete whip assembly: Orange 16" x 16" flag with reflective X, heavy-duty spring and low profile - sealed, non flash LED

Model No.	Description
SDN984	6' Safety Whip w/White LED
SDP015	8' Safety Whip w/Amber LED

QUADRAFLEX ROLL-UP SIGNS

- Temporary traffic control signs for construction, work zones and emergency traffic control
- Meets NCHRP-350 Certification and MUTCD standards
- Designed with technology to increase sign detection, especially in low-light conditions
- Designed with micro-prismatic reflective sheeting bonded to a heavy-duty fibre-reinforced vinyl material
- Will not delaminate and provides outstanding durability, legibility and long sign life
- Signs will not wrinkle or crinkle and will maintain its legibility after multiple uses
- Easy to transport

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg. No.	Legend
60 CM (23 3/5") X 75 CM (29 1/2")		
SDP373	07-800-35102	*Ligne D'Arrêt* w/Arrow
75 CM (29 1/2") X 75 (29 1/2")		
SDP367	07-800-0123	Men at Work Pictogram
SDP368	07-800-0124	Arrow
SDP369	07-800-0135	Merge Left Pictogram
SDP370	07-800-0136	Yield Ahead Pictogram
SDP372	07-800-35101	Do Not Pass Pictogram
SDP374	07-800-35103	Stop Light Pictogram
SDP375	07-800-35104	Man In Bucket Pictogram
SDP376	07-800-35105	Flagman Pictogram
SDP377	07-800-35106	*Lentement*
SDP566	07-800-0137	Merge Right Pictogram
90 CM (36") X 90 CM (36")		
SDP359	07-800-3026-L	Men at Work Pictogram
SDP360	07-800-3028-L	Construction w/Upwards Arrow
SDP361	07-800-3044-L	Merge Right Pictogram
SDP362	07-800-3045-L	Merge Left Pictogram
SDP363	07-800-3051-L	Flagman Pictogram
SDP366	07-800-3060-L	Arrow
SDP378	07-800-3058-L	Yield Ahead Pictogram
SDP371	07-800-30104	Emergency Scene Ahead
90 CM (36") X 120 CM (48")		
SDP364	07-800-3056-L	Yield Pictogram to Oncoming Traffic
SDP365	07-800-3057-L	Road Closed Pictogram

Model No.	Mfg. No.	Description
QUADRAFLEX ROLL-UP SIGN STANDS		
SDP357	07-804-1	W/Roll-Up Bracket
SDP358	07-804-3	W/Telescoping Mast

SDP357

SDP358

23-3/5" x 29-1/2"
SDP373

36" x 48"
SDP364

36" x 48"
SDP365



29-1/2" x 29-1/2"
SDP374

29-1/2" x 29-1/2"
SDP375

29-1/2" x 29-1/2"
SDP372

29-1/2" x 29-1/2" **SDP369**
36" X 36" **SDP362**

29-1/2" x 29-1/2" **SDP566**
36" X 36" **SDP361**

29-1/2" x 29-1/2" **SDP376**
36" X 36" **SDP363**

29-1/2" x 29-1/2" **SDP367**
36" X 36" **SDP359**

29-1/2" x 29-1/2" **SDP370**
36" X 36" **SDP378**

29-1/2" x 29-1/2" **SDP368**
36" X 36" **SDP366**

29-1/2" x 29-1/2"
SDP377

36" X 36"
SDP360

36" X 36"
SDP371

TRAFFIC SAFETY FLAGS

- For use as hand or vehicle flags
- Comes with 24" or 36" wooden staff
- Use 36" wooden staff model with moving vehicles
- Flag size: 18" x 18"
- Available in mesh, vinyl or throw away vinyl
- Mesh flag: Heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging
- Vinyl flag: Fluorescent vinyl blend with heat-sealed hem
- Throw away vinyl flag sold as a case of 100
- Colour: Red/Orange

Model No.	Mfg. No.	Description	Wooden Staff"
FLAG WITH STAFF			
SC140	03-229-3406	Mesh Flag	24
SC141	03-229-3463	Mesh Flag	36
SAP711	03-229-3417	Vinyl Flag	24
SC143	03-229-3405	Vinyl Flag	36
FLAG ONLY			
SAI342	03-229-3412	Mesh Flag	-
SEI553	03-229-3472	Throw Away Vinyl Flag	-

ELECTRONIC LED SAFETY BATONS

- Pulsating high intensity LED lights
- Water and impact resistant construction
- 3 flash modes: steady on, slow flash and fast flash
- Takes C-cell batteries (**XB874**), batteries not included
- Length: 12"

Model No. SDP537

HIGHWAY BANNERS

- Screened "WIDE LOAD" on one side and "OVERSIZE LOAD" on reverse, made of durable material
- Black on yellow 18" x 96" complete with 5' tie down ropes

Model No.	Mfg. No.	Description	Size W" x H"
SC150	03-11-000	Wide Load/Oversize Load	96 x 18

TRUCK "D" BANNER ROLL UP SIGNS

- Made using durable Level 1 Hi-Intensity Retro Reflective material
- Ideal for day and night time hauling
- Meets and exceeds all provincial regulations
- 10 heavy duty grommets; 5 upper and 5 lower

Model No.	Height"	Width"
SDP621	45.72 cm (18")	243.84 cm (96")

TRAFFIC CONTROL SIGNS

- High-intensity, double-sided hand-held traffic sign
- Directs traffic by signaling the desired warning towards oncoming vehicles
- STOP legend red with white legend and border
- **SEJ663:** SLOW legend orange with black legend and border
- **SO101:** SLOW legend fluorescent yellow/green with black legend and border
- Size: 18" x 18"
- Optional 81" orange plastic handle sold seperately

Model No.	Mfg No.	Description
SEJ663*	03-836	STOP/SLOW Sign – MUTCD regulated
SFU870	03-836-FR	*ARRÊT/LENTEMENT* Sign– MUTCD regulated
SO101	03-8580N	STOP/SLOW Sign – MTO TC-22 regulated
SEI644	03-824	81" Plastic Handle

* For all provinces except ON & QC

MUNICIPAL TRAFFIC SIGNS

- Octagon shaped paddle sign
- Sign is plastic with engineer grade reflective material
- Ideal for school crossing guards and low speed construction areas
- 18" sign and 9" plastic polygrip handle included
- Meets MUTCD regulations

Model No.	Mfg No.	Description
SEI474	03-855	STOP/STOP Sign w/handle
SEI475	03-852	STOP/SLOW Sign w/handle
SFU868	03-855-FR	*ARRÊT/LENTEMENT* Sign w/handle
SFU869	03-852-FR	*ARRÊT/ARRÊT* Sign w/handle

SLOW MOVING VEHICLE SIGNS

Available in two styles. Heavy duty, aluminum backed triangle mounts easily using screwholes provided. Self-adhesive decal triangle mounts quickly to any smooth, clean surface. Meets all provincial and federal specifications.

Model No.	Mfg. No.	Description
SC153	05-099-10	Aluminum Sign
SC154	TTR006-AC	Self- Adhesive Sign

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum night time visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2" H

Model No.	Length	Spikes Required	Weight lbs.
SPEED BUMP			
SEH142	4'	5	35
SEH143	6'	4	55
REBAR SPIKE			
SEH144	14"	-	-

PARKING CURBS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or plastic; will not chip, crack or deform
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 6" W x 4" H

Model No.	Length	Spikes Required	Weight lbs.
PARKING CURB			
SEH140	3'	3	20
SEH141	6'	4	35
REBAR SPIKE			
SEH144	14"		-

SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- UL approved

Sold per Package

Model No.	Mfg. No.	Description	Qty /Pkg.
20 MINUTES			
SAI373	2720	Spike	72
SAI374	9240	Wire stand	72
30 MINUTES			
SAI375	2730	Spike	36
SAI376	9340	Wire stand	36

FLARE CONTAINERS

Model No.	Mfg. No.	Description
SDP618*	300	Holds up to four 20 minute Flares
SDP619*	S300	Holds up to four 30 minute Flares
SDP620	7830	Holds up to eighteen 30 minute Flares

* Wall Mounting bracket included

SDP618

TRIANGULAR REFLECTOR KITS

- Set of 3 triangular reflectors in reusable storage container
- Constructed of molded polypropylene plastic with red acrylic plastic reflectors
- Air-flow design helps reduce wind resistance
- Meets FMVSS-125 Standards

Model No. SAV007
Mfg. No. 95-03-009

For head protection see pages 19-23

LINEBACKER® MODULAR CABLE & HOSE PROTECTION SYSTEMS

FEATURES:

- Polyurethane construction, non-conductive material
- 36" length per lineal protector
- Five bar tread plate surface
- Safety warning symbols molded into protector
- Modular interlocking design
- Recessed carrying handle
- Patented T-Connectors to extend to any length
- Universal safety colours





T-connector systems

BENEFITS:

- Weather and abrasion resistant; high load-bearing capacity
- Insulates electrical cables from human contact
- Increases traction
- Lightweight; easy to transport, set-up, breakdown, and store; multi-length applications
- Allows for moving with ease
- High visibility

KH699



KH700

KH702

CHECKERS® INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Description	A L"	B W"	C H"	D Channel W"	E Channel H"	Max. Load lbs. per tire at 21°C	Wt. lbs.
EXTRA HEAVY-DUTY								
KH687	5-Channel Protector	36	20	2 5/16	1 1/4	1 1/4	20 150	25
KH688	5-Channel End Caps (Female)	7 1/2	20	2 5/16	1 1/4	1 1/4	20 150	3.5
	5-Channel End Caps (Male)	5 1/4	20	2 5/16	1 1/4	1 1/4	20 150	3.5
KH691	4-Channel Protector	36	20	2 5/16	1 5/6	1 1/4	20 150	26
KH692	4-Channel End Caps (Female)	7 1/2	20	2 5/16	1 5/6	1 1/4	20 150	3.5
	4-Channel End Caps (Male)	5 1/4	20	2 5/16	1 5/6	1 1/4	20 150	3.5
KH695	3-Channel Protector	36	20	3 1/16	2 1/4	2 1/4	14 210	28
KH696	3-Channel End Caps (Female)	8 1/4	20	3 1/16	2 1/4	2 1/4	14 210	4
	3-Channel End Caps (Male)	6	20	3 1/16	2 1/4	2 1/4	14 210	4
KH699	2-Channel Protector	36	22	4 1/8	3 1/4	3 1/4	10 880	33
HEAVY-DUTY GENERAL PURPOSE								
KH700	5-Channel Protector	36	17 1/4	1 15/16	1 5/16	1 5/16	10 500	22
KH701*	5-Channel End Caps	4 3/4	17 1/4	1 15/16	1 5/16	1 5/16	10 500	2.7
KH702	1-Channel Protector	36	11 1/2	1 5/8	1 1/4	1 1/4	11 700	13

*Female and male end cap included

INDUSTRIAL CORD COVERS

- Protect your cables from foot and vehicular traffic
- Constructed from non-conductive vulcanized rubber
- Suitable for indoor and outdoor use
- Withstands car and light truck traffic up to 5000 lbs. per axle
- Stronger and longer lasting than PVC covers
- Excellent in temperatures from -40°C to 150°C
- Black with yellow safety stripe

LIND EQUIPMENT

5' Model No.	10' Model No.	Description	W"	H"	W"	Channel H"
KH907	KH908	1 Channel	3 1/4	3/4	3/4	1/2
KH909	KH910	1 Channel	3	1	1	3/4
KH911	KH912	2 Channels	5 1/2	1 1/8	7/8	3/4
KH913	-	1 Channel	6	1 7/8	1 1/2	1 1/2

GRIP-GUARD® LIGHT-DUTY CHANNEL SYSTEMS

- Gripper® connector system
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant to oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Capacity: 5,000 lbs. per tire at 21°C
- Colours: grey and safety yellow

CHECKERS® INDUSTRIAL SAFETY PRODUCTS, INC.

Gripper® connector system



Model No.	Description	Overall Dimensions A Length"	B Width"	C Height"	Channel Dimensions D Diameter"	E Height"	Wt. lbs.
KH981	5 Channel Protector	36	16 4/9	1 3/5	1 1/4	1 1/4	12.75
KH986	3 Channel Protector	36	18 1/5	2 1/4	2 1/4	2 1/4	23

RUBBER WHEEL CHOCKS

- Highly resistant to abrasion, impacts, corrosion, sun, salt, ozone and oil
- Steel ring on back
- 6 1/2" W x 7 1/2" H x 9 1/2" D
- Weight: 12.5 lbs.

Model No. KH032

RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil
- Handle on back for easy placement
- 9 7/8" L x 7 1/8" W x 7 1/2" H
- Weight: 9.5 lbs.

Model No. KH893

KLETON

ICE CHOCKS

- Formed steel
- "Tooth" like bottom assures reliable grip
- Maximum holding power for snow and ice
- Overall dimensions: 10 1/2" L x 8" W x 9 1/4" H
- Powder-coated safety yellow finish for high visibility

Model No. KH964



RUBBER CHOCKS

Fabricated of a resilient rubber compound, reinforced for maximum wearability and strength.

Type A - May be used with chains



Type B - Traditional eyebolt for sturdy chain connection

Model No.	Type	Approx. Size W" x L" x H"	Wt. lbs.
KH600	A	8 x 9 x 6	10
KH601	B	8 x 9 x 6	10

URETHANE WHEEL CHOCKS

- Safety orange for greater visibility
- Molded-in hole through width of chock for attaching security chain (chain sold separately)
- Overall size: 11" L x 8" W x 8" H

Model No. KH897



PREVENT ACCIDENTS!

Chocks are designed to provide maximum gripping power on practically any surface, wet or dry. They are resistant to sun, moisture, salt, oil and meet OSHA requirements

LAMINATED RUBBER CHOCKS

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment. Load capacity: Up to 40 000 lbs.



Model No.	Approx. Size W" x L" x H"	Wt. lbs.
KH603	8 x 8 x 8	14

ALUMINUM WHEEL CHOCKS

IRONguard Protecting Your People

High in strength but lightweight. Resists the effects of oil, salt, corrosion and weather. Non-sparking.

KH022



KH023

KH031

Model No.	Dimensions W" x L" x H"	Wt. lbs.
KH023	7 x 6 x 6	4
KH801	9 1/2 x 15 x 6 1/2	4
KH022	7 x 11 1/2 x 8	6

HEAVY-DUTY POLYURETHANE WHEEL CHOCK

- Max Gross Vehicle Operating Weight: 245 000 lbs.
- For Tire Diameter: 46" to 65"
- Durable polyurethane construction
- Safety orange for greater visibility
- Resistant to oils, fuels and solvents
- Ideal for use with ground vehicles and heavy equipment
- Payloads up to 70 tons when using 2 x wheel chocks



CHECKERS INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Colour	Dimensions W" x D" x H"	Wt. lbs.
M0005	Orange	14 x 17 x 14	25

WHEEL CHOCK ACCESSORIES

18' SECURITY CHAIN W/HOOK

- Weight: 4 lbs.

Model No. KH027

KLETON

10" X 14" CAUTION SIGNS

- Black letters on yellow field
- Weight: 6 oz.
- Vinyl

Model No. SAT137 English
Model No. SEE554 French

SAT137

SEE554

WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock

Model No. KH963

KLETON

Model No.	Description
KH027	18' Security Chain w/Hook
SAT137	English Caution Sign
SEE554	French Caution Sign
KH963	Wheel Chock Wall Bracket

HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with ground vehicles and heavy equipment
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Mounting hole for ropes, chains or brackets
- Includes replaceable rubber pads
- Optional studs available for increased traction on snow and ice
- Colour: Safety yellow

KH977

CHECKERS INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Mfg. No	Overall Dimensions L" x W" x H"	Wt. lbs.
KH977	MC3009	15 x 15 1/10 x 11	14.5
KH978	MC3010	17 7/10 x 15 1/2 x 10	19
KH979	MC3011	24 3/5 x 14 1/2 x 16	32
KH980	MC3012	21 9/10 x 14 9/10 x 10 3/5	23.75

ONE-PIECE TRAFFIC CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Colour: Orange

SEH138

Model No.	Height"
SEH138	18
SDP595	28

TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

SEF026

Model No.	Height"	Collar	Wt. lbs.
SEF026	18	6" (QC, ON, AB)	3.15
SEF027	28	4" (ON, AB)	6.75
SEF028	28	6" and 4" (QC, ON, AB)	6.75

RECESSED CONES

- One-piece wide body design and construction
- Easier stacking - no pinch points with collars
- Increased durability for reflective sheeting; recessed collars resist direct wear
- Protected reflective translates into longer service life lowering overall usage costs
- 28" cone with 6" reflective collar on top and 4" reflective collar on bottom
- Weight: 7 lbs.
- Base width: 14"
- Meets MUTCD standards

Model No. SAQ093
Mfg. No. 03-500-100R

PACK & POP™ COLLAPSIBLE CONES

- Constructed of orange waterproof nylon
- Internal light has two settings: steady burn and flashing
- Cone light endures 100 000 flashes or 36 hours of steady burn
- Collapses flat for easy storage
- Replaceable lithium battery
- Sold in packs of 4 with one carrying bag included
- Meets MUTCD Standards



SAR385

Model No.	Mfg. No.	Size"
SAR385	03-501-06	18
SAR386	03-501-02	28

TRAFFIC CONE HOLDERS

- Bolts to vehicle bumper
- Conserves valuable inside storage space
- Holds 18" and 28" cones only

Model No. SB832
Mfg. No. 03-500-99

COLOURED CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Choice of six colour coding options
- Height: 18"
- Weight: 3 lbs.

SEH136

SEH137

SEH139

Model No.	Colour
SEK283	Red
SEH135	White
SEH136	Blue
SEH137	Yellow
SEH138	Orange
SEH139	Green

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" 3M™ Hi-Intensity collars
- High density interlocking base offers maximum stability

SEB768

SDS934

Model No.	Description	Colour	Wt. lbs.
TRAFFIC CONE			
SEB768	12"	Orange	2
SEB769	18"	Orange	3.3
SEB771	28"	Orange	7
SDS932	18"	Lime Green	3.3
SDS933	28"	Lime Green	7
TRAFFIC CONE W/COLLAR			
SEB770	18" w/6" Collar**	Orange	3.3
SEB772	28" w/6" & 4" Collar**	Orange	7
SEB826	28" w/4" Collar*	Orange	7
SDS934	18" w/6" Collar	Lime Green	3.3
SDS935	28" w/6" & 4" Collar	Lime Green	7

* Meets Minister of Transport regulations for Ontario and Alberta
** Meets Minister of Transport regulations for Quebec, Ontario and Alberta

SEB772

TRAFFIC CONE CART

- Safely and easily transports traffic cones with little effort
- Constructed of 1" round heavy-duty 14 gauge steel tubing
- Holds up to 25 standard or reflective cones from 12" to 28" in height
- Durable Kleton blue enamel finish
- Overall Dimensions: 22-1/2"W x 20"D x 45"H
- Load Capacity: 500 lbs.
- Weight: 32 lbs.
- Traffic Cones Capacity: 25
- Wheel Type: Mold-on Rubber
- Construction Type: All-Welded

Model No. MO214

TENSACONE™ TOPPERS

- Transforms your line of traffic cones into a cost effective temporary barrier system
- Ideal for use in health and safety, roadside maintenance and engineering applications, or anywhere where a temporary barrier is required
- For use with a base weight and fits most standard traffic cones
- Fits securely to the top of the cone; retracting heavy-duty belt is connected to the next cone providing up to 12' of barrier
- More effective at restricting access than cones alone
- Faster and easier to use than string or traffic tape
- Lighter and easier to set up than rigid barriers
- Less cones are required, saving space and money
- Robust construction, stands up to heavy-duty use
- 13' red and white diagonal stripe belt
- Other colours available upon request

TENSATOR®

Model No.	Mfg. No.	Wt. lbs.
SAQ141	TC114-30-MAX-NO-D3X-C	2

NIGHTSEARCHER® PULSAR-PRO HAZARD WARNING LIGHTS

- 10 light modes for any environment, including Rotate, Quad Flash, Single Blink, Alternating Blink, SOS Rescue, Steady on High, Steady on Low
- Crushproof up to 3.3 tons
- 360° Illumination
- CREE® LED for brightness and efficiency
- Rechargeable Li-ion 700mAh 3.7 V battery
- IP65 rating (waterproof and dustproof)
- Floats in water
- Suitable for a variety of industries, including law enforcement, fire, utility, rail, mining, construction, emergency preparedness and public works
- Light pattern: Continuous/Flashing/Rotating/Strobe
- Mounting type: Magnetic

SFI928

SFI924

NightSearcher by ProBuilt Professional Lighting, LLC

Model No.	Colour	Qty /Case
SFI924	Amber	5
SFI925	Blue	5
SFI926	Red	5
SFI927	Amber	1
SFI928	Blue	1
SFI929	Red	1

For hi-viz apparel see pages 111-115

EZ-GRAB™ DELINEATOR POSTS

- Durable 42" high post
- Impact resistant polyethylene material
- Comes complete with two 4" hi-intensity reflective bands
- UV inhibitors resist colour fading
- EZ-Grab™ handle makes it easy to transport and store
- Meets NCHRP-350 crash certification and MUTCD standards
- 10-lb. square shaped base sold separately

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg No.	Description
SEJ658	03-747	EZ-Grab™ Post
SEI473	03-730	10-lb. Square Base

RETRACTABLE CONE BAR

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent orange colour for enhanced daytime visibility
- 3M reflective tape offers maximum nighttime visibility and safety

ZENITH® Safety Products



Model No.	Collapsed Length	Extended Length	Colour
SDP614	4' 5"	7' 5"	Black/Orange

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ Hi-Intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

ZENITH® Safety Products

Model No.	Description	Wt. lbs.
SEB773	Delineator Post Only	1.8
SEB774	Rubber Base	10
SEC153	Delineator Post w/Base	12

SEC153

CHANNELIZER CONES

- 42" high channelizer cone is made of high impact orange polyethylene
- Comes with a 4" and 6" reflective collar for improved visibility
- Unique shaped handle makes it easy to transport
- Cone dimensions: 4" at top tapering to 8" at bottom
- Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately

SEE893

SEI476

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg. No.	Description
SEI476	03-770-42-64	Channelizer Cone
SEE893	03-752-10	10-lb. Square Base
SC104	03-752-16	16-lb. Octagon Base

EZ-GRAB™ CHANNELIZERS

- Constructed of HDPE with UV inhibitors
- Lower profile design uses less space
- EZ-Grab™ handle makes it easy to transport and store
- 4" hi-intensity stripes
- Meets NCHRP-350 crash test requirements and MUTCD standards
- 13" D at top x 16.5" D at bottom x 44.12" H
- Choice of 15-lb. or 20-lb. base, sold separately

SEI395

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg No.	Description	Provincial Specification	Wt. lbs.
CHANNELIZER				
SEI395	03-756-4HI0	Black/Orange	ON,NL	-
SEI396	03-755-4HI	Orange/White	BC, AB, SK, NS, PE, MB	-
BASE				
SAS372	03-732-WR	Base for SEI395, SEI396 and SAS373	-	15
SEC002	03-732	Base for SEI395, SEI396 and SAS373	-	20

CHANNELIZERS

- Molded from linear low density polyethylene
- 2-piece channelizer drum is stackable
- Meets or exceeds M.T.O. TC-54 specifications
- Choice of 15-lb. or 25-lb. base, sold separately

SAS373

CCI Canada
Circle Cortina Industries Canada Limited

Model No	Mfg. No.	Description	Provincial Specification	Wt. lbs.
CHANNELIZER				
SAS373	YJ-22616	Orange/White	Quebec only	-
BASE				
SAS372	03-732-WR	Base for SEI395, SEI396 and SAS373		15
SEC002	03-732	Base for SEI395, SEI396 and SAS373		20

GRIP N GO™ TRIM LINE CHANNELIZERS

- Utilizes less space than traditional traffic drums
- Handle accommodates most barricade lights
- Made of impact resistant polyethylene material
- Model SEJ659 meets NCHRP-350 crash certification and MUTCD standards
- Model SEJ660 conforms to ON standard (MTO) for TC-52 channelizers
- Tapered stackable design
- Overall height 49": channelizer 42" H, handle 7" H
- Channelizer base measures 8" W
- Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately

SEJ660

SEJ659

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg. No.	Description
CHANNELIZERS		
SEJ659	03-750B-5HI0	Black w/Orange Stripes
SEJ660	03-750-4HI	Orange w/White Stripes
BASE		
SEE893	03-752-10	10-lb. Square Base
SC104	03-752-16	16-lb. Octagon Base

TRAILBOSS CHANNELIZER DRUMS

- Constructed of high density polyethylene
- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Tapered drum design enables nesting for storage or transport
- Drum handle accommodates one or two Type A or C lights designed to be attached with a standard size bolt and bolt protector
- Meets MUTCD and NCHRP-350 requirements with or without barricade lights
- Drum height: 41.27"
- Drum diameter (at bottom): 23"
- Choice of 25-lb. or 30-lb. base, sold separately

CCI Canada
Circle Cortina Industries Canada Limited

CHANNELIZERS

Model No.	Mfg. No.	Reflective Stripes
SAS571	03-780-4HI	High Intensity Grade

ACCESSORIES

Model No.	Mfg. No.	Description
SAS572	03-732-25	Base, 25 lbs.
SAS573	03-732G	Base, 40 lbs.

QUEST BRANDS® SNOW FENCE

- Lightweight, reusable and durable for easy handling
- **NJ433**: Protect shrubs from freezing rain and heavy snowfall
- **NJ434** & **NJ435**: Controls drifting and blowing snow
- High density polyethylene
- High visible colour
- Colour: Orange
- 50' L x 4' W

NJ433



NJ434



NJ435



Model No.	Mfg. No.	Description	Wt. lbs.
NJ433	WP450X	Light Duty Flat Profile	4
NJ434	FWB450X	Light Duty Oval Flat Profile	8
NJ435	SF4850X	Heavy Duty Oval Flat Profile	14

QUEST BRANDS® SAFETY FENCE

- Lightweight, reusable and durable for easy handling
- Used as a safety warning barrier
- High density polyethylene
- High visible colour
- Diamond mesh profile
- 50' L x 4' W
- Weight: 11 lbs.

NJ436



Model No.	Mfg. No.	Colour
NJ436	DLW450X	Orange
NJ437	DLW450G	Green

IMPACT RESISTANT DELINEATOR

- Tubular surface mount delineator is a high performance, surface mounted, flexible plastic chennelization and delineation device
- Can be bonded to asphalt or concrete surfaces to provide traffic control in areas requiring easy removal or relocation
- Provides excellent impact resistance and rebounds after impact
- Comes with a base and 3" x 6" Hi-Intensity reflective white sheeting on the post

SFJ594

SFJ592

CCI Canada
Circle Cortina Industries Canada Limited

Model No.	Mfg. No.	Height"	Colour
SFJ593	04-36-WWG	36	White
SFJ594	04-36-YYG	36	Yellow
SFJ595	04-36-BWG	36	Black
SFJ596	04-36-OWG	36	Orange
SFJ597	04-48-WWG	48	White
SFJ598	04-48-YYG	48	Yellow
SFJ599	04-48-BWG	48	Black
SFJ600	04-48-OWG	48	Orange
SFJ592	04-10-Base	Base for Impact Resistant Delineator	

POLYETHYLENE BOLLARD COVERS

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with patented GripperTabs™ included
- Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- 5-year warranty against fading and cracking

Yellow Model No.	Red Model No.	Fits Bollard Diameter"	Fits Bollard Length"	Wt. lbs.
KH806	**KH836**	4.5	52	7
KH808	**KH838**	4.5	64	9
KH809	**KH839**	6.6	52	8
KH810	**KH840**	6.6	60	9
KH811	**KH841**	6.6	72	10

For performance gloves see pages 165-168

SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C

Knuffi



Style	1 Metre Model No.	5 Metres Model No.
A	KH866	KH865
B*	KH868	KH867
C	KH870	KH869
D	KH872	KH871
E	KH952	KH953
F	KH954	KH955
G*	KH956	KH957
H	KH958	KH959

* Does not have peel-away adhesive. Held by pressure fit.

CORNER ACCESSORIES

Makes a neat corner where two foam bumper guards protection profiles meet.

MN379

MN380

Knuffi

MN381

MN382

Model No.	Description
MN379	2 Way - Use with Profile A
MN380	3 Way - Use with Profile A
MN381	2 Way - Use with Profile E
MN382	3 Way - Use with Profile E
MN383	2 Way - Use with Profile H
MN384	3 Way - Use with Profile H

RAPID ROLL BARRIERS

- Extended Length: 50'
- Material: Plastic

WHEELED BARRIERS

- Reflective safety tape is fitted on both sides of the cartridge
- Orange cartridge and raised profile fencing
- Includes 4 x orange posts with end lockout and 4 rubber bases

3-LEGGED BARRIERS

- Reflective safety tape is fitted on both sides of the cartridge
- Orange cartridge and raised profile fencing
- Includes 4 x orange posts with end lockout and 4 rubber bases
- Steel cartridge base

IRONguard
Protecting Your People

Model No.	Mfg. No.	Description	Height"	Wt. lbs.
SFU863	70-7050	Wheeled	64	215
SFU864	70-7000	3-Legged	57.5	183

TRAFFIC BARRIERS

- Rugged plastic traffic barricades are perfect for a variety of applications
- Can be filled with sand or water, and quickly emptied for easy transportation
- Colour: Orange

DPI™

Model No.	Mfg. No.	Height"	Length"
SFU851	TB-5-10	42	67
SFV004	TB-6-10	42	79

For ergonomic supports see pages 187-189

BARRICADE LIGHTS

- Incandescent, 6-V barricade light
- Has a lamp life of 2000 hours and flashes 55 to 75 flashes per minute
- Can be set for flash or steady burn
- High clarity polycarbonate lens provides extreme durability
- Attaches to most barricades and channelizers with a bolt
- Meets all MUTCD and ITE specifications
- Requires two 6 V batteries (not included)
- Colour: Amber
- Light Dia.": 7
- Overall Dimensions: 7-1/2" L x 5-1/2 W x 11-1/2" H

Model No. SEM242
Mfg. No. 03-10-3WAY6V

CCI Canada
Circle Cortina Industries Canada Limited

SEM242

D-CELL BARRICADE LIGHT

- Three modes: flash, steady, off
- Pushing on the mode switch changes the light from a flashing type "A" to a steady burn type "C" and back again
- Requires four easy to install D batteries (not included)

Model No. SEI701
Mfg. No. 03-10-WAYDC

REPLACEMENT BATTERIES, 12/PKG.

Model No. XB875
Mfg. No. EN95

SEI701

PLASTX™ A-FRAME BARRICADE

- Ideal as a temporary or long term solution to cordon off areas
- Patented Plastx™ will not rot, rust, crack or peel and is chemical resistant
- ADA compliant to MUTCD standards
- For a complete unit order two legs and one board, add a second board for increased stability

PLASTX™ A-FRAME BARRICADE LEG

- Mounting holes will accommodate all manufactured boards
- Holds up to two 8' L x 2" W x 8" H boards
- 26" L x 2" W x 42" H
- Available in white or orange

PLASTX™ A-FRAME BARRICADE T-BOARD

- 7 years UV package protects against deterioration
- Made of extruded grade PVC
- Available with hi-intensity stripes or engineer grade stripes
- 8' L x 2" W x 8" H
- Available in black and orange stripes or white and orange stripes

SEI204

SEI202

Model No.	Mfg. No.	Colour
BARRICADE LEG		
SEI202	97-01-004	White
SEI203	97-01-0040	Orange
T-BOARD		
SEI204	97-01-029B-02	Black and Orange Stripe
SEI205	97-01-029-02	White and Orange Stripe

STREET BARRICADES



SAO204

SAO203

- Ideal for construction and utility repair, warn of hazardous areas
- Reflective striping wood board, 2" thick x 6" wide x 8' long
- Board is inserted on iron supports, on orange steel A-frame legs
- O.A. height of legs: 4'
- All components sold individually
- For complete unit, order two iron supports and one barricade board

Model No.	Description
SA0203	Orange A-Frame Support
SA0204	Barricade Board

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall size is 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.



ZENITH® Safety Products

Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish

EXPANDABLE BARRIERS

ZENITH® Safety Products

- Steel and aluminum construction
- Collapsible design allows for easy storage when not in use
- Lightweight and free standing for easy setup when needed
- Side hook allows multiple units to be used together
- Expanded width: 10'
- Height: 37"
- Weight: 20 lbs.
- Colour: Black and yellow
- Optional caster kit: **SDK991**

Model No. SDK990

OPTIONAL CASTER SETS FOR ZENITH EXPANDABLE BARRIER SDK990

- Number of casters: 4
- Type: Rubber

Model No. SDK991

PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish


Mesh style


Tubular style perimeter guards

MESH STYLE KITS

Description	Dimensions W" x H"	Wt. lbs.	Blue Model No.	Yellow Model No.
Starter Section	48 x 48	46	**KH945**	**RL848**
Add-On Section	48 x 48	34	**KH946**	**RL849**
Starter Section	96 x 48	65	**KH947**	**RL850**
Add-On Section	96 x 48	53	**KH948**	**RL851**

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

Description	Dimensions W x H	Wt. lbs.	Blue Model No.	Yellow Model No.
Mesh Panel	4' x 4'	20	**KD036**	**KD130**
Mesh Panel	8' x 4'	39	**KD037**	**KD131**
Post Universal	49 1/2" H	13	**KH861**	**KD129**
Post Universal	99" H	22	**KD053**	**KH860**

HARDWARE REQUIRED

Model No.	Description
KD001	Floor Anchors (Two per Post)
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)
MMB721	5/16" Hex Nut (One Nut for Each MLK389)
KD116	Post Caps (One per Post)

BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



Model No.	Height"	Wt. lbs.
KD125	24	30
KH857	36	40
KD126	48	50

UPRIGHT PROTECTOR

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish

Model No.	O.A. Dimensions W" x D" x H"	Wt. lbs.
KH858	7 x 7 x 12	12
RB925	7 x 7 x 18 1/4	15

TUBULAR STYLE

Model No.	Description	Dimensions W' x H"	Wt. lbs.
KD132	Starter Section	4 x 49 1/2	45
KD133	Add-On Section *	4 x 49 1/2	32
KD134	Starter Section	8 x 49 1/2	66
KD135	Add-On Section *	8 x 49 1/2	53

*Hardware to attach add-on section is included

HARDWARE REQUIRED

Model No.	Description
KD001	Floor Anchors (2 per post)
KD116	Post Caps (1 per post)

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish

KD128

KD127

Model No.	Dimensions W" x H"	Wt. lbs.
KD127	24 x 18	65
KH855	36 x 18	75
KD128	48 x 18	85
KD136	24 x 42	95
KD856	36 x 42	110
KD139	48 x 42	115

FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 5"
- Colour: Safety Yellow
- Material: Steel
- All welded construction

Model No.	Overall Length"	Wt. lbs.
RN065	48	26
RN066	60	33
RN067	120	66

SNOW FLAGS

- Used to locate important fittings covered with snow such as fire hydrants, water valves and natural gas valves
- Flags are made of a high visibility, low temperature red fabric
- 9" x 12", triangular shaped
- Also available with 3' fibreglass pole

Model No. SH420
Mfg. No. 03-229-3454

PENNANTS

- Ideal to draw attention to construction sites, work areas and events
- Vinyl-coated with tensile strength of 107 lbs.
- Available with printed legend or solid colours
- With Legend; red background printed "Danger Keep Out"
- Legend pennant size: 12" x 18" on a 60' string
- Solid colours available in red, orange, yellow or multi-coloured
- Solid colour size: 9" x 12" on a 60' string
- Standard 50 pennants per string

Model No.	Mfg. No.	Message
PENNANT W/LEGEND*		
NG127	03-407	Red w/Danger Keep Out
COLOURED PENNANTS		
NG128	03-400-60	Red
NG129	03-402-60	Orange
SEI875	03-405-60	Yellow
NG132	03-403-60	Multicolour

* Available in English only

MARKING FLAGS

- For surveying, construction and agriculture
- Mark location of underground sprinklers, pipes and lines
- 2 1/2" x 3 1/2"
- Available with 21" and 30" staff
- 100 flags per bundle
- Sold per bundle





C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Description
WITH 21" STAFF		
SAQ792	15079	Orange Fluorescent
SAQ793	15080	Red Fluorescent
SAQ794	15081	Pink Fluorescent
SAQ795	15082	Lime Fluorescent
SAQ796	15084	Yellow
WITH 30" STAFF		
SAQ798	15064	Pink Fluorescent
SAQ799	15089	Orange Fluorescent

AIRPORT WINDSOCKS

- Made of strong vinyl-coated nylon fabric
- Dayglow orange colour
- Reinforced at both ends with extra stitching
- Hardware package includes hemi-rings, bolts, nuts, machine screws and half rings (sold separately)
- Dimensions: 18" L x 8' L x 11" H

Model No.	Mfg. No.	Description
SEI609	03-WS-8	8' Airport Windsock
SEI610	03-WS-8H0	Hardware Package
SEI611	03-WS-8KT	Windsock & Hardware Kit

DRIVEWAY "T" POSTS

- Strong, durable and reusable posts
- Used for snow clearing, parking lot or roadway markers
- Bright colour and reflective material on both sides offer excellent visibility day or night
- Will not rust
- Tough enough to be driven into the ground with a sledge hammer
- Auto impact resistant
- Standard size: 5'

Sold per Package

REFLECTIVE STRIPS ON BOTH SIDES!

LIFESAFE®

Model No.	Mfg. No.	Description	Qty /Pkg.
SH407	RE94706	Lime Strip	6
SH408	RE88906	Red/Silver Strip	6

REFLECTIVE WALKWAY STICKS

- Impact resistant and flexible fibreglass construction
- Durable in all types of weather conditions
- Reflective strips provide 360° visibility and stand out during night-time or day-time use
- Tapered end for easy installation, opposite end has a protective cap

LIFESAFE®

Model No.	Mfg. No.	Description
SH409	RE9712	4' Safety Yellow Stick, 6" Reflective Band

REFLECTIVE DRIVEWAY MARKERS

- Ideal for driveways, parking lots, and walkways at home, office, construction and municipal areas
- Reflector housing made from unbreakable ABS material
- Reflective material on both sides for ideal visibility, day or night
- Lens is sonically welded and locks out moisture
- Stake length 48" H
- Available in red or blue

Model No.	Mfg No.	Description
SEI876	05-099-02-R	Red
SEI877	05-099-02-B	Blue

FLAGGING TAPE

- Superior visibility when laying out boundaries
- Economical and reusable
- 1 3/16" wide
- Fluorescent colour tapes are 150' long, standard colour tapes are 300' long

Model No.	Mfg. No.	Colour
1 3/16" x 150' FLUORESCENT		
SAM827	17000	Orange Fluorescent
SAM828	17001	Lime Fluorescent
SAM829	17002	Red Fluorescent
SAM830	17003	Pink Fluorescent
SAM831	17004	Green Fluorescent
SAM832	17005	Yellow Fluorescent
1 3/16" x 300' STANDARD		
SAM833	17023	Standard Blue
SAM834	17027	Standard Black

BIO-DEGRADABLE FLAGGING TAPE

- Made with 69% wood fibre
- Non-toxic, will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6 to 12 months, depending on environmental conditions
- 3" x 50 yards roll

Model No.	Mfg. No.	Description	Colour
SAB490	91090	Caution	Black on Yellow
SAB491	91091	Caution Do Not Enter	Black on Yellow
SAD253	91092	Caution-Men Working Overhead	Black on Yellow

FLOOR TAPE APPLICATORS

- Designed for applying tape accurately and securely to floors and ground
- Economy style designed to apply tape in straight lines only; accepts tape roll widths up to 4"

Model No.	Mfg. No.	Max. Roll Diameter"	Overall Height"
SED019	WTD-200	4	39

BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene

SEK403

SEK404

SEK405

Model No.	Message	Colour	Roll Size
STANDARD DUTY - 1.5 MIL			
SEK397	Caution	Black on Yellow	3" x 1000'
SFJ602	Caution	Black on Yellow	3" x 300'
SEK398	*Attention*	Black on Yellow	3" x 1000'
SEK399	Danger	Black on Red	3" x 1000'
SDS739	Danger	Black on Yellow	3" x 1000'
HEAVY-DUTY - 2.0 MIL			
SEK400	Caution	Black on Yellow	3" x 1000'
SEK401	*Attention*	Black on Yellow	3" x 1000'
SEK402	Danger	Black on Red	3" x 1000'
EXTRA HEAVY-DUTY - 2.5 MIL			
SEK403	Caution	Black on Yellow	3" x 1000'
SEK404	*Attention*	Black on Yellow	3" x 1000'
SEK405	Danger	Black on Red	3" x 1000'
SDS740	Danger	Black on Yellow	3" x 1000'

REINFORCED BARRICADE TAPE

- Mesh tape for greater strength
- No stretch
- Width: 3"
- Length of Roll: 500'
- Thickness: 5 mil

SDM689

SDM690

Model No.	Mfg. No.	Message	Colour
SDM689	16030	Caution	Black on Yellow
SDM690	16031	Danger	Black on Red

TEMPORARY PAVEMENT MARKING TAPE

- Ideal for parking lots and work sites
- 4" W x 50 yard roll comes with a weather resistant adhesive
- Choice of white or yellow construction grade rolls

Model No.	Mfg. No.	Description
SC144	03-10-105	White
SC145	03-10-106	Yellow

TOUGHSTRIPE™ FLOOR MARKING TAPE

- Made with Brady's new B-514 polyester
- Ideal for marking aisles, passageways and storage locations, pointing out important safety equipment and egress pathways
- Service temperature range of 0°F-129°F
- Resists harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces
- 100' per roll

BRADY®

FLOOR MARKING TAPE - 2"

Model No.	Mfg. No.	Width"	Colour
SED030	104311	2	White
SED031	104313	2	Red
SED032	104315	2	Green
SED033	104314	2	Blue
SED034	104312	2	Yellow
SED035	104317	2	Black/Yellow

FLOOR MARKING TAPE - 3"

Model No.	Mfg. No.	Width"	Colour
SED036	104341	3	White
SED037	104343	3	Red
SED038	104345	3	Green
SED039	104344	3	Blue
SED040	104342	3	Yellow
SED041	104347	3	Black/Yellow

FLOOR MARKING TAPE - 4"

Model No.	Mfg. No.	Width"	Colour
SED042	104371	4	White
SED043	104373	4	Red
SED044	104375	4	Green
SED045	104374	4	Blue
SED046	104372	4	Yellow
SED047	104377	4	Black/Yellow

ENGINEER GRADE REFLECTIVE TAPE

- Offer vibrant daytime visibility with reflective properties for night time use
- Rated for use outdoors for a 7-year life span
- Aggressive adhesive that will adhere to almost any clean, dry, smooth surface
- Hazard striped products have a protective lamination to ensure the printed stripe will not wear off
- Comes with removable release liner
- Not intended for flexible vehicle graphics
- 30' roll

INCOM®

Model No.	Mfg. No.	Width"	Colour
SN611	RST106	2	Black/Yellow
SN612	RST107	2	Red/White
SAS555	RST101	2	White
SAS556	RST102	2	Red
SAS557	RST104	2	Yellow
SAS558	RST105	2	Orange

AISLE MARKING TAPE

- PVC tapes made from a durable 6-mil thick vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface
- Matte smooth conformable tape that is great for marking hazards on floors, walls and equipment
- Commonly used in aisle demarcation, colour coding and pipe banding applications
- 108' per roll



INCOM®

Model No.	Mfg. No.	Width"	Colour
SAL689	PST221	2	Blue
SAL688	PST218	2	Orange
SAL684	PST211	2	Green
SAL685	PST212	2	Red
SAL686	PST213	2	White
SAL683	PST210	2	Yellow
SAL687	PST215	2	Black
SAL696	PST321	3	Blue
SAL695	PST318	3	Orange
SAL691	PST311	3	Green
SAL692	PST312	3	Red
SAL693	PST313	3	White
SAL690	PST310	3	Yellow
SAL694	PST315	3	Black

RECOMMENDED GUIDELINES

Blue:	General Information
White:	Traffic and Housekeeping
Orange:	Warning/Hazardous Biohazard
Yellow:	Caution
Green:	Safety and First Aid Equipment
Black:	Boundaries
Red:	Fire Protection/Danger/Stop
Stripes:	Hazard/Warning

GLOW IN THE DARK TAPE

- Protect your workers during darkness or evacuation
- Glow in the dark material automatically absorbs energy from any light source
- Vinyl-coated on one side with a pressure-sensitive adhesive
- Perfect to locate emergency equipment and identify evacuation routes during emergency situations
- 30' roll

INCOM®

Model No.	Mfg. No.	Width"
PLAIN		
NC938	523522P	2
NC939	523524P	4
NC940	523526P	6
BLACK STRIPES		
SAS545	GT230BK	2
SAS546	GT430BK	4
SAS547	GT630BK	6
RED STRIPES		
SAS548	GT230RD	2
SAS549	GT430RD	4
SAS550	GT630RD	6

COLOURED VINYL ARROWS & DOTS

- Great choice for marking direction of travel or demarcation of hazards
- Commonly used for production work flow, inventory management and pedestrian directional aids
- Arrows and dots are all made from a durable solid coloured vinyl so there is no print to wear off
- Adhesive backing
- Custom sizes and colours available upon request

Sold per Roll

Model No.	Mfg. No.	Colour
ARROW 4" - 100 PER ROLL		
SAS533	VA400W	White
SAS534	VA400K	Black
SAS535	VA400G	Green
SAS536	VA400R	Red
SAS537	VA400B	Blue
SAS538	VA400Y	Yellow
CIRCLE 3" - 500 PER ROLL		
SAS539	VA300W	White
SAS540	VA300K	Black
SAS541	VA300G	Green
SAS542	VA300R	Red
SAS543	VA300B	Blue
SAS544	VA300Y	Yellow

TRACTION CLEAT

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Pre-cut sizes with rounded corners offer a finished look and prevents the corners from lifting
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant

SDN107

SDN108

SDN112

SDN111

ZENITH® Safety Products

Model No.	Dimensions W"	x	L"	Description	Qty /Pack
SDN107	3/4	x	24	Rounded Edge Strip	50
SDN108	3	x	24	Strip	50
SDN109	6	x	24	Strip	50
SDN110	6	x	30	Strip	50
SDN111	5 1/2	x	5 1/2	Square	50
SDN112	6	x	24	Strip w/Refletive Band	10
SDS936	6	x	24	Black/Yellow Strip	1

HAZARD WARNING TAPE

INCOM®

NON-LAMINATED

- PVC tapes will quickly bring attention to any workplace hazard
- Made from a 6-mil conformable vinyl film with a rubber adhesive system to adhere to most any clean, dry surface
- Smooth semi-matte surface
- Ideal for floors, walls, pipes and equipment
- 108' per roll

Sold per Roll

LAMINATED

- PVC tape with a durable, clear laminating film over top
- Smooth gloss finish will resist wear and is easily cleaned
- Over-lamination improves tape's ability to withstand heavy abrasion
- 108' per roll

Sold per Roll

RECOMMENDED GUIDELINES

Red/White
Fire Protection Equipment

Yellow/Black
Physical Hazards

Black/White
Traffic and Housekeeping

Green/White
Safety and First Aid Equipment

Model No.	Mfg. No.	Width"	Colour
NON-LAMINATED			
SAL701	WT2300	2	Black/White
SAL697	WT2110	2	Yellow/Black
SAL699	WT2200	2	Red/White
SAL702	WT2310	3	Black/White
SAL698	WT2130	3	Yellow/Black
SAL700	WT2210	3	Red/White
LAMINATED			
SAL668	LWT221	2	Red/White
SAL667	LWT220	2	Yellow/Black
SAL669	LWT222	2	Black/White
SAL670	LWT223	2	Green/White
SAL672	LWT321	3	Red/White
SAL671	LWT320	3	Yellow/Black
SAL673	LWT322	3	Black/White
SAL674	LWT323	3	Green/White
SAL676	LWT421	4	Red/White
SAL675	LWT420	4	Yellow/Black
SAL677	LWT422	4	Black/White
SAL678	LWT423	4	Green/White
SAL680	LWT621	6	Red/White
SAL679	LWT620	6	Yellow/Black
SAL681	LWT622	6	Black/White
SAL682	LWT623	6	Green/White

TRUEGRIP® GENERAL PURPOSE NON-SKID TAPE

- Silicon Carbide 46-grit mineral abrasive surface
- Good abrasion, chemical and water resistance
- Meets NFSI 101-A, ANSI B101.1, OSHA 1910.24, and 1910.26
- Colour: Black
- 60' roll

INCOM®

Model No.	Mfg. No.	Width"
SEC957	SG7001CB	1
SEC958	SG7002CB	2
SEC959	SG7004CB	4
SEC960	SG7006CB	6
SEC961	SG7012CB	12

ANTI-SKID TAPE

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant

ZENITH® Safety Products

Model No.	Width"	Colour
SDN088	2	Red/White
SDN089	2	Black/Yellow
SDN090	2	Yellow
SDN091	2	Red
SDN098	1	Black
SDN099	2	Black
SDN100	4	Black
SDN101	6	Black
SDN102	12	Black
SDN103	1	Clear
SDN104	2	Clear
SDN105	4	Clear
SDN106	6	Clear

SAFESTEP® ANTI-SLIP SOLUTIONS

- Immediately creates a durable, safe and slip resistant surface
- Ideally suited for stairs, landings, platforms, ramps, ladders and wash down areas
- Virtually indestructible; withstands vehicle and forklift traffic
- Corrosion and chemical resistant
- Excellent slip-resistance, even when wet
- Easy glue and screw installation

RUST-OLEUM

Model No.	Mfg. No.	Description	Dimensions W"	x	L"	Colour
COARSE						
SDN798	271795	Step Cover	10	x	36	Black & Yellow
SDN799	271796	Step Cover	10	x	48	Black & Yellow
SDN790	271819	Step Edge	2 3/4	x	36	Yellow
SDN791	271820	Step Edge	2 3/4	x	48	Yellow
SDN806	271810	Sheet	47	x	47	Black
SDN809	271813	Sheet	47	x	96	Black

Model No.	Mfg. No.	Description	Dimensions W"	x	L"	Colour
MEDIUM						
SDN794	292461	Step Cover	10	x	36	Black & Yellow
SDN795	292462	Step Cover	10	x	48	Black & Yellow
SDN787	292483	Step Edge	2 3/4	x	36	Yellow
SDN788	292484	Step Edge	2 3/4	x	48	Yellow
SDN805	292178	Sheet	47	x	96	Black

3M™ SAFETY-WALK™ SLIP RESISTANT TAPES

The easy, economical way to help prevent slips and falls, and help meet OSHA and ADA requirements.

GENERAL PURPOSE

- Mineral-coated, slip-resistant material features a highly durable surface
- Low-profile design reduces trip hazard
- Available in a variety of colors and sizes

CONFORMABLE

- High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces
- Available in black and safety yellow in a range of sizes

MEDIUM RESILIENT

- Resilient, non-mineral, slip-resistant material
- Soft surface is suitable for bare feet
- Available in black and gray in a variety of sizes

FINE RESILIENT

- This fine-textured, slip-resistant material provides increased safety and comfort in light traffic, barefoot areas
- Available in white and clear in a variety of sizes

Model No.	Mfg. No.	Colour	Description	Dim. W	x	L
GENERAL PURPOSE						
NG062	F-610-BLK-3/4X60	Black	Roll	3/4"	x	60'
NG063	F-610-BLK-1X60	Black	Roll	1"	x	60'
NG064	F-610-BLK-2X60	Black	Roll	2"	x	60'
NG067	F-610-BLK-6X24	Black	Strips (50/pkg.)	6"	x	24"
CONFORMABLE						
NG073	F-510-BLK-2X60	Black	Roll	2"	x	60'
NG074	F-510-BLK-4X60	Black	Roll	4"	x	60'
NG075	F-510-BLK-6X60	Black	Roll	6"	x	60'
NG077	F-530-SYL-2X60	Yellow	Roll	2"	x	60'

Model No.	Mfg. No.	Colour	Description	Dim. W	x	L
MEDIUM RESILIENT						
NG082	F-310-BLK-2X60	Black	Roll	2"	x	60'
NG083	F-310-BLK-6X60	Black	Roll	6"	x	60'
NG085	F-370-GRY-1X60	Grey	Roll	1"	x	60'
NG086	F-370-GRY-2X60	Grey	Roll	2"	x	60'
FINE RESILIENT						
NG093	F-220-CLR-2X60	Clear	Roll	2"	x	60'

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"
- Recommended post spacing: 7' Tape = 6'6"
  12' Tape = 11'6"

WITHOUT WHEELS

Model No.	Tape Colour	Message/ Tape Design	Tape Length'
STAINLESS STEEL BARRIERS			
SAS226	Red	-	7
SEA794	Black	-	7
SDN298	Yellow	-	7
SDN299	Yellow	Caution Do Not Enter	7
SDN300	Yellow	*Attention Ne Pas Entrer*	7
SDN301	Blue	-	7
SDN302	Green	-	7
SDN303	Black/White	Black with White Stripe	7
SDN304	Yellow/Black	Yellow & Black Stripes	7
SDL100	Red	-	12
SDN771	Black	-	12
SDN772	Yellow	-	12
STEEL - BLACK BARRIERS			
SDN305	Red	-	7
SAS227	Black	-	7
SDN306	Yellow	-	7
SDN307	Yellow	Caution Do Not Enter	7
SDN308	Yellow	*Attention Ne Pas Entrer*	7
SDN309	Blue	-	7
SDN310	Green	-	7
SDN311	Black/White	Black with White Stripe	7
SDL987	Yellow/Black	Yellow & Black Stripes	7
SDN773	Red	-	12
SDL101	Black	-	12
SDN774	Yellow	-	12
STEEL - YELLOW BARRIERS			
SDN312	Red	-	7
SDN313	Black	-	7
SAS228	Yellow	-	7
SAS229	Yellow	Caution Do Not Enter	7
SEE818	Yellow	*Attention Ne Pas Entrer*	7
SDN314	Blue	-	7
SDN315	Green	-	7
SDN316	Black/White	Black with White Stripe	7
SDN317	Yellow/Black	Yellow & Black Stripes	7
SDN775	Red	-	12
SDN776	Black	-	12
SDL102	Yellow	-	12

RECEIVER POSTS

Model No.	Description
SAS230	Stainless Steel
SAS231	Black - Steel
SAS232	Yellow - Steel

WITH WHEELS

Model No.	Tape Colour	Message/ Tape Design	Tape Length'
STAINLESS STEEL BARRIERS			
SEI760	Red	-	7
SDN318	Black	-	7
SDN319	Yellow	-	7
SDN320	Yellow	Caution Do Not Enter	7
SDN321	Yellow	*Attention Ne Pas Entrer*	7
SDN322	Blue	-	7
SDN323	Green	-	7
SDN324	Black/White	Black with White Stripe	7
SDN325	Yellow/Black	Yellow & Black Stripes	7
SDL103	Red	-	12
SDN777	Black	-	12
SDN778	Yellow	-	12
STEEL - BLACK BARRIERS			
SDN326	Red	-	7
SDN327	Black	-	7
SDN341	Yellow	-	7
SDN328	Yellow	Caution Do Not Enter	7
SDN329	Yellow	*Attention Ne Pas Entrer*	7
SDN330	Blue	-	7
SDN331	Green	-	7
SDN332	Black/White	Black with White Stripe	7
SDN333	Yellow/Black	Yellow & Black Stripes	7
SDN779	Red	-	12
SDL104	Black	-	12
SDN780	Yellow	-	12
STEEL - YELLOW BARRIERS			
SDN342	Red	-	7
SDN334	Black	-	7
SEI764	Yellow	-	7
SDN335	Yellow	Caution Do Not Enter	7
SDN336	Yellow	*Attention Ne Pas Entrer*	7
SDN337	Blue	-	7
SDN338	Green	-	7
SDN339	Black/White	Black with White Stripe	7
SDN340	Yellow/Black	Yellow & Black Stripes	7
SDN781	Red	-	12
SDN782	Black	-	12
SDL105	Yellow	-	12

RECEIVER POSTS

Model No.	Description
SEI761	Stainless Steel
SEI763	Black - Steel
SEI765	Yellow - Steel

WALL MOUNT BARRIERS

- Wall mount barrier is ideal where floor space is essential
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H

Model No.	Tape Colour	Message/Tape Design	Tape Length'
STAINLESS STEEL WALL MOUNT BARRIERS			
SDN560	Red	-	7
SED813	Black	-	7
SDN561	Yellow	-	7
SDN562	Yellow	Caution Do Not Enter	7
SDN563	Yellow	*Attention Ne Pas Entrer*	7
SDN564	Blue	-	7
SDN565	Green	-	7
SDN566	Black/White	Black with White Stripe	7
SDN567	Yellow/Black	Yellow & Black Stripes	7
SDN571	Red	-	12
SDN764	Black	-	12
SDN765	Yellow	-	12
STEEL - BLACK WALL MOUNT BARRIERS			
SDN554	Red	-	7
SAS233	Black	-	7
SEC074	Yellow	-	7
SEB178	Yellow	Caution Do Not Enter	7
SDN555	Yellow	*Attention Ne Pas Entrer*	7
SDN556	Blue	-	7
SDN557	Green	-	7
SDN558	Black/White	Black with White Stripe	7
SDN559	Yellow/Black	Yellow & Black Stripes	7
SDN568	Red	-	12
SDN569	Black	-	12
SDN570	Yellow	-	12

OUTDOOR TENSABARRIER®

- Tube constucted of UPVC in white, red or yellow mounted on PVC grey base
- Lightweight when empty for easy transportation
- Fill base with water or sand for stability
- Weather resistant
- Post: 37" H; tube O.D.: 2.5"; base: 15" diameter
- 4-way retractable tape cassette
- Additional tape colour options and custom printing available upon request

TENSATOR®

Model No.	Mfg. No.	Tube Colour	Tape Colour	Tape Length
POST/TAPE COMBINATION				
SAM967	885-35-STD-NO-D4X-C	Yellow	Yellow/Black Diagonal	7' 6"
SAM968	885-32-STD-NO-D4X-C	White	Yellow/Black Diagonal	7' 6"
SAM969	885-21-STD-NO-D4X-C	Red	Yellow/Black Diagonal	7' 6"
SF979	885-35-STD-NO-YAX-C	Yellow	Yellow w/Black Message - Caution Do Not Enter	7' 6"
POST/TAPE COMBINATION STRIPED				
SF980	885-32-MAX-NO-D3X-C	Red	Red/White Diagonal	13'
SF981	885-21-MAX-NO-D3X-C	White	Red/White Diagonal	13'
SF982	885-35-MAX-NO-D4X-C	Yellow	Yellow/Black Diagonal	13'
RECEIVER POSTS				
SF983	885-32-32-RCV	Red	-	-
SF984	885-21-21-RCV	White	-	-
SF985	885-35-35-RCV	Yellow	-	-

REPLACEMENT CASSETTES*

Model No.	Mfg. No.	Description	Tape Colour	Tape Length
SAM970	CASSETTE-STD-NO-D4X-C	Striped	Yellow/Black Diagonal	7'6"
SF987	ADV144-YA	Caution Do Not Enter	Yellow w/Black Message	7'6"
SF988	CASSETTE-MAX-NO-D3X-C	Striped	Red/White Diagonal	13'
SF989	CASSETTE-MAX-NO-D4X-C	Striped	Yellow/Black Diagonal	13'

* Includes tape, spring mechanism, receiver and tape end piece

MARINE POSTS

- Excellent weather resistance
- Designed for use in many outdoor settings
- Best product in the market to be used in harsh environmental conditions, while still maintaining an attractive aesthetic
- Superior gloss, colour retention and storage stability
- All stainless steel hardware
- Over 40 belt color choices or custom printing options available
- Works for retractable belts of either 7.5' or 13'
- Height: 38"
- Post diameter: 2.5"
- Base diameter: 14"

SDN949 SDN952 SDN954 SDN955

TENSATOR®

Model No.	Mfg. No.	Tube	Tape Colour	Tape Length
POSTS				
SDN949	MP-33-STD-N0-B9X-C-S	Black	Black	7.5'
SDN950	MP-33-MAX-N0-B9X-C-S	Black	Blue	7.5'
SDN951	MP-21-MAX-N0-D3X-C-S	Black	Black	13'
SDN952	MP-32-MAX-N0-B9X-C-S	Red	Red/White	13'
SDN953	MP-32-MAX-N0-B9X-C-S	White	Black	13'
SDN954	MP-35-MAX-N0-D4X-C-S	Yellow	Black/Yellow	13'
RECEIVER POSTS				
SDN955	MARINE POST-33-RCV	Black	-	-
SDN956	MARINE POST-21-RCV	Red	-	-
SDN957	MARINE POST-32-RCV	White	-	-
SDN958	MARINE POST-35-RCV	Yellow	-	-

SINGLE LINE & DUAL LINE HEAVY DUTY POSTS

- Rugged post and base recommended for outdoor use
- Weather resistant
- Recycled rubber stackable base
- Over 40 belt color choices or custom printing options available
- Dual line post is ADA compliant
- Works with retractable belts of either 7.5' or 13'
- Height: 38"
- Post diameter: 2.5"
- Base diameter: 19"

TENSATOR®

SDN959 SDN971 SDN965 SDN975

Model No.	Mfg. No.	Tube	Tape Colour	Tape Length
SINGLE LINE POSTS				
SDN959	886-21-STD-N0-R5X-C	Red	Red	7.5'
SDN960	886-21-MAX-N0-D3X-C	Red	Red/White	13'
SDN961	886-33-MAX-N0-D4X-C	Black	Black/Yellow	13'
SDN962	886-21-MAX-N0-R5X-C	Red	Red	13'
SDN963	886-33-MAX-N0-B9X-C	Black	Black	13'
SDN964	886-33-MAX-N0-O5X-C	Black	Orange	13'
RECEIVER POSTS				
SDN971	886-21-RCV	Red	-	-
SDN972	886-33-RCV	Black	-	-
DUAL LINE POSTS				
SDN965	886T2-35-STD-N0-D4X-C	Yellow	Black/Yellow	7.5'
SDN966	886T2-32-STD-N0-F2X-C	White	Orange	7.5'
SDN967	886T2-33-STD-N0-B9X-C	Black	Black	7.5'
SDN968	886T2-33-STD-N0-D4X-C	Black	Black/Yellow	7.5'
SDN969	886T2-35-MAX-N0-D4X-C	Yellow	Black/Yellow	13'
SDN970	886T2-21-MAX-N0-R5X-C	Red	Red	13'
RECEIVER POSTS				
SDN973	886T2-35-RCV	Yellow	-	-
SDN974	886T2-21-RCV	Red	-	-
SDN975	886T2-32-RCV	White	-	-

ADVANCED PEDESTRIAN GUIDANCE

- Yellow cart includes 4 caddies that can extend up to 105'
- Mobile deployment provides quick set up of continuous barrier with ease
- Large diameter wheels make the units easy to move
- Locking wheels for added stability
- Strong frame with yellow and black diagonally striped belts create a highly visible barrier
- Cart and caddy system is compact and easy to move
- Robust steel frame delivers durability in harsh environments
- Chemical resistant, hard wearing rubber wheels and hand-grips

Model No. SDN976
Mfg. No APG 1

TENSATOR®

STANCHIONS

- Effective for crowd control, defining walkways, and brings awareness to potential hazards
- Use indoors/outdoors
- Suitable for manufacturing facilities, schools, churches, restaurants, military bases, office buildings, events, parks and much more
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Recyclable
- Base can be filled with sand for additional stability
- Medium and heavy-duty options available
- Medium-duty: The chain can be attached on the enclosed C-hook or be ran in a continuous length through the top of the stanchion
- Heavy-duty: Attach the chain to the stanchion with the enclosed C-hook and base can be attached to floor

Model No.	Mfg. No.	Colour	Base Diameter"	Pole Diameter"	Overall Height"	Empty Weight lbs.	Filled with Sand lbs.
MEDIUM-DUTY							
SEI663	96402	Yellow	14	2.5	40	2.6	6.6
SEI664	96403	Black	14	2.5	40	2.6	6.6
SEI665	96401	White	14	2.5	40	2.6	6.6
HEAVY-DUTY							
SEI666	99902	Yellow	16	3	41	3.1	12
SEI667	99903	Black	16	3	41	3.1	12
SEI668	99905	Red	16	3	41	3.1	12

CHAINS

- Durable 2" link plastic chain
- Connects to stanchion or post with master links or S-hooks
- Use indoors/outdoors
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Lightweight, strong and durable
- Recyclable
- Sold per foot

MASTER LINKS

- Used to connect two lengths of plastic chain and to repair chain
- Made of acetal plastic containing UV inhibitors

S-HOOKS

- Allows you to hang or connect plastic chain in a variety of applications
- Made of acetal plastic containing UV inhibitors

Description	Size"	Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	White Model No.	Mfg. No.	Red Model No.	Mfg. No.
Chain (per foot)	2	**SG197**	50002	**SEI669**	50003	**SEI670**	50001	**SEI671**	50005
Master Link	2	**SG200**	50702	**SEI672**	50703	**SEI673**	50701	**SEI674**	50705
"S" Hook	2	**SG203**	50302	**SEI675**	50303	**SEI676**	50301	**SEI677**	50305

See pages 330-331 for traffic barriers & barricades



DOME MIRRORS

- Increase surveillance and prevent accidents due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks
- All mirrors are open-topped

Ideal Locations:

360°	4-way intersections
180°	T-intersections
90°	Corner intersections



USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

FULL DOME – 360°

Model No.	Mirror Dia."
SEJ875	20
SEJ876	24
SEJ877	31
SEJ878	47

Note: Comes with hanging hardware

HALF DOME – 180°

Model No.	Mirror Dia." *
SEJ879	20
SEJ880	24
SEJ881	31
SEJ882	47

* The dimensions listed are that of a full dome

QUARTER DOME – 90°

Model No.	Mirror Dia."*
SEJ883	20
SEJ884	24

* The dimensions listed are that of a full dome

CLOSED-TOP DOME MIRRORS

- Removes blind spots reducing the chance of accidents caused by blind corners
- Durable heavy-duty acrylic construction

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

FULL DOME – 360°

Model No.	Mirror Dia."
SDP520	18
SDP521	26
SDP522	32
SDP523	48

HALF DOME – 180°

Model No.	Mirror Dia." *
SDP524	18
SDP525	26
SDP526	32
SDP527	48

* The dimensions listed are that of a full dome

ROUNDTANGULAR CONVEX MIRRORS

- Designed to fit into smaller spaces
- Grants the same view as a full sized convex mirror but occupies a smaller area
- Ideal for blind spots near machinery and areas where mounting space is limited
- Comes with adjustable arm

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

Mirror Dia."	INDOOR Model No.	OUTDOOR Model No.
12 x 18	SDP532	SDP528
18 x 26	SDP533	SDP529
20 x 30	SDP534	SDP530
24 x 36	SDP535	SDP531

CONVEX MIRRORS

- Removes blind spots reducing the chance of accidents caused by blind corners
- Includes adjustable arm
- Adjustable ball and swivel mount with 100° viewing angle

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

Mirror Dia."	INDOOR Model No.	OUTDOOR Model No.
12	SDP505	SDP500
18	SDP506	SDP501
26	SDP507	SDP502
30	SDP508	SDP503
36	SDP509	SDP504

FLAT MIRRORS

- Offers optimal view with accurate depth perception
- Durable acrylic mirror
- Adjustable arm
- Includes adjustable mounting hardware
- Framed mirrors come with galvanized steel back

	UNFRAMED	FRAMED
Dim. L" x W"	Model No.	Model No.
12 x 12	SDP510	SDP515
12 x 18	SDP511	SDP516
18 x 24	SDP512	SDP517
24 x 30	SDP513	SDP518
30 x 36	SDP514	SDP519

ZENITH® Safety Products

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

DROP-IN CEILING PANEL DOMES

- One-piece drop-in dome replaces a standard 2' x 2' drop-ceiling tile
- Dome provides 360° viewing for optimal surveillance
- Ideal for 4-way intersections
- Diameter: 24"

Model No. SDP536

ZENITH® Safety Products

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

1 1/2" ROUND GLASS INSPECTION MIRRORS

- 4 1/2" telescoping handle extends to 24"
- Shaft made of chrome-plated brass
- Handle has a pocket clip with a non-slip black cushion grip

Model No. TLV720
Mfg. No. 306TR

MAG-MATE

INSPECTION MIRRORS & MAGNETIC RETRIEVER TOOLS

- 2" x 2" rectangular glass mirror
- 5/16" diameter magnet with 2-lb. lift
- Chrome-plated brass telescoping handle 6 1/4", extends to 28"

Model No. TLV723
Mfg. No. 301G240

MAG-MATE

2 1/4" ROUND GLASS INSPECTION MIRRORS

- Telescoping handle: 7" extends to 36"
- Handle has non-slip, black cushion grip

Model No. SED113
Mfg. No. 2100ML2

MAG-MATE

RECTANGULAR GLASS INSPECTION MIRRORS

- Non-slip, solvent-resistant telescoping handle 6 1/2", extends to 36 1/2"
- Shaft made of stainless steel
- 2" x 1 1/4"

Model No. TLV721
Mfg. No. 315

MAG-MATE

INSPECTION MIRROR

- Ideal for viewing hard to see areas such as around corners or under vehicles and equipment
- 1" Swivel wheel allows for effortless maneuverability
- Lightweight design
- Handle Length: 47"
- Mirror Shape: Round
- Mirror Size: 8.5" dia.

Model No. SFQ773

ZENITH® Safety Products

24/SEVEN® COMFORTABLE, MODULAR, SIMPLE TO USE

- The 3' x 3' mats interlock on all four sides to cover large areas, or can be used as single stations
- Optional yellow and black borders provide safe access

WITH DRAINAGE

3" x 39" Male (M)
Ramp snaps into the underside of the mat



SOLID

3" x 39" Female (F)
Ramp snaps onto the protruding mat knobs

1-YEAR WARRANTY

WEARWELL

What is your application? Choose from 5 formulations

General purpose rubber - Natural rubber formulation designed for general application, such as areas with water or debris

CFR rubber - Designed for areas with mineral oil based cutting fluids and solvents

CFR rubber with GritWorks!® - For wet areas that need extra traction

NBR 100% nitrile - Designed for areas with petrochemicals such as hydrocarbons, naphthenes, paraffins and petroleum distillates

NBR 100% nitrile with GritWorks!® - For wet areas that need extra traction

REASONS TO CHOOSE 24/SEVEN®

- Modular design
- Quick installation and replacement
- Comfort • 5 formulations
- Can customize on site

5/8"

Model No.	Description	Dimensions W	x	L
SOLID				
NH589	General Purpose No. 570 Solid Mat	3'	x	3'
SAQ100	CFR No. 570 Solid Mat	3'	x	3'
SAL233	CFR w/GritWorks!® No. 574 Solid Mat	3'	x	3'
SAQ101	Nitrile No. 570 Solid Mat	3'	x	3'
SAQ103	Nitrile w/GritWorks!® No. 574 Solid Mat	3'	x	3'
OPEN				
NH587	General Purpose No. 572 Open Mat	3'	x	3'
SAL228	CFR No. 572 Open Mat	3'	x	3'
SAL234	CFR w/GritWorks!® No. 576 Open Mat	3'	x	3'
SAQ102	Nitrile No. 572 Open Mat	3'	x	3'
SAQ104	Nitrile w/GritWorks!® No. 576 Open Mat	3'	x	3'
BLACK RAMPS				
NH591	General Purpose Female	3"	x	39"
NH594	General Purpose Male	3"	x	39"
SAQ128	CFR Female	3"	x	39"
SAQ125	CFR Male	3"	x	39"
SAQ129	Nitrile Female	3"	x	39"
SAQ126	Nitrile Male	3"	x	39"
YELLOW RAMPS				
NH593	General Purpose Female	3"	x	39"
NH596	General Purpose Male	3"	x	39"
SAL230	CFR Female	3"	x	39"
SAL232	CFR Male	3"	x	39"
SAQ130	Nitrile Female	3"	x	39"
SAQ127	Nitrile Male	3"	x	39"

WORKRITE NO. 474

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MAT

- Compounded in a flexible and resilient natural rubber for use around water and non-caustic agents
- Flow-through design and underside knobs also accommodate small parts or debris
- Molded beveled edges allow easy access
- Lightweight design facilitates frequent cleanings
- Provides worker comfort at an exceptional value!
- Colour: Black

Economical anti-fatigue mat provides both safety & comfort!

1-YEAR WARRANTY

WEARWELL

Model No.	Dim. W'	x	L'
NB607	3	x	5
NG013	3	x	10
NG014	3	x	20

ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- The patented LockSafe® system securely connects the tiles for a neat, clean, installation that will withstand heavy use and cart traffic
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ErgoDeck® tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic withload capacity of 64 PSI
- Available in open grid and solid tile designs

FREQUENTLY ASKED QUESTIONS:

What if one of my tiles gets damaged?

Simply remove it and replace with a new tile.

How do you connect a ramp to the side of the tile that has interlocks?

Simply cut off the interlocks on the ramp.

What do I need to install ErgoDeck®?

A rubber mallet. Each box of tiles contains installation instructions.

ERGODECK® HEAVY-DUTY OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK® HEAVY-DUTY SOLID NO. 562

- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority

WEARWELL

3-YEAR WARRANTY

Outside corner

Ramp

Model No.	Description	Dim. W"	x	L"	x	D"
SAL215	Open Grid No. 560, Single Tile	18	x	18		-
SAL224	Solid No. 562, Single Tile	18	x	18		-
RAMP & CORNER ACCESSORIES						
SAL219	Ramp - Yellow, Single	6	x	18		-
SAL217	Outside Corner - Yellow, Single	6	x	15	x	15

ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566

- General purpose version of the original ErgoDeck® specifically designed to increase worker productivity
- Combination of 68 durometer compound and Flex-points on the underside provides flexibility underfoot
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal

3-YEAR WARRANTY



WEARWELL

Model No.	Description	Dim. W"	x	L"	Qty /Case
SAQ312	Open Grid No. 564, Case	18	x	18	10
SAQ313	Solid No. 566, Case	18	x	18	10
RAMP & CORNER ACCESSORIES					
SAQ315	Outside Corner - Charcoal, Case	15	x	15	4
SAL219	Ramp - Yellow, Single	6	x	18	-
SAL217	Outside Corner - Yellow, Single	15	x	15	-

ERGODECK® WITH INTEGRATED NO-SLIP CLEATS NO. 552 & NO. 553

- This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments
- The patented LockSafe® positive interlocking system delivers secure connections but can be unlocked as needed for replacement or repositioning
- The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation
- Unmatched slip prevention
- Customize in 3" increments to fit any area or configuration
- Can withstand power-washing and aggressive maintenance
- 100% silicone-free PVC tiles provide maximum durability
- 18" x18" tiles
- Open grid: Recommend usage in wet or dry areas where small debris or fluids are present
- Solid: Recommend usage in dry areas

WEARWELL

3-YEAR WARRANTY

Model No.	Description	Dim. W"	x	L"	Qty /Case
SEI922	Open Grid No. 553, Single Tile	18	x	18	-
SEI923	Open Grid No. 553, Case	18	x	18	10
SEI924	Solid No. 552, Single Tile	18	x	18	-
SEI925	Solid No. 552, Case	18	x	18	10

ANTI-FATIGUE LINK MATS

- Designed to help prevent injuries and increase worker comfort
- Modular interlocking design on all four sides permits coverage of large floor spaces
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Thickness: 1/2"
- Optional black and yellow border ramps to prevent tripping
- Material: Natural Rubber
- Style: Solid Mat
- Surface: Honeycomb Pattern

SDL865

SDL865

- General purpose natural rubber mat
- 3" x 39" female border snaps onto the protruding knobs of the mat

SDL866

SDL866

- Grease proof 50% nitrile rubber/ 50% natural rubber mat
- 3" x 39" male border snaps into the underside of the mat

ZENITH® Safety Products

MATS

Model No.	Dimensions W' x L'	Colour
SDL865	3 x 3	Black
SDL866	3 x 3	Maroon

BORDER RAMPS

Model No.	Connection	Colour
SDL867	Male	Black
SDL868	Female	Black
SDL869	Male	Yellow
SDL870	Female	Yellow

ANTI-FATIGUE DOME MATS

- Designed to help prevent injuries and increase worker comfort
- Raised dome design increases circulation in the users legs through subtle posture changes resulting in less stress
- Beveled edging to help prevent tripping
- Recommended for dry work environments
- All mats are 1/2" thick, natural rubber
- Colour: Black
- Style: Solid Mat
- Surface: Bi-Level Pattern

ZENITH® Safety Products

SDL857



SDL858

SDL864 - End SDL863 - Center SDL864 - End

SINGLE MATS

Model No.	Dimensions W' x L'	Border Colour
SDL857	2 x 3	Black
SDL858	2 x 3	Yellow
SDL859	3 x 4	Black
SDL862	3 x 4	Yellow

MODULAR MATS

Model No.	Dimensions W' x L'	Description	Border Colour
SDL860	3 x 4	Center	Black
SDL861	3 x 4	End	Black
SDL863	3 x 4	Center	Yellow
SDL864	3 x 4	End	Yellow

REJUVENATOR® CONNECT NO. 502



- Customizable urethane mat, a perfect combination of extremely high performance and exceptional comfort
- Connects on all four sides to accommodate any custom sized area -even an entire floor
- No need for seaming or gluing; mats snap together and stay together
- Robust, abrasion resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior making mat virtually indestructible
- An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- Ideal for dry and heavy use areas and exposure to a wide range of temperatures
- Optional 2" wide urethane bevel for safe access
- Molded in safety bevels reduce installation time and cost
- Available in 3' x 5' ends and centers to create long runs of ergonomic matting

10 YEAR RESILIENCE WARRANTY

WEARWELL

Model No.	Description	Dim. W x L
SAR340	Mat	3' x 3'
SAR341	Edge, Female	2" x 39"
SAR342	Edge, Male	2" x 39"
SED588	Center Mat	3' x 5'
SED589	End Mat w/ Female connectors	3' x 5'
SED590	End Mat w/ Male connectors	3' x 5'

REJUVENATOR® CONNECT NO. 502 MATS FOR SINGLE WORKSTATION

- With molded-in ramps for easy access
- 5/8" thick
- Colour: Black

Model No.	Dim. W' x L'
SED585	2 x 3
SED587	3 x 5

ULTRASOFT DIAMOND-PLATE NO. 414

- Unparalleled comfort and enhanced employee productivity and morale
- Double-thick Nitricell® sponge base is a PVC loaded with nitrile rubber
- Designed for heavy-use areas
- Popular, high-tech diamond-plate surface resists abrasion and most chemical spills
- Beveled safety edges
- Available in black or black with yellow safety borders

DIAMOND-PLATE SPONGECOTE® NO. 415

- Resilient Nitricell® sponge base provides comfort and enhances productivity
- Ideal for dry work areas
- 9/16" thick
- Beveled safety edges
- Available in black or black w/yellow safety borders

4-YEAR WARRANTY

Call for your free sample!

WEARWELL

NO. 414

Model No.	Dim. W'	x	L'
15/16" BLACK/YELLOW			
SAJ810	2	x	3
NG924	3	x	5
NG925	2	x	75
NG926	3	x	75
NG927	4	x	75
15/16" BLACK			
SAJ809	2	x	3
NG917	3	x	5

NO. 415

Model No.	Dim. W'	x	L'
9/16" BLACK/YELLOW			
NB416	2	x	3
NB430	3	x	5
NB425	2	x	75
NB439	3	x	75
SAL165	4	x	75
9/16" BLACK			
NB420	2	x	3
NB431	3	x	5

DIAMOND-PLATE SELECT NO. 495

COMFORT & INDUSTRIAL STYLE ON A BUDGET!

3-YEAR WARRANTY

- Diamond-Plate Select is an excellent alternative to similar SpongeCote® products
- Priced for those on a tighter budget, it has a specially formulated blown-vinyl sponge base called Flex-Link®
- It's designed to prevent worker fatigue in dry industrial applications and is a good choice for areas that require a high-tech look
- Available in two thicknesses:
  Standard – 9/16" thick with safety beveled edges
  Ultra Thick – 15/16" thick with safety beveled edges designed for extra softness
- Colour: Black, black w/yellow borders

WEARWELL

Model No.	Dim. W'	x	L'
9/16" - BLACK			
SAL348	2	x	3
SAL357	3	x	5
SAL360	3	x	75
9/16" - BLACK/YELLOW			
SAL349	2	x	3
SAL358	3	x	5
SAL361	3	x	75
15/16" - BLACK			
SAL200	2	x	3
SAL206	3	x	5
SAL208	3	x	75
15/16" - BLACK/YELLOW			
SAL201	2	x	3
SAL207	3	x	5
SAL209	3	x	75

SMART DIAMOND-PLATE NO. 497

- Diamond plate surface with a 100% recycled urethane composite sponge base
- Comfortable and functional in dry industrial applications
- Black (BK) and black w/yellow borders (BYL)
- Green rating > 80% recycled

An economical and GREEN solution for preventing worker fatigue.

1-YEAR WARRANTY

WEARWELL

Model No.	Dim. W'	x	L'
5/8" BLACK			
SBA894	2	x	3
SBA895	3	x	5
5/8" BLACK W/YELLOW BORDERS			
SBA902	2	x	3
SBA903	3	x	5
1" BLACK			
SBA878	2	x	3
SBA879	3	x	5
1" BLACK W/YELLOW BORDERS			
SBA886	2	x	3
SBA887	3	x	5

SMART TILE-TOP NO. 496

- Priced like a sponge mat, yet wears five times longer
- Compare to other marbleized anti-fatigue mats and reap the savings!
- Resilient sponge base is called Rebound
  - a 100% recycled urethane composite
- Comfortable and functional in dry industrial applications
- Green rating > 80% recycled

A smart solution to standing worker fatigue, this mat is economically priced and GREEN.

1-YEAR WARRANTY

WEARWELL

Model No. Black	Grey	Blue	Charcoal	Dim. W'	x	L'
1/2" THICK						
SBA910	SBA926	SBA942	SBA958	2'	x	3'
SBA911	SBA927	SBA943	SBA959	3'	x	5'
7/8" THICK						
SBA918	SBA934	SBA950	SBA966	2'	x	3'
SBA919	SBA935	SBA951	SBA967	3'	x	5'

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

TOP QUALITY PVC SPONGE MATTING!

WEARWELL

Comfort & practicality all rolled into one mat!

- Excellent choices for practical and economical comfort
- Blown-vinyl sponge ergonomically designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOUR:

- Tuf Sponge: Black, grey, black w/yellow borders (available on request)
- Deluxe Tuf Sponge: Black, grey



TUF SPONGE NO. 451

Model No. Black	Grey	Thickness"	Dim. W'	x	L'
NB550	NB551	3/8	2	x	3
NB565	NB566	3/8	3	x	5
NB568	NB569	3/8	3	x	60

DELUXE TUF SPONGE NO. 442

Model No. Black	Grey	Thickness"	Dim. W'	x	L'
SAL174	SAL175	5/8	2	x	3
SAL180	SAL181	5/8	3	x	5

ULTRA-TRED ARMORCOTE NO. 440

A URETHANE COATED, PVC SPONGE ANTI-FATIGUE MAT



Urethane coating increases durability, resistance to chemicals & clean-up ease!

- Offers the comfort of a PVC sponge plus the chemical and abrasion resistance of a double-thick urethane coating on the surface
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black w/yellow safety borders

Model No.	Dim. W'	x	L'
NB533	2	x	3
NB537	3	x	5
NB534	3	x	12
SAJ811	2	x	60
NB538	3	x	60
NB540	4	x	60

WEARWELL

1-YEAR WARRANTY

TILE-TOP AM NO. 420

100% ANTI-MICROBIAL (AM) MATS

WEARWELL

- Especially effective in areas where exposure to micro-organisms and chemicals is common
- Tile-Top AM mats are permanently anti-microbial
- The non-porous vinyl surface has an **extra** wear layer for **exceptional** abrasion and **chemical resistance**
- The mats' **superb comfort** comes from its **Micro-Pure™** (permanently anti-microbial) Nitrile composite sponge base

4-YEAR WARRANTY

Black Blue Grey Charcoal

100% antimicrobial!

TILE-TOP AM NO. 420 - 1/2" THICK

Model No. Black	Blue	Grey	Charcoal	Dim. W'	x	L'
SAQ654	SAQ655	SAQ658	SAQ657	2	x	3
SAQ670	SAQ671	SAQ674	SAQ673	3	x	5

ENDURABLE NO. 459

- This PVC sponge has a remarkably durable and abrasion resistant surface
- The dense PVC surface, created during the manufacturing process, is heat bonded to a comfortable sponge base
- This dual density anti-fatigue mat lasts much longer than similar products, but is very economical
- Edges beveled for safety
- 1/2" thick
- Colour: Black

New, longer wearing, two-in-one construction!

WEARWELL

Model No.	Dim. W'	x	L'
NG593	2	x	3
NG596	2	x	60
NG594	3	x	5
NG595	3	x	12
NG597	3	x	60
NG598	4	x	60

Other lengths available, call for a quote

1-YEAR WARRANTY



RUNNER MATS

- Fine ribbed rubber runner mats
- Durable rubber mat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance
- Thickness: 1/8"
- Colour: Black

SDL875

ZENITH® Safety Products

Model No.	Dimensions W'	x	L'
SDL875	2	x	75
SDL876	3	x	75
SDL877	4	x	75
SDL878	2	x	lin.ft.
SDL879	3	x	lin.ft.
SDL880	4	x	lin.ft.

1/4" RUBBER RUNNER



- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/4" thick
- Colour: Black

Model No.	Dimensions W'	x	L'
JA684	3	x	75
JA686	3	x	lin.ft.

1/8" RUBBER RUNNER

High resilience for outstanding slip resistance. More effective than vinyl!



- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/8" thick
- Colour: Black

Applications: All entrances.

Model No.	Dimensions W'	x	L'
WIDE RIBBED			
NI363	2	x	75
NI304	3	x	75
NI305	4	x	75
NI364	2	x	lin.ft.
NI306	3	x	lin.ft.
NI307	4	x	lin.ft.

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!

The all-purpose runner that makes floors safer to walk on!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Won't curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black

1-YEAR WARRANTY

Model No.	Dimensions W'	x	L'
NB374	3	x	105
NB376	4	x	105

WEARWELL

See page 359 for ZENITH Safety Products NEW Boot Scraper

ANTI-FATIGUE MAT

- Designed to help prevent injuries and increase worker comfort
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Modular interlocking design on all four sides permits coverage of large floor spaces
- Optional black and yellow border ramps to prevent tripping
- Natural rubber
- Colour: Black
- Dimensions: 3' L x 3' W x 1/2" Thick

Model No. SDS622

ZENITH® Safety Products

HAPPY FEET

- Combine exceptional anti-fatigue performance with unique safety features
- Dense closed-cell rubber cushion encapsulated with solid nitrile rubber
- Resistant to chemicals, animal fats and petroleum products
- Static dissipative and safe for use in computer rooms and electrical parts manufacturing
- Safe for welding
- Low profile, beveled edges available with safety striped borders
- Colour: Black, black and yellow, other colours available on request



the andersen company

TEXTURE-SURFACE NO. 480

Model No.	Dim. W'	x	L'
BLACK			
SAM180	2	x	3
SAM181	3	x	5
BLACK/YELLOW			
SAM183	2	x	3
SAM184	3	x	5

HOG HEAVEN

- Solid textured nitrile rubber surface for better chemical and oil resistance, and superior slip resistance
- Welding safe
- Electrically conductive
- Closed cell nitrile/PVC cushion
- 100% nitrile border will not crack or curl
- Unmatched durability
- Available in black and black/yellow safety stripes

the andersen company

5/8" THICK

Model No.	Dim. W'	x	L'
BLACK NO. 421			
SAM152	2	x	3
SAM153	3	x	5
SAM154	3	x	12
SAM155	4	x	6
BLACK/YELLOW NO. 423			
SAM159	2	x	3
SAM160	3	x	5
SAM161	3	x	12
SAM162	4	x	6

7/8" THICK

Model No.	Dim. W'	x	L'
BLACK NO. 422			
SAM166	2	x	3
SAM167	3	x	5
SAM168	3	x	12
SAM169	4	x	6
BLACK/YELLOW NO. 424			
SAM173	2	x	3
SAM174	3	x	5
SAM175	3	x	12
SAM176	4	x	6

CUSHION MAX™

- Superior anti-microbial, anti-fatigue mat for comfort and ergonomic benefits
- Made of 100% nitrile/PVCclosed cell foam
- Diamond patterned surface thatis more than twice as durable as traditional PVC foam mats
- Solid pattern helps to reduce slip and fall accidents while beveled borders make for a safe transition from floor to mat
- Cost effective alternative to traditional PVC foam mats
- Ozone resistant
- Recommended for use in warehouses, picking lines, assembly lines, work stations, check out stations, labs or other wet or dry environments
- 5/8" thick
- Colour: Black

the andersen company

Model No.	Dim. W'	x	L'
SAR819	2	x	3
SAR820	3	x	5
SAR821	3	x	12
SAR822	4	x	6

Available with drainage holes

STAT-FREE WORK SURFACE MATS

- Very functional, effective solution in areas where static control is imperative
- Designed for workbenches and desks, underneath computers and at workstations where sensitive components are packaged or repaired
- Flexible, three-layer construction has a conductive scrim sandwiched between two layers of vinyl
- Provides excellent electrical properties
- For maximum effectiveness, ground the mat using **SAR851** and ground the worker with **SAR852**
- Colour: Blue

WEARWELL

Model No.	Dim. W'	x	L'
SAR847	2	x	3
SAR848	2	x	4
ESD WORK SURFACE ACCESSORIES			
SAR851	Common Point Ground Cord 15'		
SAR852	Wrist Strap w/6' Coil Cord		

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP

Protects workers from fatigue & electronic equipment from damage!

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- Will drain electrical charge of 20 000 V in less than 1 second
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- Colour: Black

WEARWELL

4-YEAR WARRANTY

Model No.	Dim. W'	x	L'	Description
NB692	3	x	5	Diamond Plate Surface
SAL243	2	x	3	Smooth Surface
SAR335	3	x	5	Smooth Surface
SAJ574	15' L Ground Wire (Sold separately)			

Other lengths available, call for a quote

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black

1-YEAR WARRANTY

WEARWELL

NO. 702

Model No.	Dim. W'	x	L'
CORRUGATED			
SAL242	2	x	75
NB657	3	x	75

NO. 701

Model No.	Dim. W'	x	L'
DIAMOND-PLATE			
SAL236	2	x	75
SAL238	3	x	75

WELDSAFE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 9/16" thick
- Green rating > 33% post industrial material
- Colour: Black

4-YEAR WARRANTY

Anti-fatigue mat specifically designed for welding!



WEARWELL

Model No.	Dim. W'	x	L'
NG181	2	x	3
NG182	3	x	5

Other lengths available, call for a quote.

WORKSAFE® LIGHT NO. 478 CFR



A NEW compound resistant to mineral oil based cutting fluids.



1-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped

WEARWELL

Model No.	Description	Dim. W'	x	L'
NB632	-	3	x	5
NB630	-	3	x	10
NB631	-	3	x	20
SAL221	Connector		-	

WORKSAFE® NO. 477

7/8" THICK, HIGH PERFORMANCE DRAINAGE MAT



A high performance drainage mat designed for safety, cleanliness & worker comfort!

1-YEAR WARRANTY

- Extra-thick, drainage mat designed for worker comfort
- Premium natural rubber compound; use around water, mild chemicals and detergent solutions
- Angled drainage holes and underside knobs allow debris and fluids to flow through
- Connect mats side by side with connector strips
- Optional edging also available
- Colour: Black

WEARWELL

Model No.	Description	Dim. W'	x	L'
NB468	Single	2	x	3
NB469	Single	3	x	4
NB621	Single	3	x	5
NB472	Connector		-	

DRAINAGE MAT

- Designed to help prevent injuries and increase worker comfort
- Resistant natural rubber is recommended for both wet or dry work
- Beveled edging to help prevent tripping
- Easy to clean
- Type: Anti-Fatigue
- Thickness: 7/8"
- Colour: Black
- Material: Natural Rubber
- Environment: Wet/Dry
- Surface Type: Slotted

ZENITH® Safety Products

Model No.	Dim. W'	x	L'
SFQ525	3	x	5

COMFORT FLOW™

- Fully launderable mat that performs great as an anti-fatigue mat and as a flow-through mat in wet or dry environments
- Constructed of 100% high density nitrile rubber
- For superior resistance to grease and oil
- Provides excellent anti-fatigue properties for added employee comfort and improved ergonomics
- Non-skid backing keeps mat in place
- Drainage holes for easyflow of water and debris
- Beveled edges for safe access
- Anti-microbial treated: Guards against degradation from micro-organisms and minimizes mats being a source of odours
- Recommended for use in kitchens, behind bars and wet industrial applications
- Welding safe; highly resistant to high temperatures
- Low profile, 3/8" thick and slip-resistant surface
- Colour: Black

100% customer satisfaction GUARANTEED

the andersen company

Model No.	Dim. W'	x	L'
SAR813	2	x	3
SAR814	3	x	5
SAR815	4	x	6
SAR816	3	x	9

See NEW RMP signs on page 363

SANITIZING FOOTBATH MAT NO. 222

DECONTAMINATES & DISINFECTS FOOTWEAR

- Great for food processing plants, keeps hygienic areas free of contamination and germs
- Has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution
- Holds one gallon of disinfectant solution - chlorine or quaternary
- **SAQ090** allows the mat to hold up to 5.5 gallons of sanitizing solution
- When filled to a practical level, the solution will totally immerse the treads of the boot sole while the fingertips release any accumulations
- Colour: Black
- Accepted for use in Canadian food processing facilities



SBR Rubber

Sanitizing Footbath High Wall



1-YEAR WARRANTY

WEARWELL

Model No.	Dim. W"	x	L"	Absorption Capacity
SAL651	24	x	32	1 gallon

CLEAN ROOM MAT

- Adhesive surface removes dirt and dust from shoes and equipment wheels
- Ideal for reducing contamination in clean rooms and controlled environments
- Each layer can be used multiple times and removed once dirty
- Place on tile, concrete or low-profile carpeting
- Material: Polyethylene
- No. of Sheets: 30



ZENITH® Safety Products

Model No.	Dimensions L"	x	W"	Thickness	Colour
SDS992	36	x	18	40 mics	Blue
SDS993	36	x	18	40 mics	White
SDS994	45	x	18	40 mics	Blue
SDS995	45	x	18	40 mics	White
SDS996	45	x	24	40 mics	Blue
SDS997	45	x	24	40 mics	White
SDS998	36	x	24	40 mics	Blue
SDS999	36	x	24	40 mics	White
SDT001	45	x	36	40 mics	Blue
SDT002	45	x	36	40 mics	White

FOOT SANITIZING MATS

- Foot sanitizing mats are designed to decontaminate shoes and boots from spreading germs and bacteria
- Ideal for food processing facilities
- Rubber scrappers at the base of the mat dislodge contaminants from shoes or boots while the soles are soaking in solution
- Chemically resistant to common disinfectant solutions
- Capacity: 5.5 gallons
- Dimensions: 2-2/3' W x 3-1/4' L
- Colour: Black
- Environment: Dry
- Style: Solid Mat
- Surface: Pebbled Pattern

ZENITH® Safety Products

Model No.	Description
SDL873	Black with Black Border
SDL874	Black with Yellow Border

GRADE "A" NO. 482

- Specially formulated anti-bacterial nitrile rubber composite designed to withstand solutions used in a wide variety of food processing environments
- 100% anti-microbial with built-in handles to ease pick-up and cleaning of the mats
- NSF Certified
- Hygienic porthole and solid underside design of the mat simplify cleaning and virtually eliminates areas where food can collect
- Substantial underside knobs allow quick drainage and increase the comfort level of the mat
- Flat, but textured surface increases traction when greasy and wet
- 1/2" thick
- Colour: Terra cotta
- Accepted for use in Canadian food processing facilities
- CFIA approved

Built-in Handle



2-YEAR WARRANTY

WEARWELL

Model No.	Dim. W"	x	L"
SAN571	30	x	36
SAN572	30	x	60

WD™ ELEGANCE MAT

- For application in dry areas
- Appropriate for use in hotels, banks, post offices and retail stores
- Attractive pattern choice to compliment any décor
- Other colours and dimensions available
- Thickness: 9/16"
- Surface Type: Textured

SDP157

Beige

Anti-Fatigue 8/10
Durability 8/10
Adherence 7/10

Model No. Grey	Model No. Beige	Dimensions W' x L'
SDP157	SDP162	2 x 3
SDP158	SDP163	3 x 5
SDP159	SDP164	3 x 12

WD™ TRACTION PLUS MAT

- For application in dry areas
- Appropriate for use in car dealerships, convenience stores and packaging stations
- Raised Herringbone top surface affords multi-directional grip for safe movements
- Colour: Black
- Other colours and dimensions available
- Thickness: 5/8"

SDP101

UP TO 30%

Anti-Fatigue 8/10
Durability 8/10
Adherence 9/10

Model No.	Dimensions W' x L'
SDP101	2 x 3
SDP102	3 x 5
SDP103	3 x 12

COMFOR-KING™ MAT

- For applications in dry areas
- Suitable for retail stores, car dealerships, and grocery stores
- Maintains flexibility and anti-fatigue properties even in low temperatures
- Other colours and dimensions available
- Thickness: 3/8"

SEB181

Black & Yellow

Anti-Fatigue 10/10
Durability 6/10
Adherence 8/10

Model No. Black	Model No. Black & Yellow	Dimensions W' x L'
SEB181	SDP113	2 x 3
NG878	SDP114	3 x 5
SDP112	SDP115	3 x 12
NG880	SDP116	2 x 60

INDUSTRIAL DECK PLATE MAT

- For industrial applications in dry areas
- Appropriate for use in assembly lines, packaging stations and other workstations
- Heavy-duty, slip resistant surface tolerates cart traffic
- Other colours and dimensions available
- Thickness: 9/16"

SDP117

Black

UP TO 30%

Anti-Fatigue 5/10
Durability 7/10
Adherence 9/10

Model No. Black	Model No. Black & Yellow	Dimensions W' x L'
SDP122	SDP117	2 x 3
SDP123	SDP118	3 x 5
SDP124	SDP119	3 x 12
SDP125	SDP120	3 x 75

TUFF-SPUN® MAT

- For applications in dry areas
- Appropriate for use in retail stores, car dealerships and grocery stores
- Closed-cell sponge optimizes economical comfort and fatigue relief
- Other colours and dimensions available
- Thickness: 3/8"

SDP137

Black & Yellow

Anti-Fatigue 5/10
Durability 4/10
Adherence 5/10

Model No. Black	Model No. Black & Yellow	Dimensions W' x L'
SDP137	SDP142	2 x 3
SDP138	SDP143	3 x 5
SDP139	SDP144	3 x 12
SDP140	SDP145	2 x 60

WEAR-BOND™ TUFF-SPUN® MAT

- For applications in dry areas
- Appropriate for use in retail stores, car dealerships and grocery stores
- Other colours and dimensions available
- Thickness: 9/16"


SAX707

Black

Anti-Fatigue 5/10
Durability 7/10
Adherence 9/10

Model No. Black	Model No. Black & Yellow	Dimensions W' x L'
SAX700	SAX707	2 x 3
SAX701	SAX708	3 x 5
SAX702	SAX709	3 x 12
SAX705	SAX712	3 x 75

WD™ FOODMASTER MAT

- For application in food preparation areas such as bakeries, bars, and cafeterias
- Specially formulated surface resists spillage of food, sugar, fat, oil and alcohol
- Other colours and dimensions available
- Thickness: 9/16"

SDP167

Light Grey

ZEDLAN

GREASE RESISTANT

Anti-Fatigue 8/10

Durability 8/10

Adherence 7/10

Model No. Dark Grey	Model No. Light Grey	Dimensions W' x L'
SDP167	SDP172	2 x 3
SDP168	SDP173	3 x 4
SDP169	SDP174	4 x 12
SDP170	SDP175	2 x 60

WD™ DECK PLATE MAT

- For industrial application in dry areas
- Appropriate for use in assembly lines, packaging stations and other workstations
- Heavy-duty, slip resistant surface tolerates cart traffic
- Other colours and dimensions available
- Thickness: 5/8"

SEE635

UP TO 25%

ZEDLAN

Black & Yellow

Anti-Fatigue 8/10

Durability 8/10

Adherence 9/10

Model No. Black	Model No. Black & Yellow	Dimensions W' x L'
SEE635	SEE637	2 x 3
SEE636	SEE638	3 x 5
SDP106	SDP109	3 x 12
SDP107	SDP110	2 x 75

SHEER-GRIP™ MAT

- For applications in wet areas such as locker rooms, showers and walk in freezers
- Soft, flexible surface provides excellent fatigue relief
- Colour: Grey
- Other dimensions available
- Thickness: 1/2"

SDP127

FOOD APPROVED

Anti-Fatigue 3/10

Durability 10/10

Adherence 10/10

Model No.	Dimensions W' x L'
SDP127	2 x 40
SDP128	3 x 40
SDP129	4 x 40

SAFEWALK™ LIGHT MAT

- Closed-cell rubber construction
- Appropriate for use in dishwashing areas, cafeterias, laundry rooms, and arenas
- Other dimensions available
- Thickness: 7/8"
- Black: For wet areas
- Terra Cotta: For oily environments

SDP132

Terra Cotta

GREASE RESISTANT

UP TO 40%

Anti-Fatigue 6/10

Durability 7/10

Adherence 8/10

Model No.	Colour	Dimensions W' x L'
SDP132	Black	3 x 5
SDP133	Black	3 x 9.9
SDP135	Terra Cotta	3 x 5
SDP136	Terra Cotta	3 x 9.9

PRO-TEKT™ MAT

- For commercial floor protection applications
- Provides good slip resistance and insulation
- Easy to clean and cut to shape
- Colour: Black
- Other dimensions available
- Thickness: 1/8"

SDP148

Anti-Fatigue 0/10

Durability 6/10

Adherence 6/10

Model No.	Dimensions W' x L'
SDP148	3 x 60
SDP149	4 x 60
SDP150	6 x 60

WIDE RIB RUBBER MAT

- Durable rubber surface is slip-resistant and resists abrasion
- For commercial floor protection applications
- Provides good slip resistance and insulation
- Easy to clean and cut to shape
- Colour: Black
- Other dimensions available
- Thickness: 1/8"

SDP153

Anti-Fatigue 0/10

Durability 7/10

Adherence 9/10

Model No.	Dimensions W' x L'
SDP153	3 x 75
SDP154	4 x 75

CHOOSING THE RIGHT MAT

There are three types of matting to consider. To select the right type for you,
We recommend the following steps:

1. Identify the type of area where you wish to install the carpet, taking into account the amount of traffic it will experience. (ex: heavy traffic vs. light traffic)
2. Refer to the collection of products in the following pages and locate the right fit for you. We've categorized each mat to correspond to one of the four traffic categories, colour coded for your convenience
3. Choose a scraper, a wiper/scraper and a wiper mat. Note: for best results, use three types of mats in the following combination (ex: Upfront Scraper, Super Soaker and Proluxe)

1-SCRAPER

- Exterior usage or between two doors
- Aggressive scraper surface, which will capture the majority of dirt from the soles of shoes
- Does not absorb moisture, which facilitates maintenance

2-WIPER/SCRAPER

- Interior usage or between two doors
- Irregular surface which enables trapping moderate dirt that was not captured at the scraper level
- Moderately retains water and moisture that may later evaporate or be extracted at a later time

3-WIPER

- Interior usage
- Plays a major role in the retention of water and fine dust
- Minimizes the risk of slipping and falling

Less than 125 persons per day Small business Boutiques Side Entrance Etc.	Between 125 and 500 persons per day Office building Small retail store Bank/Postal Service Car Dealership Motel & Inn Etc.	Up to 1500 persons per day Convenience Store Restaurant Hotel Theatre Museum Convention Centre Etc.	Over 1500 persons per day University Airport Hospital Large retail store Shopping Mall School Etc.

DID YOU KNOW?

The proper use of entrance mats is recognized by the Green Building Council of Canada, under LEED® certification system (Leadership in Energy and Environmental Design), visioning a transformed built environment leading to a sustainable future.
Some Mat Tech products can contribute to obtaining 2 credits:

1 Credit*: "Permanently use the entrance matting system to capture dirt, particles etc. from entering the building at all high volume entrances"

1 Credit**: Use material with recycled content in order that the sum [...] constitutes at least 7.5% of the total value of the material in the project.
For more information, visit the website: www.cagbc.org
*EQ Credit 5 requirements, Green Building Rating System v1.0
**MR Credit 4.1 requirement, Green Building Rating System v1.0



NH550
Chevron™



NG782
Proluxe™

SAX714
Eco Step™

WIPER/SCRAPERS

CHEVRON™ MAT

- For indoor vestibule and lobby
- For medium traffic locations such as office buildings, small retail stores, banks and post offices
- Recycled surface made from 50% plastic bottles
- Other colours and dimensions available
- Thickness: 5/16"

SDP252

Brown Steel-Blue

Dirt removal 6/10

Water absorption 6/10

Crush resistance 6/10

Model No. Charcoal	Brown	Steel-Blue	Dimensions W' x L'
NH548	SAY896	SDP241	3 x 5
NH550	SAY898	SDP242	3 x 10
NH552	SAY897	SDP243	4 x 6
SDP252	SDP248	SDP244	6 x 10
JA936	SDP249	SDP245	3 x 60
JA938	SDP250	SDP246	4 x 60
SDP253	SDP251	SDP247	6 x 60

NEEDLE-RIB™ MAT

- For indoor vestibule or lobby
- For light-traffic locations such as boutiques, small businesses and side entrances
- Recycled surface made from 50% plastic bottles
- Other colours and dimensions available
- Thickness: 5/16"

NG823

Brown

Dirt removal 4/10

Water absorption 4/10

Crush resistance 3/10

Model No. Charcoal	Brown	Dimensions W' x L'
NG833	NG823	3 x 5
JA923	JA921	3 x 10
NG837	NG827	4 x 6
JA927	JA925	4 x 10
NG836	NG826	3 x 60
NG839	NG829	4 x 60
SEB534	SDL823	6 x 60

WIPERS

OXFORD-LITE™ MAT

- For indoor medium-traffic locations such as office buildings, small retail stores, banks and post offices
- Thermoflex backing for superior floor protection
- Other colours and dimensions available
- Thickness: 5/16"

SDP254

Black/Brown

Dirt removal 2/10

Water absorption 9/10

Crush resistance 7/10

Model No. Black/Grey	Black/Brown	Dimensions W' x L'
SDP254	SDP261	3 x 5
SDP255	SDP262	3 x 10
SDP256	SDP263	4 x 6
SDP257	SDP264	6 x 10
SDP258	SDP265	3 x 60
SDP259	SDP266	4 x 60
SDP260	SDP267	6 x 60

PROLUXE™ MAT

- For indoor light-traffic locations such as boutiques, small businesses and side entrances
- Year round value solution providing safety on wet floors
- Other colours and dimensions available
- Thickness: 5/16"

SDP269

Walnut

Dirt removal 2/10

Water absorption 7/10

Crush resistance 2/10

Model No. Charcoal	Walnut	Dimensions W' x L'
SDP269	SDP268	2 x 3
NG782	SDP270	3 x 4
NG783	SDL825	3 x 5
JA930	SDL829	3 x 10
NG785	SDL833	6 x 10
NG787	SDL847	3 x 60
NG788	SDP271	4 x 60
SDL855	SDL852	6 x 60

SCRAPER MATS

- Scrapes shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- 3' W x 5' L
- Available with slots to facilitate drainage
- Colour: Black

ZENITH® Safety Products

Model No.	Description
SDL871	Solid
SDL872	Slotted

WIPER/SCRAPERS - WATERHOG™ FASHION

- Unique ridged construction effectively removes and traps dirt and moisture
- Exclusive rubber-reinforced face nubs prevent pile from crushing, extending product life
- Anti-static 100% premium polypropylene fibre system
- Highly durable, makes it the perfect choice for indoor or outdoor applications
- Gripper rubber backing minimizes movement
- Exclusive "water dam" traps dirt and water so they stay in the mat and off of your floor-minimizing slip hazards and floor damage around the perimeter of the mat
- Attractive fabric border
- Fabric dries quickly; will not fade or rot
- Can easily be vacuumed or hosed off
- 3/8" thick
- Other sizes and colours available

the andersen company

Model No. Charcoal	Model No. Grey	Dim. W' x L'
JA154	JA159	3 x 5
JA155	JA160	3 x 10
JA156	JA161	4 x 6
JA157	JA162	4 x 10
JA158	JA163	6 x 12

SUPER SCRAPE NO. 555 MAT

- Ideal for removing dirt and adding slip resistance
- 100% nitrile rubber construction is ideal for kitchens, locker rooms, slippery inclines, restaurants and more
- Low profile
- Highly durable for years of use
- 3/16" thick
- Colour: Black



the andersen company

Model No.	Dim. W' x L'
JA680	2.5 x 3
JA681	3 x 5
JA682	3 x 10
JA683	4 x 6

SCRAPER MATS

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Numerous rubber fingers are ideal for trapping dirt
- Beveled edging to help prevent tripping
- Easy to clean
- Type: Scraper
- Thickness: 1/2"
- Colour: Black
- Material: Rubber
- Traffic: Heavy
- Surface Pattern: Textured

ZENITH® Safety Products

Model No.	Dimensions W' x L'
SFQ527	2 x 2 2/3
SFQ528	2 2/3 x 3 1/4
SFQ529	2 1/3 x 3 5/6
SFQ530	3 x 5
SFQ531	3 x 6

SCRAPERS - MAT-A-DOR™ MAT

- For outdoor and indoor entrances and vestibules
- For medium-traffic locations such as office buildings, small retail stores and car dealerships
- Colour: Black
- Other dimensions available
- Thickness: 5/8"



MAT TECH CANADA

30%

Dirt removal 8/10

Water absorption 0/10

Crush resistance 10/10

Model No.	Dimensions W x L
NG819	2' x 2'8"
NG820	2'8" x 3'3"
NG821	3' x 6'

WIPERS - WALK-A-WAY™ MAT

- For indoor medium-traffic locations such as office buildings, and small retail stores
- Other colours and dimensions available
- Thickness: 5/16"



MAT TECH CANADA

Walnut

Green

THERMO FLEX X SUPERIOR DURABILITY BACKING

Dirt removal 2/10

Water absorption 8/10

Crush resistance 6/10

Model No. Charcoal	Model No. Walnut	Model No. Green	Dimensions W' x L'
NG767	NG759	SDP226	3 x 5
JA954	JA952	SDP227	3 x 10
NG770	NG762	SDP228	4 x 6
JA957	JA955	SDP229	4 x 10
SDL705	SDL704	SDP230	6 x 10

WIPERS - ECO-STEP™ MAT

- For indoor light-traffic locations such as small businesses, boutiques and side entrances
- Other colours and dimensions available
- Thickness: 1/4"



SDP222

Walnut

Dirt removal 2/10

Water absorption 8/10

Crush resistance 2/10

Model No. Charcoal	Model No. Walnut	Dimensions W' x L'
SDP222	SDP224	2 x 3
SDP223	SDP225	3 x 4
SAX714	SAX720	3 x 5
SAX715	SAX721	3 x 10
SAX717	SAX723	4 x 6

BOOT SCRAPERS

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed
- Easy to clean
- Overall Length: 12"

Model No. SFQ526

BOOT TRAYS

- Durable and flexible plastic construction boot tray traps water, mud and dirt
- High ribbed surface protects shoes

Model No.	Dim. W" x L"	Colour
SAS411	14 x 24	Grey

BOOT 'N SHOE BRUSHES

- Brushes thoroughly clean all boot and shoe surfaces
- Flip the brushes up to reveal a heavy duty sole scraper
- Anchor it in concrete or secure the solid metal frame with a single foot while cleaning the other
- Shipped completely assembled
- Polypropylene stiff bristle

NH576

NH577

Model No.	Description	Dimensions Block Size"
NH576	Boot 'N Shoe Brush, Blue	14 3/4 x 16 1/2 x 7
NH577	Replacement Brush, Blue	10 x 4 1/2 x 3 1/2

AUTOMATIC SHOE COVER DISPENSER

- Automatically fits over shoes without bending, saving time and effort
- Improve cleanliness and help reduce cross contamination in many facilities such as food processing, hospitals, farms, pharmaceutical and other areas that must remain clean
- Quick and easy to refill

Model No.	Mfg. No.	Description
JD263	AD1	Shoe Cover Dispenser

SHOE COVER REFILLS

Model No.	Mfg. No.	Type	Qty /Box
JH466	ADR2	Regular	100
JH467	ADR3	Non-Slip	100

BOOT-BOY® INDUSTRIAL FOOTWEAR CLEANERS

- Constructed of 14-gauge hot rolled steel
- Nylon brush is long-lasting and easily replaceable
- Brush can be used wet with water, degreasers in pan or dry
- Plugs into any standard outlet
- 1/3 HP ball bearing motor
- CSA Approved
- Powder coated finished in red

Model No. NI593

UNIVERSAL JUMBO ROLL BATH TISSUE

- For use in high traffic areas
- Made from 100% recycled fibres and 85% post-consumer recycled materials
- Combines softness, strength and sparkling whiteness at a competitive price
- Jumbo roll size requires fewer refills and reduces maintenance costs
- Universal 3.3" core is designed to fit virtually all size jumbo tissue dispensers
- Large rolls are hard to conceal, making them pilfer-proof
- Third party certification includes UL ECOLOGO® 175

JC021

Cascades PRO Select

Model No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft /Roll	Rolls /Case
JC021	B210	White	1	3.45	2000	12
JC022	B240	White	2	3.45	1000	12
JH472	B100	White	2	3.3	750	8

UNIVERSAL BATH TISSUE DISPENSERS

- Robust construction for added durability
- Attractive streamlined exteriors fit well with any décor
- A see-through cover that means you will always know when it is time to refill
- Enormous capacity to lessen service costs

JC097

JC096

Cascades

Model No.	Mfg. No.	Colour	Capacity
JC096	DB09	Smoke/Black	1 Roll
JC097	DB12	Smoke/Black	2 Rolls

UNIVERSAL DISPENSERS

- Constructed of high quality plastic
- Duplex bath tissue dispenser holds two rolls, reducing service outages and maintenance costs
- See-through cabinet allows quick and easy service checks
- Fully covered top roll for a more sanitary environment
- Easy-to-clean and stylish construction fits with almost any décor

Cascades PRO

Model No.	Mfg. No.	Colour	Dimensions W" x D" x H"
JC095	DB18	Grey	6.75 x 6.06 x 13.69

KITCHEN ROLL TOWELS

- Made from 100% recycled fibres; provide environmental benefits and a positive image builder
- High-bulk, 2-ply construction maximizes absorbency for superior spill holding power using fewer towels
- Super strong soft towels hold together even on tough jobs
- Ideal for cleaning and wiping all surfaces
- Colour: White

TORK

Model No.	Mfg. No.	Ply	Towel Size L" x W"	Towels /Roll	Rolls /Case
JB580	HB1995A	2	11 x 9	210	12

CASCADES® MOKA™ FACIAL TISSUES

- Made from 100% unbleached recycled fibre of which 80% is from post-consumer material
- The most environmentally responsible choice on the market, by adding 20% corrugated box fibre into its pulp mix and eliminating bleaching chemicals
- Reduces the environmental impact of its raw material by 25%
- A revolutionary facial tissue, without compromising softness
- Contains 0% bleaching chemicals
- Third party certifications include Green Seal™, UL ECOLOGO® 175, and offset with 100% green-e® certified wind electricity

Cascades

Model No.	Mfg. No.	Colour	Ply	Sheet Size L" x W"	Sheets /Box	Boxes /Case
JD412	4186	Beige	2	8.5 x 7.5	100	30

WYPALL® X70 WIPERS

- Ideal for tools and surface cleaning in a heavy-maintenance area
- Tackle those heavy-duty industrial jobs usually handled by cloth rags
- With a single wipe remove oil, grime, and solvents
- Pound for pound absorbs more oil and water than rags
- Long-lasting performance extends usage and reduces waste

JC110

NC613

Kimberly-Clark PROFESSIONAL®

Model No.	Mfg. No.	Description	Colour	Size L" x W"	Units /Case	Sheets /Case
JC110	41412	Pop-Up® Box	Blue	16.8 x 9.1	10	1000
JC111	41455	Pop-Up® Box	White	16.8 x 9.1	10	1000
NI340	41300	Brag® Box	White	16.8 x 12.5	1	152
NI336	41200	1/4 Fold	White	13 x 12.5	1	76
NH012	41100	Flat Sheet	White	16.6 x 14.9	1	300
NC613	41600	Jumbo Roll	White	13.4 x 12.5	1	870
NI335	41611	Jumbo Roll	Blue	13.4 x 12.5	1	870

CASCADES PRO SIGNATURE™ TOWELS

- Large rolls mean fewer service checks and reduced maintenance costs
- Embossing enhances hand feel and maximizes absorbency
- Certified Processed Chlorine Free®
- Certified UL ECOLOGO® 175 and Green Seal Certified®
- 100 % recycled fibers

JC042

JD408

Cascades PRO Signature

Model No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft/Roll	Rolls /Case
JD408	T116	White	1	7.5	775	6

DISPENSER

Model No.	Mfg. No.	Colour	Description	Dimensions W" x D" x H"
JC042	1373	Grey	No-Touch	12.5 x 9.75 x 15.25

CASCADES PRO SELECT™ CENTRE PULL TOWELS

- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- North River® products are made from 100% recycled fibres, with a minimum of 65% post-consumer material and are certified UL ECOLOGO® 175, Green Seal Certified®, and Chlorine Free®

Cascades PRO Select

Model No.	Mfg. No.	Colour	Ply	Dimensions L' x W"	Rolls /Case
JC033	H150	White	2	550 x 7.3	6

DISPENSER

Model No.	Mfg. No.	Colour	Shipping Dimensions W" x D" x H"
JC034	DH09	Grey	10.5 x 10.3 x 13

CASCADES PRO PERFORM™ BATHROOM TISSUE

- Made from 100% unbleached recycled fibre of which 80% is from post-consumer material
- The most environmentally responsible choice on the market, by adding 20% corrugated box fibre into its pulp mix and eliminating bleaching chemicals
- Reduces the environmental impact of its raw material by 25%
- A revolutionary bathroom tissue, without compromising softness
- Contains 0% bleaching chemicals
- Available in standard, high capacity and jumbo rolls
- Third party certifications include Green Seal™, UL ECOLOGO® 175, and offset with 100% green-e® certified wind electricity
- Fits on most universal dispensers

JD411

Cascades PRO Perform

Model No.	Mfg. No.	Type	Ply	Sheet Size L x W	Sheets /Roll	Rolls /Case
JH473	B400	Standard	2	4.3" x 3.75"	400	80
JD405	T144	High-Capacity	2	3.9" x 4"	865	24
JD411	B500	Jumbo Roll	2	3.5" x 1000'	-	12
JF193	T263	Jumbo Roll	2	3.5" x 1000'	-	6

CASCADES PRO SELECT™ UNIVERSAL ROLL TOWELS

- Long-lasting rolls minimize maintenance costs while maximizing service
- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- Made from 100 % recycled fibres, with a minimum of 65 % post-consumer material and are certified UL ECOLOGO® 175 and Green Seal Certified®
- Decor® products provide a level of quality that meets everyday needs
- A perfect combination of quality and value
- Fits on most universal dispensers

JC030

JC055

Cascades PRO Select

Model No.	Mfg. No.	Colour	Ply	Dimensions L' x W"	Rolls /Case
JC056	H225	Natural	1	205 x 7.5	24
JH469	H280	Ivory	1	800 x 8	6
JC030	H240	White	1	425 x 8	12
JC029	H245	Natural	1	425 x 8	12
JC055	H285	Natural	1	800 x 8	6

CASCADES PRO SELECT™ FOLDED TOWELS

- These towels are interleaved so the next towel pulls down into position as each towel is dispensed
- Portion control delivers one towel every time for less towel consumption
- No-touch towel service offers sanitary conditions
- Embossed surface enhance hand feel and offers maximum absorbency
- Made from 100% recycled fibres, and are certified UL ECOLOGO® 175
- Provide a level of quality that meets everyday needs
- A perfect combination of quality and value

JC025

Cascades PRO Select

Model No.	Mfg. No.	Colour	Ply	Dimensions L" x W"	Qty /Pack	Packs /Case
SINGLEFOLD TOWELS						
JC025	H165	Natural	1	10.25 x 9.1	250	16
JG649	H160	White	1	10.25 x 9.1	250	16
MULTIFOLD TOWELS						
JC024	H175	Natural	1	9.5 x 9.1	250	16
JG609	H170	White	1	9.5 x 9.1	250	16

DISPENSER

Model No.	Mfg. No.	Colour	Dimensions W" x D" x H"
JC099	DH39	Grey	11.75 x 6.1 x 17.5

CASCADES PRO PERFORM™ BATH TISSUE

- For use in high traffic areas
- Made from 100% recycled fibres and 85% post consumer material
- Combines softness, strength and sparkling whiteness at a competitive price
- Jumbo roll size requires fewer refills and reduces maintenance costs
- Large rolls are hard to conceal, making them pilfer-proof
- Certified Processed Chlorine Free®
- Certified UL ECOLOGO® 175

Cascades PRO Perform

Model No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft /Roll	Rolls /Case
JC020	T260	White	2	3.5	1400	6

DISPENSERS

Model No.	Mfg. No.	Colour	Capacity
JF191	4259	Black	1 Roll
JF192	4264	White	1 Roll

MOP BUCKET & WRINGER COMBO PACKS

- Wringer and bucket setup reduces splashing for a safer and cleaner work environment
- Built to accomodate heavy use
- Handles and wide rounded spout facilitate emptying
- Compatible with cleaning carts
- Removable casters
- Visible caution signs on sides of bucket
- Colour: Yellow
- Bucket Capacity: 9.5 US Gal. (38 Quart)

Model No.	Wringer Type
JG952	Down Press
JG811	Side Press

MOP BUCKET & WRINGER COMBO PACKS

- Choose any of these conveniently combined buckets and wringers
- Model **NC493** shown with dirty water bucket (**NI869**)

Model No.	Mfg. No.	Combo Pack Bucket	Combo Pack Wringer	Colour	Wt. lbs.
NC493	7580-88-YEL	NI863 Brute®	NI871 Side Press	Yellow	17.5
NC492	7580-88-BR	NI864 Brute®	NI870 Side Press	Brown	17.5
JA958	7577-88	NI864 Brute®	NI907 Downward	Brown	22
NI828	7577-88	NI863 Brute®	NI908 Downward	Yellow	22

LOBBY BROOMS

- Polypropylene bristles that will not shed or absorb water
- Vinyl-coated metal handles

Model No.	Mfg. No.	Overall Length"
NG002	6374	35

LOBBY-PRO™ UPRIGHT DUST PAN SYSTEMS

- Durable all-plastic pair and yoke, reduces noise, resists corrosion
- Wear pads and wheels featured on all models
- Colour: Black

Model No.	Description	Dimensions L"	x	W"	x	H"
NH386	Standard	12 3/4	x	11 1/4	x	5
NH504	With Cover	12 3/4	x	11 1/4	x	5
NH505	Deluxe	12 3/4	x	11 1/4	x	5

CUT END-WET MOPS

COTTON

- High grade cotton yarn is durable and absorbent with excellent floor drying qualities, increasing worker productivity and safety
- Cotton industrial narrow band wet mops are economical and great for general purpose cleaning
- Condition cotton mops by soaking in water for up to 12 hours
- Use with any narrow band mop handle

Model No.	Mfg. No.	Description	Material	Size
JB668	1616	Narrow band	Cotton	16 oz./450 grams
JB669	1620	Narrow band	Cotton	20 oz./550 grams
JB670	1624	Narrow band	Cotton	24 oz./650 grams
JB671	1632	Narrow band	Cotton	32 oz./850 grams

RAYON

- High grade rayon yarn is the most absorbent fibre and it releases moisture quickly from the mop making this a good economical finish mop for applying waxes or finishers
- Fan-foot construction allows for maximum floor coverage avoids tangles, and helps maintain the mop's shape for even coverage
- Use with any narrow band handle

Model No.	Mfg. No.	Construction	Material	Size
JB752	4016	Narrow band, cut-end	Rayon	16 oz./450 grams
JB753	4020	Narrow band, cut-end	Rayon	20 oz./550 grams
JB754	4024	Narrow band, cut-end	Rayon	24 oz./650 grams
JB755	4032	Narrow band, cut-end	Rayon	32 oz./850 grams

EZ CHANGE™ FIBREGLASS MOP NARROW BAND HANDLES

- Opens wide for quick mop changes
- Touch-free mop release, allows you to change a dirty mop head without touching it

Model No.	Mfg. No.	Length"
JB721	16574	54
JC509	16575	60

CORN BROOMS

Model No.	Mfg. No.	Service Duty	Description
JB977	763	Medium	Janitorial, corn and grass

BILINGUAL SAFETY FLOOR SIGNS

- Durable polypropylene construction
- Bright yellow for maximum visibility
- Message in both English and French
- Stamped black lettering will not fade or peel
- 12" W x 24" H
- Weight: 2 lbs.

Model No. JD391

BILINGUAL SAFETY SIGNS

- All signs come in English and French
- 12" W x 24" H
- Colour: Yellow
- Weight: 2 lbs.

NC549

Model No.	Message
NC546	Cleaning in Progress - *Nettoyage en Cours*
NC547	No Entry - *Entrée Interdite*
NC548	Out of Service - *Hors D'usage*
NC549	Work Area - *Travaux en Cours*

FLOOR SAFETY SIGNS

- Highly visible yellow polypropylene floor signs are durable and will not corrode
- Hot stamped lettering will not peel or fade
- Messages for Caution and Closed signs are printed in English, French, German and Spanish
- Message Wet Floor printed in English only
- Folds for convenient storage and transport
- Weight 2 lbs.
- ANSI and OSHA compliant colour and graphics

Model No.	Mfg No.	Message	Height"
NB790	6112	2 Sided Multi-Lingual Caution	25
NC528	6112-77	2 Sided Caution Wet Floor	25
NC529	6114-77	4 Sided Caution Wet Floor	37
NC530	6112-78	2 Sided Multi-Lingual Closed	25
NC531	6114-78	4 Sided Multi-Lingual Closed	37

POP-UP SAFETY CONES

- Automatically opens for proper deployment
- Bold colours ANSI graphics and multi-lingual warning message
- Label space on top for location assignment
- Folds compactly for easy storage
- Colour: Yellow
- Wall-mounted shatterproof storage tube provides easy and compact storage

Model No.	Mfg. No.	Message	Height"
JA131	9S00	Multi-Lingual Caution w/Wet Floor Symbol	20
JA473	9S01	Multi-Lingual Caution w/Wet Floor Symbol	30

PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

- For indoor use
- 13' long with 16 articulating panels
- Two 5" non-marking wheels
- Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- Easy to store
- Open: 13' L x 1" W x 40" H; Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved colour and graphics
- Colour: Yellow

Model No. SAJ714
Mfg. No. 9S11

MULTI-FUNCTIONAL CARTS

- Ample storage capacity for all cleaning equipment
- 4 shelves and hooks keep appliances organized
- Swivel casters in front and 8" rear wheels allow for easy use
- Bag Size: 14" x 10" x 31"
- Colour: Black
- Bag Colour: Yellow
- Cart Material: Plastic

Model No. JG813

JANITOR CARTS

- Sturdy Duramold construction
- Molded-in hooks and shelves are strategically placed to keep cleaning tools organized
- Swivel front casters and 8" rear wheels roll easily on floor surfaces and thresholds
- Includes: 25 US gallon yellow vinyl bag to store wet or dry refuse
- Dimensions: 46 L" x 21 3/4 W" x 38 3/8 H"
- Cleaning tools not included
- Weight: 38 lbs

Model No. JB599 Blue
Model No. JB600 Black

MULTI-PURPOSE CLEANERS & DEGREASERS

- Formulated to safely clean and deodorize all washable surfaces
- Biodegradable, non-toxic, non-corrosive
- Concentrated
- Contains natural tangerine essential oils
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC001

OXY-CLEANERS & STAIN REMOVERS

- Concentrated hydrogen peroxide power, safe for all washable surfaces
- Cleans, brightens and deodorizes floors, glass, bathroom and kitchens
- Biodegradable, non-toxic, non-corrosive
- Contains natural tangerine essential oils
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC003

HEAVY-DUTY CLEANERS & DEGREASERS

- Super concentrated cleaning power for a variety of heavy duty applications
- Biodegradable, non-toxic, non-corrosive
- Contains natural tangerine essential oils
- Dissolves grease, oil, inks, grime and tough stains on contact
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC002

TANGERINE OIL NEUTRAL CLEANERS

- Safely cleans all washable surfaces using a neutral pH concentrated formulation
- Biodegradable, non-toxic, non-corrosive
- Contains natural essential oils
- Concentrated
- No rinse formulation
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2777
- 4 L

Model No. JC006

MULTI-PURPOSE CONCENTRATED BATHROOM CLEANERS

- Formulated to clean, shine and deodorize with a fresh scent
- Safely cleans soap scum and urine from floor, counters, sinks, showers and toilets
- Concentrated
- Biodegradable, non-toxic, non-corrosive
- Contains natural essential oils
- No acids or bleach
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC004

NATURAL CITRUS BASED CLEANERS & DEGREASERS

- Concentrated, heavy-duty
- Biodegradable, phosphate-free, non-abrasive, non-butyl
- Accepted for use in Canadian food processing facilities
- 4 L

Model No. JA465

SUPER CONCENTRATED CLEANERS & DEGREASERS

- Emulsifying agents break down grease, oil and tough stains on contact
- Strong enough to strip off old floor finish
- Heavy-duty formulation
- Biodegradable water soluble
- Accepted for use in Canadian food processing facilities
- 4 L

Model No. JA466

ORANGE SCENTED NEUTRAL CLEANERS

- Concentrated neutral detergent specially formulated to clean any floor
- Cleans, brightens and deodorizes
- Low foaming
- Pleasant citrus-orange scent
- 4 L

Model No. JA464

BATHROOM CLEANER-TILE, TUB & BOWL

- Cleans and deodorizes with fresh scent
- Eliminates soap scum, hard water stains, rust scale and lime deposits
- Ready-to-use
- No acids or bleach
- Works well on tough stains
- Biodegradable, non-toxic, non-corrosive
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC005

GLASS & MULTI-SURFACE CLEANERS

- Ready-to-use
- Perfect for use on windows, glass, mirrors, counters
- Biodegradable, non-toxic, non-corrosive
- Contains natural essential oils
- Dries quickly and leaves no streaks, film or residue
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2759
- 4 L

Model No. JC008

SELF-CLOSING DRUM TOPS

- Convert metal or plastic drums into safe waste containers
- Can be used with a 55 or 33 gallon steel drum
- Converts steel drums into FM approved, self-extinguishing waste receptacles
- Thumb screws for fastening
- Diameter: 24 1/2"
- Weight: 14 lbs.
- FM approved
- OSHA compliant

Drums Not Included

Model No.	Colour	Diameter"
NA669	Green	24 1/2
NA670	Red	24 1/2
NH720	Black	24 1/2
NA672	Green	20

ROUND BRUTE® TOPS

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- Built-in handles, double ribbed base and molded base grip for two-handed lifting
- Accepted for use in Canadian food processing facilities
- UV stabilizer added for maximum life in outdoor setting
- Dome top
- 24 13/16" Dia. x 12 19/32" H
- Grey
- 16 lbs.

Model No. NA712

RANGER® CONTAINERS

- FM approved containers specifically designed for outdoor use
- New styling provides a professional look and is in line with modern design and architectural trends
- Seamless structural web construction will not rust, corrode and is easy to clean
- Metal bag straps provide a secure method of liner retention
- Optional pedestal base design provide stability even in outdoor environments
- Units can be bolted in place, or an upgrade to a weighted base accessory is available for containers 45 gallons and up
- UL classified and FM approved on models with doors
- ADA compliant

JB531

JB535

Model No. Beige	Model No. Black	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Wt. lbs.
JB531	**JB533**	8430-88	1 Door Top	35	21.5 x 21.5 x 41	30
JB534	**JB535**	9171-88	2 Door Top	45	24.8 x 24.8 x 41.5	41

RMP® INDUSTRIAL GARBAGE BAGS

- Bags are "Best in Class" on attributes such as energy use, amount of recycled material, post consumer waste retrieved and re-used
- Quality of these "green bags" is as good as "non-green bags"
- Excellent strength and puncture resistance eliminate the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL ECOLOGO® 126 by a well recognized Canadian third party certification body
- Certified UL ECOLOGO® 126 bags are less harmful for the environment

Sold per Case

Model No. Black	Model No. Clear	Size"	Description	Qty /Case
JD130	**JD146**	20 x 22	Utility (0.6 mil)	500
JD131	**JD147**	22 x 22	Utility (0.6 mil)	500
JD132	**JD148**	24 x 22	Utility (0.6 mil)	500
JD133	**JC835**	22 x 24	Utility (0.6 mil)	500
JD134	**JD150**	26 x 36	Regular (0.8 mil)	250
JD135	**JD151**	26 x 36	Strong (1.1 mil)	200
JD136*	**JD152**	26 x 36	X-Strong (1.2 mil)	125
JD137	**JD153**	30 x 38	Regular (0.8 mil)	250
JD138	**JD154**	30 x 38	Strong (1.1 mil)	200
JD139	**JD155**	30 x 38	X-Strong (1.2 mil)	150
JD140	**JD156**	35 x 50	Regular (0.8 mil)	250
JD141	**JD157**	35 x 50	Strong (1.1 mil)	200
JD142	**JD158**	35 x 50	X-Strong (1.2 mil)	150
JD143	**JD159**	42 x 48	Regular (0.8 mil)	250
JD144	**JD160**	42 x 48	Strong (1.1 mil)	200
JD145	**JD161**	42 x 48	X-Strong (1.2 mil)	150

*Qty/Case: 150

GET CLEAN

Industrial handsoap with scrubbing particles for stubborn grease and grime
TRY SOME TODAY!

Model JG223
See page 276

UNTOUCHABLE® CONTAINERS

- Durable tough polyethylene construction, crack resistant and ideal for indoor or outdoor use
- Ideal for hotel lobbies, restrooms, shopping malls, restaurants and snack areas
- Indoor or outdoor application
- Controls litter, odours and insects
- Available in round, half-round and square shape
- Optional swing top or flat top swings open freely
- ADA compliant, touch-free

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L"	x	W"	x	H"	Colour	Wt. lbs.
JB619	3569	Untouchable® Container	23	16 1/2	x	15 1/2	x	31	Beige	7
JB620	3569	Untouchable® Container	23	16 1/2	x	15 1/2	x	31	Grey	7
JB608	2689	Swing Top	-	16	x	16	x	4	Beige	3
JB607	2689	Swing Top	-	16	x	16	x	4	Black	3
NC432	3958	Untouchable® Container	35	19 5/8	x	19 5/8	x	27 1/4	Beige	9
NC433	3958	Untouchable® Container	35	19 5/8	x	19 5/8	x	27 1/4	Grey	9
NC434	3959	Untouchable® Container	50	19 3/4	x	19 3/4	x	34	Beige	13
NC435	3959	Untouchable® Container	50	19 3/4	x	19 3/4	x	34	Grey	13
NC436	2664	Swing Top	-	20 1/8	x	20 1/8	x	6 1/4	Beige	4
NC437	2664	Swing Top	-	20 1/8	x	20 1/8	x	6 1/4	Grey	4
NA751	3520	Untouchable® Half Round Container	-	21	x	11	x	28	Beige	8
NA752	3520	Untouchable® Half Round Container	-	21	x	11	x	28	Grey	8
NI551	3620	Half Round Lid	-	21 5/16	x	21 1/3	x	9 1/6	Black	3

BRUTE® ROLL OUT CONTAINERS

50 US GALLON

- Perfect for mobile collection applications
- Attached hinged lid fits tightly; swings back and locks
- Molded-in axle retainer adds strength
- New in-mold catch bar is compatible with semi-automated lift systems
- Heavy-duty, 8" wheels allow for easy mobility, even over steps and curbs
- UV stabilizer added for maximum life in outdoor settings

NI825

65 & 95 US GALLON

- Containers are made of durable polyethylene that will not chip, crack or peel
- Hinged lids remain attached and locked for efficient handling
- One-piece body construction provides superior durability and strength
- Steel catch bar is compatible with semi-automated lift systems
- Molded-in foot tilters help manoeuvre heavy loads
- UV stabilizer added for maximum life in outdoor settings

NI486

Model No.	Mfg. No.	Dimensions L"	x	W"	x	H"	Colour	Capacity US Gal.	Wt. lbs.
NI824	9W27	29	x	23.5	x	36.75	Blue	50	27.13
NI825	9W27	29	x	23.5	x	36.75	Grey	50	27.13
NI485	9W21	25	x	32.3	x	41.8	Grey	65	25.6
JE196	9W21	25	x	32.3	x	41.8	Blue	65	25.6
NI486	9W22	36	x	27.3	x	45.6	Grey	95	36
NI487	9W22	36	x	27.3	x	45.6	Blue	95	36

SURE-GUARD™ MEDICAL INFECTIOUS WASTE LINERS

- Premium bio-hazard waste removal
- Printed with bold BIO-HAZARD WASTE
- Constructed specifically for the safe containment and transport of infectious waste
- Noticeably more tough and puncture resistant than normal liners due to Sure-Guard™ liners being made with high grade virgin resins
- Can handle the toughest abatement, restoration, environmental and industrial applications
- Sure-Tie® drawstring closure available for ultimate personal protection and waste containment
- Ideal for industrial/commercial facilities, hospitals, ambulances, nursing homes, schools, transportation vehicles, correctional facilities, laboratories, medical and dental offices

Sold per Case

Model No.	Size"	Colour	Qty /Case
JD098	55 x 74	Red	100
JD104	55 x 74	Yellow	50
JD099	21.5 x 29	Yellow	200
JD100	30 x 38	Red	100
JD101	30 x 38	Yellow	100
JD102	37 x 50	Red	100
JD103	39 x 46	Yellow	100

SURE-GUARD™ ASBESTOS REMOVAL LINERS

- Constructed in three cross linked layers of film
- Specifically designed for the rigours of asbestos abatement
- Noticeably more tough and puncture resistant than normal liners due to Sure-Guard™ liners being made with high grade virgin resins
- Ideal for the toughest abatement, restoration, environmental, and industrial applications

Sold per Case

JD069

Model No.	Size"	Colour	Qty /Roll
JD069	26 x 40	Clear	100
JD070	26 x 40	Yellow	100
JD071	35 x 50	Clear	100
JD072	35 x 50	Yellow	100
JD073	48 x 60	Yellow	50

BRUTE® CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- New venting channels on 20, 32, and 44 gallon containers allow for easy removal of garbage bags
- Pro-Touch™ handle grips allow for comfortable gripping and lifting
- Four cinches on container enable users to secure bags to container
- Choice of snap-on flat lid or dome top
- Dome top turns container into a rugged outdoor receptacle
- Door swings shut to keep out water and trap odours
- Dome top also fits 45-gallon steel drums
- Twist-on round 5-wheel dolly fits 20-55 US gallon containers
- Universal 5-wheel dolly fits any size round Brute® container and supports up to 500 lbs.

Note: Items shown in rim caddy **NI596** are not included.

NA694

NA701

Dome Top

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions Dia."	x	H"	Colour	Wt. lbs.
NA685*	2610	Brute® Container	10	15 5/8	x	17 1/8	Grey	3
NA686*	2610	Brute® Container	10	15 5/8	x	17 1/8	White	3
NA683*	2609	Flat Lid	-	16	x	1	Grey	1
NA684*	2609	Flat Lid	-	16	x	1	White	1
NA691*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Grey	7
NA692*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	White	7
NA693*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Yellow	7
NG250	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Blue	7
NA687*	2619	Flat Lid	-	19 7/8	x	1 1/4	Grey	2
NA688*	2619	Flat Lid	-	19 7/8	x	1 1/4	White	2
NA689*	2619	Flat Lid	-	19 7/8	x	1 1/4	Yellow	2
NA698*	2632	Brute® Vented Container	32	22	x	27 1/4	Grey	11
NA699*	2632	Brute® Vented Container	32	22	x	27 1/4	White	11
NA700*	2632	Brute® Vented Container	32	22	x	27 1/4	Yellow	11
NG251	2632	Brute® Vented Container	32	22	x	27 1/4	Blue	11
NG551	2632	Brute® Vented Container	32	22	x	27 1/4	Red	11
NA694*	2631	Flat Lid	-	22 1/4	x	1 3/8	Grey	3
NA695*	2631	Flat Lid	-	22 1/4	x	1 3/8	White	3
NA696*	2631	Flat Lid	-	22 1/4	x	1 3/8	Yellow	3
NA701	2637	Dome Top	-	22 11/16	x	12 1/4	Grey	15
NA703*	2637	Dome Top	-	22 11/16	x	12 1/4	Red	15
JB463*	2643	Brute® Vented Container	44	24	x	31 1/2	Grey	14
NA706*	2643	Brute® Vented Container	44	24	x	31 1/2	White	14
JB465*	2643	Brute® Vented Container	44	24	x	31 1/2	Yellow	14
JB466	2643	Brute® Vented Container	44	24	x	31 1/2	Blue	14
JB467*	2645	Flat Lid	-	24 1/2	x	1 1/2	Black	2.5
JB616*	2645	Flat Lid	-	24 1/2	x	1 1/2	White	2.5
JB618*	2645	Flat Lid	-	24 1/2	x	1 1/2	Yellow	2.5
NA712	2647	Dome Top	-	24 13/16	x	12 19/32	Grey	16
NA713	2647	Dome Top	-	24 13/16	x	12 19/32	Red	16
NA716*	2655	Brute® Container	55	26 1/2	x	33	Grey	16
NA715*	2654	Flat Lid	-	26 3/4	x	2	Grey	4
NA717	2657	Dome Top	-	27 1/4	x	14 1/2	Grey	17
NA718	2657	Dome Top	-	27 1/4	x	14 1/2	Red	17
NA704	2640	Twist-On Dolly	20 - 55	18	x	6 1/2	Black	8
NA714	2650	Universal Dolly	10 - 55	24 3/8	x	7 1/8	Black	17
NI596	9W87	Rim Caddy for 44-Gallon Container (32 1/2 L" x 26 1/2 W" x 6 3/4 H")					Yellow	5

* Accepted for use in Canadian food processing facilities

JB463

NA704

NA714

NI596 Rim Caddy for 44-Gallon Container (Sold Separately)

SQUARE BRUTE® CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Offers 14% more capacity than round containers
- Built-in handles, double-ribbed base for increased stability and dragging capacity and seamless construction with rounded corners for easy cleaning
- Twist-on dolly for easy mobility
- Strong, snap-on lid keeps odours in
- UV stabilizers added for maximum life in outdoor settings
- Grey and white are USDA Meat and Poultry Equipment Group listed
- Assists in complying to HACCP
- Certified to NSF standard #2 and #21

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L"	x	W"	x	H"	Colour	Wt. lbs.
NC425†	3526	Brute® Container	28	21 1/2	x	21 1/2	x	22 1/2	Grey	10
NC426†	3526	Brute® Container	28	21 1/2	x	21 1/2	x	22 1/2	White	10
NA754†	3527	Flat Lid	-	22	x	22	x	2	Grey	3
NA755†	3527	Flat Lid	-	22	x	22	x	2	White	3
NA758†	3536	Brute® Container	40	23 1/2	x	23 1/2	x	28 3/4	Grey	15
JE184	3536	Brute® Container	40	23 1/2	x	23 1/2	x	28 3/4	White	15
NA762†	3539	Flat Lid	-	24	x	24	x	2	Grey	4
NA763†	3539	Flat Lid	-	24	x	24	x	2	White	4
NA757†**	3530	Twist-On Dolly	-	17 1/4	x	17 1/4	x	6 1/4	Black	7
NC428*	2642	Brute® Caddy Bag	-	20	x	20	x	20 1/2	Yellow	2

* Fits 40 US gallon containers only. ** Weight Capacity: 250 lbs.
† Accepted for use in Canadian food processing facilities

NA754

NC425

NC428 Caddy Bag for 40-Gallon Container (Sold separately)

Note: Items shown in caddy bag, model **NC428**, are not included.

RECYCLING CONTAINERS, TOPS & BOXES

For use in areas of high paper generation, such as near copiers, printers and in mailrooms.

- Serves as a convenient central collection site for multiple workstations
- Recycling boxes are perfect for curbside recycling programs
- Contains post consumer recycled resin (PCR) exceeding EPA Guidelines

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions	Colour	Wt. lbs
STATION CONTAINERS						
NH779	3958-73	Square Recycling Container with Recycle Symbol	35	19 1/2" sq x 27 5/8" H	Dark Blue	9.86
NH780	3959-73	Square Recycling Container with Recycle Symbol	50	19 1/2" sq x 34 1/4" H	Dark Blue	13.47
STATION CONTAINER TOPS						
NH763	2791	Untouchable® Bottle and Can, Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
NH764	2794	Untouchable® Paper Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
RECYCLING BOXES						
JC060	5714-73	Recycling Box	14	20 3/4" L x 16" W x 14 3/4" H	Blue	4.5
JC061	5714-73	Recycling Box	14	20 3/4" L x 16" W x 14 3/4" H	Green	4.5
JC062	5718-73	Recycling Box	18	25 3/4" L x 16" W x 14 3/4" H	Blue	5
JC063	5718-73	Recycling Box	18	25 3/4" L x 16" W x 14 3/4" H	Green	5

RECYCLING CONTAINERS

- Promote fast, easy and efficient recycling collection
- All plastic construction will not rust, chip or peel
- Blue colour in a variety of shapes and capacities to suit your workspace
- Recycling symbol imprinted on the containers
- Contains post consumer recycled resin (PCR) exceeding EPA Guidelines

A. DESKSIDE CONTAINERS

- Designed to be used with existing office containers and accessories
- Easy and effective way to collect waste paper
- Model **JC134** fits inside or outside of deskside containers – allows for easy separation of trash and recycling

Model No.	Mfg. No.	Capacity US Qt.	Dimensions L" x W" x H"	Wt. lbs.
NG274	2955-73	13 5/8	11 3/8 x 8 1/4 x 12 1/8	2
NA737	2956-73	28 1/8	14 3/8 x 10 1/4 x 15	2
NG277	2957-73	41 1/4	15 1/4 x 11 x 19 7/8	3
JC134	2950-73	4 3/4	10.6 x 7.3 x 11.7	0.75

B. STATION CONTAINERS

- Serves as a convenient central collection site for multiple workstations
- For use in areas of high paper generation, such as near copiers, printers and in mailrooms
- Available in Untouchable® containers, half, round and square and Slim Jims®

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Wt. lbs.
UNTOUCHABLE® CONTAINERS					
NG279	3520-73	Half Round	21	21 x 11 x 28	8
JB606	3569-73	Square	23	16 x 15 x 31	7
JB607	2689-88	Swing Top - Black	-	16 x 16 x 4	3
SLIM JIM® CONTAINERS					
JB524	3540-00	Slim Jim®	23	20 x 11 x 30	8
NG266	2703-88	Slim Jim® Paper Top w/no Imprint	-	20.5 x 11.5 x 2.8	4
JB525	2673-60	Slim Jim® Untouchable® Swing Top w/no Imprint	-	20.5 x 11.4 x 5	3

C. COLLECTION CONTAINERS

- Serves as a central collection container or shipping container, reducing the amount of handling
- Transport recyclable waste with ease and efficiency
- 8" rubber casters on dolly - sold separately
- Colour of dollies: Black

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions	Wt. lbs
BRUTE® CONTAINERS					
NG288	2620-73	Round	20	19 1/2" Dia. x 22 7/8" H	7
NA697	2632-73	Round	32	22" Dia. x 27 1/4" H	11
JE135	1788380	Cover	-	22 Dia. x 4" H	-
JE165	2643-73	Round	44	24" Dia. x 31 1/2" H	14
NA704	2640	Round Dolly for 20, 32 and 44 US gal. Containers	-	18" Dia. x 6 1/2" H	8
NG292	3536-73	Square	40	23 1/2" sq. x 28 3/4" H	15
NA757	3530	Square Dolly for 28 and 40 US gal. Containers	-	17 1/4"sq. x 6 1/4" H	7

GLUTTON® RECYCLING STATIONS

- Fully integrated station gives credibility to building a recycling program and drives recycling compliance
- All plastic construction resistant to corrosion and withstands impacts
- Smooth, rounded surfaces and coated labels allow for easy cleaning
- Hinged lids allows easy access
- Meets or exceeds EPA guidelines for post-consumer recycled content

JB612

JC092

MADE WITH RECYCLED PLASTIC

Rubbermaid Commercial Products

Provides sortation & containment for up to 4 separate materials such as paper, trash, cans & bottles

Model No.	Mfg. No.	Includes	Dimensions L" x W" x H"	Colour	Capacity gal.	Wt. lbs.
GLUTTON® STATIONS						
JB612	1792372	2 Glutton® Containers, 4 Slim Jim® Containers, 1 Station Lid Frame, 8 Restrictive-Opening Tops (4 Circles, 2 Slots, 1 Square, 1 Triangle), and 1 Label Pack Containing Both Iconic Labels and Word Labels in 3 Languages (English, French, Spanish)	53 x 24 x 35.3	Dark Blue	92	82
JB613	1792374	2 Glutton® Containers, 4 Slim Jim® Containers, 1 Station Lid Frame, 8 Restrictive-Opening Tops (4 Circles, 2 Slots, 1 Square, 1 Triangle), and 1 Label Pack Containing Both Iconic Labels and Word Labels in 3 Languages (English, French, Spanish)	53 x 24 x 35.3	Beige	92	82
1/2 GLUTTON® STATION						
JC092	1792339	1 Glutton® Container, 2 Slim Jim® Containers, 1 Lid, 3 Restrictive Openings and Label Pack	26.8 x 24 x 35.3	Dark Blue	46	40

SLIM JIM® WITH VENTING CHANNELS

- Durable, all plastic construction
- Efficient size and shape fits tight spaces
- Venting channels reduces lifting force by 68% on average, which enhances workplace ergonomics
- Integrated handles allow for easier lifting, dumping, and dragging of container
- Four molded-in pull through holes with can liner "cinch" hold liner in place
- Available with universal recycling symbol imprint
- Tops fit all Slim Jim® containers
- UV stabilizer added for maximum life in outdoor settings
- Stainless steel dolly resists rusting, provides easy mobility and fits all Slim Jim® containers
- Bases and tops sold separately

JB530

JH295 JH296

Rubbermaid Commercial Products

Model No.	Mfg No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
JB519	3540-60	Slim Jim® Container	23	22 x 11 x 30	Black	-
JB520	3540-60	Slim Jim® Container	23	22 x 11 x 30	Beige	-
JB521	3540-60	Slim Jim® Container	23	22 x 11 x 30	Grey	-
JH297	1971259	Slim Jim® Container	16	22 x 11 x 25	Beige	-
JH295	1971257	Slim Jim® Container	16	22 x 11 x 25	Blue	-
JH296	1971258	Slim Jim® Container	16	22 x 11 x 25	Grey	-
JB523	3540-07	Slim Jim® Container w/Recycling Symbol	23	22 x 11 x 30	Green	-
JB524	3540-07	Slim Jim® Container w/Recycling Symbol	23	22 x 11 x 30	Blue	-
JB525	2673-60	Swing Top	-	20.5 x 11.4 x 5	Black	-
JB529	2674	Hinge Top	-	21.9 x 13.45 x 1.24	Black	-
JB530	3553	Slim Jim® Dolly	-	20.3 x 9.3 x 9.5	Stainless Steel	-
NG266	2703	Paper Recycling Top	-	20 3/8 x 11 5/16 x 2 3/4	Blue	4
NG267	2692	Bottle & Can Recycling Top	-	20 3/8 x 11 5/16 x 2 3/4	Green	2
NG269	2688	Handle Top	-	20 3/8 x 11 5/16 x 2 3/4	Grey	2
NG271	3551	Slim Jim® Trolley	-	23 7/16 x 15 x 10 13/16	Black	9

POLYETHYLENE TILT TRUCKS

- Ideal for transporting and dumping waste, scrap and other bulk materials
- Polyethylene body is mounted on an all-welded steel chassis
- Includes small swivel caster(s) at the front and large fixed wheels at the rear

MN980

MN982

MN981

MN983

Model No.	Durability	Overall Dimensions L" x W" x H"	Capacity Cu. yd.	Capacity lbs.	Front Wheel Type	Rear Wheel Type
MN980	Light Duty	57 x 28 x 38	5/8	500	8" Mold-On Rubber	4" Non-Marking Rubber
MN981	Standard Duty	57 x 28 x 38	5/8	850	10" Mold-On Rubber	5" Non-Marking Rubber
MN982	Standard Duty	66 x 34 x 43	1.1	1250	12" Mold-On Rubber	5" Non-Marking Rubber
MN983	Heavy Duty	66 x 34 x 43	1.1	2000	12" Mold-On Rubber	5" Non-Marking Rubber

HEAVY-DUTY POLYETHYLENE BOX TRUCKS

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Available with 3/4" treated plywood undercarriage or all-welded steel chassis with a durable Kleton blue enamel finish
- Includes 2 swivel and 2 ridgid casters
- Capacity is based on evenly distributed weight
- Stackable for storage
- Caster type: 3" Polyolefin
- Bin colour: Black
- Caster placement: Corner standard
- Tapered walls

MN985

MN984

Model No.	Base	Capacity Cu. ft.	Capacity lbs.	Overall Dimensions L" x W" x H"
MN984	Plywood	9	500	37 x 26 x 30
MN985	Steel Chassis	9	800	37 x 26 x 30
MN986	Plywood	12	500	39 x 27 x 30
MN987	Steel Chassis	12	800	39 x 27 x 30
MN988	Plywood	16	500	43 x 30 x 33
MN989	Steel Chassis	16	800	43 x 30 x 33

KNOCKED-DOWN SELF-DUMPING HOPPERS

- Economical alternative to all-welded self-dumping hoppers
- Ships knocked down in a well packaged wood crate
- Simply bolt together panels, gears and latch to the fully assembled base
- Fork lift-operated self-dumping hopper
- Designed specifically for efficient handling of scrap metal, raw materials and other bulk materials
- Gauge: 12 ga.
- Base Thickness Gauge: 7 ga.
- Material: Galvanized Steel

MO130

Model No.	Capacity cu. yd.	Assembled Dimensions W" x D" x H"	Load Capacity lbs.
MO130	5/8	39 x 44-3/4 x 28-1/2	2000
MO131	1	48-1/2 x 50 x 31	2000
MO132	1-1/2	61-1/2 x 55 x 34	2000

HEAVY-DUTY SALT/SAND STORAGE CONTAINER

The StorAll is a versatile container designed for year-round storage of salt/sand and utility storage. Its unique nesting design reduces storage space requirements and lowers the cost of transportation.

FEATURES:

- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift pockets
- Knuckle and rod reinforced hinge design
- Weather resistant, corrosion free
- Ideal for schools, public works, parks and recreation, subways, bus terminals and any public/private walkway
- Stacks 10 per skid or 10 high in a trailer un-skidded
- Container Weight: 28 lbs.

ND202

ND337

Model No.	Colour	Dimensions L" x W" x H"	Capacity lbs.	cu. ft.
ND337	Yellow	30 x 24 x 24	500	5.5
ND202	Grey	30 x 24 x 24	500	5.5

SOS™ SALT/SAND STORAGE BINS

- Roto molded of LLDPE
- Impact resistant
- Double wall lockable lid
- Stands up to severe climate and weather conditions
- Lock not included
- 5-year warranty

Applications: Salt or sand, pool or parking, ship or shore, dock or dugout, farm or factory, safety or security, cottage or construction, truck or trailer

NJ120

TECHSTAR PLASTICS INC.

Model No.	Colour	Forklift Pockets	Dimensions L" x W" x H"	Capacity lbs.	cu. ft.
ND700	Yellow	No	30 x 24 x 24	500	5.5
ND701	Grey	No	30 x 24 x 24	500	5.5
ND702	Yellow	Yes	42 x 29 x 30	1000	11
ND703	Grey	Yes	42 x 29 x 30	1000	11
NJ117	Yellow	Yes	48 x 33 x 34	1750	18.5
NJ118	Grey	Yes	48 x 33 x 34	1750	18.5
NJ119	Yellow	Yes	72 x 36 x 36	3500	36
NJ120	Grey	Yes	72 x 36 x 36	3500	36

SALT & SAND SCOOPS

- Capacity: 1 gal.
- Ideal for farm/feed, restaurant, salt and sand, compost/garden, industry

NJ450

PE095

Model No.	Colour	Material
NJ450	Black	Recycled Plastics
PE095	Yellow	Polyethylene

SHOVELS

POLY SNOW SCOOPS

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip handle

SNOW PUSHERS

- Poly snow pusher with steel wear strip
- Powder-coated steel handle for added strength
- Ergonomic poly D-grip

NJ150

NJ152

aurora tools®

POLY SNOW SCOOPS

Model No.	Blade Size"	Wear Strip	Overall Length"
NJ150	19 3/4 x 13	Yes	54 3/4
NJ151	19 3/4 x 13	No	54 3/4

SNOW PUSHERS

Model No.	Blade Size"	Overall Length"
NJ152	24 1/2 x 12	52
NJ153	21 1/8 x 9	49 1/2

BROADCAST SPREADER

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- Capacity 100 lbs.
- 12" x 4" pneumatic tires
- Blade size: 11" x 8 1/2"
- Overall length: 60"
- Coverage: 16 000 sq. ft.
- Includes: rain cover and screen

Model No. NJ142

aurora tools®

NATURAL CHOICE™ ICE MELTERS

- Eco-friendly ice melter
- Natural Choice™ is an all-natural ice melter with an organic additive that improves its performance
- Natural Choice™ green marker assists in proper application to reduce environmental impact
- Natural Choice™ performance with ecology in mind
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Melts down to –11° F / -24° C
- 44 lbs. or 20 kg

Model No. NJ140

HLF DIVERSIFIED INC.

FIRESTORM™ INTENSE ICE MELTERS

- Starts melting instantly - faster than most other ice melting products
- Prevents refreezing even under the most challenging conditions
- Safe for children and pets, will not burn skin, and gentle on vegetation
- Distinctive orange colour is easy to see, allowing you to use less while ensuring safety for pedestrians
- Magnesium chloride is less toxic than baking soda
- Melts down to -25°F/-32°C
- 44 lbs. or 20 kg

Model No. JB597

HLF DIVERSIFIED INC.

KNOCKED-DOWN SHELF TRUCKS

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Capacity: 900 lbs. evenly distributed
- Durable Kleton blue powder coat finish

MB492

MB495

5" Blue Elastic Rubber Casters Model No.	5" Polyolefin Casters Model No.	Shelf Size W" x D"	No. Shelves	Clearance Between Shelves"	Wt. lbs.
36" OVERALL HEIGHT					
MB492	MB482	18 x 30	2	25	43
MB493	MB483	24 x 36	2	25	54
MB494	MB484	24 x 48	2	25	69
MB495	MB485	18 x 30	3	11	54
MB496	MB486	24 x 36	3	11	70
MB497	MB487	24 x 48	3	11	93
48" OVERALL HEIGHT					
ML142	MN143	18 x 30	3	17	56
ML143	MN144	24 x 36	3	17	72
ML144	MN145	24 x 48	3	17	95

HEAVY-DUTY SHELF CARTS

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves are available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

MB461

MB476

ML092

Lip Up Model No.	Lip Down Model No.	Shelf Size W" x D"	No. Shelves	Clearance Between Shelves"	Wt. lbs.
36" OVERALL HEIGHT					
MB445	MB444	18 x 30	2	27	60
MB447	MB446	24 x 36	2	27	65
MB449	MB448	24 x 48	2	27	100
MB456	MB455	18 x 30	3	12	75
MB459	MB458	24 x 36	3	12	85
MB461	MB460	24 x 48	3	12	110
48" OVERALL HEIGHT					
ML084	ML083	18 x 30	3	18	80
ML086	ML085	24 x 36	3	18	90
ML088	ML087	24 x 48	3	18	115
ML090	ML089	18 x 30	4	12	110
ML092	ML091	24 x 36	4	12	135
ML094	ML093	24 x 48	4	12	160
61" OVERALL HEIGHT					
MB468	MB467	18 x 30	4	16	115
MB470	MB469	24 x 36	4	16	140
MB472	MB471	24 x 48	4	16	165
MB474	MB473	18 x 30	5	11	125
MB476	MB475	24 x 36	5	11	155
MB478	MB477	24 x 48	5	11	184

ERGONOMIC SHELF TRUCKS

- All-welded 16-gauge construction ready to use
- All-welded ergonomic handle placed at a comfortable working height
- Two rigid and two swivel 5" casters
- 800-lb. capacity evenly distributed
- Durable Kleton blue enamel finish

ML561

Model No.	Number of Shelves	Caster Type	Overall Dimensions W" x D" x H"
ML561	2	Blue Rubber	20 x 32 x 37
MN056	2	Blue Rubber	26 x 38 x 37
ML562	3	Blue Rubber	20 x 32 x 37
MN055	3	Blue Rubber	26 x 38 x 37
ML563	2	Polyolefin	20 x 32 x 37
ML883	2	Polyolefin	26 x 38 x 37
ML564	3	Polyolefin	20 x 32 x 37
ML884	3	Polyolefin	26 x 38 x 37

WHAT IS K-CUSTOM?

KLETON specializes in custom requests. Be it a small modification to existing designs or a unique requirement, our team of design specialists can help you get from concept, to drawings, to a finished product. Don't see what you're looking for? Contact us to make your K-Custom request today.

SHELF & PLATFORM TRUCKS

- An efficient 2-in-1 shelf and platform truck design
- Features two front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Top shelf capacity: 500 lbs. evenly distributed
- Bottom shelf capacity: 800 lbs. evenly distributed
- Durable Kleton blue enamel finish

MB391

Model No.	Shelf Dim. W" x D"	Top Shelf Height"	Shelf Clearance"	Handle Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
MB391	24 x 36	32	24	40	26 x 38 x 40	105

FLAT SHELF UTILITY CARTS

- Ergonomic handle design improves control and worker safety
- Flat design makes loading and unloading of heavy boxes and parts easier
- Easy to reach tool/accessory hooks and storage area enhances productivity and organization
- Top shelf perimeter channel retains small items
- Constructed from sturdy structural foam that will not rust, dent, chip nor splinter
- 2 swivel and 2 fixed 5" non-marking TPR casters
- Capacity is based on evenly distributed weight

ML456

Model No. Black	Model No. Beige	Capacity lbs.	Dimensions W" x D" x H"	Wt. lbs.
ML456	ML457	500	17 1/4 x 38 1/2 x 38 1/4	33
ML458	ML459	500	25 7/8 x 43 7/8 x 33 1/4	42
ML460	ML461	750	25 1/4 x 54 x 38	52

PLASTIC UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Capacity: 500 lbs. evenly distributed

ML619

Model No.	Overall Dimensions W" x D" x H"
ML618	17 1/2 x 34 1/2 x 32 1/2
ML619	25 1/2 x 40 1/2 x 32 1/2

HEAVY-DUTY UTILITY CARTS

- Ergonomic handle design improves control and worker safety
- Easy to reach tool / accessory hooks and storage area enhances productivity and organization
- 2 3/4" deep top shelf securely holds contents
- Constructed from sturdy structural foam that will not rust, dent, chip nor splinter
- 2 swivel and 2 fixed casters
- Capacity is based on evenly distributed weight

ML448

Model No. Black	Model No. Beige	Caster Type	Capacity /lbs.	Dimensions W" x D" x H"	Wt. lbs.
ML448	ML449	5" Non-Marking TPR	500	17 7/8 x 39 x 38 1/4	31
ML450	ML451	5" Non-Marking TPR	500	25 7/8 x 45 1/4 x 38 1/4	44
ML453	-	5" Non-Marking TPR	750	26 x 55 x 32 3/4	52

PLASTIC FLAT SHELF UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 4" casters
- Flat top shelf makes loading and unloading of heavy boxes easy
- Capacity: 500 lbs. evenly distributed

Model No.	Overall Dimensions W" x D" x H"
ML620	25 1/2 x 40 1/2 x 32 1/2

UTILITY CARTS

- Lightweight and easy to handle
- Resists scratches, chips and rust
- Durable plastic shelves with brushed aluminum upright posts
- 1/4" lip on three sides of shelves and one flat side for easy loading
- 4" non-marking swivel casters
- Capacity: 250 lbs.
- Colour: Black

Model No.	Shelf Dimension L" x W"	Wt. lbs.
MN574	26 1/2 x 16 3/4	22

STOCK PICKING CARTS

- All-welded design, ready to use
- Pick and transport stock without the need for a seperate ladder
- Slip-resistant steps and positive locking engagement for safety
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

MB507

Model No.	Shelf Size W" x D"	Number of Steps	Number of Shelves	Clearance Between Shelves"	Step Size W" x D"	Step Rise"	Overall Dimensions W" x D" x H"	Wt. lbs.
MD441	24 x 36	3	3	12	22 x 4	9 1/2	24 x 52 x 61	135
MB507	24 x 48	3	3	12	22 x 4	9 1/2	24 x 64 x 61	140
MD442	24 x 36	5	3	12	22 x 4	9 1/2	24 x 52 x 78	145
MB508	24 x 48	5	3	12	22 x 4	9 1/2	24 x 64 x 78	150

ORDER PICKING CARTS

- All-welded design, ready to use
- Picking list holder eliminates the need to handle loose papers
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

MB442

Model No.	Shelf Dim. W" x D"	No. of Shelves	Shelves Clearance"	Handle Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
MB440	18 x 30	2	27	36	18 x 46 x 36	70
MB441	24 x 36	2	27	36	24 x 52 x 36	80
ML095	24 x 48	2	27	36	24 x 64 x 36	110
MB442	18 x 30	3	12	36	18 x 46 x 36	85
MB443	24 x 36	3	12	36	24 x 52 x 36	100
ML096	24 x 48	3	12	36	24 x 64 x 36	120

PLASTIC PLATFORM TRUCKS

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant, and resists damage from weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request

MN428

Model No.	Caster Type	Platform Dim. W" x D"	Deck Height"	Handle Height"	Capacity lbs.	Wt. lbs.
MN438	8" Flat-Free	24 x 48	11	39	900	80
MN439	8" Flat-Free	30 x 60	11	39	900	107
MN436	8" Pneumatic	24 x 48	11	39	1000	79
MN437	8" Pneumatic	30 x 60	11	39	1000	106
MN434	10" Flat-Free	24 x 48	13	41	1000	85
MN435	10" Flat-Free	30 x 60	13	41	1000	117
MN432	10" Pneumatic	24 x 48	13	41	1200	84
MN433	10" Pneumatic	30 x 60	13	41	1200	111
MN428	8" Mold-on Rubber	24 x 48	11	39	2000	90
MN429	8" Mold-on Rubber	30 x 60	11	39	2000	117
MN430	8" Polyurethane	24 x 48	11	39	2500	79
MN431	8" Polyurethane	30 x 60	11	39	2500	106

TRIPLE™ TROLLEYS

- Three position handle lets users push, pull or fold flat for space efficient storage
- Non-skid surface helps prevent load shifting
- Durable, structural foam deck won't rust, dent or bend
- 5" mark resistant casters give stability over rough surfaces
- Colour: Black

Model No.	Description	Size W" x L" x H"	Cap. lbs.	Wt. lbs.
MH708	Standard Trolley	20 1/2 x 32 1/2 x 37 3/4	500	25

HEAVY-DUTY LOW PROFILE SHOP CARTS

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a 1/2" lip down
- 1 1/4" diameter tubular steel handle
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Casters are resistant to wet and corrosive chemical conditions
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

Note: Other casters and capacities available upon request

MB425

Model No.	Shelf Dim. W" x D"	Shelves Clearance"	Handle Height"	Top Shelf Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
MB421	18 x 30	16	40	26	18 x 34 x 40	90
MB425	24 x 36	16	40	26	24 x 40 x 40	110
MB429	24 x 48	16	40	26	24 x 52 x 40	125
ML097	24 x 60	16	40	26	24 x 64 x 40	155
ML098	30 x 48	16	40	26	30 x 52 x 40	155
MB434	30 x 60	16	40	26	30 x 64 x 40	165
ML099	30 x 72	16	40	26	30 x 76 x 40	175

FOLDABLE PLATFORM TRUCKS

- Interlocking aluminum frame has a dual length platform: 16" x 20" or 16" x 28"
- Ideal when a solid, portable platform truck is required
- Folds down to a compact 9 1/2" x 16" x 20"
- Comes standard with vinyl corner bumpers
- Handle height is 32"
- 5" rubber casters
- Capacity: 300 lbs. evenly distributed

Model No.	Cap lbs.	Wt. lbs.
MK990	300	18

FOLDING HANDLE PLATFORM TRUCKS

- Move supplies, forms and light equipment around the shop or office
- Quick-release handle folds flat for easy storage
- Heavy-gauge steel construction; non-skid vinyl-coated deck
- 33" handle height
- Vinyl, wrap around bumper protects walls and furniture
- 5" rubber casters

Model No.	Platform Size W" x D"	Cap. lbs.	Wt. lbs.
MK988	19 x 29	400	28
MK989	23 x 35	660	42

STEEL DECK PLATFORM TRUCKS

Choose from a large selection of deck sizes and casters to suit any institutional and/or industrial application.

- Made of strong 14-gauge steel deck with a 2" folded bottom lip for extra strength
- 1 1/4" tubular chrome handle can be inserted at either end of platform
- Two swivel and two rigid casters (assembly required, hardware is included)

CASTER WHEEL TYPES

High-Temp Nylon: Solid black hi-temp nylon caster will not crush under heavy loads. It is good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -28°C to 230°C and is not affected by most corrosive chemicals.

Full Pneumatic: Air filled black rubber tire offers excellent shock absorbing properties. Smooth, quiet rolling over rough, uneven surfaces and outdoor terrain. Not recommended on floors with metal shavings or corrosive chemicals.

Mold-on Rubber: Molded rubber wheel bonded to a spoked cast iron core. The iron core gives it strength while the molded rubber provides easy, smooth and quiet rolling over rough terrain.

Non-Marking Rubber: Used for uneven surfaces and carpet areas. Its quiet rolling feature make it ideal for both institutional and industrial applications. Will resist wet conditions and corrosive chemicals.

Polyolefin: Plastic wheel with high impact strength and non-chipping properties. Oil, grease and chemical resistant.

CASTER SELECTION:

To select the correct caster that is required for a specific application determine:
1) Platform size needed
2) Maximum load capacity it will carry
3) Type of floor surface it will roll on i.e., concrete, wood, tile, etc...
4) Floor condition i.e., smooth, uneven, wet, chemicals, metal shavings, temperature, etc.

Model No.	Wheel Dia."	Wheel Type	Load Capacity lbs.	Wt. lbs.
24" X 36" PLATFORM TRUCKS				
MB232	6	High-Temp Nylon	1300	77
MB233	8	High-Temp Nylon	1400	87
MB234	8	Pneumatic	1000	79
MB235	6	Mold-On Rubber	900	88
MB236	8	Mold-On Rubber	1400	96
MB237	5	Non-Marking Rubber	1200	63
MB238	5	Polyolefin	900	61
24" X 48" PLATFORM TRUCKS				
MB240	6	High-Temp Nylon	1300	90
MB241	8	High-Temp Nylon	1400	100
MB242	8	Pneumatic	1000	92
MB243	6	Mold-On Rubber	900	101
MB244	8	Mold-On Rubber	1400	109
MB245	5	Non-Marking Rubber	1200	76
MB246	5	Polyolefin	900	74
30" X 48" PLATFORM TRUCKS				
MD421	6	High-Temp Nylon	1300	96
MD422	8	High-Temp Nylon	1400	106
MD423	8	Pneumatic	1000	98
MD424	6	Mold-On Rubber	900	107
MD425	8	Mold-On Rubber	1400	115
MD426	5	Non-Marking Rubber	1200	82
MD427	5	Polyolefin	900	80
30" X 60" PLATFORM TRUCKS				
MB248	6	High-Temp Nylon	1300	110
MB249	8	High-Temp Nylon	1400	120
MB250	8	Pneumatic	1000	112
MB251	6	Mold-On Rubber	900	121
MB252	8	Mold-On Rubber	1400	129
MB253	5	Non-Marking Rubber	1200	96
MB254	5	Polyolefin	900	94

HEAVY-DUTY PLATFORM TRUCKS

WOOD DECK PLATFORM

- Sturdy 2" x 2" angle iron frame, with hardwood maple decking
- Ideal for carrying objects that scuff by metal to metal contact
- Steel frame absorbs shocks and handles uneven/heavy loads



ALL-STEEL PLATFORM

- Heavy 11-gauge, reinforced channel formed deck arc welded for maximum strength and long-lasting rigidity
- Ideal for loads up to 2500 lbs.

CASTER PLACEMENT

- Available in standard-corner or diamond-tilt pattern
- Diamond tilt pattern allows the truck to tilt-balance slightly on the center side casters, allowing the truck to turn on its own length



Standard Corner Placement "C"



Diamond Tilt Placement "T"

10" Pneumatic Wheels 1200-lb. Cap. Model No.	8" Rubber Wheels 2000-lb. Cap. Model No.	8" High-Temp Nylon Wheels 2500-lb. Cap. Model No.	Platform* Dimensions"	Wt. lbs.
WOOD DECK				
MB256	**MB296**	**MB130**	24 x 48-C	115
MB258	**MB298**	**MB133**	24 x 48-T	120
MB264	**MB304**	**MB138**	30 x 48-C	135
MB266	**MB306**	**MB141**	30 x 48-T	140
MB267	**MB308**	**MB142**	30 x 60-C	145
MB270	**MD332**	**MB145**	30 x 60-T	150
MB279	**MB320**	**MB155**	36 x 72-C	180
MB282	**MB322**	**MB157**	36 x 72-T	190
MB284	**MB324**	**MB166**	48 x 96-C	280
MB286	**MB326**	**MB169**	48 x 96-T	300
STEEL DECK				
MB255	**MB295**	**MB131**	24 x 48-C	110
MB257	**MB297**	**MB132**	24 x 48-T	115
MB263	**MB303**	**MB139**	30 x 48-C	130
MB265	**MD331**	**MB140**	30 x 48-T	135
MB268	**MB307**	**MB143**	30 x 60-C	140
MB269	**MB309**	**MB144**	30 x 60-T	145
MB280	**MB319**	**MB154**	36 x 72-C	175
MB281	**MB321**	**MB156**	36 x 72-T	185
MB283	**MB323**	**MB167**	48 x 96-C	240
MB285	**MB325**	**MB168**	48 x 96-T	265

* Suffix C after platform size signifies corner caster placement. T is diamond tilt.

INSTITUTIONAL PLATFORM TRUCKS

- Ideal truck for institutional applications - hospitals, restaurants, shopping centres, offices, industry and anywhere else a quiet ride and professional appearance is required
- 14-gauge steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture
- 1 1/4" tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth, quiet ride; 2 rigid/2 swivel
- Capacity: 1200 lbs.
- Shipped knocked down

Model No.	Dimensions"	Wt. lbs.
MB190	24 x 36	64
MB208	24 x 48	70
MB207	30 x 48	88
MB209	30 x 60	100

CUSTOMIZE IT TO YOUR SPECIFICATIONS.

PORTABLE FOLDING LADDERS

- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58° slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Maximum capacity: 350 lbs.

VC437

Model No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x L" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

TILT-N-ROLL LADDERS

- Balanced design allows ladder to tilt into the rolling position
- One piece all-welded steel construction
- Legs have reinforced rubber tips that hold ladder secure during use
- Oversize 22" W x 24" D top step allows worker more freedom/movement and comfort
- 30" high rails with 24" wide expanded metal steps
- Ladder moves easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

MD603

Model No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MD603	TRL3	3	27	57	25 x 44	70
MD604	TRL4	4	38	68	25 x 50	81
MD605	TRL5	5	47	77	25 x 56	93
MD606	TRL6	6	56	86	25 x 62	105
MH242	BSHELF		Optional Tool Tray			9

ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmlyto the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

VC134

Model No.	No. of Steps	Step W" x D"	Top Step W" x D x H"	Base W" x D"	Wt. lbs.
VC131	2	18 x 8	18 x 16 x 19	20 x 26	28
VC132	3	18 x 8	18 x 16 x 28	20 x 30	38
VC133	4	18 x 8	18 x 16 x 37	20 x 37	48
VC134	5	18 x 8	18 x 16 x 46	20 x 41	57

ROLLING SAFETY LADDERS

- All-welded rugged 1" round steel tubing frame
- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and lock firmly to the floor for maximum safety
- Two to six-step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- 8 to 16-step ladders shipped knocked down, easily assembled
- Durable Kleton blue enamel finish
- CSA certified to the ANSI standard A14.7

MA617

Note: Ladders are not to be used as work platforms.

MA613

MA624

MA622

US

CERTIFIED

Model No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
WITHOUT HANDRAILS							
MA612	2402	2	19	19	22 x 16	24 x 26	32
MA613	2403	3	28	28	22 x 16	24 x 30	42
MH279	2404	4	37	37	22 x 16	24 x 37	52
MA615	2405	5	46	46	22 x 16	24 x 41	61
WITH HANDRAILS - SPRING LOADED FRONT CASTERS							
MA614	2404H	4	37	78	22 x 16	30 x 36	78
MA616	2405H	5	46	87	22 x 16	30 x 46	89
MA617	2406H	6	55	95	22 x 16	30 x 51	100
WITH HANDRAILS - LOCKING STEP							
MA622	3208H	8	72	113	30 x 16	38 x 60	180
MA623	3210H	10	89	130	30 x 16	38 x 72	230
MA624	3212H	12	109	149	30 x 16	38 x 80	250
MA625	3214H	14	128	167	30 x 16	38 x 93	275
MA626	3216H	16	144	185	30 x 16	38 x 104	305

STEP STOOLS

HEAVY-DUTY STEEL STEP STOOLS

- Comes with a double platform and a non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- Overall height: 16 1/2"
- Capacity: 500 lbs.
- Wt. 10 lbs.

Model No. ON528

STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- Overall height: 13"
- Capacity: 350 lbs.
- Weight: 7 lbs.

OA300

Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige

INDUSTRIAL HEAVY-DUTY STEP STOOL/LADDERS

CSA grade 1A, , ANSI type 1A 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Both front and rear legs are braced
- Solid aluminum rivets in front prevent steps from loosening
- Slip resistant vinyl feet

VC239

Model No.	Height'	Base Width"	Spread"	Wt. lbs.
VC239	2	15 1/2	17 1/2	5
VC240	3	17	24	6

STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

MH225

Model No.	Base Width"	Top Step Width"	Wt lbs.
ROLLING STANDS			
MH225	20	18	17
MH226	24	22	19
MH227	32	30	22
PLATFORM STANDS			
MH228	20	18	11
MH229	24	22	13
MH230	32	30	16

TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Step dimensions: 22" x 8"
- Top step dimensions: 22" x 16"
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

VC336

Model No.	No. of Steps	Top Step Height"	Base Dim. W" x D"	Wt. lbs.
VC335	1	16	29 x 16	24
VC336	2	19	29 x 24	33

BIOS™ STEP STOOL LADDERS

- Aluminum ladder cart is ideal for home, office or store use
- Strong and lightweight aluminum construction
- Converts from a step stool into a hand truck
- Hand truck nose plate measures 15" wide
- Overall dimensions: 18" W x 20" L x 38-1/2" H

Model No.	Mfg. No.	No. of Steps	Capacity lbs. Hand Truck	Capacity lbs. Step Stool
M0009	LF356	3	132	330

STEP STOOLS

- Durable, non-corrosive, 500-lb. capacity polyethylene construction
- Two, three and four step stools have rear opening to access storage compartments
- Four-step stool comes standard with handrails and casters
- Hand holes and light weight combine for easy manoeuvrability
- All stools include rubber feet and non skid tape surface
- Safety yellow for visibility
- Also available in other colours

MN599



MN601

Model No.	Description	Overall Dimensions L"	x	W"	x	H"	Wt. lbs.
MN599	Single Step	18	x	12	x	12	7.5
MN600	Double Step	22	x	21	x	20	16.2
MN601	Triple Step	32	x	22	x	30	33
MN644	Quad Step w/Casters	43	x	22 1/2	x	66	53

CUSTOMIZE IT TO YOUR SPECIFICATIONS.

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

CSA grade 1A , ANSI type 1A, 300-lb. load rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves
- Rear "L" horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF609

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
MF606	3	34	11	17	23	12
MF607	4	45	23	19	28	14
MF608	5	56	34	20	34	17
MF609	6	68	45	21	39	20
MF610	7	79	56	22	44	23
MF611	8	90	67	24	51	26
MF612	10	113	90	26	61	37
MF613	12	135	112	29	74	48

HYDRAULIC SCISSOR LIFT TABLES

Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All orders have an integrated hydraulic pump/cylinder assembly. The Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.

APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves in retail stores to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on larger orders
- Quality powder coated finish provides exceptional durability and corrosion resistance
- Kleton blue

MJ518, MJ519 and MJ521
Collapsible Handle

MJ520

MJ522

MJ524

MJ525

MJ526

Model No.	Load Cap lbs.	Platform Height Lowered"	Platform Height Raised"	Platform Dimensions Width"	Platform Dimensions Length"	Handle Height"	Pedal Strokes To Max	Wt. lbs.
MJ518	330	8 5/8	29	17 3/4	27 1/2	37 3/8	28	99
MJ519	660	11 1/4	34 5/8	19 3/4	32	39	27	170
MJ520*	770	14	51 1/4	19 3/4	35 3/4	38 3/8	53	230
MJ521	1100	11 1/4	34 5/8	19 3/4	32	39	27	179
MJ522	1100	11 1/4	36	31 7/8	63	39	55	340
MJ523	1650	16 1/2	35 3/8	20 1/8	39 3/8	39 3/8	45	275
MJ524	2200	15	39	20 1/8	40	38 5/8	82	269
MJ525	2200	15	53 1/2	29 1/2	80 1/8	39 3/8	200	770
MJ526*	1545	17 1/2	59 1/8	24	48	40	97	430

Platform height dimensions include the casters.
* Double scissors

HIGH WORK MAINTENANCE PLATFORMS

- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 1000 lbs.
- No assembly required



MI787



MD948

MD444

Kleton maintenance platforms meet or exceed **ASME B56.1** safety standard when a safety harness and lanyard are worn. **CSA** letter of attestation available upon request.

Model No.	Description	Wt. lbs.
MD444	High Work Platform - 36" x 36" Platform	230
MH800	High Work Platform - 48" x 48" Platform	300
MD338	Optional 6" Caster Kit two rigid, two swivel	10
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25
OPTIONAL TOOL TRAYS		
MI787	36" L x 4" W x 3" D, Fits on MD444	-
MI788	48" L x 4" W x 3" D, Fits on MH800	-

* Mounts on MD444 and MH800.

HYDRAULIC PLATFORM LIFT STACKER

- Allow workers to manoeuver and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels allow loads to move easily

SPECIFICATIONS:

Capacity: ..... 880 lbs.
Overall dimensions: ..... 22 1/2" W x 39" D x 67 3/4" H
Platform dimensions: ..... 25 3/4" L x 22 3/4" W
Lowered platform height: ..... 4"
Raised platform height: ..... 60"
Weight: ..... 174 lbs.
Model No. MN397

CHAIN HOISTS

- Lightweight steel construction
- Triple spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation

Model No.	Cap lbs.	Lift'	Wt. lbs.
LS534	1000	10	24
LS535	2000	10	29
LS536	3000	10	44
LS537	4000	10	48
LS538	6000	10	59
LS539	10 000	10	100
LS540	1000	20	36
LS541	2000	20	40
LS542	3000	20	59
LS543	4000	20	62
LS544	6000	20	84
LS545	10 000	20	136

LEVER HOISTS

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation

Model No.	Cap lbs.	Lift'	Wt. lbs.
LS546	1500	5	15
LS547	2000	5	18
LS548	3000	5	24
LS549	6000	5	42
LS550	12 000	5	62

ADJUSTABLE TROLLEYS

- Easily adjusts to fit various flange and I-beams
- Use on straight or curved track
- Can be installed or removed at any position on the beam
- Heavy-duty cast iron wheels
- Deep width flange provides superior contact with the beam
- Geared trolleys include two geared wheels operated by hand chain
- Safety plate included

Adjustable Plain Trolley

Adjustable Geared Trolley

Model No.	Fits I beams"	Cap. lbs.	Wt. lbs.
PLAIN			
LS551	2 11/16 - 5 3/8	1000	10
LS552	3 1/8 - 6 1/4	2000	17
LS553	3 1/8 - 6 1/4	4000	28
LS554	3 7/16 - 7 3/8	6000	46
LS555	4 13/16 - 9 9/16	10 000	73
GEARED			
LS556	2 11/16 - 5 1/4	1000	18
LS557	3 1/8 - 5 15/16	2000	25
LS558	3 1/8 - 7 1/16	4000	36
LS559	3 7/16 - 7 3/8	6000	54
LS560	4 3/4 - 7 3/4	10 000	81

HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- 6 1/4" (158.75 mm) wide forks

5500-LB. CAPACITY

- Colour: High visibility orange
- **2-year limited warranty**

6600-LB. CAPACITY

- Double rollers for easy moving of extra heavy loads
- Reinforced fork channels deliver exceptional durability
- Colour: Kleton blue
- **2-year limited warranty**

MJ484

MJ490



Forks feature double entry rollers and tapered design for easy pallet entry

5500-lb Model No.	6600-lb Model No.	Pallet Truck Height Lowered"	Pallet Truck Height Raised"	Frame Width"	Fork Length"
MJ484	MJ490	2 7/8	7 3/4	20 1/2	36
MJ485	MJ491	2 7/8	7 3/4	20 1/2	42
MJ486	MJ492	2 7/8	7 3/4	20 1/2	48
MJ487	MJ493	2 7/8	7 3/4	27	36
MJ488	MJ494	2 7/8	7 3/4	27	42
MJ489	MJ495	2 7/8	7 3/4	27	48
ML372*	ML373*	2 7/8	7 3/4	27	48

* All nylon steering wheels and rollers

FORK EXTENSIONS

- Handle large and odd shaped loads with increased stability
- Available in 4" and 5" fork widths, with lengths of 72" and 96"
- Easy to use slide-on design
- Steel retaining strap prevents extensions from sliding off forks during use
- Fork extension may not extend more than 50% beyond existing fork

Model No.	Accommodates Fork Width"	Fork Extension Overall Width"	Length"	Wt. lbs.
ML346	4	5	72	105
ML347	5	6	72	116
ML348	4	5	96	140

WALL BRACKET

- To keep fork extensions out of the way when not in use
- One wall bracket required for each pair of forks

Model No.	Dimensions W" x H"	Wt. lbs
ML282	6 x 8	5

Note: Hardware not included

DRUM LIFTERS

- Design allows for quick, gentle loading; drum stays upright during lift
- Universal drum lift can lift 30 US gal. to 85 US gal. drums
- Lifts steel or plastic drums 18"-26" rim diameter
- Lifts fibre drums 18.5"-23" rim diameter
- Not intended for use with plastic overpack drums

Model No. DA876
Mfg. No. 92

MORSE

FORK MOUNT HOOKS

- Capacity: 2000 lbs.
- A fork mounted hook from which to suspend a drum lifter or other device
- Fork Pocket Dimensions: 5-1/2" x 1-9/16"

Model No. LU639
Mfg. No. 284

MORSE

HORIZONTAL DRUM LIFTING HOOKS

- Horizontally lifts 45 imp. gal./55 US gal. steel drums, 34"-36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. DC449

- Spark-resistant lifting hook is made of bronze and copper for safe handling
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. DA163

DA163

DC449

DRUM & OVERPACK LIFTERS

- Drum Lifter is designed to lift and transport a standard 55 US Gal. steel drum 22.5" in diameter
- Drum lifer can also lift an 85 US Gal. overpack or salvage drum 26" in diameter
- Drum lifter can be used on closed "tight" head drums type with head intact, or with open head drums with lid securely clamped in place
- Lifting Capacity: 1000 lbs./454 kg

Model No. DC608
Mfg. No. 91

MORSE

POLYESTER DRUM SLING

- Securely and economically lifts steel, plastic and fibre drums from 12" to 24" in diameter
- Ideal for use with a forklift truck
- Compact size of slings allows it to be stored in truck until it's needed
- Reduces drum damage which occurs when using steel handlers
- 2" x 10' endless ratchet strap tightens the reinforced polyester lifting belt around the body of the drum
- 4" x 6' double ply tie down web slips easily over the truck forks
- Capacity: 1000 lbs.
- Wt.: 5 lbs.

Model No. DC470

BEN-MOR®

Note: Open ratchet fully when installing sling

AUTO-GRIP DRUM LIFTERS

- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load,the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Heavy-duty, annealed, ductile iron construction
- Large curved foot at bottom of stabilizing arm prevents drum damage
- Capacity: 3000 lbs.
- Weight: 31 lbs.

Model No. DA226
Mfg. No. 440001

WESCO®

MULTI-PURPOSE OVERHEAD DRUM LIFTER W/WRENCHES

- Simple three-arm design allows for safe lifting of closed head 30 to 55 US gallon steel, plastic, and fibre drums with top lips
- Each removable arm also functions as a wrench for use on different drum plugs, faucets, and rim ring bolts
- Capacity: 800 lbs.
- Powder coat finish for durability
- Weight: 20 lbs.

Model No. DC095
Mfg. No. PDL-800-M

Vestil



OPEN HEAD DRUM LIFTERS

- Quick and easy attachment and removal
- Suitable for use with standard steel or poly drums with at least a 3/16" chime
- Lifting arms are adjustable to work with most 55 or 30 US gallon drums
- Attaches to any hoist, crane or forklift using single fork hook attachment
- 3-point contact of the lifting arms minimizes deformation
- Also works on closed head drums
- Capacity: 1000 lbs.
- Weight: 15.5 lbs.

Model No. DC420
Mfg. No. 240038

WESCO®

FORK MOUNTED DRUM LIFTERS

- Allows operator to raise, transport, tip and drain loaded drums without leaving their seat
- Geared design with pull chain for controlled dispensing of open and closed head steel drums up to 2000 lbs.
- Manipulation of pull chain for 360° rotation
- Attaches easily to truck by sliding onto forks and tightening screw locks
- No electrical or hydraulic connections to truck are needed
- 6 1/2" W x 30" D x 2 /12" H fork pockets; inside width between truck forks must be at least 24 1/2"
- Options are available to handle plastic, fibre, and steel drums 22 1/2" in diameter

Controlled pouring up to 2000 lbs.

Model No.	Mfg. No.	Drum Size US Gallons	Tilt Type	Full Drum Cap. lbs.	Half Drum Cap. lbs.	Wt. lbs.
DA133	285A	55	Geared	800	500	169
DA135	285A-HD	55	Geared	1500	800	178
DA134*	285A-GR	55	Geared	2000	1000	361

* Can only be used with diameter adaptor **DC281**

DRUM LIFTERS

Safely transport, position and drain open and closed head steel drums. Simply attach the lifter on hook of chain block, monorail or crane, cinch saddle around drum, and then raise to the required height and position. Ratchet mechanism securely tightens saddle to drum. Choice of manual or geared models.

MANUAL TILT

- Ideal for low level pouring and dumping operations
- 800-lb. full drum capacity, 500-lb. half drum capacity
- Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position

Model No.	Mfg. No.	Drum Size	Wt. lbs.
DA199	85A	55 US Gallon Steel; 22 1/2" Dia.	46
DA200	85I&55/30-19	30 and 55 US Gallon Steel; 18 1/2" - 19" and 22 1/2" Dia.	46
DA201	85C	21" - 23" Dia. Fibre or Steel	46

Options and accessories are not available for manual tilt models

Gear Tilt

GEARED TILT

- Accurate pouring from any height
- Handles drums up to 2000 lbs. full drum capacity
- Rotation of drum is controlled by 12' chain loop
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed

Model No.	Mfg. No.	Full Drum Drum Size	Half Full Cap. lbs.	Wt. Cap. lbs.	lbs.
DA121*	185A	55 US Gallon Steel; 22" - 23 1/2" Dia.	800	500	71
DA124*	185A-HD	55 US Gallon Steel; 22 1/2" Dia.	1500	800	85
DA123†**	185A-GR	55 US Gallon Steel; 22 1/2" Dia.	2000	1000	170
OPTION					
DC077	3900-P	MORStop™ Tilt Brake Option			

MORStop™ Tilt Brake

* Chains can be guided into locking slots to hold the drum's position, allowing the operator to let go

** Worm gear speed reducer on **DA123** tends to let drum stay where it is stopped, removing the need for the optional tilt brake

† Can only be used with diameter adapter **DC281**

CAN TIPPERS

- Handles 5-gallon round pails
- Safety lever holds container in place
- Dispensing height of 11 1/2"
- Capacity: 75 lbs.
- Weight: 10 lbs.

Model No. DC472

BELOW-HOOK DRUM LIFTERS

- Designed for steel, plastic and fibre drums with diameters between 22" to 23 1/2" and heights between 23" to 38"
- Attaches to a monorail, crane or chain block and transports loaded drums in the upright position
- The drum is secured into the saddle by a pawl and ratchet mechanism
- The saddle, as well as the support bar at the bottom of the drum ensure that drums will be transported safely, restraining the drum from sliding out
- Accepts diameter adaptors for smaller drums

Model No.	Mfg. No.	Lifting Capacity lbs.	Wt. lbs.
DA935	86	1000	61

DRUM STACKING RACKS

- Rack holds two or three 45 imp. gal/ 55 US gal. drums
- Can be stacked up to three high
- Conveniently stacks drums horizontally increasing space efficiency
- Forklift access from all four sides
- Shipped knocked down

DC262



Model No.	Drum Cap.	O.A. Dimensions W"	x	D"	x	H"	Load Cap. lbs.	Wt. lbs.
DC262	2	45 1/2	x	30	x	12 1/2	1600	48
DC263	3	71 1/2	x	30	x	12 1/2	2400	75

LOW PROFILE DRUM TRUCKS

- All-welded steel construction with 8" x 2" rubber wheels and 4" non-marking rubber swivel caster for smooth movement and easy manoeuvrability
- Ideal for moving full, open top 45 imp. gal/ 55 US gal. drums without spilling contents
- With a low-level frame, only 1" from the ground, this truck allows for easy loading of drums up to 1000 lbs.
- Hinged handle moves forward and backward for easy pushing or pulling
- Overall handle length: 37"
- O.A. Dimensions: 30" W x 24"D x 46" H
- Capacity: 1000 lbs.
- Weight: 44 lbs.
- Durable Kleton blue enamel finish

Model No. DC500

STEEL DRUM GRABBERS

- Lift and transport one 45 imp. gal./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws



Model No.	Fork Pocket Inner Dim."	Capacity lbs. /Drum
DC424	5 1/2 x 2	1000

POLY DRUM LIFTERS

- Patented fork truck attachment for handling most 55 and 30 gallon US poly drums
- Fork truck driver does not have to leave cab to engage or disengage drum
- Suited for poly drums that have at least a 3/16" top lip (chime)
- Fork pocket size: inside 1 1/2" x 5 3/8"
- Capacity: 1000 lbs.
- Shipped knocked down

Model No. DA932
Mfg. No. 240148

CLAMP & GO DOLLY HANDLES

- Safely and easily maneuver drum within confined areas
- Perfect for high volume applications
- Low center of gravity provides superior stability
- Quickly clamps onto dollies with various sidewalls of 2", 2 1/2" or 3"
- Foot operated disengage
- Magnet holds handle up to drum for compact storage
- Weight: 11 lbs.

Model No. DC414
Mfg. No. 24



STEEL DRUM DOLLIES

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish
- Shipped knocked down

Model No.	Caster Type	Caster"	Height"	Capacity lbs.	Wt. lbs.
ROUND FRAME					
DC202	Polyolefin	3	4 1/2	750	21
DC199	Polyurethane	3	4 1/2	1000	24
DC200	Polyurethane	4	5 1/2	1500	27
X-FRAME					
DC206	Polyolefin	3	4 1/2	750	13
DC203	Polyurethane	3	4 1/2	1000	16
DC204	Polyurethane	4	5 1/2	1500	19

MULTI-TIER DRUM DOLLIES

- Accommodates a variety of container sizes
- Transport a 5-gallon pail, 30 or 55 US gallon drums
- A standard 4' long nylon pull strap helps in transporting
- Hard rubber casters
- High polished zinc finish for corrosion resistance
- Capacity: 900 lbs.

DC043

Model No.	No. of Tiers	Accommodates Drum Sizes (gal.)	Wt. lbs.
DC043	3	5, 30 and LP Gas Cylinders	28
DC042	4	5, 30, 55 and LP Gas Cylinders	20
DC415*	4	5, 30, 55, and LP Gas Cylinders	24

* Stainless Steel

SINGLE BAR DRUM TRUCKS

- Handles 45 imp. gal/55 US gal. steel drums
- Heavy duty 1" structural pipe frame with double welded joints
- Machined steel load wheels behind nose prongs help ease lifting of drum
- Classic single bar frame design
- Kickstand and vinyl handle grips included
- Available with cast iron centre mold-on rubber wheels with 1" (ID) roller bearings or polyolefin wheels
- 24" wide at handle, 16 1/4" wide at nose
- Capacity: 1000 lbs.

Model No.	Mfg No.	Wheel Type	Wt. lbs.
DA883	240014	Polyolefin	50
DA882	240013	Mold-on Rubber	64

ERGONOMIC DRUM TRUCKS

- Floating axle reduces effort required to break over and balance load
- Chime hook can be stored at the top of the frame for easy use
- Replaceable hard faced double beveled nose prongs
- Handles steel drums only
- 10" mold-on rubber wheels
- Overall dimensions: 17 1/2" L x 23 3/4" W x 61" H
- Capacity: 1000 lbs.
- Weight: 74 lbs.

Model No. DC417
Mfg. No. 240003

ALL-IN-ONE DRUM TRUCKS

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle models provide added leverage while dual handle models provide side body comfort
- Four-wheel design for added support and easy manoeuvrability
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish

Retaining hook

Model No.	Handle Type	Wheel Type	Wt. lbs.
DC266	Loop	10" Mold-on Rubber	64
DC267	Loop	10" Pneumatic	58
DC256	Dual	10" Mold-on Rubber	62
DC257	Dual	10" Pneumatic	56

ALL-WELDED DRUM ROCKERS

- Safe method of upending up to 45 imp. gal./55 US gal. drums for moving, draining or storing
- No lifting, straining, or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Constructed of all welded heavy gauge steel tubing
- Removable handle
- 3" polyolefin swivel casters and wheels
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish

Model No.	Description	Wt. lbs.
DC442	Two 3" Swivel Casters, Two 3" Wheels	38

CAUTION: Clamping bracket on handle must be used when maneuvering unit.

KNOCKED-DOWN DRUM ROCKERS

- Safe method for moving, draining and storing 45 imp. gal./55 US gal. drums
- Two 3" non-sparking wheels and two 3" non-sparking swivel casters
- Removable handle
- Capacity: 700 lbs.
- Powder coat finish
- Shipped knocked down

Model No. DC443

CAUTION: Clamping bracket on handle must be used when maneuvering unit.

REPLACEMENT CASTERS

Model No.	Description
DC463	3" Polyolefin Wheel
DC464	3" Polyolefin Swivel Caster
DC473	Handle & Black Plastic Handle Grip

DRUM HAND TRUCKS

- All-welded 1 1/4" round tubular steel frame
- Handles containers from as small as 18" in diameter to large 45 imp. gal./55 US gal. steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish

DA594

Model No.	Overall Dimensions W" x D" x H"	Description	Wt. lbs.
DA593	24 x 19 x 58	Truck with 10" front rubber wheels only	44
DA594	24 x 22 x 58	Truck with 10" front and 6" rear rubber wheels	50

STEEL DRUMS

- Open head 45 imp. gal/55 US gallon design complies with stringent UN regulations for packing non-dangerous and dangerous goods in packing groups II and III; salvage drum is good for packaging groups I, II and III in solids only
- Closed head 45 imp. gal/55 US gallon design meets UN regulations for packing of dangerous and non-dangerous goods in the packaging groups II and III and also complies with ISO 15750 standard and other major international standards for steel drums (ANSI, EN) and feature 2" x 3/4" Rieke® fittings
- Drum gauge: 20/18 ga.
- Dimensions: 23" W x 35" H
- Accepted for use in Canadian food processing facilities

UN Regulations:
A) 1A2/Y1.4/140 B) 1A2/Y275/S C) 1A1/X1.8/300

Unlined Model No.	UN Compliance	Lined Model No.	UN Compliance	Head Type	Capacity U.S. Gallons	Wt. lbs.
DC145	A	**DC146**	B	Open	55	37
DC147*	C	**DC461****	C	Closed	55	35

*Not accepted for use in Canadian food processing facilities ** Unit is white

ACCESSORIES

Model No.	Description
DC450	2" Steel Plug with Buna Gasket
DC570	Steel Drum Lid for 55 US Gal. Drum, No Fittings
DC568	Steel Drum Locking Ring for US 55 Gal. Drum

LIQUIPAK® FIBRE DRUMS

- Interior is lined with heavy duty polyethylene
- The full-open top assures quick filling and dispensing, while the plastic covers and steel chimes reinforce top and bottom
- Will not corrode and contaminate product
- Made of FDA compliant materials
- Complete with bung and vent poly cover and locking ring
- Lined

Model No.	Capacity Gallons	Lid Material
DC548	30	Plastic
DC549	55	Plastic

LOK-RIM® FIBRE DRUMS

- Provides thermal insulation and protects sensitive products
- The unique Lok-Rim® closure allows easy opening and closing
- Will not corrode and contaminate product
- Compatible with semi-liquids when a polyethylene insert/bag is applied
- Made of FDA compliant materials
- Includes locking ring and cover
- Unlined

Model No.	Capacity Gallons	Lid Material	UN Compliance
DC543	30	Plastic	Y115
DC544	30	Steel	None
DC546	55	Fibre	None
DC547	55	Steel	Y200

FIBRE WASTE DRUM

- Ideal for recycling or disposing waste
- Designed to reduce waste and provide an alternative to corrugated boxes
- Cost-effective reusable drum makes recycling easy
- Fibre material lid included
- Capacity: 30 US gal.

Model No. DC545

POLYETHYLENE DRUMS

- UN-approved plastic drums are manufactured using state-of-the-art technologies to meet the stringent demands of chemical compatibility with hazardous and non-hazardous products as well as reliability and safety requirements
- Drums are made from a high molecular weight, high-density polyethylene resin which makes them extremely strong and rigid
- Open head drums come standard with cover and steel lever-locking ring
- Capacity is based on US gal. readings
- Accepted for use in Canadian food processing facilities

Model No.	Capacity Gallons	Colour	Top	UN Compliance
DC525	55	Blue	Open	1H2/Y250/S
DC527	55	Black	Open	1H2/Y250/S
DC529	55	Blue	Closed	1H1/Y1.9/150
DC530	55	Black	Closed	1H1/Y1.9/150
DC531	55	Natural	Closed	1H1/Y1.9/100
DC535	30	Blue	Open	1H2/Y150/S
DC532	30	Blue	Closed	1H1/Y1.9/150
DC534	30	Natural	Closed	1H1/Y1.9/150
DC538	15.5	Blue	Open	1H2/Y65/S
DC539	10	Blue	Open	1H2/Y47.5/S

ACCESSORIES

Model No.	Description
DA019	2" Buttress Coarse Thread
DA020	2" NPS Fine Thread
DC571	Polyethylene Drum Lever Latch for 55 US Gal. Drum
DC572	Polyethylene Drum Lever Latch for 30 US Gal. Drum

POLYETHYLENE DRUMS - TIGHT HEAD

- High density polyethylene construction, can be stacked with pallets up to four high
- Maximum filling temperature of 65°C; drums should be allowed to cool to ambient temperatures before stacking
- Features 2" and 3/4" NPS fittings and manipulating handle
- Capacity is based on US Gal. readings
- Accepted for use in Canadian food processing facilities

Model No.	Capacity Gallons	Colour	Top	UN Compliance
DC540	15	Blue	Closed	1H1/Y1.9/160
DC542	15	Natural	Closed	1H1/Y1.9/160

RECTANGULAR POLY TIGHT HEAD CONTAINERS

- Suitable for storing and shipping liquid, granular and semi-solid chemicals, detergents, petroleum products, food products, pharmaceuticals and acids
- Recessed handle and anchoring
- Protruding stabilizers prevent tipping
- Ventcaps are included but leakproof screw caps are extra
- Container capacity: 20 litres
- Dimensions: 11 1/2" L x 9 1/2" D x 9 3/4" H

Model No.	Mfg. No.	Description	Opening mm
DC163	158	Yellow Container Only*	63
DA684	240	Natural Container Only*	60
DA685	284	Security Cap	60

*Security cap not included.

ACCORDION INSERTS FOR 55 US GALLON DRUMS

- Made of FDA compliant materials
- Accordion pleat design adjusts to varying heights of reconditioned drums
- Formed lip grips chime of drum and stays in place during follower plate pumping

Model No.	Wall Thickness	Qty /Case
DC338	15 mil	20
DC339*	15 mil	20

* Anti-static

STRAIGHT-SIDED INSERTS FOR 16, 30 & 55 US GALLON OPEN HEAD STEEL DRUMS

- Made of FDA compliant materials
- Smooth wall inserts withstand mixing and pumping applications
- Available in anti-static
- Model **DC337** used for hot-fill applications to 180°F
- Model **DC344** used for hot-fill applications to 280°F

Model No.	Wall Thickness	Drum Gal.	Qty /Case
DC336	15 mil	30	25
DC337	15 mil	55	20
DC342*	18 mil	55	15
DC343	24 mil	55	15

* Anti-static

INSERTS FOR 5-GALLON STEEL PAILS

- Made of FDA compliant materials
- Straight-sided inserts for steel pails are ideal for small batch mixing
- Choose from pliable LDPE or solvent-resistant HDPE

Model No.	Wall Thickness	Material	Qty /Case
DC347	15 mil	LDPE	100
DC348	15 mil	HDPE	100

5-GALLON PAIL HEATERS

- Economy 5-gallon heater is suitable for use with plastic and metal pails
- For light duty applications like increasing flow of viscous fluids or heating water
- Aluminized construction
- Adjustable strap clamp allows heater to fit pails with straight or tapered sides from 9 1/2" to 12" in diameter
- 120 V, 100 W
- 6' power cord with standard three pin grounded plug
- Weight: 5 lbs.

Model No. DA074



FORMFIT LINERS FOR 55 US GALLON DRUMS

- Cylindrical film liners are heat-sealed and made of FDA compliant materials
- Available in 40" height to fold over drum or 53" height to tie off
- Available in mil thickness of 4, 8 or 10
- Available in anti-static for solvent-based applications

Model No.	Height"	Wall Thickness	Qty /Case
DC353	40	4 mil	100
DC354	40	8 mil	50
DC355	40	10 mil	50
DC356	53	4 mil	100
DC495	53	6 mil	100
DC357	53	8 mil	50
DC358	53	10 mil	50
DC359*	53	8 mil	50

* Anti-static

PAIL INSERTS & STRAINERS

INSERT

- Seamless 14" tall tapered insert provides custom fit for plastic pail
- Average 15-mil thick
- FDA compliant materials

STRAINER

- Heavy-duty strainer ideal for filtering liquids or holding parts for washing
- Featuring 600-micron mesh, finer mesh strainers are available

Model No.	Material	Gallons	Qty /Case
INSERTS			
DC350	HDPE	5	100
STRAINER			
DC049	-	5	48
DB021	-	55	8

VALUE HEATERS

- Sturdy aluminized steel construction outlasts and outperforms all silicone rubber heaters
- 0-550°F adjustable thermostat offers wide flexibility when heating contents of 55 US gallon, 22 1/2" diameter steel drums
- Heavy duty, 5' grounded cordset plugs into standard 120 V outlets, 1250 W
- Weight: 8 lbs.

Model No. DA070

PLASTIC DRUM HEATERS

- Specifically designed to heat materials contained in polyethylene drums or pails
- Pre-set bimetal thermostat is mounted directly on heating band; activated with on-off switch
- Heat delivered to drum does not exceed 165°F
- 9" wide heating band on 55 US gallon is double the width of standard heaters; increases heater surface area for a shorter heat-up time
- On-off indicator light
- 6' power cord

Model No.	Drum Cap. Gal.	Drum Dia."	Plug Type NEMA no.	Volts	Watts	Wt. lbs.
DA080	5	11 1/4	5-15	120	100	7
DA081	55	22 1/2	5-15	120	800	15

BUNG NUT WRENCHES

- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length
- Offset handle
- Weight: 4 lbs.

Model No. DA638

Annealed ductile iron

Model No. DA637 Non-sparking manganese bronze alloy

UNIVERSAL PLUG WRENCHES

- Fits virtually all steel, plastic and fibre drum plugs
- 15 1/2" long for extra leverage and hand clearance
- For use with 3/4" and 2" pipe thread (NPT) size bungs
- Weight: 4 lbs.

Model No. DA635
Solid ductile iron

Model No. DA636 Non-sparking, zinc aluminum alloy

DRUM WRENCHES

- Socket head which fits over 3/4" and 2" steel and plastic hex-head plugs
- Also fits other types of closures

Model No. DA643
Socket head - 2.0 lbs.

Model No. DA647
Non sparking - 2.5 lbs.

DELUXE PLUG WRENCHES

- Non-sparking brass alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1 1/4" wrench for tightening faucets into drums; eliminates the need for extra tools
- Weight: 2 lbs.

Model No. PE359

DRUM UPENDERS

- 40" long upender provides the necessary leverage for moving horizontal drums to a standing position
- 2 1/2" wide toe plate prevents denting of drum
- 1 1/2" hook fits over most drum heads
- Weight: 12 lbs.

Model No. DA653

GRADUATED DRUM GAUGES

Combination gauge and faucet permits uninterrupted draining of drum contents with gauge in place. Mounts through 3/4" bung hole. Constructed of heavy gauge glass in plated steel body with Buna-N seals. Weight: 3 lbs.

Model No.	Description
DA064	Gauge only
DA065	Gauge with faucet*

* Zinc Die Cast Faucet FM approved for viscous liquids only; no flame arrestor.

DRUM DEHEADERS

- Opens any standard size and gauge drum in minutes
- Contoured to drum radius; fast, one-hand operation
- Leaves edge smooth
- Constructed of fine forged steel with a precision quality steel blade
- Weight: 6 lbs.

Model No. DC603 Drum deheader
Model No. DC607 Replacement blade

PAIL PALS

- Designed to open and close virtually any type of steel or plastic pail
- Cast steel construction for durability
- Yellow zinc-plated finish with molded blue plastic hand grip
- Includes a special cutting tool to open sealed lids on plastic pails

Model No. DC041

PLASTIC PAIL OPENERS

- Ideal for opening non-un plastic buckets and pails
- Unique leverage point ends cover distortion and cutting
- Holds pail down while it lifts lid evenly; lid lifts off in seconds
- Aluminum construction
- 16" long
- Weight: 0.5 lbs.

Model No. DA639

SAFETY PUMPS

- FM approved for handling flammables
- Comes complete with internal flame arrestor, steel bung adaptor to aid static grounding, and heavy-duty bonding wires to remove hazardous static charge
- Steel pickup tube with internal screen keeps debris out of pump
- Constructed of highly polished carbon steel with Teflon® piston, packing and gasket for exceptional chemical and solvent resistance
- Pumps 8 oz. per stroke, designed to fit 45-gallon drums
- Also available in stainless steel for corrosive flammable liquids

Model No. DA513 Carbon Steel
Model No. DB831 Stainless Steel

CHEMICAL COMPATIBILITY SHOULD BE CHECKED

DRUM FILL GAUGES

Provides a low cost solution to over-filling drums. When the drum is almost full, the indicator "Pops-up" to warn you. Fits in standard 3/4" bung opening. Bright red and yellow molded polyethylene. 5" length. FM approved. Weight: 0.20 oz.

Model No. DA066



SELF-CLOSING FAUCETS

- For non-flammable liquids only
- No flame arrestor
- 3/4" pipe thread
- Can be padlocked closed
- Natural die cast finish

Model No. PE365

SELF-CLOSING FAUCETS W/SCREEN

- For use with flammable and non-flammable liquids
- Flame arrestor safety faucet
- Standard 3/4" tapered pipe thread
- Can be padlocked closed
- Natural die cast finish

Model No. PE364

SAFETY FUNNELS WITH FILL VENT

- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS/NPT
- Weight: 4 lbs.
- FM approved

Model No. DA103

MANUAL-CLOSING POLY FAUCETS

- Ideal for use with non-flammable, often corrosive liquids
- Half turn on/off; stays open until shut-off
- Use 2" size for thick, viscous liquids or larger volume flow of thin liquid



Model No.	Bung"	Wt. lbs.
DA048	2	0.50
DA049	3/4	0.08

SELF CLOSING GATE VALVES

- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Heavy-duty brass construction
- Self-closing PTFE blade has fast, positive shut off when handle is released
- 4 1/2" wide handle
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums
- Weight: 7 lbs.

Model No. PE363

SAFETY DRUM FUNNELS

Suitable for handling flammables. Large 10 3/4" mouth provides quick dumping. Steel construction with 6" flame arrestor for the **DA102** and 32" flame arrestor for the **DA101**. Hinged cover with fusible link reduces spread of vapours. 2" NPS. FM approved.

Model No.	Description	Wt. lbs.
DA102	6" Flame Arrestor	12
DA101	32" Flame Arrestor	12

HORIZONTAL BRASS VENTS

- Horizontal vents are for use with drums in the horizontal pouring position
- Automatically relieves pressure at 5 PSI
- Flame arrestor prevents sparks and flame from igniting contents
- Manual vacuum relief by lifting and rotating the valve stem
- Maximum flow of 220 CFM at 20 PSI
- Fits 2" NPS bung in steel or plastic drums

Model No. PE362

VERTICAL VENTS

FM approved vents are for use with drums in the upright position. Valve automatically opens to relieve internal pressure at 5 PSI. Automatic vacuum relief permits 4 GPM flow through 3/4" faucet. Fits 2" NPT bung opening

Model No.	Description	Application	Wt. lbs.
DA607	Brass Vent	Petroleum-Based	0.5
DA605	Non-Metallic Vent, Cad-Plated Flame Arrestor	Petroleum-Based	0.5
DA606	Non-Metallic Vent, Stainless Steel Flame Arrestor	Chlorinated Solvents	1.0

COILED GROUNDING CLAMPS

- Vinyl coated 1/8" cable resists corrosive environments to give years of service
- Unit is self-coiling to retract when not in use
- Includes one heavy duty pliers-type clamp and one 1/4" terminal end

Model No.	Mfg No.	Description
DA632	RAC5	5' Coil
DA628	RAC10	10' Coil
DA777	RAC15	15' Coil
DB029	RAC10+10	20' Coil
DA778	RAC30	30' Coil

PLIER CLAMPS

- Grounding clamp for flammable drum loading
- Die cast aluminum body, stainless steel points and 55-lbs. spring enable REB clamp to consistently make positive metal to metal ground connection
- Accommodates all cable up to 5/32"; connection is made in clamp's handle held by dual Allen screw contacts

Model No. DA633
Mfg. No. REB

CONVERTIBLE HAND TRUCKS

- Lightweight aluminum construction
- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- 5" polyurethane casters and 10" flat free wheels
- Shipped assembled

Model No.	Hand Truck Ht."	Hand Truck Cap. lbs.	Platform Truck L" x W"	Platform Truck Cap. lbs.	Nose Plate W x D"	Wt. lbs
ML621	52	600	12 x 43	1250	18 x 10	46.5

FOLDING HAND TRUCKS

- Lightweight and durable aluminum construction
- Convenient folding design permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load
- Non-marking and shock-absorbing 5" x 1 1/4" rubber wheels
- 15 1/4" W x 11" D nose plate
- Capacity: 175 lbs. evenly distributed
- Weight: 8.75 lbs.

Model No.	Extended Dim. W" x D" x H"	Folded Dim. W" x D" x H"
ML447	39 5/8 x 15 1/2 x 16 1/2	25 x 15 x 2 3/8

GEMINI® CONVERTIBLE ALUMINUM HAND TRUCKS

- Converts in seconds from a two-wheel hand truck to a four-wheel platform truck
- Lightweight, high strength aluminum construction
- Balanced to assure easier wheeling and positive load control
- 18" wide x 7 1/2" deep rugged cast aluminum noseplate
- 5" swivel casters; 10" x 3 1/2" full pneumatic wheels
- 16 5/8" frame width, 20 1/2" O.A. width
- Shipped knocked-down

Model No.	Gemini	Hand Truck Cap.	Hand Truck H"	Platform Truck Cap. lbs.	Platform Truck H"	Platform Truck L"	Wt. lbs.
MA319	Jr.	500 lbs.	51	1000	40	38	44
MA320	Sr.	500 lbs.	61	1000	45 1/8	51	45

OPTIONAL SNAP-ON DECK	Description	Wt. lbs.
MB198	43 1/4" For Gemini Jr.	5
MB197	56" For Gemini Sr.	6

HAND TRUCKS

- Constructed of 1" 16-gauge steel tubing
- Powder coated

Model No.	Overall Height"	Overall Width"	Nose Plate W" x D"	Wheel Dim."	Cap. lbs.	Wt. lbs.
PNEUMATIC WHEEL						
MH300	46	21 1/2	14 x 9	10 x 3	600	25
MH301	48	21 1/2	14 x 9	10 x 3	600	25
MH302	51 1/2	21 1/2	14 x 9	10 x 3	600	23
RUBBER WHEEL						
MK730	46	20	14 x 8	8 x 2	1000	40

WALL-MOUNTED SHOP DESK

- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 28" D x 31" H
- Weight: 74 lbs.
- Grey enamel finish

Model No. FI518

OPEN FLOOR STYLE SHOP DESK

- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish

Model No. FI519

OPTIONAL CASTER KIT

Model No. FI521

CABINET STYLE SHOP DESK

- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

Model No. FI520

STRIP CURTAIN DOORS

Everything you need in one package to install your own strip curtain door and save money!

ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple to follow installation instructions are included in every package.

1. Determine inside width and height of door opening.
   Note: If mounting on door above lintel, measure from floor to mounting height.
2. Select type of PVC material required: STANDARD or LOW TEMP.
   Standard recommended for temperatures from -23°C to 66°C.
   Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.
3. Select from the standard sizes listed in the chart below.
   Note: If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.
4. Special size doors and hanging applications are available upon request.
5. For overhead doors, please call one of our sales representatives for assistance.

KLETON

K CUSTOM

INTERIOR DOORS

Save energy costs
- The optimal solution to open door heat/cooling loss

Reduce noise pollution
- Provides the ideal acoustical barrier around noisy equipment

CONVEYORS



Provide extra safe passage
- People can see and be seen so there's less chance of accidents

Control smoke, dust and sprays
- Strip curtains can control in-plant contaminants to improve employee environment

DOCKS

Low maintenance
- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol

K CUSTOM

Customize it to your specifications.

Every strip curtain door comes complete with PVC strips and universal hardware for door or wall mounting. Simple to follow installation instructionsincluded in every package.

EASY TO ORDER

It's easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings.

Special sizes are available.

IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

STANDARD DOOR SIZES

Model No. Standard	Model No. Low Temp.	Strip Size	Door Opening W'	x	H'	Wt. lbs.
KF022	KF004	8"	4	x	7	25
KF023	KF005	(8" x 0.080)	5	x	8	35
KF024	KF006		6	x	8	40
KF026	KF008	12"	8	x	8	80
KF025	KF007	(12" x 0.120)	8	x	10	100
KF020	KF002		10	x	10	125
KF021	KF003		12	x	12	175

Note: Doors with 8" strips have 2" standard overlap.
Doors with 12" strips have 4" standard overlap.

REPLACEMENT STRIPS - 5 PER CARTON

Model No. Standard	Model No. Low Temp.	Strip Size	Wt. lbs.
KF032	KF013	8" x 0.080 x 8'	15
KF029	KF011	12" x 0.120 x 12'	45

BULK ROLLS

Model No. Standard	Model No. Low Temp.	Strip Size	Colour	Roll'	Wt. lbs.
KF033	KF014	8" x 0.080	Clear	300	99
KF030	KF012	12" x 0.120	Clear	200	150
ML959*	-	8" x 0.080	Dark Amber	300	99

* For welding applications.



FIXED MOUNTING SYSTEM

Model No.	Description
KF001	Complete 4' aluminum angle mount

PSYCHROMETERS

- Simultaneous display with % RH, temperature and dew point or wet bulb or external probe temperature (requires IA108)
- Calculates T1-T2 (Air temp. - External probe temp.) (requires IA108)
- Triple display with backlighting
- Max/Min readings
- Sensor cap closes to protect probe during storage
- Retrieve Max/Min/Avg readings from stored data
- Real time clock
- Humidity Range: 0 to 100 % RH
- Dew Point Range: -90° to 122 °F (-68° to 50 °C)
- Wet Bulb Range: -5° to 122 °F (-21° to 50 °C)
- Internal Temp. Range: -4° to 122 °F (-20° to 50 °C)
- External Temp. Range: -4° to 158 °F (-20° to 70 °C)

Model No.	Mfg. No.	Description
IA000	8706	Digital Psychrometer
IA108	87P6	Temperature Probe
HX515	HR33	33% Humidity Calibration Standard
HX514	HR75	75% Humidity Calibration Standard

IA000

THERMO-HYGROMETERS

- Measures relative humidity as well as temperature with a type J/type K thermocouple thermometer
- Also measures dew point and wet bulb temperatures
- Data hold and Max/Min record
- Real time data logger with integral 4 GB SD memory card (optional)
- RS232 and USB interface
- Temperature is measured in °C or °F

SPECIFICATIONS:

- **Humidity Range:** 5% to 95% RH
- **Type J Temp. Range:** -100° to 1200 °C
- **Type K Temp. Range:** -100° to 1300 °C

Model No.	Mfg. No.	Description
IA793	SD-3007	Thermometer/Hygrometer
OM463	167130	Memory Card - 4 GB

THERMO-HYGROMETERS

- Dual LCD display shows ambient temperature and relative humidity
- Humidity Range: 10 % to 95 % RH
- Temperature Range: 0° to 50 °C/32° to 122 °F
- User selectable °C/°F
- Data Hold and Min/Max function
- Compact and lightweight
- Battery included

HX287

Model No.	Mfg. No.	Description
HX287	LM-81HT	Thermometer-Hygrometer
HN413	CA-52 A	Soft Carrying Case

AIR QUALITY METERS

- Measures CO_2, CO, O_2, humidity and temperature
- Non-dispersive infrared CO_2 sensor
- Galvanic cell CO and O_2 sensors
- Precision capacitance humidity sensor
- Records readings from three probes simultaneously
- Audible alarm setpoint
- Temperature is measured in °C or °F
- Easy to read LCD with backlight
- Data hold and Max/Min record
- Real time data logger with integral 2GB SD memory card (optional)
- RS-232 and USB computer interface
- Auto or manual power off
- **Includes:** humidity probe, CO probe, CO_2 probe, O_2 probe, and hard carrying case

CO_2 Range:	0 to 4000 ppm
Resolution:	1 ppm
Accuracy:	±40 ppm (<1000 ppm), ±5% (>1000 ppm
CO Range:	0 to 1000 ppm
Resolution:	1 ppm
Accuracy:	±(5% + 2 ppm)
O_2 Range:	0 – 30% O_2
Resolution:	0.1% O_2
Accuracy:	±(1% + 0.2% O_2)
Alarm Threshold:	<18.0% O_2
Humidity Range:	5 to 95% RH
Resolution:	0.1% RH
Accuracy:	>70%RH: ±(3% rdg + 1%RH); <70%RH: ±3%RH
Temperature Range:	0 to 50.0°C (32 to 122.0°F)
Resolution:	0.1°C/°F
Accuracy:	±0.8°C (±1.5°F)
Dew Point Temp. Range:	-25.3 to 48.9°C (-13.5 to 120.1°F)
Wet Bulb Temp. Range:	-21.6 to 50°C (-6.9 to 122.1°F)
Power Supply:	6 x 1.5V UM3/AA batteries
Dimensions:	177 x 68 x 45 mm; RH Probe: 197 mm L;
CO & O_2 Probe:	150 x 38 x 38 mm; CO_2 Probe: 190 x 38 x 28 mm
Weight:	350 g

Model No. IA800
Mfg. No. SD-9901

TEMP/RH DATA LOGGERS

MONITORS BOTH AMBIENT TEMPERATURE & RELATIVE HUMIDITY

- Stores up to 16 000 temperature and 16 000 humidity readings
- User selectable measurement rate from 2 seconds to 24 hours
- Alarm display if user-defined max/min values are exceeded
- Displays all status information through two LEDs
- Simply plug the logger into the USB port of your computer to begin downloading - no cables or wires are required
- Includes wall mount bracket and Windows® compatible software
- Temperature Range: -40 to 70 °C (-40 to 158 °F)
- Humidity Range: 0 to 100 % RH

Model No. IA449
Mfg. No. R6020

Wall mount bracket included

TEMP/RH DATA LOGGERS

- Records up to 32 700 ambient temperature and relative humidity readings
- User selectable recording intervals from 1 s to 24 h
- Minimum/Maximum function with alarm
- Real-time clock stores data and time
- LCD readout displays current temperature (°F or °C) or humidity reading, min/max reading with date and time
- Download data directly to a PC via USB cable supplied
- Includes data logger, mounting bracket with screws, USB cable, software diskette, security lock and battery
- Temperature Range: -40 to 70°C (-40 to 158°F)
- Humidity Range: 0 to 100% RH

Model No. IA680
Mfg. No. R6030

ENVIRONMENTAL METERS

- Measures relative humidity, air velocity, light levels, and temperature with a type J/type K thermocouple thermometer
- Real time data logger with integral 4 GB SD memory card (optional)
- RS232 and USB interface
- Air velocity is measured in m/s, ft/min, km/h, mph or knots
- Light levels are measured in ftc or lux
- Light range: 0 to 20 000 lux
- Humidity range: 5 % to 95 % RH
- Air velocity range: 0.4 to 25.0 m/s
- Temp. range: J: -50° to 1200 °C; K: -50° to 1300 °C

Model No. IA795
Mfg. No. SD-9300

REED

LIGHT METERS

- Designed for one-hand operation and to fit easily into a tool belt or pocket
- Autoranging
- Data Hold and Min/Max functions
- Auto shut-off and zero adjust button
- Over range and low battery indications
- Ranges: 0 to 20 000 lux; 0 to 2000 ftc
- User selectable Lux/Ftc
- Includes battery

Model No. HX288
Mfg. No. LM-81LX

REED

REED SOUND LEVEL METER/DATA LOGGERS

- Measuring Range: Low: 30 to 90 dB; Med: 50 to 110 dB; High: 70 to 130 dB Auto: 30 to 130 db
- Dynamic Range: 60 dB
- Accuracy: ±1.4 dB
- Resolution: 0.1 dB
- Sample Rate: Digital: 0.5 sec. Analog: 50 mS
- Frequency Range: 20 Hz to 8 kHz
- Frequency Weighting: A and C
- Microphone: 1/2" electret condenser
- Power Supply: 4 x AAA batteries
- Meets IEC 61672-1 Class 2 requirements
- Records up to 64 000 datapoints (1 MB)
- 60 dB dynamic space in each range
- Real time clock and calendar
- Fast/slow time weighting
- Min/Max function
- USB Interface
- Analog digital bar graph
- Backlit LCD display
- Tripod mount design for long-term monitoring
- Includes windscreen, USB cable, Windows software, batteries and hard carrying case

Model No. IB749
Mfg. No. R8080

REED

DATALOGGING SOUND LEVEL METERS

- IEC651 Type II
- 32-80, 50-100, 80-130 dB level ranges
- Autoranging from 30 to 130 dB
- Dynamic range of 50 dB
- 0.1 dB resolution
- Frequency range: 31.5 Hz to 8 kHz
- Accuracy of ± 1.5 dB (ref 94 dB @ 1 kHz)
- 32 000 record data logger
- 4-digit backlit display
- Clock and bar graph displays
- Auto power off
- AC and DC output
- Max/Min function
- Includes calibration screwdriver, windscreen, RS232 cable, Windows® datalogging software, battery, manual and carrying case

HN408

IA153

MODEL HN408

- Wind shield ball for sound level microphones
- Compatible with **IA153, HN404, HN405, HX311** and **IA154**
- Size: 65 mm dia.

REED



Model No.	Mfg. No.	Description
IA153	C-322	Datalogging Sound Level Meter
HN408	SB-01	Wind Shield Ball

SOUND LEVEL METERS

- Dual range measurement (Hi/Lo)
- A and C frequency weighting
- Large, easy-to-read LCD display
- Electret condenser microphone for high accuracy and longterm stability
- AC/DC output signal for use with dataloggers
- Data Hold, Max Hold functions and low battery indication
- Meets IEC651 Type 2 requirements
- Measuring range: Low: 35 to 100 dB; High: 65 to 135 dB (A and C)
- Includes carrying case and battery

Model No. HX387
Mfg. No. R8050

REED

SOUND CALIBRATORS

- Two outputs levels 94 dB and 114 dB (at 1 kHz)
- Diecasting aluminum alloy housing case
- Two 9 V batteries
- Size: 50 mm dia. x 82 mm

Model No. IA661
Mfg. No. SC-05

REED

REED ST-610B DELUXE THERMOMETER KITS

- Single input thermocouple thermometer designed for field use
- Display maximum reading plus data hold
- Large LCD display with backlight
- User selectable °C, °F or °Kelvin
- User selectable resolution of 0.1 or 1°C (0.1 or 1°F)
- Accuracy: ±(0.5% of reading + 2°F/1°C)
- Resolution: 0.1°F or 1°F (0.1°C or 1°C)
- Temperature Range: -58-2000°F (-50-1300°C)
- Includes : Thermocouple Thermometer, **HN209** Surface Probe, **HN212** Air/Gas Probe, **HN214** General-purpose Probe, and a hard carrying case

Model No. HN250
Mfg. No. ST-610DELUXE

REED

TYPE K THERMOCOUPLE PROBES

MODEL HN209 SURFACE PROBES

HN209

Ribbon-style surface probe.
Maximum Temperature: 400°C.

MODEL HN210 SPRING-LOADED SURFACE PROBES

HN210

Spring loaded probe is ideal for all high temperature surface measuring requirements. Extremely fast response time. Not recommended for use as an immersion probe.
Maximum Temperature: 500°C.

MODEL HN211 RIGHT ANGLE SURFACE PROBES

HN211

Unique right angle design allows temperature of hard to reach areas to be taken.
Great for monitoring temperature inside pipes, also flat surfaces without keeping hands over heated area. Maximum Temperature: 400°C.

MODEL HN212 AIR/GAS PROBES

HN212

Specifically designed to measure air or gases in heating and cooling units, ovens and engine exhausts. Perforated shield permits fast response while providing exceptional element protection. Maximum Temperature: 800°C.

MODEL HN213 NEEDLE TIP PROBES

HN213

Medium gauge hypodermic needle tip, used to measure softer food stuffs, rubbers and solids. Ideal for use in industrial, laboratory and chemical environments. Maximum Temperature: 800°C.

MODEL HN214 GENERAL PURPOSE PROBES

HN214

Used to measure both air and liquids, but it is best recommended for immersion applications. Excellent for checking temperature of oils, water and non-corrosive fluids. Maximum Temperature: 700°C.

REED

Model No.	Mfg. No.	Description
HN209	LS-109	Surface Thermocouple Probe
HN210	LS-139	Spring-loaded Surface Thermocouple Probe
HN211	LS-104	Right-angle Surface Thermocouple Probe
HN212	LS-103	Air/Gas Thermocouple Probe
HN213	LS-134 A	Needle Tip Thermocouple Probe
HN214	LS-107	General Purpose Thermocouple Probe

DIGITAL THERMOMETERS

- Temperature Range: -58 to 2000°F (-50 to 1300°C)
- User selectable °C or °F
- User selectable 0.1°C or 1°C (0.1°F or 1°F) resolution
- Accuracy to 0.5%
- Display maximum reading plus data hold
- Large LCD display with backlight
- Accept K-type thermocouples
- Includes: 9 V battery and holster

Model No. HX381
Mfg. No. ST-610B

HX381

REED

BIOS™ FOOD THERMOMETER WITH HACCP CHECK

- The "HACCP CHECK" feature is incorporated in our thermometer temperature to graphically indicate critical temperature zone
- The icons and LED indicators located above the display indicate whether a food product stays in a safe or unsafe HACCP "Danger Zone" temperature
- A Green LED appears with indicating a safe cool or frozen condition below 4°C (40°F) or appears with indicating a safe holding temperature above 60°C (140°F)
- When temperature is between 4°C and 60°C (40°F to 140°F) the red LED with will appear and indicate that the temperature is within the HACCP "Danger Zone"
- Accuracy: +/- 1% of reading or 1°C (1.8°F) whichever is greater
- Auto shut off • Shock resistant
- Splash proof • NSF approved
- Temperature Range: -83.2°F - 1999°F (-64°C to 1400°C)
- Includes: sharp Tip K Type Probe

Model No. IB762

IB762

IB763

BIOS Professional

PROBES

Model No.	Description	Use	Temperature Range
IB763	Air Gas Probe	Fridge/Freezer	32°F to 482°F/0°C to 250°C
IB764	Angle Surface Probe	Grill	-58°F to 752°F/-50°C to 400°C
IB765	Surface Probe	Grill	-58°F to 752°F/-50°C to 400°C
IB766	6" Chisel Tip Probe	Food	32°F to 482°F/0°C to 250°C
IB767	4-1/2" Reduced Tip Probe	Food	-58°F to 482°F/-50°C to 250°C
IB768	Point Tip Probe	Food	-83.2°F to 932°F/-50°C to 500°C
IB769	Oven & Dishwasher Probe	Oven & Dishwasher	32°F to 1112°F/0°C to 600°C

REED R2222 DIGITAL STEM THERMOMETER

- Stainless steel stem thermometer offers a quick response and laboratory accuracy
- Easy to read LCD display
- Fahrenheit/Celsius switchable
- Display updates every 2 seconds
- Max/Min memory records highest and lowest temperatures
- Data hold button lets you freeze a reading
- Auto power off
- Includes: R2222 Digital Stem Thermometer, 1.5 V LR44 Button Battery, Protective Probe Cover
- Resolution: 0.1°C / 0.1°F
- Accuracy: ±1.5% of reading ±2°
- Weight: 35g
- Temperature Range: -40-482°F (-40-250°C)

Model No. IB747
Mfg. No. R2222

REED

FOOD SERVICE INFRARED THERMOMETERS

- Contact and non-contact food service thermometer
- Optical Resolution: 12:1 (Distance: Spot size)
- Infrared thermometer features laser sighting
- Accepts any Type K thermocouple probe with mini-connector
- Choice of five different colour faceplates - choose a different colour faceplate for each department or food category
- Large backlit LCD readout
- Max, Min, Diff and Avg. displays
- Programmable Hi/Lo alarms
- Lock feature for continuous monitoring
- Includes holster/case

IA432

SPECIFICATIONS:

Range:	-76° to 932°F (-60° to 500°C)
Resolution:	±0.1°F (±0.1°C)
Accuracy:	±2% rdg. or ±2°C, whichever is greater
Response Time:	1 second
Spectral Response:	8 to 14 µm
Emissivity:	Preset at 0.97
Optical Resolution:	12:1 (Distance: Spot size)
Type K Thermocouple	
Probe Range:	-83° to 1999°F (-64° to 1400°C)
Accuracy:	±1% rdg. or ±1°C, whichever is greater
General	
Power Supply:	2 x AAA alkaline batteries
Dimensions:	175 x 39 x 72 mm (6.9 x 1.5 x 2.8")
Weight:	179 g

Model No. IA432
Mfg. No. PS200

Thermor

INFRARED THERMOMETERS

- Precise non-contact temperature measurements
- Temperature Range: -58° to 1832°F (-50° to 1000°C)
- Fahrenheit/Celsius selectable
- Digitally adjustable emissivity from 0.10 to 1.0
- High and low alarm setpoints
- Max, Min and Dif. Avg. temperature displays
- Built-in laser pointer
- Large LCD with backlight and display hold
- Includes: battery and carrying case
- 50:1 distance to spot size ratio
- Accredited calibration available

IA084

Model No. IA084
Mfg. No. R2007

REED

INFRARED THERMOMETERS

- Pocket-sized and easy-to-use - just point, shoot and read
- Unique flat surface and modern housing design
- User selectable °F or °C
- Built in laser pointer identifies target area
- Backlighting illuminates display for taking measurements at night or in areas with low background light levels
- Overrange indicator, auto data hold (when trigger released) and auto shut off
- Fixed 0.95 emissivity covers 90% of surface applications
- 8:1 Distance to Spot size ratio
- Includes: battery and carrying case
- Temperature range: -58° to 932°F (-50° to 500°C)
- Accredited calibration available

IB537

Model No. IB537
Mfg. No. R2002

REED

INFRARED VIDEO THERMOMETER

- Dual lasers identify exact measuring spot where they converge
- Optical Resolution: 50:1 (Distance: Spot size)
- Fast 150ms response time
- 2.2" TFT colour LCD and built-in 640 x 480 pixels camera
- Supports image (JPEG) and video (AVI) capture alerts
- Transmit images and videos via USB interface
- 72MB internal memory with MicroSD memory card extension
- Datalogging capabilities with date and time
- Includes type K thermocouple probe, AC adapter, USB adapter, mini-tripod, and hard carrying case

IA977

SPECIFICATIONS:

IR Temp. Range:	-58 to 3992°F (-50 to 2200°C)
Spectral Response:	8 to 14µm
Type K Temp. Range:	-58 to 2498°F (-50 to 1370°C)
Air Temp. Range:	32 to 122°F (0 to 50°C)
Dew Point & Wet Bulb Temp. Range:	32 to 122°F (0 to 50°C)
Humidity Range:	0 to 100% RH

REED

Model No.	Mfg. No.	Description
IA977	R2020	Infrared Video Thermometer/Datalogger
OM464	SD-MINI (8GB)	8GB Micro SD Memory Card

INFRARED THERMOMETERS

- Measures surface temperatures of hot, hazardous or hard-to-reach objects without contact
- User selectable °F or °C
- Built-in laser pointer
- Pre-set emissivity of 0.95
- 8:1 Distance to Spot size ratio
- Large LCD with backlight and display hold
- Compact, measures just 3.7" x 2.1" x 1" (94 x 56 x 28mm)
- Temperature Range: -58 to 536°F (-50 to 280°C)
- Accredited calibration available

IA853

Model No. IA853
Mfg. No. R2001

REED

INFRARED THERMOMETERS

- Two-in-one thermometer combines infrared and K-thermocouple probe temperature measurement
- Infrared thermometer with integral type K thermocouple input
- IR Temperature Range: -58 to 1922°F (-50 to 1050°C)
- T/C Temperature Range: -58 to 2498°F (-50 to 1370°C)
- Built-in laser pointer identifies target area
- Digitally adjustable emissivity from 0.10 to 1.0
- 30:1 distance to spot size ratio
- Automatic emissivity capture
- High and low alarms
- Max, Min, Avg, Diff record
- 20 data points of memory
- Display backlighting
- Auto data hold and auto shut off
- Trigger lock
- Includes: type K thermocouple probe, battery, and carrying case
- Accredited calibration available

IA496

Model No. IA496
Mfg. No. R2005

REED

PROTAC® PROFESSIONAL TACTICAL LIGHTS

- 6000 Series machined aircraft aluminum with anodized finish
- Super bright C4® LED is impervious to shock and has a 50 000 hour lifetime
- LED solid state power regulation provides maximum output throughout battery life
- IPX rated design; waterproof to 1 m for 30 minutes
- Ten-Tap™ programmable switch allows selection of one of three programs: High/Strobe/Low, High only or Low/High
- Includes batteries and holster

Model No.	Mfg. No.	Description	Lumens	Run Time hrs.	Battery
XC770	88030	ProTac® 1 L	180	2	One 3 V Lithium
XC771	88031	ProTac® 2 L	260	3	Two 3 V Lithium
XC772	88032	ProTac® 1 AA	70	2	1 AA Alkaline
XC773	88033	ProTac® 2 AA	155	2	2 AA Alkaline

PROPOLYMER® FLASHLIGHTS

- Waterproof, non-conductive polymer casings
- Easy to use push button momentary or constant "on-off" switching
- **XC051** and **XC054** feature super bright, 100 000 hour lifetime LEDs
- **XC056** and **XC477** contain a super high flux LED with a 10 000 hour lifetime
- **XC054**, **XC056** and **XC477** include batteries
- **XC051** has a spring loaded clip
- **XC051** and **XC054** are CUL Listed Class I, II, Div. 2, Class III and MSHA approved
- **XC477** and **XD467** are CUL Listed for Class I, II, Div. 1, Class III and MSHA approved
- **XC053** and **XC056** are CUL Listed for Class I, II, Div. 2, Class III
- **XD304** and **XD487**: ANSI/UL 913 CAN/CSA C22.2 No. 157-92 intrinsically safe equipment for use in hazardous locations
- **XD436**: Intrinsic Safety for Haz. Loc. Class I, II, Div. 1, Groups A,B,C,D,E,F,G; Class III, T4A

Model No.	Mfg. No.	Description	Lumens
XC051	33202	3 C LED, 336 Hours of Continuous Run Time	85
XC054*	68202	4 AA LED, 155 Hours of Continuous Run Time	85
XC056*	68244	4 AA Lux LED, Div. 2, 4 Hours with 2 Additional Hours of Declining Usable Light	34
XD436	62202	3 "N" Size Alkaline, LED, 120 Hours of Continuous Run Time	30
XD467*	67101	2 AA LED, HAZ-LO®, 24 Hours of Continuous Run Time	65
XD487	68720	3 AA LED, HAZ-LO®, 6.5 Hours of Continuous Run Time	120
XD304	33820	3 C LED, HAZ-LO®, 18 Hours of Continuous Run Time	150

* Batteries included

STREAMLIGHT JR.® LED FLASHLIGHTS

- Super bright C4® LED is impervious to shock and provides up to 85 lumens
- Push-button tail switch - steady on and momentary on/off operation
- Impact-resistant/water-resistant
- **XC247** includes holster
- **XC248** includes extension cable that allows for 14" of reach, flexible cable protected by a durable PVC coating, packaged with magnetic clip holder for mounting and positioning
- **XC248:** Beam Distance: 77 m
- Includes 2 AA size alkaline batteries (also accepts 2 AA lithium batteries not included)

Model No.	Mfg. No.	Description	Lumens	Run Time hrs.
XC247	71500	Streamlight Jr® LED w/Alkaline Batteries, Black	85	4
XC248	71600	Streamlight Jr. Reach® LED Flashlight	140	4.5
BATTERIES				
XB872	EN91	Replacement Batteries, AA Cell, 24/pkg.	-	

STYLUS® PENLIGHTS

- High intensity LED lasts 100 000 hours
- Up to 24 hours of continuous run time
- **XB942** has a flexible cable making it possible to see anywhere
- Includes 3 AAAA alkaline batteries
- Black casing with pocket clip



Model No.	Mfg. No.	Description	Lumens
XB943	65118	Stylus® Penlight, 3.5 oz.	11
XB942	65618	Stylus Reach® Penlight - 7" Cable, 3.5 oz.	11

STYLUS PRO® & MICROSTREAM® PENLIGHTS

- Compact, high-powered LED penlights provide a super bright beam
- Constructed of corrosion proof, machined aircraft-grade aluminum alloy with Type II MIL-Spec anodized plating
- 30 000 hour lifetime 0.5 watt LED never needs to be replaced
- Water resistant per code IPX4; in accordance with specification EN 60529:1992
- Tail switch features momentary blink and constant "on" modes
- Matte black finish

STYLUS PRO®

- Produces up to 65 lumens
- Run time: Up to 6.5 regulated hours
- Includes: 2 AAA alkaline batteries, nylon holster and pocket clip

Model No. XC394
Mfg. No. 66118

MICROSTREAM®

- Produces up to 35 lumens
- Run time: Up to 2.25 hours
- Includes: 1 AAA alkaline battery, pocket clip and lanyard

Model No. XC395
Mfg. No. 66318

TWIN-TASK® LED FLASHLIGHTS

- Super bright C4® LED is impervious to shock and has a 50 000 hour lifetime
- Unbreakable polycarbonate lens
- IPX4 rated for water-resistant operation, all openings are O-ring sealed, 1 meter impact resistance tested and wrist lanyard included

TWIN-TASK® 3 AAA LASER LED

- Features: 2 hr 45 min on one LED, 5 hr 15 min on five LEDs
- Battery: 3 AAA size alkaline batteries, Output: One LED - 100 lumens, five LEDs - 68 lumens
- Pre-focused visible red laser cartridge, laser output: Useable range of over 100 yards when using laser pointer only; over 100' when in laser/C4® LED combo position

TWIN-TASK® 3 C LED

- Features: Runtime 26 hrs on one LED, 72 hrs on three LEDs and 48 hrs on six LEDs
- Battery: 3 C size alkaline batteries, Output: One LED - 180 lumens, three LEDs - 50 lumens, six LEDs - 80 lumens

Model No.	Mfg. No.	Description	Lumens
XC762	51043	Twin-Task® 3 AAA LED	100
XC763	51039	Twin-Task® 3 C LED	180

LED FLASHLIGHTS

- Cutting edge Recoil™ LED Technology™, up to 33 times brighter than regular LED lights
- Focuses the light by firing backwards; 100% of the light is captured and reflected forward

SABRELITE™ 2010 LED

- Rugged, lightweight Xenoy® body
- White collimated beam as bright as an incandescent light
- 109 lumens
- Submersible to 500'
- Powered by three C-cell alkaline batteries, not included

XC062

APPROVALS

CSA: Class I, Div. 1, Group D
Class I, Div. 2, Groups ABCD
Class II, Div. 2, Groups FG, T3C

US FM C: Class I, Div. 1, Group D
Class I, Div. 2, Groups ABCD
Class II, III, Div. 1, Groups FG

STEALTHLITE™ 2410 LED

- ABS body with polycarbonate lens
- One-handed safety switch operation
- 126 lumens
- Submersible to 500'
- Powered by four AA-cell alkaline batteries, included

XC066

APPROVALS

FM: Class I, Div. 2, Groups ABCD, T4A
Class II, Div. 2, Groups FG

Model No.	Mfg. No.	Description	Lumens
SABRELITE™ 2010 LED			
XC061	2010-016-110	Black	190
XC062	2010-016-245	Yellow	190
XB874	EN93	Replacement C-Cell Batteries, 12/pkg.	-
STEALTHLITE™ 2410 LED			
XC066	2410-016-110	Black	126
XC067	2410-016-245	Yellow	126
XB872	EN91	Replacement AA-Cell Batteries, 24/pkg.	-

SABRELITE® 2000

- Watertight to 500'
- Made out of unbreakable ABS material with a hi-impact polycarbonate lens
- Has an exclusive state-of-the-art xenon lamp module that produces a tightly focused collimated white light beam with 33 lumens of power
- Safe to be used in gaseous or electrical hazardous environments
- Requires 3 C-cell (batteries not included)
- Length: 7.79"
- Includes: Belt spring clip, stainless steel split ring and black lanyard

APPROVALS

FM: Class I, II, Div. 2, Groups ABCD/G, T3C
MSHA: 10C-629-2
CSA: Class I, Div. 2, Groups ABCD, T3C
Class II, Div. 2, Group G
IEC EX: Ex ib e IIC T4 IP67
UL: Class I, Div. 1, Groups CD,
Class I, Zone I, Groups IIA, IIB, T3C

Model No.	Mfg. No.	Description	Lumens
XA129	2000-010-245	Yellow	33
XA130	2000-010-110	Black	33
XA012	2000-351-000	Replacement Bulb	-

RECHARGEABLE SPOTLIGHTS

- 19 super bright LED lights
- Lightweight design
- Rugged impact resistant housing
- 2.5 million candle power
- 10-hour run time with full charge
- Comes with 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Model No. XC668

2 000 000 CANDLEPOWER SPOTLIGHTS

- Quartz halogen beam technology for maximized beam power and distance
- Durable black ABS housing and non-skid rubber bezel
- 12-volt, 2.8 amp battery/ 100-watt quartz halogen bulb
- **XC385** features an internal, memory-free rechargeable battery with 15-20 minutes operating time on a full charge, comes with 110-volt and 12-volt charging cords, a 12-volt cord for continual powered operation
- **XC408** operates from any standard 12V cigarette lighter receptacle

LIND EQUIPMENT

Model No.	Mfg. No.	Description
XC385	QR-2002	Cordless Rechargeable Spotlight
XC408	QH-2002	Corded Spotlight w/ 12 V Plug

MITYLITE™ 2340

- 6 1/4" in length and equipped with a handy tail button switch
- Made of an unbreakable chemical resistant resin with a polycarbonate lens and thermoplastic rubber shroud
- Includes a pre-focused xenon lamp module, shirt clip and 2 AA-cell Energizer® alkaline batteries
- Non-submersible

APPROVALS

CSA: Class I, Div. 2, Groups ABCD, T3C
Class II, Div. 2, Group G
FM: Class I, Div. 2, Groups ABCD, T3A
MSHA: 10C-637-0
IEC Ex: Ex ib e IIC T4 IP67 IEC EX TSA 06.0021x

Model No.	Mfg. No.	Description	Lumens
XB349	2340-010-110	Black	10
XB350	2340-010-245	Yellow	10
XB351	2300-350-000	Replacement Bulb	-
BATTERIES			
XB872	EN91	Replacement Batteries, AA-Cell, 24/Pkg.	-

MITYLITE™ 1900

- Made of unbreakable space age hi-impact polycarbonate resin
- 4.09" in length
- Xenon lamp module provides 7.0 lumens of power
- Equipped with a shirt clip, making it easy to fit into pockets, purses, tool kits, camera bags or glove compartments
- Submersible with a twist on shroud
- Includes 2 AAA alkaline batteries

APPROVALS

CSA: Class I, Div. 2, Groups ABCD, T3C
Class II, Div. 2, Group G
IEC EX: Ex ib e IIC T4 IP67 IEC Ex TSA 06.0021X

Model No.	Mfg. No.	Description	Lumens
XA027	1900-015-245	Mitylite™ 1900	7
XA018	1900-350-000	Replacement Bulb	-

3315 COMPACT LED FLASHLIGHTS

- Compact, rugged and lightweight
- Constructed of high impact ABS
- 113 lumens, 9 h 45 m runtime
- Powered by three AA alkaline batteries (included)
- Water resistant IPX4
- Class I II III, Div. 1, GP. ABCDEFG T4 Exia

PELICAN™

Model No.	Mfg. No.	Description	Lumens
XD018	033150-0150-110	Black, 3315 Compact LED Flashlight	113
XD019	033150-0150-245	Yellow, 3315 Compact LED Flashlight	113
XB872	EN91	Replacement Batteries, AA-Cell, 24/Pkg	-

MINI MAGLITE® LED & PRO™

- Powerful projecting LED beam that focuses simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED yielding high output intensity
- Intelligent Energy Source Management allows the user choose the power level
- Multi-mode electronic switch: 100% power, 25% power, blink, SOS (**XC238** only)
- Length: 6.6"
- Maglite® Pro™ offers latest generation LED
- Includes: 2 AA size alkaline batteries and belt holster

XC238

XC814

MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens
XC238	SP2201H	Mini Maglite® LED Flashlight, 2 AA-Cell	97
XC814	SP2P01H	Mini Maglite® LED Pro™ Flashlight, 2 AA-Cell	272
BATTERIES			
XB872	EN91	Replacement Batteries, AA, 24/Pkg.	-

For batteries see page 399

MAG CHARGER® LED SYSTEM FLASHLIGHTS

- High-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance
- Durable sleek black finish, hard-anodizing inside and out for improved durability
- O-ring sealed throughout for resistance to weather and harsh environmental conditions
- Precision machined high-strength aluminum alloy case
- Individually serial numbered for identification
- NiMH rechargeable battery offers 434 m powerful projecting LED adjustable beam
- 643 lumens lasting 17 hours at low setting or 4 hours at high setting
- Quick access to your preferred functions: Full power, Power save (25%) Strobe (5/sec), SOS (Int'l Morse code), Momentary On/Off
- Length: 12 1/2"
- Weight: 2 lbs.

XD007 System (V4) Includes:
Mag Charger® flashlight, charging cradle, NiMH rechargeable battery pack, two mounting brackets, 120 V converter, mobile power adapter (12 V)

MAGLITE® LED

Use the **XD007** rechargeable system just as it is (see Function Set #1 Standard) or personalize it to meet your own needs by choosing one of the other function sets in the chart shown below.

	Function Set 1 (standard)	Function Set 2	Function Set 3	Function Set 4
1 Click	Full Power	Full Power	Momentary	Momentary
2 Clicks	Power Save	Power Save	Full Power	Full Power
3 Clicks	Strobe	SOS Signal	Power Save	Strobe

Model No.	Mfg. No.	Description	Lumens
XD007	RL1019	Rechargeable LED System	643
XC849	ARXX235	Replacement NiMH Battery Pack	-

MAG-TAC™ LED TACTICAL FLASHLIGHTS

- Three functions with tailcap switch "Quick Click" access
- Features three modes: Momentary, Full Power, Power Save
- Two power levels (Full Power for extreme brightness and Power Save for prolonged battery life)
- Momentary mode (in which the light stays on only while the switch button is being pressed)
- Detachable pocket clip
- 310 lumens
- 182-m projecting beam
- Plain bezel head
- Powered by two CR123 lithium batteries included
- Length: 5.195" (131.95 mm)

Barrel diameter:
1.050" (26.67 mm)

Head diameter:
1.050" (26.67 mm)

Weight with batteries:
4.8 oz. (136 g)

XD005

XD014

MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens
XD005	SG2LRE6	Black, Mag-Tac™ LED	310
XD014	SG2LRH6	Coyote Tan, Mag-Tac™ LED	310
XD008	AG2L016	Nylon Belt Holster	-

MAGLITE® MINI

XA679

MINI MAGLITE® AA-CELL

- High-strength aluminum alloy case
- 1/2 turn, twist focus, spot-to-flood
- Candle mode for convenient hands free light
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- Super-bright Xenon Lamp™
- Includes 2 AA alkaline batteries in all package types

MINI MAGLITE® AAA-CELL

- High-strength aluminum alloy case
- Twist focus, spot-to-flood
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- **XD004:** 87 lumens LED, 116 m beam distance
- Includes: Pocket clip and 2 AAA alkaline batteries

SOLITAIRE® AAA-CELL

- High-strength aluminum alloy case
- Less then 1 oz. and about 3" in length
- Spare lamp safely secured in the tail cap
- **XD003:** 37 lumens LED, 55 m beam distance
- Includes: 1 AAA alkaline battery and key lead lanyard

Model No.	Description	Lumens
MINI MAGLITE® AA-CELL		
XA669	Blister Pack	14
XA678	Holster Pack	14
XA679	Combo Pack	14
MINI MAGLITE® AAA-CELL & MINI MAGLITE® LED		
XA680	Blister Pack	9
XD004	LED Black, Blister Pack	87
SOLITAIRE® & SOLITAIRE® LED		
XA681	Black, Blister Pack	2
XD003	LED Black, Blister Pack	37
REPLACEMENT BULBS		
XA701	Solitaire® Replacement Bulb	-
XA703	Replacement Bulb, fits AA and AAA	-

MAGLITE® XL50™ LED FLASHLIGHTS

Delivers user-friendly, performance-oriented features in a sleek, tactical design and is driven by the next generation of Mag-LED® technology.

XC841

FEATURES:

- 213 m powerful projecting LED beam
- 200 lumens
- "Spot-to-Flood" adjustable LED beam
- Push button tail-cap switch
- Compact, pocket size design
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum body
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life

3 QUICK-CLICK SELECTABLE MODES:

- 1 Quick-click turns unit "ON" at high power
- 2 Quick clicks = Energy savings on at 25% power
- 3 Quick clicks = Emergency safety strobe
- Powered by three AAA alkaline batteries (included)

SPECIFICATIONS:

- Length: 4.8" (121.92 mm)
- Head diameter: 1" (25.4 mm)
- Barrel diameter: 1" (25.4 mm)
- Weight with batteries: 3.68 oz. (104 g)

MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens
XC841	XL50-S3016	3 Mode, AAA, LED	200
XC843	XLXXX-A3046	Belt Holster	-
XB873	EN92	Replacement Batteries, AAA, 24/Pkg.	-

MAGLITE® D-CELL

- Cam driven beam changes from flood to spot with a turn of the head
- Anodized aircraft aluminum with knurled grip enhances conductivity, increases durability, reduces oxidation and battery damage
- White Star krypton lamp provides 70% more light than a standard PR2 lamp
- Spare krypton lamp included in tail cap
- Rubber O-rings ensure resistance to water and shock
- Batteries not included

XA385

Model No.	Mfg. No.	Description	Lumens
XA384	S2D016	2 D-Cell Flashlight	27
XA385	S3D016	3 D-Cell Flashlight	45
XA386	S4D016	4 D-Cell Flashlight	98
REPLACEMENT BULBS			
XC955	LMXA201	Bi-Pin Xeon Bulb for 2 Cell	-
XC956	LMXA301	Bi-Pin Xeon Bulb for 3 Cell	-
XC940	LMXA401	Bi-Pin Xeon Bulb for 4 Cell	-
BATTERIES			
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.	-

MAGLITE® LED 2-CELL D FLASHLIGHTS

XC240

- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balances high brightness with extended battery life
- Powerful projecting LED beam that focuses spot to flood simply by rotating the head
- Rugged, machined aluminium construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Batteries not included
- Beam Distance: 412 m

MAGLITE® LED

Model No.	Mfg. No.	Description	Lumens	Run Time hrs.
XC239	ST2D016	2 D-Cell Flashlight	168	6.75
XC240	ST3D016	3 D-Cell Flashlight	168	80
BATTERIES				
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.		

MAGLITE® FLASHLIGHT ACCESSORIES

XB344

XB345

XC082

XB347

XC081

Model No.	Description
XB344	Belt Holster, Black Leather for 2 AA-Cell
XB345	Belt Holster, Black Nylon for 2 AA-Cell
XB347	Belt Holster for D-Cell
XC081	Red, Blue and Clear Lenses; Anti-Roll Device/Lens Holder; Wrist Lanyard; Pocket Clip for 2 AA-Cell
TRAFFIC WAND KITS W/REFLECTIVE TAPE	
XC082	Red, for C-Cell and D-Cell only

SURVIVOR®

- Brightest right-angle LED flashlight available
- Features a C4® LED with a 405 m. range and optimal peripheral illumination
- LED produces up to 175 lumens and has a 50 000 hour lifetime
- Raised push button switch features: High, Low, Flash and moonlight
- Run time (rechargeable): **High** 3.5 hours; **Low** 13 hours; **Flash** 5 hours; **Moonlight** 20 days
- Run time (alkaline): **High** 4 hours; **Low** 15 hours; **Flash** 8 hours; **Moonlight** 20 days
- Constructed of high-impact, super-tough nylon for durability and O-ring sealed for water-resistance
- Unbreakable polycarbonate lens with silicone anti-scratch coating
- Rechargeable models also include alkaline battery pack (alkaline batteries not included)
- Operates on 4 AA alkaline or rechargeable NiCd battery pack
- Serialized for easy identification
- UL Approved for Class I, Div. 1, Groups C, D; Class I, Div. 2, Groups A, B, C, D; Class II Div. 11, Groups F, G, Class III, T4, MSHA alkaline only

STREAMLIGHT

Model No.	Mfg. No.	Description	Lumens High	Lumens Low	Colour
XC400	90513	Survivor® Rechargeable	175	60	Yellow
XC401	90503	Survivor® Rechargeable	175	60	Orange
XC402	90540	Survivor® Alkaline	175	60	Orange
XC403	90541	Survivor® Alkaline	175	60	Yellow
XC404	90338	NiCad Battery Pack (Rechargeable), Div 2	-	-	-
XC405	90542	Alkaline Battery Pack (Batteries Not Included)	-	-	-

E-FLOOD® LITEBOX® RECHARGEABLE LANTERNS

- Produces up to 4000 candelas and has 615 lumens on high power
- IPX4-rated design for weather resistant operation
- Fits existing Streamlight LiteBox® racks
- Six LEDs produce a smooth flood pattern
- Battery is a zero maintenance 6 V, 12 Ah sealed lead acid and is rechargeable up to 500 times
- Red and green LEDs provide charge status
- Charge rack meets requirements of NFPA standard 1901-14.1.11.2 (2003) mounted in any position

STREAMLIGHT

Model No.	Mfg. No.	Colour	Lumens
XC757	45801	Orange	615
XC758	45821	Yellow	615
XD384	45817	Beige	615

LED FLASHLIGHTS

- High strength aluminum casing
- Shatterproof lens
- 3 lighting settings: Low 9 LED, Medium 24 LED and High 45 LED
- Run Time Hrs. (High): 2
- Batteries included

28 LED BULB
- Lumens (High): 98

Model No. XE888

45 LED BULB
- Lumens (High): 157

Model No. XE889

aurora tools®

MINI LED FLASHLIGHTS

- Nine ultra bright LED lights
- High-strength aluminum casing
- On/Off switch
- Lightweight design
- Rugged impact resistant housing
- Includes wrist strap and three AAA alkaline batteries

aurora tools®

Model No.	Mfg. No.	Lumens
XD079	LA671	25

WAYPOINT® PISTOL GRIP SPOTLIGHTS

- C4® LED technology, with a 50 000 hour lifetime
- Three modes of lighting: High, low and emergency signal
- IPX4 rated design for water resistant operation
- Integrated stand for hands-free scene lighting
- Unbreakable polycarbonate lens
- **XC764** and **XC765**: Powered by 4 "C" batteries (not included) or 12 V DC power cord (included)
- Run time (**XC764** and **XC765**): High 10 hrs.; 12 V DC power cord: Unlimited
- Run time (**XD331** and **XD332**): High 3 hrs.

STREAMLIGHT

Model No.	Mfg. No.	Lumens	Description	Colour
XC764	44900	550	Spotlight, Alkaline Batteries	Yellow
XC765	44902	550	Spotlight, Alkaline Batteries	Black
XB874	EN93	-	Replacement batteries, C-cell, 12/pkg.	-
XD331	44910	1000	Spotlight, Rechargeable	Yellow
XD332	44911	1000	Spotlight, Rechargeable	Black

FIRE VULCAN® LED

- Lightweight, waterproof lantern features super bright C4® LED technology and two blue taillight LEDs that provide illumination both in front of and behind the lantern
- C4® LED produces up to 80 000 Candela (Peak Beam Intensity), is impervious to shock and has a 50 000 hour lifetime
- The 2 ultra-bright blue taillight LEDs can be seen through thick smoke
- Run times: Steady LED and taillights - Up to 3 hours to the 10% output level (High) and up to 7 hours (Low)
- High power 145 lumens; low power 70 lumens
- 8 total programmable functions - 4 functions when toggle switch in "left" position and 4 functions when toggle switch is in "right" position
- IPX7 rated design - waterproof to 1 meter for 30 minutes; lantern floats
- Raised handle and toggle "on-off" switch ensure ease of use with a gloved hand
- Super lightweight lithium ion battery recharges in 5 hours
- Includes shoulder strap, AC/DC charge cords and charging rack
- Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F, G; Class III T-Code: T4
- Rack meets requirements of NFPA standard 1901-14.1.11.2 (2003) mounted in any position

Model No. XC406 **Mfg No.** 44450

STREAMLIGHT

LED HEADLAMP

- Run Time Hrs. (Low): 20
- Lumens (Low): 30
- 3 settings: High, Low and Strobe
- Head angle is adjustable
- Adjustable in/out zoom
- Water resistant
- Lumens (High): 120
- Run Time Hrs. (High): 6
- Lamp Colour: Black
- Beam Distance (High): 120 m
- Batteries Included/Not Included: Not Included

Model No. XE887

aurora tools®

FLASHLIGHTS

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- Hi-Viz yellow colour for easy visibility
- Batteries not included

aurora tools®

Model No.	Mfg. No.	Description	Lumens
XC977	LA765A	Flashlight, 2 AA-Cells	28
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-
XC978	LA765C	Flashlight, 2 D-Cells	35
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.	-

ENERGIZER® BATTERIES

ALKALINE

XB872

XB875

XB876

SILVER OXIDE

XB992

XB944

Energizer®

Model No.	Mfg. No.	Description	Qty /Pkg.
ALKALINE INDUSTRIAL			
XB873	EN92	AAA/1.5 V	24
XB872	EN91	AA/1.5 V	24
XB874	EN93	C/1.5 V	12
XB875	EN95	D/1.5 V	12
XB876	EN22	9 V	12
ALKALINE - ECO ADVANCED™			
XE877	XR91BP12	AA/1.5 V	12
XE878	XR92BP8	AAA/1.5 V	8
ALKALINE			
XC001	E96BP2	AAAA/1.5 V/ E2	2
XA430	529	Lantern, 6 V, Spring	1
XB996	A76BP2	1.5 V, Instruments	2
SILVER OXIDE			
XB992	357BP	1.55 V, 11,6 mm x 5.4 mm	1
XB993	377BP	1.5 V, 6,8 mm x 2.6 mm	1
XB994	392BP2	1.5 V, 7,9 mm x 3.6 mm	1
XB944	EPX76P2	1.55 V, 11.6 mm x 5.4 mm	1
LITHIUM			
XC002	ECR2016BP	Coin Type, 3 V, CR2016	1
XC003	ECR2025BP	Coin Type, 3 V, CR2025	1
XC004	ECR2032BP	Coin Type, 3 V, CR2032	1
XC005	ECR2450BP	Coin Type, 3 V, CR2450	1
XC006	EL123APBP	Photo, 3 V, 123	1
XC007	EL1CR2BP	Photo, 3 V, 1CR	1
XC008	EL223APBP	Photo, 6 V, 223	1
XC009	EL2CR5BP	Photo, 6 V, 2CR5	1
XE736	L522BP	9 V	1
XC012	L91BP2	AA/1.5 V	2
XC013	L91BP4	AA/1.5 V	4
XC015	L92BP2	AAA/1.5 V	2
NIMH RECHARGEABLE			
XC016	NH12BP2	AAA	2
XC017	NH15BP4	AA	4
XC018	NH22NBP	9 V	1
XC019	NH35BP2	C	2
XC020	NH50BP2	D	2
GARAGE DOOR			
XB995	A23BP	12 V	1

HARD CASE® PROFESSIONAL SPOT LIGHTS

- High: 500 lumens; Low: 150 lumens
- LEDs produce a tight white spot light
- Intense focused beam
- High and Low modes for brightness and run time control
- Ideal for long distance applications and searching
- Shatterproof lens
- Water resistant
- Rugged construction
- Durable light survives drops up to 7 meters
- Run time: High 4 hrs., Low 20 hrs.
- Beam Distance: 425 m
- Material: Hard Plastic
- Colour: Black/Grey
- Includes 6 AA batteries

Model No. XE475
Mfg. No. HCSP61E

Energizer

REPLACEMENT BATTERY
Model No. XB872 - 24/pkg.

HARD CASE PROFESSIONAL™ LED INSPECTION LIGHTS

- Bright Cree® 1/2 W LED delivers 100 lumens
- 4.5-hour run time on high power
- Shatterproof lens
- Water resistant IPX4
- Impact resistant rubber head and tail with no slip grip
- Lifetime push button switch
- Includes 2 long lasting AAA Energizer® alkaline batteries

Model No. XE676
Mfg. No. TUFPL22PH.H7

Energizer

REPLACEMENT BATTERY
Model No. XB873 - 24/pkg.

HARD CASE PROFESSIONAL™ 2 AA LED FLASHLIGHTS

- 250 lumens
- Water resistant IPX4
- Shatterproof lens
- Impact resistant steel plate bolted sides
- Run time: High 5 hrs., Low 50 hrs.
- Includes 2 long lasting AA Energizer® alkaline batteries
- Beam distance: 105 meters

Model No. XC234
Mfg. No. TUF2AAPE

REPLACEMENT BATTERY
Model No. XB872 - 24/pkg.

Energizer

LED INDUSTRIAL FLASHLIGHTS

- Super tough body resists grease and chemicals
- Bright yellow colour for high visibility
- Easy-to-operate switch
- Shatterproof lens
- Ribbed non-slip, non roll barrel
- Batteries not included

Energizer

Model No.	Mfg. No.	Description	Lumens
XD078	1151L	LED Industrial Flashlight	30
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-

CONTRACTOR® SERIES INTRINSICALLY SAFE LIGHTS

- Designed to meet the needs of hazardous work environments by combining the major performance advantages of LED without sacrificing brightness
- Chemical-resistant, anti-static polyethylene construction
- Carabiner belt hook on tall cap
- Survives 7' drop test
- CUL 913 Certified Intrinsically Safe for Class I, Groups A, B, C and D; Class II, Groups E, F and G; Class III
- CAN/CSA C22.2 No. 157-92
- IEC 60529 waterproof and dustproof
- AA batteries not included

Energizer

Model No.	Mfg. No.	Description	Avg life	Lumens
XC324	MS2AALED	Intrinsically Safe Lights	20 hrs	40
XB872	EN91	Replacement Batteries AA-Cell, 24/Pkg.	-	-

WOBBLELIGHT® SELF-RIGHTING WORK LIGHTS

Bright and dependable, the self righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

- Ideal anywhere temporary high-output lighting is needed, such as indoor and outdoor construction sites, manufacturing, plant maintenance, fire & rescue
- Floating shock system protects bulb from impact
- Counter-weighted self righting design
- 360° lighting out put adjustable to 180° with optional reflector
- Optional nylon reflector shield allows you to maintain 100% light source and focus it
- Internal ventilation system keeps light cool to the touch
- No set up – plugs into 120 VAC supply
- Available in 27" and 36" Heights
- Model **XC332**, **XC334 & XE603** include receptacle for connecting units in a series
- Certified for sale in Canada by an accredited certification body

Model No.	Mfg. No.	Description	Light Output Lumens	Lighting Area
XC746	WL85F	85 W Fluorescent, 27" High	5000	20'
XC332	WL175MH	175 W Metal Halide, 36" High	15 000	30-42'
XC334	WL400MH	400 W Metal Halide, 36" High	40 000	78-110'
XE603	11136LED	65 W LED, 36" High	5500	30'

ACCESSORIES

Model No.	Mfg. No.	Description
XC747	WL62230	180° Arc Reflector Shield for XC746
XC335	WL52230	180° Arc Reflector Shield for XC332, XC334 & XE603
XC749	111810	Replacement Transparent Dome w/Cap for XC746
XC453	111801	Replacement Transparent Dome w/Cap for XC332, XC334 & XE603
REPLACEMENT BULBS		
XC748	WL62260	Replacement Bulb for XC746
XE706	64030	Replacement Bulb for XC332
XC454	M400/U/ET18	Replacement Bulb for XC334
XE532	111965	Replacement Bulb for XE603

SIEGE® COMPACT LANTERNS

- C4 LED technology for extreme brightness
- A rugged, compact lantern
- 360° soft even lighting that illuminates a large area
- Multiple modes
- Stand it upright or to use as an overhead light hang it with the D-ring on base of lantern
- IPX7 waterproof to 1 m submersion
- 2 m impact resistance tested
- Floats so you can retrieve it if you drop it in the water
- Colour: Black/Green
- RoHS compliant
- Batteries not included

Model No.	Mfg. No.	Description	Beam Distance	Lumens High	Lumens Low	Run Time Hrs. High	Run Time Hrs. Low
XD340	44931	Lantern, 3 D-Cell Batteries	200 m	340	33	30	295
XB875	EN95	Replacement D-Cell Batteries, 12/Pkg.					
XE647	44941	Lantern, 3 AA-Cell Batteries	100 m	200	50	7	37
XB872	EN91	Replacement AA-Cell Batteries, 24/pkg.					

MINI MOBI LED INSPECTION LIGHTS

- 20 LEDs deliver 55 lumens
- Wide spread beam of clean white light
- Tough ABS body, rubber over-mold and shatterproof lens
- Integrated floor stand, hanging hook and magnet offer multiple working positions
- Run time: 3 hours (high) – 8 hours (70 % power)
- Includes 3 AA batteries
- Ideal for: Construction, industrial, maintenance industries

Model No. XD067
Mfg. No. E712848

REPLACEMENT BATTERIES

- AA, alkaline batteries, 24/pkg.

Model No. XB872

9480 REMOTE AREA LIGHTING SYSTEMS

- Lighting system with 3 preset output levels (1000, 3000 or 4000 lumens)
- Includes a mast with an extended height of 23.75" and 340° rotation
- Very versatile system with multiple deployment positions
- Maintenance free LED array with 50 000 hour life expectancy
- Includes a convenient shoulder strap
- Uses a 12 V rechargeable Sealed Lead Acid (SLA) batter
- Battery lasts between 6 and 28 hours depending on which output level is used
- Lighting range is highly variable and depends on the system's set-up
- Lamp Type: High Flux LED
- Wattage: 41.1 W
- Lamp Life: 50 000 hrs.
- Housing Material: Polypropylene
- Certified for sale in Canada by an accredited certification body

BLACK
Model No. XE696

YELLOW
Model No. XE697

INDUSTRIAL TROUBLE LIGHTS

- 75 watts
- Lightweight design
- Rugged impact resistant housing
- Grounded 25' cord
- On/Off switch handle
- **Includes:** Hanging hook and electric outlet
- Certified for sale in Canada by an accredited certification body

Model No. XC660

aurora tools

INDUSTRIAL FLUORESCENT WORK LIGHTS

- Cool running fluorescent bulb included
- Shatter resistant polycarbonate lamp shield
- Includes: full length reflector, switch and hook
- Models **XB906**, **XB907** and **XB967** alsohave a magnet mount and outlet
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT

Model No.	Description	Length"
COMPACT TWIN-TUBE		
XB906	13 W, 25' Cord, 16/3 SJT	13
XB907	13 W, 50' Cord, 16/3 SJT	13
XB967	26 W, 25' Cord, 16/3 SJT, Dual Twin-Tube	15
XA251	Replacement Bulb, Rough Service (for XB906 and XB907)	-
XC409	Replacement Bulb (for XB967)	-
LINEAR FLUORESCENT		
XB968	15 W, 25' cord, 18/2 SJT	26

RECHARGEABLE LED WORK LIGHTS

- Cool running, cold-temperature operable, and highly energy efficient
- Bright white LED's provide extremely long lamp life (50 000 hours average)
- Dual-stage switch provides two brightness levels
- NiMH battery operates 3-4 hours on high, and 7-8 hours on low setting
- **Includes:** Low-battery indicator, carrying case and charging cradle with battery monitor
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT

Model No.	Description
XC417	48 LED Rechargeable Light with Carrying Case

RECHARGEABLE FLUORESCENT WORK LIGHTS

- Utilises a long lasting fluorescent bulb which delivers excellent light in a highly portable package
- 13 W cool operating • 900 lumens
- Rechargeable 7.2 V NiMH battery pack
- 90-minute run time with full charge
- Convenient rotating hanging hook
- Stands upright on its base
- Extra battery pack allows continuous use of the light while the other is charging (Model No. **XC419**)
- **Includes**: Battery pack, 120 V charging cradle and 12 V auto adaptor cord
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT

Model No.	Description
XC418	13 W Rechargeable Fluorescent Work Light
XC419	Spare Battery Pack for XC418
XC470	Replacement Bulb for XC418

INDUSTRIAL WORK LIGHTS

INCANDESCENT WORK LIGHTS

- Grounded convenience outlet
- On/Off switch handle
- Models **XA175**, **XA918**, **XB987** and **XB988** feature a circuit breaker
- Models **XB987** and **XB988** feature a cord that stays flexible in cold temperature
- Certified for sale in Canada by an accredited certification body
- Accepts up to 100-watt incandescent or CFL bulb

LIND EQUIPMENT

Model No.	Description
XA175	25' Cord, 14/3 SJTW, 15 A
XA918	50' Cord, 14/3 SJTW, 15 A
XB987	25' Cord, 16/3 SJTWO, All Temperature, 13 A
XB988	50' Cord, 16/3 SJTWO, All Temperature, 13 A
XB990	50' Cord, 16/3 SJT, 13 A
XB123	Replacement Bulb

LED WORK LIGHTS

- Latest in LED technology brings bright, long-lasting and energy-efficient lighting to your toughest tasks
- Cool running, cold-temperature operable and highly energy efficient
- Bright white LED's provide extremely long lamp life (50 000 hours average)
- 50 LED, 15' 16/3 SJT cord, 13 A grounded outlet, removable magnet mount and dual hooks
- **Includes:** On/off switch, hanging hook and focused reflector
- Certified for sale in Canada by an accredited certification body

Model No. XC413

LIND EQUIPMENT

HAND-HELD & PORTABLE FLOOD LIGHTS

- 500-watt weatherproof fixture
- 8', 16-gauge heavy-duty cord
- Comfortable foam grip (**XA143** and **XA145**)
- Screw-type clamp mounts light anywhere you need it, including ladders or scaffolding **(XA143)**
- Lights up to 5000 sq. ft.
- **Model XA145:** Powerful 40 lbs. pull strength magnet quickly attaches to metal surfaces
- **Model XA638:** PVC coated solid steel base
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT

Model No.	Description
XA143	Hand-Held Flood Lights with Clamp
XA145	Hand-Held FloodLights with Magnet
XA638	Industrial Portable Flood Lights
XC464	Replacement Bulb

TWIN HEAD HALOGEN WORK LIGHTS

- Twin 500-watt halogen lights
- Heat resistant tempered glass face
- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- Colour: Black and yellow
- Halogen bulbs included
- Certified for sale in Canada by an accredited certification body

Model No. XC950

REPLACEMENT BULB
Model No. XC951

aurora tools®

HEAVY-DUTY WORKLIGHTS

- 500-watt weatherproof fixture
- Tempered glass lens
- Chrome-plated, solid steel guard
- Shock-resistant double insulated wiring
- 500 W colour-corrected quartz halogen bulb included
- Powder-coated steel construction
- Rubber leg tips protect floors and surfaces
- Certified for sale in Canada by an accredited certification body

REPLACEMENT BULB FOR ALL THREE STYLES
Model No. XC464



XA140

LIND EQUIPMENT

1' TO 3' TELESCOPIC

- 8', 16-gauge heavy-duty chemical and abrasion resistant cord
- Collapsible steel base
- Lights up to 6000 sq. ft.

Model No. XA150

4' TO 8' TELESCOPIC

- Double-reinforced sandbaggable steel base expands to 48"
- 15', 16-gauge heavy-duty chemical and abrasion resistant outdoor cord
- Lights up to 7000 sq. ft.

Model No. XA140

4' TO 8' TELESCOPIC TWIN

- Twin 500-watt heads
- Fixtures independently adjustable 360°
- Two 10 A switches
- Double-reinforced sandbaggable steel base expands to 48"
- 15', 16-gauge heavy-duty chemical and abrasion resistant cord
- Lights up to 14 000 sq. ft.

Model No. XA141

RECHARGEABLE LED WORK LIGHTS

- 90 and 160 super bright LED lights
- Lightweight design
- Rugged impact resistant housing
- 3-4 hour run time on full charge
- Includes: Hanging hook, powerful magnet, 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body



XC661

Model No.	No. of LED
XC661	90
XC662	160

PORTABLE HALOGEN WORK LIGHTS

- 500-watt halogen work light
- Heat resistant tempered glass face
- Adjustable tilting head
- Colour: Black and yellow
- Halogen bulb included
- Certified for sale in Canada by an accredited certification body

Model No. XC949

REPLACEMENT BULB
Model No. XC951

aurora tools®

ENERGY EFFICIENT FLUORESCENT FLOODLIGHTS

- 65 W cool-running, energy efficient fluorescent floodlight
- Light output equivalent to 300 W incandescent but with much less energy use
- Aluminum frame, tempered glass lens
- Energy Star® certified

Model No. XC469

LIND EQUIPMENT

RECHARGEABLE LED WORK LIGHTS

- 26 super bright LED lights
- 3-4 hour run time with full charge
- Includes: 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Model No. XC663

HEAVY-DUTY MOLDED LED STRINGLIGHTS

- Rugged 12/3 or 12/2 STW cable is high visibility yellow
- Can be linked together for longer runs
- Sockets are rated for a max. 120 V, 150 W A23 bulbs
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT

XB979

XE853

Model No.	Length'	Wire Type	No. of sockets	Guard Style
XB979	50'	12/3	5	Plastic Cage
XB980	50'	12/3	5	Metal Cage
XE852	50'	12/3	5	Polycarbonate LED Lamp Array
XE854	35"	16/3	1	Plastic Cage
XB981	100'	12/3	10	Plastic Cage
XB982	100'	12/3	10	Metal Cage
XD062	100'	12/2	10	Plastic Cage
XE853	100'	12/3	10	Polycarbonate LED Lamp Array

ACCESSORIES

Model No.	Description
XB119	Standard Coat Replacement Bulb
SA0746	Replacement Plastic Head
SA0747	Replacement Metal Head

STELLA EXIT SIGNS

- C860 approved
- Features 120/347 VAC dual input (hardwire) and universal DC; 6 - 24 VDC or self powered
- Uses 2 W LED board
- Long life LED light source
- Knockout chevrons
- 20-gauge steel construction with baked powder coat white paint finish
- Pre-stamped universal mounting and keyhole slots on backplate

XB930

XB933

Model No.	Mfg. No.	Description	Dimensions W"	x	D"	x	H"
XB930	SLE-SP-L-R-U-M	Exit	12	x	2.25	x	7.5
XB933	SLS-L-R-U-M-UDC	*Sortie*	18.5	x	2.25	x	7.5

STELLA RUNNING MAN EXIT SIGNS

- Feature 120/347 VAC dual input (hardwire), universal DC; 6-24 VDC or self-powered
- Running Man sign uses a 2 watt LED source
- Long life LED light source
- Universal pictograms included showing left indicators, right indicators and no indicators
- 20-gauge steel construction with white baked powder coat paint finish
- Pre-stamped universal mounting and keyhole slots on backplate

Model No. XE661
Mfg. No. SL-RM-L-U-0LR-M (AC)

Model No. XE662
Mfg. No. SL-RM-SP-L-U-0LR-M (Self-powered)

Model No. XE663
Mfg. No. SL-RM-L-U-0LR-M-UDC (6-24 VDC)

XE661

NOVA EMERGENCY LIGHTING UNITS

- 120/277/347 VAC input
- Push button test switch
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Solid state transfer charger
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9 W tungsten heads
- 20-gauge steel construction with baked powder coat white paint finish
- Pre-stamped universal mounting and keyhole slots
- Output 6 VDC or 12 VDC at rated wattage for 30 minutes
- Batteries included

XA439

XA190

Model No.	Mfg. No.	Replacement Batteries	Voltage Output	Watts Output 1/2 hr.	1 hr.	1 1/2 hr.	2 hr.
XA190	NV-636/2SR	XA604	6	36	18	12	9
XA438	NV-650/2SR	XB921	6	50	25	17	12
XA439	NV-680/2SR	XA605	6	80	40	26	20
XA440*	NV1272/2SR	XA604	12	72	36	24	18
XA441*	NV12120/2SR	XA605	12	120	80	65	25
XA442*	NV12150/2SR	XA605	12	150	80	65	40
XA443*	NV12180/2SR	XB922	12	180	100	60	45
XA444**	NV12250/2SR	XB922	12	250	125	83	62
XA445	NV12360/2SR	XA606	12	360	180	120	90

REPLACEMENT BULB		Description
XB338	LP104	9 W Tungsten

* Two batteries required
** Three batteries required

STELLA COMBINATION SIGNS

- C860 approved
- LED EXIT and *SORTIE* models 120/347 VAC dual input (hard wire)
- Push button test switch
- Self-powered for minimum 30 minutes -6 VDC 36 W
- Solid state transfer charger
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9 W tungsten heads
- Knockout chevrons
- 20-gauge steel construction with baked powder coat white paint finish

Model No.	Mfg. No.	Description
XB929	SLE-6-36-L-R-U-M-2SR/9W	Exit
XB932	SLS-6-36-L-R-U-M-2SR/9W	*Sortie*
REPLACEMENT BULB		
XB338	LP104	9 W Tungsten

STELLA RUNNING MAN COMBO EXIT SIGNS

- Running Man models are supplied with 120/347 VAC dual input (hardwire)
- Push button test switch
- Self-powered for minimum 30 minutes – 6V DC 36W
- Solid state transfer charger
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9-watt tungsten heads
- Universal pictograms included showing left indicators, right indicators and no indicators
- 20-gauge steel construction with white baked powder coat paint finish
- Certified for sale in Canada by an accredited certification body

Model No. XE664
Mfg. No. SL-RM-6-36-L-U-0LR-M-2SR/9W

SEALED LEAD ACID BATTERIES

XA604

XB922

Model No.	Mfg. No.	Description
XA604	BA-6-5.0BB	6 V, 5 Ampere-Hour
XA605	BA-6-12.0BB	6 V, 12 Ampere-Hour
XA606	BA-12-32.0BB	12 V, 32 Ampere-Hour
XB921	BA-6-7.2BB	6 V, 7.2 Ampere-Hour
XB922	BA-12-7.2BB	12 V, 7.2 Ampere-Hour

OUTDOOR VINYL EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJTW, 300 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC482	25	14/3	15	1875	Orange
XC483	50	14/3	15	1875	Orange
XC484	100	14/3	13	1625	Orange
EXTRA HEAVY-DUTY					
XC485	25	12/3	15	1875	Yellow
XC486	50	12/3	15	1875	Yellow
XC487	100	12/3	15	1875	Yellow

XC485

OUTDOOR VINYL TRIPLE TAP EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJTW, 300 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC488	25	14/3	15	1875	Red
XC489	50	14/3	15	1875	Red
XC490	100	14/3	13	1625	Red
EXTRA HEAVY-DUTY					
XC491	25	12/3	15	1875	Red
XC492	50	12/3	15	1625	Red
XC493	100	12/3	15	1625	Red

XC491

ALL WEATHER TPE-RUBBER EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking

3-CONDUCTOR SJEOW, 300 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC500	25	14/3	15	1875	Blue/Orange
XC501	50	14/3	15	1875	Blue/Orange
XC502	100	14/3	15	1625	Blue/Orange
EXTRA HEAVY-DUTY					
XC503	25	12/3	15	1875	Blue/Orange
XC504	50	12/3	15	1875	Blue/Orange
XC505	100	12/3	15	1875	Blue/Orange

XC500

ARCTIC BLUE™ ALL-WEATHER TRIPLE TAP TPE-RUBBER LIGHTED END EXTENSION CORDS W/PRIMELIGHT®

- Arctic Blue™ cords are designed for use by contractors and industrial personnel
- All weather cordset made for outstanding performance in extreme climate conditions at temperatures from -58°F to 221°F (-50°C to 105°C)
- Superior resistance to ozone, oils, chemicals and rough handling
- Flame retardant and water resistant
- Primelight® indicator light allows you to see there is power to the cord

3-CONDUCTOR SJEOW, 300 V GROUNDING

Model No.	Length'	AWG	AMPS	Watts	Colour
EXTRA HEAVY-DUTY					
XB902	25	12/3	15	1875	Blue/Orange
XB903	50	12/3	15	1875	Blue/Orange
XB904	100	12/3	15	1875	Blue/Orange

XB904

NEMA 5-15R

NEMA 5-15P

OUTDOOR VINYL EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Ultra flexible cord
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- Water-resistant and flame retardant

XC494

3-CONDUCTOR SJTOW, 300 V GROUNDING, OIL RESISTANT

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XC494	25	12/3	15	1875	Yellow
XC495	50	12/3	15	1875	Yellow
XC496	100	12/3	15	1875	Yellow

OUTDOOR TRIPLE TAP VINYL EXTENSION CORDS WITH LIGHT INDICATOR

- Same great features as outdoor single tap vinyl extension cords but with a lighted triple tap connector

XC497

3-CONDUCTOR SJTOW, 300 V GROUNDING, OIL RESISTANT

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XC497	25	12/3	15	1875	Yellow
XC498	50	12/3	15	1875	Yellow
XC499	100	12/3	15	1875	Yellow

INDOOR/OUTDOOR STANDARD-DUTY EXTENSION CORDS

- Designed for light industrial, contractor, and home use
- Durable SJTW jacket protects against ultraviolet rays, chemicals and moisture
- Extremely flexible jacket
- Molded-on and bonded plugs and connectors resist breaking

XC630

3-CONDUCTOR SJTW, 125 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
XC630	10	16/3	13	1625	Orange
XC631	15	16/3	13	1625	Orange
XC632	25	16/3	13	1625	Orange
XC633	50	16/3	13	1625	Orange

NEON FLEX® HIGH VISIBILITY NEON COLOUR OUTDOOR EXTENSION CORDS W/PRIMELIGHT®

- Combine all the features of a standard vinyl outdoor extension cord with ultra-high-visibility neon colours
- Brighter than other coloured cords and also extremely shiny
- Flame retardant and water-resistant
- Nickel coated brass blades resist corrosion
- Primelight® connector allows you to see when the power is on
- Ulltra flexible, contractor tough

XB891

NEMA 5-15P

NEMA 5-15R

3-CONDUCTOR SJTW, 300 V GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XB890	50	12/3	15	1875	Neon Green
XB891	100	12/3	15	1875	Neon Green
XB892	50	12/3	15	1875	Neon Pink
XB893	100	12/3	15	1875	Neon Pink

7000WR PRO-REEL™ CORD CARRIERS

- Stores up to 100' of 12/3 extension cord
- Made of heavy-duty, high impact plastic for durability
- Mounts on wall (bracket and template included)

Model No. XA761

LIND EQUIPMENT



WIND-UP EXTENSION CORD

- 4 Grounded outlets
- Built-in resettable circuit breaker
- Length: 25'
- Gauge (AWG): 16/3
- Amperage: 10 A
- Wattage: 1250 W

Model No. XE671

aurora tools®

CORD CADDIES

- 25' cord reel with four outlets
- Built-in resettable circuit breaker
- 16/3 SJT cable
- 12 A, 1500 W

Model No. XC615

c UL us

PRIME®

GFCI PROTECTED TRI-CORDS

- Features three NEMA 5-15R receptacles at the end of a heavy-duty molded T-head
- Perfect for outdoor, rugged, construction type environments
- 2' 12/3 SJTW cord
- 120 V/15 A
- Available with right angle plug (**XA468**) or with in-line plug (**XC519**)
- Certified for sale in Canada by an accredited certification body

Model No. XA468
Model No. XC519

LIND EQUIPMENT

IN-LINE GFCI CORD SETS

- Excellent for use with high pressure washers, power drain snakes, submersible pumps and any equipment used in or around wet areas
- Rainproof rated with booted test and reset buttons
- Standard 14" length (other lengths available upon request)
- Certified for sale in Canada by an accredited certification body
- **XA466** includes 120 V/20 A straight blade ends

LIND EQUIPMENT

Model No.	Cord Type	NEMA P & R	Volts /Amps
XE722	12/3 SJTW	5-15	120 V/15 A
XA466	12/3 SJTW	5-20	120 V/20 A

PLUG & CORD SETS

- Ideal for use with any equipment used in or around wet areas
- Rainproof rated with booted test and reset buttons
- 9" 14/3 SJTW cord
- NEMA 5-15 P & R, 120 V/15 A
- Certified for sale in Canada by an accredited certification body

Model No. XA463

LIND EQUIPMENT

SHOCKSAFE® INLINE GFCI TRIPLE-TAP ADAPTER

- Triple lighted tap
- 3' 12/3 SJTW cord
- 125 V/15A

Model No. XC614

PRIME®

GFCI QUAD OUTLET BOXES

- Four GFCI protected NEMA 5-15R outlets enclosed in an impact resistant polymer case with spring-loaded covers
- 15 A "fast breaker" is built into the box for convenient reset should an overload condition occur
- 6' 12/3 SJTW cord
- 120 V/15 A
- Certified for sale in Canada by an accredited certification body

Model No. XA467



LIND EQUIPMENT

GFCI & CIRCUIT TESTER

- Increasing the test impulse setting until the GFI trips, will determine the leakage-current trip point for the GFCI under test
- Meter produces adjustable mA test impulses at 4-second intervals
- Tests and indicates condition of GFCI's and circuits
- Easy-to-read indicator lights display wiring errors
- Adjustable test impulses:
  0 mA and 3 mA trip - unit too sensitive
  5 mA and 7 mA trip - unit acceptable
  10 mA and 30 mA trip - unit not safe

Model No. HC704

GREENLEE

LIND EQUIPMENT

Positive latching mechanism allows the cord to be extended to any length required and automatically held in place. An adjustable ball stop provides easy height adjustment. Hardware included for either ceiling or wall mount.

INDUSTRIAL CORD REELS

- Provide secure wall or ceiling mounting
- A release tab on the mounting bracket quickly and easily converts the reel from stationary to portable use
- Large, comfortable carrying handle
- The non-metallic composite housing ensures a prolonged, corrosion-free service life
- Certified for sale in Canada by an accredited certification body

DB978



Incandescent Work Light



Fluorescent Work Light

Model No.	Cable Length'	Cable Type	Termination	Outlet Rating
DB978	40	12/3 SJTW	Triple Outlet	15 A, Breaker Protected
DB979	50	14/3 SJTW	Triple Outlet	13 A, Breaker Protected
DB980	50	14/3 SJTW	Incandescent Light	13 A, Breaker Protected
DB981	50	16/3 SJTW	26 W Fluorescent Light	7 A

LE9000 SERIES HEAVY-DUTY CORD REELS

- Durable all-steel weatherproof construction, NEMA4 weatherproof rating
- Adjustable cable guide arm (12 positions)
- Strong ratchet can be disengaged for constant tension
- Adjustable ball stop
- 6' feeder cord
- Standard SJOW or SOW cable
- Approvals: CSA, UL

XC737

LIND EQUIPMENT

Model No	Cord Length'	Description	Rating
XC736	30	14/3 SJOW Incandescent Light	15 A
XC737	30	14/3 SJOW Single Outlet (5-15R)	15 A
XC739	30	14/3 SJOW Quad-Box (5-15R)	15 A
XC741	50	14/3 SJOW Incandescent Light	15 A
XC742	50	14/3 SJOW Single Outlet (5-15R)	15 A
XC743	50	12/3 SJOW Single Outlet (5-20R)	20 A
XC744	50	14/3 SJOW Quad-Box (5-15R)	15 A
XC745	50	12/3 SJOW Quad-Box (5-20R)	20 A

INCANDESCENT WORK LIGHT REELS

- Incandescent work light is rated for a 75 W bulb
- Includes switch and circuit breaker protected outlet
- Grounded metal guard with reflector protects the bulb
- Certified for sale in Canada by an accredited certification body

Model No.	Cable Length'	Outlet Description	Rating
XA640	20	18/3 SVT Cord	7 A
XA155	30	16/3 SJT Cord	10 A
XA921	50	18/3 SVT Cord	7 A
XB122	-	Replacement Bulb	-

XA155

INDUSTRIAL 15A CORD REELS

- Four 5-20R grounded outlets providing a full 15 A of power
- Power "ON" light indicator
- 20' of 12/3 SJTOW oil resistant and cold weather flexible cable
- Strong steel housing and epoxy finish enable the reel to be used in most industrial environments
- 15 A Circuit breaker protection against power overloads, which have the potential to cause electrical fires
- Hardware for ceiling or wall mounting included
- Certified for sale in Canada by an accredited certification body

Model No. XD052

EXTENSION REELS

- Triple outlet extension reel accomodates three tools
- Circuit breaker protects against power overloads, which can cause electrical fires
- Certified for sale in Canada by an accredited certification body

Model No.	Cable Length'	Outlet Description	Rating
XA154	30	16/3 SJT Cord	10 A
XB281	30	14/3 SJT Cord	13 A

XA154

FLUORESCENT WORK LIGHT REELS

- 13 W compact fluorescent work light is cool running
- Includes switch, hanging hook and full-length reflector
- Shatter-proof polycarbonate shield allows tool-free lamp replacement
- Light output is 900 lumens
- Certified for sale in Canada by an accredited certification body

XA289

Model No.	Cable Length'	Description
XA289	40	18/2 SJT Cord
XA412	30	16/3 SJT Cord, 9 A Outlet in Light

CORD REELS

Spring retractable cord reels are available in 3 styles. Standard female receptacle, LED and fluorescent lamp. Engineered for industrial use, these units are also compact, can be installed on walls, ceilings or under a tool bench.

Dimensions: 12 5/8" L x 9 3/8" W x 13 1/4" H.

All units feature 125 V SJTOW cord.

Certified for sale in Canada by an accredited certification body

TNB516

XA172

REELCRAFT

Model No.	Max. Amps	Cable Length'	Gauge	Wt. lbs.
LED				
TNB516	13	50	16/3	27
FLUORESCENT				
XA174	0.3	50	16/2	26
SINGLE OUTLET				
XA172	13	50	16/3	26

LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- Fully enclosed 2-speed motor
- 6' SJT power cord
- Stem length for pedestal: 89-124 cm

Model No.	Description	HP	Voltage	CFM Max.	CFM Min.
OSCILLATING					
EA282	26" Pedestal	1/4	120	7525	4050
EA283	30" Pedestal	1/3	120	8778	6780
EA284	26" Wall Mount	1/4	120	7525	4050
NON-OSCILLATING					
EA571	30" Pedestal	1/3	120	8000	7000

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm

Model No.	Description	HP	Voltage	CFM Max.	CFM Min.	No. of Speeds
OSCILLATING						
EA645	24" Wall Mount	1/4	120	11 500	7680	2
EA649	30" Wall Mount	1/4	120	10 780	7760	2
EA643*	24" Pedestal	1/4	120	11 800	7760	2
EA647*	30" Pedestal	1/3	120	13 200	6700	2
NON-OSCILLATING						
EA644	24" Wall Mount	1/4	120	11 500	7680	2
EA648	30" Wall Mount	1/4	120	10 780	7440	2
EA642*	24" Pedestal	1/4	120	11 800	7760	2
EA646*	30" Pedestal	1/4	120	10 780	7440	2

*Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY INDUSTRIAL AIR CIRCULATING FANS

- 115 V, 1/3 HP, 1 phase, 3 speed, totally enclosed air over ball bearing motor
- Patented modular motor end dome for easy maintenance
- Oscillating and non-oscillating
- Energy efficient - lowest watts per CFM
- Ultra quiet die cast aluminium airfoil propeller
- Wall and I-beam mounts able to be installed by one individual
- Includes: Cord and plug
- Meets OSHA standards

5-YEAR WARRANTY

Airmaster® Fan Company

Model No.	Description	F.L. Amps	CFM High	CFM Med	CFM Low	RPM High	RPM Med	RPM Low	Wt. lbs.
OSCILLATING									
EA353	24" Pedestal	2.5	5387	4356	3125	1070	850	628	89
EA355	30" Pedestal	2.6	7996	5859	4063	1045	789	561	95
EA354	24" Wall Mount	2.5	5387	4356	3125	1070	850	628	60
EA356	30" Wall Mount	2.6	7996	5859	4063	1045	789	561	64
NON-OSCILLATING									
EA349	24" Pedestal	2.5	5588	4556	3325	1110	900	700	85
EA351	30" Pedestal	2.8	8402	6259	4463	1098	880	660	87
EA350	24" Wall Mount	2.5	5588	4556	3325	1110	900	700	56
EA352	30" Wall Mount	2.8	8402	6259	4463	1098	880	660	60

Note: Performance Ratings are conducted in accordance with AMCA Standard 230-99

24" ROLL-ABOUT AIR FANS

- 120V, 1/5 HP, 3 speed motor
- Cart mounted fan for increased air circulation and optimal mobility
- Can be tilted/ positioned to maximise ventilation
- Cart and frame configuration provide stable quiet operation
- CFM: 10 760 (high), 7770 (medium), 7040 (low)

Model No. EA476

LIGHT INDUSTRIAL DIRECT DRIVE DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction, painted black
- 6' SJT power cord
- 6" casters and easy moving handle

Model No.	Blade size"	HP	Watts	CFM High	CFM Low	Wt. lbs.
EA286	28	2/5	290	8050	6650	22
EA288	36	3/5	405	11200	9100	30.5

6" CLIP-ON & DESK FANS

- 2-speed, low and high settings
- Tilting head
- Fully assembled and ready for use
- Convertible clip and desk feature
- Weight: 2.21 lbs.

Model No. EA304

Convertible Clip Included

OSCILLATING DESK FANS WITH PUSH BUTTONS

- 3-speed push buttons controls
- Rotating or fixed air direction
- Portable and easy to assemble
- Topple resistant base

Model No.	Dia."	Wt. lbs.
EA305	12	5.5
EA306	16	6.83

16" WALL MOUNT OSCILLATING FANS

- 3-speed control with timer and remote
- Rotating or fixed air direction
- Easy to assemble
- Weight: 8.82 lbs.

Model No. EA526

20" BOX FANS

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Weight: 9.92 lbs.

Model No. EA527

18" OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble
- Weight: 19.84 lbs.

Model No. EA551

HIGH VELOCITY FLOOR FANS

- 120 V/60 Hz, 1/4 HP, 3-speed motor
- All metal construction, chrome grill and base

EA290

Model No.	Diameter"	CFM High	CFM Med	CFM Low	Wt. lbs.
EA528	16	2370	1950	1560	10
EA290	18	4725	3850	2975	16.18

20" HIGH VELOCITY PEDESTAL FANS

- 120 V/60 Hz, 1/5 HP, 3-speed motor
- All-metal construction, chrome grill, black painted base
- Adjustable pedestal base
- 6' SJT power cord
- CFM: 5950 high, 4550 medium, 3850 low
- Overall height: 134-157.5 cm
- Base dia.: 48.5 cm
- Stem length: 63-86.5 cm
- Weight: 36 lbs.

Model No. EA289

18" CART MOUNTED FANS

- 115 V, 1/8 HP, 1 phase, 3-speed, open drip proof, ball bearing motor
- Adjusts on 360°
- Nickel chrome guards meet OSHA regulations
- Four-position easy reach switch with 10' three-conductor cord and plug
- Aluminum propellers
- 4" casters
- CFM: 2966 high, 2437 medium, 2013 low
- RPM: 1600 high, 1350 medium, 1180 low
- Weight: 23 lbs.
- 1-year warranty

Model No. EA335

Airmaster® Fan Company

PORTABLE FAN-FORCED UTILITY HEATERS

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards

Model No.	Volts	Watts	BTU/H	Amps
EA598	120	1300/1500	4435/5120	10.8/12.5

PORTABLE OPEN COIL HEATERS

- Two heat settings (1500 W and 1000 W)
- Provide full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls

Model No.	Volts	BTU/H	Watts	Amps
EA469	120	3410/5120	1000/1500	8.3/12.5

PORTABLE FAN-FORCED CONVECTION HEATERS

- Two heat settings (1500W and 750W) provide full comfort and efficient operation
- Adjustable thermostat
- Wide-angle oscillation
- Tip over safety switch and thermal limit control

Model No.	Volts	Watts	BTU/H	Amps
EA597	120	750/1500	2560/5200	6.25/12.5

PORTABLE FAN-FORCED/ RADIANT UTILITY HEATERS

- Three heat settings provides full comfort and efficient operation
- 600 W radiant
- 900 W fan forced
- 1500 W fan forced and radiant
- Chrome-plated safety grill
- Automatic built-in thermostat
- Ceramic core element
- Tip over safety switch and thermal limit

Model No.	Volts	Watts	BTU/H	Amps
EA466	120	600/900/1500	2048/3072/5120	5.0/7.5/12.5

PORTABLE CERAMIC HEATERS

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse

Model No.	Volts	Watts	BTU/H	Amps
EA599	120	750/1500	2560/5200	6.25/12.5

OIL-FILLED HEATERS

- 7-fin, oil-filled heater
- Three heat settings provide full comfort and efficient operation
- Adjustable thermostat
- Built-in over heating protection

Model No.	Volts	Watts	BTU/H	Amps
EA612	120	1500	5120	12.5

CONTRACTOR HEATERS

- Built-in thermostat
- Safety high temperature limit
- Steel spiral fin brazed to metal sheath elements for maximum heat transfer
- 6' heavy-duty cord
- Built-in handle/cord storage
- Permanently lubricated motor

Model No.	Volts	PH	Watts	BTU/H	Amps	Plug Type	Wt. lbs.
EA477	240	1	5600	19 110	23.34	#6-30P	12
EA561	240	1	4800	16380	20	#6-30P	12

PORTABLE CERAMIC HEATER

- Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
- Adjustable thermostat
- Big carry handle
- Type: Ceramic
- Power Source: Electric

Model No.	Volts	BTU Rating Min	BTU Rating Max
EA650	120	2560	5200

PORTABLE UNDER DESK RADIANT HEATER

- Two heat settings: High or Low
- Thin and lightweight
- Includes fold-out metal floor stand
- Type: Radiant Heat
- Power Source: Electric
- Voltage: 120 V
- BTU Rating: 580 BTU/H

Model No. EA651

HEAVY-DUTY CEILING MOUNT HEATERS

- Rugged heavy-duty industrial heaters
- Ideal for use in barns, storage rooms, workshops, garages, warehousing
- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- 240 V

Model No.	Max. BTU Rating	Max. Wattage	Motor
EA532	17 060 BTU/H	5000 W	Open
EA652	25 600 BTU/H	7500 W	Enclosed

PORTABLE ELECTRIC BLOWER HEATERS

- Heavy-duty fin-tube metal heating element
- Fan-only operation for summer cooling
- Safe to operate in unattended areas
- Shipped fully assembled
- 240 V, 10 kW, 41.7 A, 32 120 BTU/H

Note: for indoor use only with ceiling heights of 15' or less

Model No. EA101

Area Size sq.ft.	Temperature Rise 10°C	19°C
1000	70 min	140 min
1500	105 min	210 min

FAN-FORCED ZONAL WALL HEATERS

- Built-in thermostat
- European styling: sleek rounded corners
- Dual protection: thermal cutout with indicator light and one time thermal fuse
- Fast coil response element assures quick heat and low maintenance

Model No.	Volts	Watts	Amps	BTU/H
EA030	120	1500/1120/750/375	12.5/9.4/6.3/3.1	5118/3838/2560/1280
EA031	240	2000/1500/1000/500	8.3/6.3/4.2/2.1	6824/5118/3412/1706
	208	1500/1125/750/375	12.5/9.4/6.3/3.1	5118/3838/2560/1280

SUN BLAST® HEATERS

- Efficient, heats radiantly, directly, no loss of heat to the air
- Economical, no electricity required
- Fits on a standard 20 lb. LP cylinder
- Variable BTU ouput
- Manual ignition
- Front and back protective grill
- No assembly required
- Heater shuts off automatically with loss of flame
- Natural gas version also available

Model No.	Mfg. No.	Description	Rating BTU/H Min.	Max.
JG966	SUN BLAST 15	Single Tank-Top Radiant Heater	9000	15 000
JG967	SUN BLAST 30	Double Tank-Top Radiant Heater	9000	30 000

-A-

Absorbents 220-221
Accident Prevention Tags 297-299
ADF Filters 131, 134-135
Admittance Signs 306-307
Air Quality Monitors 390
Airport Windsocks 333
Aisle Marking Tape 335-336
Alarms, Smoke 196
Aluminized Gloves 142
Anchorage Connectors 87-89
Anchors
- Beam Clamp 88
- Cross-Arm Strap 89
- D-Bolt 87, 89
- Friction Bolt 87

Antibacterial Soap 274-275
Antibacterial Wipes 59
Anti-Fatigue Matting 344-348, 350, 352-355
Antiseptics and Ointments 267
Anti-Skid Cleats 336-337
Anti-Skid Tape 336-337
Anti-slip Snow Shoes 185
Anti-Static Matting 351
Anti-Vibration Gloves 168-169
Aprons 98-99, 102-103, 138
Arc Flash Clothing
- Coats 121
- Coveralls 117-118, 121
- Hoods 121-122
- Jackets 118
- Overalls 118, 121
- Pants 117
- Shirts 117

Arc Flash Clothing Kits 121-122
Arc Rated Harness 73
Arc Rated Lanyards 82
Arm, Splints 270
Arm/Leg Bands, Traffic Control 114
Ashtrays 198
Automotive Seat Cover 112
Axial Blowers 62

-B-

Back Supports 188
Backboard, Spinal 270
Bags, Garbage 365-366
Bags, Tool 92
Balaclavas 120
Ball Pein Hammers, Non-Sparking 124
Ball Valve Lockouts 293, 295-296
Bandages 264-266
Bands, Hearing 31-32
Banners, Traffic Control 322
Barricade Tape 334
Barricades, Traffic Control 331, 338
Bars
- Crowbars 124
- Pinch 124
- Pry 124
- Traffic Cone 327

Base, Crowd Control 338
Basins 268
Baton Light 322
Batteries 399, 403
Beaded Chain 301
Beam Clamp Anchors 88
Beam Clamps 89
Beam Trolleys 89, 379
Beanies, Welding 139
Belt Holsters, Flashlight 396-397
Benzalkonium Towelettes 267
Berms, Spill Control 218, 243, 245
Bibs, Leather 138
Bibs, Welding 138
Binders, MSDS 315
Binders, SDS 315
Blank Tags 300-301
Blankets
- Burn Care 269
- Fire Resistant 197, 269
- First Aid 271
- Welding 128

Blowers 62
Bollards 329, 332
Bonding & Grounding Wires 204, 387
Booms, Spill Control 216
Boot, Decontamination 353
Boot & Shoe Cleaners 359
Boot Brushes 359
Boot Covers 96, 103, 182, 359
Boot Sanitizer 353
Boot Trays 359
Boots
- Chemical Resistant 181
- Knee 181-182
- Waders 183
- Winter 184-185
- Work 182-183

Bottles, Dispenser 209
Box Trucks 370
Boxes
- Key 197
- MSDS 205
- Outlet 406

Braces, Tennis Elbow 189
Brackets, Gas Cylinder 127
Brass Tags 301
Broadcast Spreaders 371
Brooms, Corn 362
Brooms, Push 362
Brushes, Boot & Shoe 359
Buckets 362
Bump Caps 20, 22
Bung Wrenches 386
Burn Care 269
Butterfly Wound Closures 265

-C-

Cabinet Carts 200
Cabinet Tip Screwdrivers 125
Cabinets
- Acid/Corrosives 199, 204-205
- Drum 203
- Extinguisher 195
- First Aid 263
- Flammables 199-202, 204
- Gas Cylinder 126
- Paint and Ink 199, 202-203

Cable Lockouts 293
Cable Protectors, Dock 324
Cable Ties 301
Caddy, Waste Container 367
Cafeteria Supplies, Coolers 193
Calibration Gas Regulator 60
Cans
- Drip 208
- Garbage 365-367
- Gas 209
- Jerry 209
- Oily Waste 208
- Plunger 208
- Safety 206-207

Caps, Bump 20, 22
Caps, Welding 139
Carabiners 87, 90
Carbon Monoxide Meters 61
Cartridges, Respirator 50, 54-58
Carts
- Cabinet 200
- Drum 234
- Gas Cylinder 127
- Janitorial 363
- Order Picking 374
- Shelf 372-373
- Shop 372-374
- Stock Picking 373
- Utility 373
- Welding 127

Cases, Eyewear 14
Casters 129, 383
Caution Tags 299
Ceiling Mounted Heaters 411
Centrifugal Blowers 62
Chain, Beaded 301
Chain, Crowd Control 341
Channelizers, Traffic Control 328
Chaps, Welding 138
Chemical Hazard Signs 306-307
Chemical Resistant Boots 181
Chemical Resistant Clothing
- Aprons 98-99, 102
- Coveralls 106-108

Chemical Resistant Gloves 155-160
Chest Protectors, Welding 134
Chest Waders 183
Chocks, Wheel 325
Circuit Breaker Lockouts 294
Circuit Testers 406
Clamps, Beam 89
Clamps, Drum Lifting 380
Clean Room Matting 353
Cleaners
- Degreasers 364
- Hand 274-276, 278
- Industrial 359, 364
- Lens 15, 59

Cleaning Equipment
- Brooms 362
- Buckets/Wringers 362
- Carts 363
- Dustpans 362
- Mops 362
- Vacuum Cleaners 222

Cleats 185, 336-337
Closures, Drum 384
Clothing
- Arc Flash 117-118, 121-122
- Chemical Resistant 98-99, 102, 106-108
- Cooling 190-191
- Flame Resistant 107, 109-110, 117-118, 121-122
- Flame Retardant 110
- General Protection 96, 98, 100-106, 108
- High Visibility 111-115
- Limited Use 96, 98-108
- Rainwear 109-110, 114, 119
- Welding 138-139
- Winter 118-119
- Work 25, 98-100, 116-117, 119-120

Clothing Kits, Arc Flash 121-122
Coagulants 272
Coated Gloves 143-152, 154, 158-160, 179-180
Coats
- Arc Flash 121
- Flame Resistant 121
- Winter 119

Cold Compresses 268
Combustible Gas Detectors 61
Communication
- Megaphones 41
- Two-Way Radios 35, 37-38, 40

Compresses 265-266, 268
Conditioners, Skin 275
Cone Bars 327
Cones, Crowd Control 363
Cones, Traffic Control 326-327
Confined Space Lockouts 296
Confined Space Signs 271, 307
Conspicuity Tape 316
Containers
- Poly 384
- Recycling 368-369
- Salt & Sand 371
- Spill Control 241-242

Convex Mirrors 342
Cooking Thermometers 392
Coolers, Containers 193
Cooling Clothing
- Hard Hat Liners 191
- Hats 190
- Headbands 190-191
- Towels 190
- Vests 191
- Wraps 190-191

Cord Reels
- Extension Cords 406-407
- Fluorescent 407
- Incandescent 407
- Quad Box 407
- Single Outlet 407
- Triple Outlet 407

Cord Retainers, Eyewear 14
Cord Sets, GFCI 406
Cords, Extension 404-405
Corn Brooms 362
Corner Protectors 330
Cotton Balls 267
Cotton Tip Applicators 267
Coveralls
- Arc Flash 117-118, 121
- Chemical Resistant 106-108
- Flame Resistant 107, 117-118, 121
- General Protection 101-102, 104-106, 108
- Limited Use 106-108
- Work 116-117

Covers
- Boot 96, 103, 182, 359
- Drum 208, 232
- Fire Extinguisher 195
- Shoe 96
- Waste Containers 365-367, 369

CPR Masks & Shields 272
Cream Dispensers 278
Cross-Arm Strap Anchors 89
Cross-Point Screwdrivers 125
Crowbars, Non-Sparking 124
Crowd Control
- Base 338
- Chain 341
- Cones 363
- Rope & Posts 312, 338-341
- Wall mounted 339

Crutches, First Aid 271
CSA Standard Signs 309-310
Curtain, Privacy Shower 256
Curtains, Strip 389
Cut Resistant Gloves 150-154, 173

-D-

Danger Tags 299
Davits 63-64
D-Bolt Anchors 87, 89
Degreasers, Heavy-Duty 364
Delineators, Traffic Control 327-328
Depressors, Tongue 267
Desks, Shop 388
Dielectric Hasp Lockouts 293
Direction Signs 306
Disinfectants 364
Dispenser Bottles 209
Dispensers
- Aisle Marking Tape 334
- Cream 278
- Ear Plug 29, 32
- Gloves 164
- Hand Sanitizer 273
- Hand Soap 274-275, 277
- Paper Towel 361
- Toilet Paper 360-361

Disposable Dust Masks 42, 47
Disposable Face Mask 42
Disposable Gloves 161-164, 196
Disposable Respirators 42-47
Dock Equipment
- Cable & Hose Protectors 324
- Wheel Chocks 325

Docking Stations 60
Dollies
- Drum 234-235, 367, 382
- Gas Cylinder 127
- Waste Container 367-369

Dome Mirrors 342-343
Doors, Curtain 389
Drain Protectors 218
Drain Seals 218-219
Drench Hoses 255
Dressings, Burn Care 269

D-Ring Harnesses 68
Drinks, Rehydration 192
Drip Cans 208
Drip Pans 217-218
Drum Equipment
Bonding & Grounding Wires 204, 387
Cabinets 203
Carts 234
Closures 384
Covers 208, 232
Dollies 234-235, 367, 382
Faucets 386-387
Funnels 232, 387
Gauges 386
Heaters 385
Lifters 380-382
Liners 385
Pail Heaters 385
Pail Tippers 381
Pails 230
Pumps 386
Racks 236, 382
Rockers 383
Spill Pallets 237-240, 242, 244-245
Strainers 385
Trays 218, 236, 243-244
Trucks 382-383
Upenders 386
Valves 387
Vents 387
Drum Fans 408
Drum Tools 386
Drums 384
Drywall Tools 124-125
Dump Trucks 370
Dust Masks, Disposable 42, 47
Dustpans 362

-E-

Ear Muffs
Cap Mounted 33, 35-38
Headband 33-37
Hygiene Kits 35
Neckband 34, 36-37
Ear Plugs
Corded 26-28, 30-31
Dispensers 29, 32
Disposable 26-29, 147
Reusable 28, 30-31
Uncorded 26-31, 147
Earloop Face Mask 42
Edge Protectors 330
Electrical Gloves 123
Electrical Hazard Signs 307-308
Electrical Plug Lockouts 294
Electrical Supplies
Batteries 399, 403
Cord Reels 406-407
Extension Cords 404-405
GFCI Products 406
Outlet Boxes 406
Electrical Switch Lockouts 294
Emergency Escape Respirators 53
Emergency Lights 403
Emergency Showers 246-247
Entrance Matting 349, 355, 357-359
Ergonomic Products
Back Supports 188
Gloves 165-167
Knee Pads 139, 187
Kneeling Pads 187
Tennis Elbow Braces 189
Wrist Supports 189
Escape Ladders 197
Exit Lights 403
Exit Signs 306-307, 403
Expandable Gates 363
Extension Cords 404-405
Extensions, Forklift 379
Extinguisher Cabinets 195
Extinguishers, Fire 194
Extrication Devices 270
Eye Protection Signs 307-308
Eyewash Stations
Bottled 253-254
Faucet Mounted 248
Pedestal Mounted 250
Self Contained 251-252
Sink Mounted 248
Solutions 251-254
Supplemental 253-254
Wall Mounted 248-249
Water Preservatives 251-252
Eyewear
Cases 14
Cord Retainers 14
Reading Glasses 10
Safety Glasses 2-11, 14
Safety Goggles 12-13
Welding Goggles 130

-F-

Fabric Bandages 264-266
Face Mask 42
Faceshields 16-18, 122
Facial Tissue 360
Fall Protection
Anchorage Connectors 87-89
Carabiners 87, 90
Davits 63-64
Fall Protection Kits 77-79
Harness 69, 73
Harnesses 67-75, 89
Kits 77-79
Lanyards 65, 79-82, 84, 86, 92-94
Life Lines 65, 84-86, 88, 90
Rescue Hoist 65
Rescue Systems 63-65, 69
Rope Grabs 88, 90
Winches 65
Fall Protection Kits 77-79
Fall Protection Lanyards, Hard Hat 25, 94
Fan Forced Heaters 410
Fans
Drum 408
Floor 409
Office 409
Pedestal 408-409
Wall Mounted 408-409
Fasteners, Hex Nuts 332
Faucets, Drum 386-387
Fences, Safety 329
Fences, Snow 329
Filter Plate Lenses 132, 137
Filter Plates 135, 137
Filters, ADF 131, 134-135
Filters, Respirator 50-51, 53, 57
Fire Protection
Blankets 197, 269
Extinguisher Cabinets 195
Extinguisher Covers 195
Extinguishers 194
Fire Alarm Protectors 196-197
Signs 306, 308, 310-311
Smoke Alarm Testers 197
Smoke Alarms 196
First Aid
Antiseptics 267
Bandages 264-266
Blankets 271
Burn Care 269
Cabinets 263
Coagulants 272
Compresses 268
Cotton Products 267
CPR Devices 272
Crutches 271
Drench Hoses 255
Emergency Showers 246-247
Extrication Devices 270
Eyewash Stations 248-254
Furnishings 271
Instruments 267-268
Kits 257-263
Lip Balm 268, 279
Ointments 267
Sharps Collectors 271
Signs 307-308, 311
Stretchers 270
Tape 266
Thermometers 271
Wheel Chair 271
First Aid Room Furnishings 271
Fit Test Kits, Respirators 59
Fitters' Gloves 170-174, 177
Flagging Tape 334
Flags
Marking 333
Snow 333
Traffic Control 322
Flagstaffs 320
Flame Resistant Clothing
Coats 121
Coveralls 107, 117-118, 121
Hoods 121-122
Jackets 118
Overalls 118, 121
Pants 117
Rainwear 109-110
Shirts 117
Flame Retardant Clothing, Jackets 110
Flares, Traffic Control 323
Flashing Lights 327, 331
Flashlights 394-399
Flat Fold Respirator 42
Flat Mirrors 343
Flat Tip Screwdrivers 125
Flat Top Dispensers 274-275, 277
Flip Charts, TDG 318
Flip-Top Mitts 167
Floodlights 400, 402
Floor Cleaners 364
Floor Fans 409
Floor Lamps 401
Floor Signs, Safety 363
Fluorescent Lamps/Light Bulbs 401
Folding Gates 331
Folding Stretchers 270
Food Thermometer 392
Foot Guards 186
Foot Warmers 185
Footwear
Boot Trays 359
Brushes 359
Chemical Resistant Boots 181
Covers 96, 103, 182, 359
Foot Guards 186
Foot Warmers 185
Knee Boots 181-182
Overboots 183
Overshoes 183-184
Toe Guards 186
Waders 183
Winter Boots 184-185
Work Boots 182-183
Footwear Odour Neutralizers 268
Forklift Attachments
Drum Lifters 381-382
Extensions 379
Maintenance Platforms 378
Friction Bolt Anchors 87
Full Face Respirators 49, 52-53, 55-56
Funnels
Drum 232, 387
Pail 232
Spill Control 232

-G-

Garbage Bags 365-366
Garbage Cans 365-367
Gas Cans 209
Gas Cylinder
Brackets 127
Cabinets 126
Dollies 127
Racks 127
Trucks 127
Gas Detectors
Air Quality 390
Calibration Gas 60
Carbon Monoxide 61
Combustible Gas 61
Multi-Gas 60
Single-Gas 60
Gate Valve Lockouts 296
Gate Valves 387
Gates
Expandable 363
Folding 331
Security 340
Gauges, Drum 386
Gauze Bandages 265
Gels, Burn Care 269
General Protection Clothing
Aprons 98, 103
Coveralls 101-102, 104-106, 108
Hoods 96, 103
Lab Coats 100-103, 105, 108
Pants 103
Shirts 103
GFCI 406
GHS 313-314
Glasses
Cases 14
Cord Retainers 14
Reading 10
Safety 2-11, 14
Gloves
Aluminized 142
Anti-Vibration 168-169
Canvas Cotton 172, 180
Chemical Resistant 155-160
Coated 143-152, 154, 158-160, 179-180
Cotton 172
Cut Resistant 150-154, 173
Dispensers 164
Disposable 161-164, 196
Dyneema® 151, 153-154
Electrical 123
Ergonomic 165-167
Fitters' 170-174, 177
Heat Resistant 142, 168
High Voltage 123
Holders 180
Impact 168-169, 189
Inspection 178
Jersey 180
Kevlar® 150-154
Knit 178-179
Latex 163-164
Leather 140-141, 170-174, 177
Natural Rubber 147-149
Neoprene 158
Neoprene/Rubber 158
Nitrile 143-147, 149-150, 154-156, 161-163, 196
Nitrile/Polyurethane 143-147, 149-150, 154
Parade/Waiter's 178
Polyethylene 164
Polyuretane/Nitrile 143, 150-152, 154, 160
Polyurethane 143, 150-152, 154, 160
PVC 148, 158-160, 179-180
Rubber 148, 157-158
Rubber Latex 147-148, 156-157
Stainless Steel 154
Vinyl 149, 163
Welding 140-141
Winter Lined 148, 160, 167-168, 170, 172, 174-177, 179
Glow-in-the-Dark Tape 335-337
Glow Wands 322
Goggles 12-13, 130
Grounding Mats 351
Grounds Maintenance
Broadcast Spreaders 371
Ice Salt 371
Shovels 124, 371
Guard Rails 332
Guards
Foot 186
Perimeter 332
Shin 186
Toe 186

-H-

Hair Nets 95-96
Half-Mask Respirators 48-49, 52, 55-57
Hammers 124
Hand Cleaners 274-276, 278
Hand Lamps 401-402, 407
Hand Pads 141
Hand Sanitizer Dispensers 273
Hand Sanitizers 273
Hand Scrapers, Non-Sparking 124
Hand Shields, Welding 133
Hand Stamps 302
Hand Tools
- Crowbars 124
- Drywall Tools 124-125
- Hammers 124
- Mallets 124
- Non-Sparking 124-125
- Pinch Bars 124
- Pliers 125
- Pry Bars 124
- Scrapers 124
- Screwdrivers 125
- Wedge 124
- Wrenches 125

Hand Towels 278, 361
Hand Truck Step Ladder 377
Hand Trucks 388
Hand Warmers 180
Hard Hat Lanyards 25, 94
Hard Hat Liners, Cooling 191
Hard Hats 19-23
Harnesses
- Arc Rated 73
- D-Ring 68
- General 67-72, 74-75, 89
- Traffic Control 114
- Welding 69, 73

Hasp Lockouts 283-284, 293
Hats, Cooling 190
Hats, Hard 19-23
Hazardous Materials Cabinets 199-205
Headbands, Cooling 190-191
Headgear, Respirators 136
Headlights, Hard Hat 24, 115
Headsets 35, 37-38
Hearing Bands 31-32
Heat Resistant Gloves 142, 168
Heat Resistant Mitts 142
Heat Stress Meter 190
Heaters
- Ceiling Mounted 411
- Drum 385
- Fan Forced 410
- Pail 385
- Portable 411
- Radiant 410-411
- Radiator 410
- Wall 411

Helmets, Welding 58, 131-136
Hex Nuts 332
High Visibility Clothing
- Hat/Toque 115
- Jackets 113-114
- Pants 114
- Parkas 113
- Sweatshirts 113
- T-Shirts 113
- Vests 111-113

High Voltage Gloves 123
Hip Waders 183
Hoist, Rescue 65
Hoists, Manual 379
Holders
- Gloves 180
- TDG 318

Hood, Respirators 136
Hoods
- Arc Flash 121-122
- Flame Resistant 121-122
- General Protection 96, 103
- Rain 110, 114

Hooks, Drum Lifting 380
Hose Protectors, Dock 324
Hose Reels 407
Hoses, Drench 255
Hot Compresses 268
HVAC
- Axial Blowers 62
- Ceiling Mounted Heaters 411
- Centrifugal Blowers 62
- Drum Fans 408
- Fan Forced Heaters 410
- Floor Fans 409
- Office Fans 409
- Pedestal Fans 408-409
- Portable Blowers 62
- Portable Heaters 411
- Radiant Heaters 410-411
- Radiator Heaters 410
- Wall Heaters 411
- Wall Mounted Fans 408-409

Hydrogen Peroxide 267
Hygienic Products, Basins 268
Hygrometers, Thermo 390

-I-

Ice Cleats 185
Ice Salt 371
Ice Spikes 185
Identification
- GHS Products 313
- Hand Stamps 302
- Marking Flags 333
- MSDS Products 205, 314-315
- Safety Whips 320
- SDS Products 314-315
- Self-Adhesive Letters 304
- Self-Adhesive Numbers 304
- Signs 271, 306-312, 315, 318, 321-322, 325, 363
- Snow Flags 333
- Stencil Inks 303
- Stencils 303
- Tags 297-301
- Tape 334-336
- TDG Products 317-318
- WHMIS Products 313
- Windsocks 333

Illuminometers, Digital 391
Impact Gloves 168-169, 189
Industrial Cleaners
- Boot and Shoe 359
- Disinfectants 364
- Floor 364
- Multi-Purpose 364
- Toilet Bowl 364

Information Centres
- GHS 314
- MSDS 314-315
- SDS 314-315

Information Charts, GHS 313
Information Charts, WHMIS 313
Infrared Thermometers 393
Ink Stencils 303
Insect Repellent 279
Inspection Gloves 178
Inspection Mirrors 343
Instruments
- Circuit Testers 406
- Cooking Thermometers 392
- First Aid 267-268
- Gas Detectors 60-61, 390
- Heat Stress Meter 190
- Hygrometers 390
- Illuminometers 391
- Infrared Thermometers 393
- Inspection Mirrors 343
- Light Meters 391
- Oral Thermometers 271
- Psychrometers 390
- Sound Level Meters 391
- Stem Thermometers 392
- Temperature Probes 390, 392
- Thermocouple Thermometers 390, 392
- Thermometer/Hygrometers 390

Isopropyl Rubbing Alcohol 267

-J-

Jackets
- Arc Flash 118
- Flame Resistant 118
- Flame Retardant 110
- Leather 138
- Rain 110, 119
- Welding 138

Janitorial Products
- Brooms 362
- Buckets/Wringers 362
- Carts 363
- Dustpans 362
- Hand Towels 278, 361
- Mops 362
- Scoops 371
- Vacuum Cleaners 222
- Washroom Products 360-361
- Waste Management 198, 365-369
- Wipes 59, 278, 360

Jelly, Petroleum 268
Jerry Cans 209
Jersey Gloves 180
Jiggers 379

-K-

Key Boxes 197
Key Rings 301
Kitchen Supplies, Coolers 193
Kits
- Burn Care 269
- Fall Protection 77-79
- First Aid 257-263
- Lockout 287, 291-292
- Spill Control 223-231

Knee Boots 181-182
Knee Pads
- Co-Polymer/Ester Tricot 187
- Foam/Hard Shell 187
- Gel 187
- Hard Shell 187
- Leather 139

Kneeling Pads 187
Knit Gloves 178-179
Knives 125

-L-

Lab Coats, General Protection 100-103, 105, 108, 116
Labels
- Lock 285
- TDG 319
- WHMIS 313

Ladder, Step Stool Hand Truck 377
Ladders 197, 376-377
Lamps 401
Lanterns, Cordless 398
Lanterns, Waterproof 400
Lanyards
- Arc Rated 82
- Eyewear 14
- Hard Hat 25, 94
- Positioning and Restraint 80
- Self-Retracting 65, 84, 86
- Shock Absorbing 79-82
- Tie-Back 81-82
- Tool 92-94
- Welding 82

Leak Diverters 219
Leak Plug 219
Leak Seal 219
Leather Gloves 141, 170-174, 177
Leg/Arm Bands, Traffic Control 114
Lens Cleaners 15
Lenses, Filter Plate 132, 137
Letters, Self-Adhesive 304
Lids, Drum 208, 232
Lids, Waste Container 365-367, 369
Life Lines, Self-Retracting 65, 84-86
Life Lines, Vertical 88, 90
Lift Tables 378
Lifters, Drum 380-382
Lifters, Shop 236, 378
Lifting Equipment
- Beam Clamps 89
- Beam Trolleys 89, 379
- Hoists 379
- Lift Tables 378
- Manhole Lid Lifters 62
- Pallet Trucks 379
- Stackers 236, 378

Light Bulbs, Fluorescent 401
Light Meters, Digital 391
Lighting
- Emergency Lights 403
- Exit Lights 403
- Flashing Lights 327, 331
- Flashlight Belt Holsters 396-397
- Flashlights 394-399
- Floodlights 400, 402
- Floor Lamps 401
- Hand Lamps 401-402, 407
- Headlights 24, 115
- Lamps/Light Bulbs 401
- Lanterns 398, 400
- Lightsticks 322
- Penlights 394
- Spot Lights 395, 398
- String Lights 402
- Task Lights 400
- Telescopic Lights 402
- Traffic Wands 397
- Warning Lights 327, 331

Lighting Baton 322
Lightsticks 322
Limited Use Clothing
- Aprons 98-99, 102-103
- Coveralls 101-102, 104-108
- Hoods 96, 103
- Lab Coats 100-103, 105, 108
- Pants 103
- Shirts 103

Liners, Drum 385
Liners, Hard Hat 120
Lip Balm 268, 279
Lock Labels 285
Lockouts
- Ball Valve 293, 295-296
- Cable 293
- Circuit Breaker 294
- Confined Space 296
- Electrical Plug 294
- Electrical Switch 294
- Gate Valve 296
- Hasps 283-284, 293
- Kits 287, 291-292
- Stations 287-292
- Tags 297-299

Locks
Loudspeakers 41

-M-

Machinery & Operations Signs 306, 308
Magnifier Plates 135, 137
Maintenance Platforms 378
Maintenance Signs 307-308
Mallets 124
Manhole Lid Lifters 62
Manhole Shields 64
Marking Flags 333
Masks, CPR 272
Masks, Dust 42, 47
Material Handling
- Box Trucks 370
- Carts 200
- Dollies 127
- Forklift Extensions 378-379
- Gas Cylinder Trucks 127
- Hand Trucks 388
- Lifting Equipment 62, 89, 236, 378-379
- Platform Trucks 374-375

Shop Carts ... 372-374
Step Ladder Hand Truck ... 377
Tilt Trucks ... 370
Mats, Grounding ... 351
Matting
Anti-Fatigue ... 344-348, 350, 352-355
Anti-Static ... 351
Clean Room ... 353
Eco ... 359
Entrance ... 349, 355, 357-359
Runner ... 349, 355, 357-358
Welding ... 129
Wiper ... 357
Megaphones ... 41
Mesh Partitions ... 332
Mirrors
Convex ... 342
Dome ... 342-343
Flat ... 343
Inspection ... 343
Rectangular ... 342-343
Round ... 342
Mitts, Heat Resistant ... 142
Mixing Valves, Thermostatic ... 250
Mops
Cotton ... 362
Polyester/Rayon ... 362
Wet ... 362
Moving Supplies, Tie-Downs ... 219
MSDS ... 205, 314-315
Muffs
Cap Mounted ... 33, 35-38
Headband ... 33-37
Headstrap ... 33-37
Hearing ... 35
Neckband ... 34, 36-37
Multi-Gas Detectors ... 60

-N-

Neck Protectors, Welding ... 134
Nets, Hair ... 95-96
No Smoking Signs ... 307-308
Non-Sparking Tools
Hammers ... 124
Mallets ... 124
Pliers ... 125
Scrapers ... 124
Wedge ... 124
Wrenches ... 125
Numbered Tags ... 301
Numbers, Self-Adhesive ... 304
Nuts, Hex ... 332

-O-

Odour Neutralizers, Footwear ... 268
Office Fans ... 409
Office Supplies, Grounding Mats ... 351
Oily Waste Cans ... 208
Openers, Pail ... 386
Oral Thermometers ... 271
Order Picking Carts ... 374
Outdoor Equipment
Grounds Maintenance ... 124, 371
Snow Removal ... 333
Outlet Boxes, GFCI ... 406
Overalls
Arc Flash ... 118, 121
Flame Resistant ... 118, 121
Rain ... 110
Overboots ... 183
Overpack ... 233-235, 244
Overshoes ... 183-184

-P-

Packaging
Cable Ties ... 301
Edge and Corner Protectors ... 330
TDG Labels ... 319
Tie-Downs ... 219
Padlock Caddy ... 287
Padlocks ... 280-286
Pads
Hand ... 141
Knee ... 139, 187
Kneeling ... 187
Spill Control ... 210-215, 217
Pail Funnels ... 232
Pail Heaters ... 385
Pail Openers ... 386
Pail Tippers ... 381
Pails ... 362
Paint Stencils ... 303
Pallet Trucks ... 379
Pallets, Spill Control ... 237-240, 242, 244-245
Pans, Drip ... 217-218
Pants
Arc Flash ... 117
Flame Resistant ... 117
General Protection ... 103
Rain ... 119
Work ... 116, 119
Paper, Toilet ... 360-361
Paper Towel Dispensers ... 361
Paper Towels ... 360
PAPR Respirators ... 58
Parade/Waiter's Gloves ... 178
Parkas ... 118-119
Parking Curbs, Traffic Control ... 323
Parking Signs ... 312
Partitions
Fences ... 329
Gates ... 331, 340, 363
Guard Rails ... 332
Manhole Shields ... 64
Perimeter Guards ... 332
Steel Mesh ... 332
Strip Curtain Doors ... 389
Pavement Tape ... 334
Pedestal Fans ... 408-409
Penlights ... 394
Pennants, Traffic Control ... 333
Perimeter Guards ... 332
Personal Protection
Dust Masks ... 42, 47
Ear Muffs ... 33-38
Ear Plugs ... 26-32, 147
Eyewear ... 2-14, 130
Faceshields ... 16-18, 122
Footwear ... 96, 103, 181-186, 359
Forearm Protectors ... 97-98, 103
Gloves ... 123, 140-180, 189, 196
Headwear ... 19-23, 95-96
Hearing Bands ... 31-32
Knee Pads ... 139, 187
Mitts ... 142
Respirators ... 42-59
Shin Guards ... 186
Petroleum Jelly ... 268
Phillips® Screwdrivers ... 125
Pillows, Spill Control ... 217
Pinch Bars ... 124
Placards, TDG ... 317-318
Plastic Bandages ... 264-266
Plastic Strips ... 265
Platform Trucks ... 374-375
Platforms, Maintenance ... 378
Pliers, Non-Sparking ... 125
Plunger Cans ... 208
Pools, Spill Control ... 243
Portable Blowers ... 62
Portable Heaters ... 411
Positioning and Restraint Lanyards ... 80
Positive Pressure Respirators ... 58
Posters, WHMIS ... 313
Posts, Crowd Control ... 312, 338-341
Posts, Snow Clearing ... 333
Pouches, Tool ... 93
Pressure Sensitive Letters ... 304
Pressure Sensitive Numbers ... 304
Privacy Shower Curtain ... 256
Probes, Temperature ... 390, 392
Protective Wear Signs ... 307-308
Pry Bars, Non-Sparking ... 124
Psychrometers ... 390
Pumps, Drum ... 386
Push Brooms ... 362
Putty Knives ... 125

-R-

Racks, Drum ... 236, 382
Racks, Gas Cylinder ... 127
Radiant Heaters ... 410-411
Radiator Heaters ... 410
Radios, Two-Way ... 35, 37-38, 40
Rag Rugs, Spill Control ... 216
Rainwear
Flame Resistant ... 109-110
Hoods ... 110, 114
Jackets ... 110, 119
Overalls ... 110
Pants ... 119
Suits ... 109
Recycling Containers ... 368-369
Reels ... 406-407
Reflectors, Traffic Control ... 323
Regulator, Calibration Gas ... 60
Rehydration Drinks, Sqwincher® ... 192
Repellent, Insect ... 279
Rescue Hoist ... 65
Rescue Systems ... 63-65, 69
Respirators
Cartridges ... 50, 54-58
Disposable ... 42-47
Emergency Escape ... 53
Filters ... 50-51, 53, 57
Fit Test Kits ... 59
Full Face ... 49, 52-53, 55-56
Half Mask ... 48-49, 52, 55-57
Headgear ... 136
PAPR ... 58
Positive Pressure ... 58
Welding ... 45
Rings, Key ... 301
Rockers, Drum ... 383
Rolling Ladders ... 376-377
Rolls, Spill Control ... 210-215
Rope Grabs ... 88, 90
Round Point Shovels ... 124
Rubbing Alcohol ... 267
Runner Matting
Needle Rib ... 357
Pile ... 357-358
Polypropylene ... 357
Rubber ... 349, 355, 358
Vinyl ... 349

-S-

Safety
Anti-Skid Cleats ... 336-337
Arm Protection ... 97-98, 103
Cans ... 206-207
Cooling Clothing ... 190-191
Crowd Control ... 312, 338-341
Ear Protection ... 26-38, 147
Ergonomic Products ... 139, 187-189
Eyewear ... 2-14, 130
Faceshields ... 16-18, 122
Fall Protection ... 63-65, 67-75, 79-82, 84-90, 92-94
Fire Protection ... 194-197, 269
First Aid ... 246-255, 257-272, 279
Flame Resistant Clothing ... 109-110
Floor Signs ... 363
Flooring ... 336-337
Foot Protection ... 96, 103, 181-186, 359
Gas Detectors ... 60
Hand Protection ... 123, 140-180, 189, 196
Headwear ... 19-23, 95-96
High Visibility Clothing ... 111-115
Hygienic Products ... 268
Insect Repellent ... 279
Locking Systems ... 197, 285
Lockouts ... 283-284, 287-299
Matting ... 129, 344-348, 350-355
Mirrors ... 342-343
Padlocks ... 280-287
Pharmaceutical ... 268, 273, 275, 278-279
Rehydration Drinks ... 192
Respirators ... 42-59
Security Seals ... 301
Shin Guards ... 186
Spill Control ... 208, 210-221, 223-245, 367
Traffic Clothing ... 111-115
Traffic Control ... 111-112, 114, 316, 322-323, 326-328, 331, 333-334, 338
Whips ... 320
Safety Pins ... 268
Safety Signs ... 308, 311, 315
Safety Tags ... 297-299
Salt ... 371
Salt & Sand Containers ... 371
Salvage Drums ... 233-235, 244
Scissors, First Aid ... 267
Scoop Shovels ... 124
Scoops ... 371
Scoreboard Signs ... 311
Scrapers
Drywall ... 124
Non-Sparking ... 124
Rubber ... 358
Screens, Welding ... 129
Screwdrivers ... 125
SDS ... 314-315
Sealant, Spill Control ... 219
Sealing Press, Security Seals ... 301
Seals ... 301
Seat Cover, Automotive ... 112
Security
Gates ... 340
Locking Systems ... 197, 280-287
Lockouts ... 283-284, 287-299
Seals ... 301
Self-Adhesive Letters & Numbers ... 304
Self-Retracting Lanyards ... 65, 84, 86
Self-Retracting Life Lines ... 65, 84-86
Self-Stick Bandages ... 266
Sharps Collectors ... 271
Sheets, Burn Care ... 269
Shelf Carts ... 372-373
Shields
CPR ... 272
Face ... 16-18, 122
Manhole ... 64
Shin Guards, Plastic ... 186
Shipping, TDG Labels ... 319
Shirts
Arc Flash ... 117
Flame Resistant ... 117
General Protection ... 103
Work ... 116
Shock Absorbing Lanyards ... 79-82
Shoe Brushes ... 359
Shoe Covers ... 96
Shop Carts ... 372-374
Shop Coats ... 116
Shop Desks ... 388
Shop Lifters ... 236, 378
Shovels
Round Point ... 124
Scoop ... 124
Snow ... 371
Spill Control ... 221
Square Point ... 124
Shower Testers ... 255
Showers, Emergency ... 246-247
Signs
Admittance ... 306-307
Chemical Hazard ... 306-307
Confined Space ... 271, 307
CSA Standard ... 309-310
Direction and Exit ... 306-307
Electrical Hazard ... 307-308
Exit ... 403
Eye Protection ... 307-308
Fire ... 306, 308, 310-311

First Aid ... 307-308, 311
Floor ... 363
Machinery & Operations ... 306, 308
Maintenance ... 307-308
No Smoking ... 307-308
Parking ... 312
Protective Wear ... 307-308
Safety ... 308, 311, 315
Scoreboard ... 311
Slow Moving Vehicle ... 322
TDG ... 317-318
Traffic ... 307, 311-312, 318, 321-322, 325
Single-Gas Detectors ... 60
Skin Conditioners ... 275
Sledge Hammers, Non-Sparking ... 124
Sleeves
Cotton ... 97
Kevlar® ... 98
Nylon ... 97
Polypropylene ... 97, 103
PVC ... 97
SuperFabric® ... 98
Vinyl ... 97
Welding ... 138
Slings, Drum Lifting ... 380
Slot Screwdrivers ... 125
Slow Moving Vehicle Signs ... 322
Smoke Alarm Testers ... 197
Smoke Alarms, Ionization ... 196
Snow Clearing Posts ... 333
Snow Fences ... 329
Snow Flags ... 333
Snow Shovels ... 371
Soap ... 274-276, 278
Soap Dispensers ... 274-275, 277
Socks, Spill Control ... 217
Solutions, Lens Cleaning ... 15
Sorbents
Absorbents ... 220-221
Booms ... 216
Pads ... 210-215, 217
Pillows ... 217
Rag Rugs ... 216
Rolls ... 210-215
Socks ... 217
Sound Level Meters ... 391
Spats, Welding ... 138
Speed Bumps, Traffic Control ... 323
Spill Control
Berms ... 218, 243, 245
Containers ... 241-242
Drain Protectors ... 218
Drain Seals ... 218-219
Drip Cans ... 208
Drip Pans ... 217-218
Drum Carts ... 234
Drum Dollies ... 234-235, 367
Drum Racks ... 236
Drum trays ... 218, 236, 243-244
Funnels ... 232
Kits ... 223-231
Leak Diverters ... 219
Leak Seal ... 219
Overpack ... 233-235, 244
Pallets ... 237-240, 242, 244-245
Pools ... 243
Salvage Drums ... 233-235, 244
Sealant ... 219
Shovels ... 221
Sorbents ... 210-217, 220-221
Spinal Backboard ... 270
Splints ... 270
Spot Lights ... 395, 398
Square Point Shovels ... 124
Sqwincher® ... 192
Stackers ... 236, 378
Stamps, Hand ... 302
Stations, Docking ... 60
Stations, Lens Cleaning ... 15
Stem Thermometers ... 392
Stencil Inks ... 303
Stencils, Paint & Ink ... 303
Step Ladder Hand Truck ... 377
Stepladders ... 377
Stepstands, Steel ... 376-377
Stepstools, Polyethylene ... 377
Stock Picking Carts ... 373
Storage
Cabinets ... 199-205
Dispenser Bottles ... 209
Gas Cans ... 209
Gas Cylinder Brackets ... 127
Gas Cylinder Cabinets ... 126
Gas Cylinder Racks ... 127
Oily Waste Cans ... 208
Plunger Cans ... 208
Poly Containers ... 384
Safety Cans ... 206-207
Salt & Sand Containers ... 371
Tool Bags ... 92
Tool Pouches ... 93
Strainers, Drum & Pail ... 385
Stretchers ... 270
String Lights ... 402
Strip Curtain Doors ... 389
Structures, Bollards ... 329, 332
Suits, Rain ... 109
Sunscreen ... 279
Support Bandages ... 266
Surgical Tape ... 266
Sweatbands ... 25

-T-

Tables, Lift ... 378
Tags
Accident Prevention ... 297-299
Blank ... 300-301
Brass ... 301
Caution ... 299
Danger ... 299
Lockout ... 297-299
Numbered ... 301
Safety ... 297-299
Tape
Aisle Marking ... 335-336
Anti-Skid ... 336-337
Barricade ... 334
Conspicuity ... 316
First Aid ... 266
Flagging ... 334
Glow in the Dark ... 335-337
Pavement ... 334
Surgical ... 266
Tape Dispensers, Aisle Marking Tape ... 334
Task Lights ... 400
TDG Labels ... 319
TDG Placards ... 317-318
Telescopic Lights ... 402
Temperature Probes ... 390
Tennis Elbow Braces ... 189
Tensabarriers ... 312, 338-341
Testers
Circuit ... 406
Shower ... 255
Smoke Alarm ... 197
Tethering, Hard Hats ... 25, 94
Thermocouple Probes ... 392
Thermocouple Thermometers ... 390, 392
Thermo-Hygrometers ... 390
Thermometer/Hygrometers ... 390
Thermometers
Cooking ... 392
Hygrometers ... 390
Infrared ... 393
Oral ... 271
Stem ... 392
Thermocouple ... 390, 392
Thermostatic Mixing Valves ... 250
Tie-Back Lanyards ... 81-82
Tie-Downs ... 219
Ties, Cable ... 301
Tilt Trucks ... 370
Tippers, Pail ... 381
Tissues, Lens Cleaning ... 15
Toe Guards ... 186
Toilet Bowl Cleaners ... 364
Toilet Paper ... 360-361
Toilet Paper Dispensers ... 360-361
Tongue Depressors ... 267
Tool Lanyards ... 92-94
Tool Storage, Bags ... 92
Tool Storage, Pouches ... 93
Tops, Drum ... 208, 232
Toque, High Visibility ... 115
Towelettes, Benzalkonium ... 267
Towellettes, Lens Cleaning ... 15
Towels
Cooling ... 190
Hand ... 278, 361
Paper ... 360
Traffic Control
Banners ... 322
Barricade Tape ... 334
Barricades ... 331, 338
Channelizers ... 328
Cones ... 326-327
Delineators ... 327-328
Flagging Tape ... 334
Flags ... 322
Flares ... 323
Harnesses ... 114
Parking Curbs ... 323
Pennants ... 333
Reflectors ... 114, 316, 323
Speed Bumps ... 323
Vests ... 111-112
Traffic Safety Clothing
Hat/Toque ... 115
Jackets ... 113-114
Pants ... 114
Parkas ... 113
Sweatshirts ... 113
T-Shirts ... 113
Vests ... 111-113
Traffic Signs ... 307, 311-312, 318, 321-322, 325
Traffic Wands ... 397
Traffice Cone Bars ... 327
Trash Cans ... 365-367
Trays, Boot ... 359
Trays, Drum ... 218, 236, 243-244
Triangular Bandages ... 266
Tripods, Fall Protection ... 64-65
Trolleys, Beam ... 89, 379
Trucks
Box ... 370
Drum ... 382-383
Gas Cylinder ... 127
Hand ... 388
Pallet ... 379
Platform ... 374-375
Tilt ... 370
Tweezers, First Aid ... 268
Two-Way Radios ... 35, 37-38, 40

-U-

Umbrellas, Welding ... 128
Undergarments ... 119
Undershirts ... 119
Upenders, Drum ... 386
Upright Protectors ... 332
Utility Carts ... 373

-V-

Vacuums & Accessories
Valves
Drum ... 387
Gate ... 387
Water Mixing ... 250
Vents, Drum ... 387
Vertical Life Lines ... 88, 90
Vests
Cooling ... 191
Reflective ... 111-112
Traffic Control ... 111-112
Visors ... 16-18, 122

-W-

Waiter's/Parade Gloves ... 178
Walkie-Talkies ... 35, 37-38, 40
Wall Heaters ... 411
Wall Mounted Fans ... 408-409
Wall Plates, Crowd Control ... 339
Warmers, Hand ... 180
Warning Lights ... 327, 331
Washroom Cleaners, Disinfectants ... 364
Washroom Cleaners, Toilet Bowl ... 364
Waste Container Caddy ... 367
Waste Container Dollies ... 367-369
Water Preservatives ... 251-252
Wedge, Non-Sparking ... 124
Welding Clothing ... 138
Welding Equipment
ADF Filters ... 131-132, 134-135, 137
Carts ... 127
Chest Protectors ... 134
Filter Plates ... 135, 137
Hand Shields ... 133
Helmets ... 58, 131-136
Magnifier Plates ... 135, 137
Neck Protectors ... 134
Respirators ... 45
Screens ... 129
Umbrellas ... 128
Welding Harnesses ... 69, 73
Welding Lanyards ... 82
Wet Mops ... 362
Wheel Chair ... 271
Wheel Chocks ... 325
Whips, Safety ... 320
WHMIS ... 313
Winches, Personal ... 65
Windsocks ... 333
Winter Boots ... 184-185
Winter Clothing, Coats ... 119
Winter Clothing, Parkas ... 118-119
Winter Lined Gloves ... 148, 160, 167-168, 170, 172, 174-177, 179
Winter Liners ... 120
Wipes ... 59, 278, 360
Wire Basket Stretchers ... 270
Wires, Bonding & Grounding ... 204, 387
Work Boots ... 182-183
Work Clothing
Aprons ... 98-100
Balaclavas ... 120
Coveralls ... 116-117
Hard Hat Liners ... 120
Lab Coats ... 116
Pants ... 116, 119
Shirts ... 116
Shop Coats ... 116
Sweatbands ... 25
Undergarments ... 119
Work Lights ... 400-402
Workstations, Shop ... 388
Wraps, Cooling ... 190-191
Wrenches
Bung ... 386
Drum ... 386
Non-Sparking ... 125
Wringers ... 362
Wrist Supports ... 189

Safety Products For Industry

A leader in Traffic Safety, Personal Protection, and more!

Kleton builds quality and dependability into all of their products!
Look throughout the catalogue for the Kleton Custom Symbol indicating which products can be custom built to meet your specifications.

BUILT KLETON TOUGH

CUSTOMIZE . . .

- Strip Curtain Doors
- Platform Trucks
- Safety Guards
- Bollards
- Gas Cylinder Cabinets
- Workbenches
- Shelf Trucks
- And more...

Call us with your specs today!

KLETON

Safety • Industrial • Welding • Municipal Supplies

Office: 705. 713. 0404
Toll Free: 1. 844. 306. 0404
Email: info@helyx.ca
Website: www.helyx.ca

« Safety Solutions that fits your business needs... »

INDEX

Personal Protection .....2 - 193
Emergency Response .....194 - 279
Security & Identification ..... 280 - 343
Matting ..... 344 - 359
Janitorial ..... 360 - 371
Material Handling ..... 372 - 389
Electrical ..... 390 - 407
Fans & Heaters .....408 - 411